

## References

- [1] Michael Sekatchev. An explanation of the observed excess emissions in our galaxy using the axion quark nugget dark matter model, Apr 2023. URL <https://open.library.ubc.ca/collections/undergraduateresearch/52966/items/1.0432072>.
- [2] C. L. Bennett, M. Halpern, G. Hinshaw, N. Jarosik, A. Kogut, M. Limon, S. S. Meyer, L. Page, D. N. Spergel, G. S. Tucker, E. Wollack, E. L. Wright, C. Barnes, M. R. Greason, R. S. Hill, E. Komatsu, M. R. Nolte, N. Odegard, H. V. Peiris, L. Verde, and J. L. Weiland. First-year wilkinson microwave anisotropy probe (wmap) observations: Preliminary maps and basic results. *The Astrophysical Journal Supplement Series*, 148:1–27, 09 2003. doi: 10.1086/377253. URL <https://arxiv.org/abs/astro-ph/0302207>.
- [3] Douglas P. Finkbeiner. Microwave interstellar medium emission observed by the wilkinson microwave anisotropy probe. *The Astrophysical Journal*, 614(1):186, oct 2004. doi: 10.1086/423482. URL <https://dx.doi.org/10.1086/423482>.
- [4] Ariel Zhitnitsky. ‘nonbaryonic’ dark matter as baryonic colour superconductor. *Journal of Physics G: Nuclear and Particle Physics*, 30(1):S513, dec 2003. doi: 10.1088/0954-3899/30/1/061. URL <https://dx.doi.org/10.1088/0954-3899/30/1/061>.
- [5] Michael McNeil Forbes and Ariel R. Zhitnitsky. WMAP Haze: Directly Observing Dark Matter? *Phys. Rev.*, D78:083505, 2008. doi: 10.1103/PhysRevD.78.083505.
- [6] A. Burkert. The Structure of Dark Matter Halos in Dwarf Galaxies. *The Astrophysical Journal Letters*, 447:L25–L28, July 1995. doi: 10.1086/309560.
- [7] A. Sokołowska, L. Mayer, A. Babul, P. Madau, and S. Shen. Diffuse Coronae in Cosmological Simulations of Milky Way-Sized Galaxies. *The Astrophysical Journal*, 819(1):21, feb 2016. doi: 10.3847/0004-637x/819/1/21. URL <https://doi.org/10.3847/0004-637x/819/1/21>.