Stylizing 3D Animations

Keywords: Animation, Non-Photo Realistic Rendering.

Objective

Drawing inspiration from the visual style of modern feature-length animation, this project proposes to investigate a pipeline to go beyond traditional 3D rendering by integrating expressive, non-photorealistic stylization directly into the scene geometry. Rather than treating stylization as a post-processing filter, we plan to directly apply 3D assets with cartoonish effects (for example, localized paper effects and comic lines) alongside customized shaders to achieve an expressive aesthetic. We could also explore the usage of video-based style transfer to create more vivid stylizations.

Number of students: 2-3

Supervisors: Amandine LEGRAND (amandine.legrand@telecom-paris.fr), Amal Dev PARAKKAT (amal.parakkat@telecom-paris.fr)

References:

Tremolieres, Lou, et al. "Trajectory-aware Smears for Stylized 3D Animations." Proceedings of the 2025 18th ACM SIGGRAPH Conference on Motion, Interaction, and Games. 2025.
Basset, Jean, Pierre Bénard, and Pascal Barla. "Smear: Stylized motion exaggeration with art-direction." ACM SIGGRAPH 2024 Conference Papers. 2024.
Vergne, Romain, et al. "Implicit Brushes for Stylized Line-based Rendering." Computer Graphics Forum. Vol. 30. No. 2. Oxford, UK: Blackwell Publishing Ltd, 2011.
Vergne, Romain, et al. "Apparent relief: a shape descriptor for stylized shading." Proceedings of the 6th international symposium on Non-photorealistic animation and rendering. 2008.
Breslav, Simon, et al. "Dynamic 2D patterns for shading 3D scenes." ACM Transactions on Graphics (TOG) 26.3 (2007): 20-es.