

CCEI User Manual



©

1. Cold Chain Equipment Inventory (CCEI) System	1
1.1. Cold Chain Equipment Inventory (CCEI) System	1
1.2. Conceptual Framework	1
1.3. CCEI Architecture	1
1.4. Data types in CCEI	1
1.5. Service Module: Cold Chain Equipment Inventory (CCEI)	2
1.5.1. Meta Data	2
1.5.2. Data flow	3
1.6. Model Attribute: Cold Chain Equipment Inventory (CCEI)	3
1.6.1. Model Attribute	3
1.6.2. Operations on Model Attribute	5
1.6.3. Add a new model attribute	5
1.7. Model: Cold Chain Equipment Inventory (CCEI)	6
1.7.1. Model	6
1.7.2. Operations on Model	7
1.7.3. Add New Model	9
1.8. Equipment Type Attribute: Cold Chain Equipment Inventory (CCEI)	10
1.8.1. Equipment Type Attribute>	10
1.8.2. Operations on Equipment Type Attributes	11
1.8.3. Add new Equipment Type Attribute	11
1.9. Equipment Type: Cold Chain Equipment Inventory (CCEI)	12
1.9.1. Equipment Type	12
1.9.2. Operations on Equipment Type Attributes	13
1.9.3. Add new Equipment Type	14
1.10. Aggregation Engine: Cold Chain Equipment Inventory (CCEI)	15
1.10.1. Aggregation Engine	15
1.10.2. Aggregation Query List	16
1.10.3. Operations on Aggregation Query List	16
1.10.4. Adding Aggregation Query	17
1.10.5. Use Cases	18
1.10.5.1. Storage Capacity	18
1.10.5.2. Refrigerator working status by model	18
1.10.5.3. Refrigerator utilization	19
1.10.5.4. Refrigerator working status by type	20
1.10.5.5. Refrigerator temperature alarms	21
1.11. Aggregation of Data	21

Chapter 1. Cold Chain Equipment Inventory (CCEI) System

1.1. Cold Chain Equipment Inventory (CCEI) System

The Cold Chain Equipment Inventory (CCEI) System can be used to manage the cold chain equipment requirements from health facilities and to monitor the working status of the equipments by tracking, thereby timely action can be taken in cold chain supply management.

1.2. Conceptual Framework

The CCEI application is developed to manage cold chain equipment in health facilities through routine data form equipments and a timely reporting of working condition of the equipment which plays a crucial role in cold chain management.

1.3. CCEI Architecture

The system is built on the two inputs data forms namely model data, equipment type/equipment data and two output data forms namely periodic and non-periodic data.

In the model data, the initial step is to define model type attributes, model type. This enables the system to provide fields to enter required data for model. Each model type will have its own model data. In other terms model data is attached to its model type. The definition of model type attributes, model type can be modified/updated when the actual model type is introduced or a new model comes in the market in future at any facility.

There are equipment type/equipment data with or without having model data. In order to capture equipment type data, define equipment type attributes and then add equipment type with its attributes. If the equipment type has model data, select the appropriate model type while adding equipment type and this enable to pull the data from the selected model type along with the data from equipment type. If the equipment type has no model data, then just define attributes and add equipment type with its attributes.

There are data related to equipment which need to be collected, processed and used for action. Every facility has some number of equipments and data needs to be captured from equipment. In order to monitor the working status of the equipment and its location (facility), periodic/non-periodic data is to be collected.

When it is periodic, equipment/facility wise dataset is designed and assigned to corresponding facilities. When it is non-periodic (for say, working status) data needs to be captured when there is any change in the process and this can be done using equipment type attributes. The user has to select the facility as the registering unit and the appropriate equipment type and the required data can be filled in equipment type attributes.

1.4. Data types in CCEI

Non-periodic data which is data recorded only when there is any change in the process. For example, working condition of the equipment in a facility will be recorded, when it is working well or Not working or under repair condition. These data are recorded using equipment type attributes.

Periodic data are data recorded periodically to monitor the equipment function, performance and its efficiency and to monitor for any requirements of equipments in health facilities.

1.5. Service Module: Cold Chain Equipment Inventory (CCEI)

1.5.1. Meta Data

In cold chain Equipment Inventory, the super user has to define the metadata in the application.

To define model, the super user has to create attributes for model and then add the attributes with its model. The model here for say refrigerator and freezers and the attributes are capacity, dimension etc. The super user can add more models.

The model indicates the model name, for say Electrolux FG 432. To add a new model, select the model type and then add model.


Equipment Type Indicates the equipment for say Refrigerator, Cold Box, Cold Room etc. Equipment type has a particular model but equipment have machine specific data with addition to the general data which is common among the models. In order to record the equipment specific data, the super user has to define attributes for the equipment for say Unique ID, Serial No, manufacturer etc. User can add many numbers of attributes for equipment.

To add a new equipment type for say it is refrigerator and freezers, add it and select model for refrigerator and freezer. It will enable to pull data from selected model and also additional data which are specific to refrigerator and freezer by using equipment attributes.

In summary metadata defines

- Data about model attribute
- Data about model
- Data about equipment type attribute
- Data about equipment type

1.5.2. Data flow



Periodic Data Flow monitors following :

- Equipment: Monitor for any changes in equipment like temperature
- Facility: Monitor facilities for any requirements
- Period: Monitor any change of event timely

1.6. Model Attribute: Cold Chain Equipment Inventory (CCEI)

1.6.1. Model Attribute

To specify the model geometry and properties the user has to create model attributes where properties of each model defined.

To access Model Attribute user has to go to Maintenance -> dhis-web-maintenance-ccei -> Model attributes

dhis2

CCEI Laos

MaintenanceServices

CCEI Setup

Model attributes

Model

Equipment type attributes

Equipment type

Aggregation Builder

Aggregation Query List

Manual Aggregation

Lookups

Lookups

Transfer

Transfer facility data

Import / Export Data

Import Data

Cold chain equipment management

Equipment Manager

Model attributes ?

Filter by name

Filter

Clear

Name

CatalogID

Climate Zone

Cold Box Type

Data Source

Dimension Depth

Dimension Height

Dimension Width

Equipment Type

Freeze Gross Volume

Freeze Net Volume

Manufacturer

1.6.2. Operations on Model Attribute

The screenshot shows the 'Model attributes' page in the dhiss2 CCEI Laos system. The left sidebar contains a menu with options like 'CCEI Setup', 'Model attributes', 'Model', 'Equipment type attributes', 'Equipment type', 'Aggregation Builder', 'Aggregation Query List', 'Manual Aggregation', 'Lookups', 'Lookups', 'Transfer', 'Transfer facility data', 'Import / Export Data', 'Import Data', 'Cold chain equipment management', and 'Equipment Manager'. The main content area is titled 'Model attributes' and features a search bar with the placeholder text 'Filter by name'. To the right of the search bar are two buttons: 'Filter' and 'Clear'. An arrow points to the 'Filter' button. Below the search bar, a list of model attributes is displayed, including 'Name', 'CatalogID', 'Climate Zone', 'Cold Box Type', 'Data Source', 'Dimension Depth', 'Dimension Height', 'Dimension Width', 'Equipment Type', 'Freeze Gross Volume', 'Freeze Net Volume', and 'Manufacturer'.

Filter Clear - Quick search and list the model type with edit and show details options

Add new - Add new model attribute

Edit - To edit model attribute



Delete - To remove model attribute



Show details - List shows name, description etc



1.6.3. Add a new model attribute

To add a new model attribute, the user has to click on 'Add new' button in the model type management page, user will be directed to the following screen as show below, where he/she can fill the details to add a new model attribute


The screenshot displays the dhis2 CCEI Laos interface. On the left is a sidebar menu with the following items: CCEI Setup, Model attributes, Model, Equipment type attributes, Equipment type, Aggregation Builder, Aggregation Query List, Manual Aggregation, Lookups, Lookups, Transfer, Transfer facility data, Import / Export Data, Import Data, Cold chain equipment management, and Equipment Manager. The main content area is titled 'Add new model attribute' and contains a 'Model attribute details' form. The form fields are: Name * (text input), Description * (text input), Mandatory* (dropdown menu with 'No' selected), Number of characters (text input), For display* (dropdown menu with 'No' selected), and Value Type * (dropdown menu with 'Number' selected). At the bottom of the form are 'Add' and 'Cancel' buttons.

1.7. Model: Cold Chain Equipment Inventory (CCEI)

1.7.1. Model

Model consists of geometry and properties of each equipment model type. To define model, the super user has to create attributes for model and then add the attributes with its model. The model here for say refrigerator and freezers and the attributes are capacity, dimension etc. The model indicates the model name, for say Electrolux FG 432.

To access the model, user needs to click on the 'Model option' as seen on the extreme top left corner of the screen and user will get following screen



The screenshot shows the 'dhis2 CCEI Laos' interface. On the left is a sidebar menu with categories: 'CCEI Setup' (containing 'Model attributes', 'Model', 'Equipment type attributes', 'Equipment type'), 'Aggregation Builder' (containing 'Aggregation Query List', 'Manual Aggregation'), 'Lookups' (containing 'Lookups'), 'Transfer' (containing 'Transfer facility data'), and 'Import / Export Data' (containing 'Import Data'). The main area is titled 'Model ?' and features a 'Filter by name' input field with 'Filter' and 'Clear' buttons. Below this is a table with the header 'Name' and one row containing 'Cold Box Model'. A light blue banner below the table reads 'Refrigerator Catalog'. At the bottom of the table area, it shows 'No. of pages: 1' and 'No. of rows per page: 50'.

1.7.2. Operations on Model


Filter Clear - Quick search and list the model type with edit and show details options

Add new - Add new model attribute

To upload an image for the Model click on following button



Once user has clicked the Image, following screen will appear. User has to browse for the image of particular Model and click on Upload button, once the image is uploaded it will be displayed on the screen. The image uploaded once can later be updated by the same procedure.



Edit - To edit model attribute




Delete - To remove model attribute



Design Data Entry Screen - Data needs to be entered against the model attribute for particular model, user can design data entry screen for data entry by clicking on following icon.



Once data entry screen design button is clicked following screen will appear to design data entry screen. User will get the list of all model attribute of selected Model by clicking on "Model Attribute" button on Top right corner



Model attributes can be grouped as sections. To make a group list, the user should click on the required icon



Show details - List shows name, description etc



1.7.3. Add New Model

To add new Model, user has to click on "Add new" button in model management page, once user has clicked on button he/she will be redirected to following page where user can fill detail to add new model.

The screenshot shows the 'Add new model' interface in the dhiss2 CCEI - Malawi system. The interface includes a sidebar with navigation options: CCEM Setup, Model attributes, Model, Equipment type attributes, Equipment type, aggregation_builder, aggregation_query_list, manual_aggregation, Transfer, Transfer facility data, Import / Export Data, Import Data, Cold chain equipment management, and Equipment Manager. The main form has fields for 'Name' and 'Description'. Below these is a section for 'Available model attribute' with a 'Filter' input and 'Filter' and 'Clear' buttons. A list of attributes is shown, including CatalogID, Climate Zone, Cold Box Type, Data Source, Dimension Depth, Dimension Height, Dimension Width, Equipment Type, Freeze Gross Volume, Freeze Net Volume, Manufacturer, Model, Net Storage, Power Source, and Ref Gross Volume. To the right of this list are '>' and '<' buttons. At the bottom are 'Add' and 'Cancel' buttons. A 'Filter Selected model attribute' section is also visible on the right.

User will get the list of all available model attributes, user can select the model attribute from the list which he/she wants to use for the model.

1.8. Equipment Type Attribute: Cold Chain Equipment Inventory (CCEI)

1.8.1. Equipment Type Attribute>

Equipment type Attributes are the properties of Equipment type, in order to record the equipment specific data, the user has to define attributes for the equipment for say Unique ID, Serial No, manufacturer etc.

To access the Equipment Type Attribute user has to click Maintenance -> dhiss-web-maintenance-ccei -> Equipment type attribute. After clicking on the link the user will be directed to Equipment type attribute management page

The screenshot displays the DHIS2 CCEI Laos interface. The left sidebar shows a navigation menu with the following items: CCEI Setup, Model attributes, Model, Equipment type attributes (highlighted), Equipment type, Aggregation Builder, Aggregation Query List, Manual Aggregation, Lookups, Lookups, Transfer, Transfer facility data, Import / Export Data, Import Data, Cold chain equipment management, and Equipment Manager. The main content area is titled 'Equipment type attributes' and includes a search bar with the text 'Filter by name' and buttons for 'Filter' and 'Clear'. Below the search bar, a table lists various attributes: Name, Backup Generator, Barcode, Dimensions, Equipment Tracking ID, Gross Volume, Height, Identifier, Length, Manufacturer, and Model ID.

1.8.2. Operations on Equipment Type Attributes

Filter Clear - Quick search and list the Equipment Type Attributes with edit and show details options

Add new - Add new model attribute

Edit - To edit model attribute



Delete - To remove model attribute



Show details - List shows name, description etc



1.8.3. Add new Equipment Type Attribute

User can add a new Equipment type Attribute by clicking on "Add New" button. After clicking "Add New" button user will get the following screen.

The screenshot shows the dhis2 CCEI Laos interface. On the left is a sidebar menu with options: CCEI Setup, Model attributes, Model, Equipment type attributes, Equipment type, Aggregation Builder, Aggregation Query List, and Manual Aggregation. The main area is titled 'Add new equipment type attribute' and contains a form titled 'Equipment type attributes details'. The form has the following fields: Name *, Description *, Mandatory* (set to No), Number of characters, and Value Type * (set to Number). There is an 'Add' button at the bottom right of the form.

To create new equipment type attribute user has to enter following detail:

- Write the name for the attribute
- Write the description for the equipment type attribute
- Select the attribute mandatory as yes/no, based on whether the value to be entered is mandatory or not
- Specify the number of the characters
- Select the value type for the attribute as number, text etc

Please note that the user has to keep in mind the details need to be collected for the equipment type and the attributes should be created accordingly. Once the attributes are created, then the attributes need to be added to its particular equipment.

1.9. Equipment Type: Cold Chain Equipment Inventory (CCEI)

1.9.1. Equipment Type

Equipment Type Indicates the equipment for say Refrigerator, Cold Box, Cold Room etc. Equipment type has a particular model but equipment type have machine specific data with addition to the general data which is common among the models

To access the Equipment Type Attribute user has to click Maintenance -> dhis-web-maintenance-ccei -> Equipment type. After clicking on the link the user will be directed to Equipment type management page

The screenshot shows the dhis2 CCEI Laos interface. The top navigation bar includes 'dhis2', 'CCEI Laos', 'Maintenance', and 'Services'. The left sidebar contains a menu with 'CCEI Setup' (active), 'Model attributes', 'Model', 'Equipment type attributes', 'Equipment type', 'Aggregation Builder', 'Aggregation Query List', 'Manual Aggregation', 'Lookups', and 'Lookups'. The main content area is titled 'Equipment type ?' and features a 'Filter by name' input field with 'Filter' and 'Clear' buttons. Below this is a table with a header 'Name' and two rows: 'Coldrooms' and 'Refrigerators'. At the bottom, there is a pagination bar showing 'No. of pages: 1' and 'No. of rows per page: 50'.

1.9.2. Operations on Equipment Type Attributes

Filter Clear - Quick search and list the Equipment Type Attributes with edit and show details options

Add new - Add new model attribute

Edit - To edit model attribute



Delete - To remove model attribute



Show details - List shows name, description etc



Equipment Type: Dataset

Periodic dataentry have to be done for Equipment Type, for dataentry user has to assign dataset to individual Equipment Type, this can be done by clicking on following button



Once clicked on above button user will be redirected to following screen

The screenshot displays the 'Equipment Datasets' configuration page in the DHIS2 CCEI Laos system. The left sidebar contains a navigation menu with the following items: CCEI Setup, Model attributes, Model, Equipment type attributes, Equipment type, Aggregation Builder, Aggregation Query List, Manual Aggregation, Lookups, Lookups, Transfer, and Transfer facility data. The main content area is titled 'Equipment Datasets' and includes a 'Details of equipment type' section with a 'Name' field containing 'Coldrooms'. Below this is an 'Available datasets' section featuring a search filter and a list of datasets: 'Facility Management Dataset' and 'Vaccine Stock Level'. To the right is a 'Selected datasets' section containing 'Refrigerator Alarms' and 'Refrigerator Routine Data Entry'. Between the two dataset lists are four navigation buttons: '>', '<', '>>', and '<<'. At the bottom of the main area are 'Save' and 'Cancel' buttons.

1.9.3. Add new Equipment Type

User can add a new Equipment type by clicking on 'Add New' button. After clicking "Add New" button user will get the following screen.

The screenshot shows the 'Add new equipment type' form in the dhis2 CCEI Laos interface. The left sidebar contains navigation links: CCEI Setup, Model attributes, Model, Equipment type attributes, Equipment type, Aggregation Builder, Aggregation Query List, Manual Aggregation, Lookups, Lookups, Transfer, Transfer facility data, Import / Export Data, and Import Data. The main form area is titled 'Add new equipment type' and includes a 'Details of equipment type' section with fields for Name, Description, Tracking (set to 'No'), and Model (a dropdown menu). Below this is the 'Available equipment attributes' section, which features a list of attributes (Backup Generator, Barcode, Dimensions, Equipment Tracking ID, Gross Volume, Height, Identifier, Length, Manufacturer, Model ID, Net Volume, Power Use, Reason Not working, Serial Number, Source) and buttons for Filter, Clear, and Add. To the right of the attribute list are buttons for moving attributes to the 'Selected equipment attributes' section, which is currently empty.

To create new equipment type user has to enter following detail:

- Write the name for Equipment Type
- Write the description for the equipment type
- Select whether the Equipment needs to be track or not
- Select the model from the list of available model list so that the properties of the selected model will be inherited to the Equipment
- Select the Equipment Type Attribute from the list of available attribute, user has to select the attribute which are the members of this Equipment.

Once the Equipment Type Attributes have been selected then user can set the order of the attributes and user can select the attributes which needs to be displayed on user screen by checking particular attribute.

1.10. Aggregation Engine: Cold Chain Equipment Inventory (CCEI)

1.10.1. Aggregation Engine

Aggregation builder helps user to get quantitative data. It transforms metadata to populate data by aggregation query.

For Example

- In a facility number of refrigerators in use
- In a facility number of refrigerators not in use
- In a facility number of refrigerators unserviceable
- In a facility number of refrigerators awaiting repair etc

To create a query the user has to select aggregation query list where query can be made to transform metadata to populate data and to get aggregate populate data the user has to select manual aggregation.

1.10.2. Aggregation Query List

This is the Aggregation Query List page where list of queries can be add, edit, translate, delete and details of a query can be seen.

To access the Aggregation Query List user has to click Maintenance -> CCEI Setup -> Aggregation Builder -> Aggregation Query List

The screenshot shows the 'CCEI Aggregation Query Builder Management' page. On the left is a sidebar with a menu containing: CCEI Setup, Model attributes, Model, Equipment type attributes, Equipment type, Aggregation Builder (highlighted), Aggregation Query List (selected), Manual Aggregation, Lookups, Lookups, Transfer, Transfer facility data, Import / Export Data, Import Data, Cold chain equipment management, and Equipment Manager. The main content area has a title 'CCEI Aggregation Query Builder Management' with a help icon. Below the title is a 'Filter by name' search box. A table lists various aggregation queries, each with a 'Name' column. The queries listed are: 'Number of Refrigerator Functioning of type - ChestRefrigerator', 'Number of Refrigerator Functioning of type - IcePackFreezer', 'Number of Refrigerator Functioning of type - IceLinedRefrigerator', 'Number of Refrigerator AwaitingRepair of type - ChestFreezer', 'Number of Refrigerator Functioning of type - ChestFreezer', 'Number of Refrigerator AwaitingRepair of type - IceLinedRefrigerator', 'Number of Refrigerator AwaitingRepair of type - ChestRefrigerator', 'Number of Refrigerator AwaitingRepair of type - IcepackFreezer', 'Number of Refrigerator Unserviceable of type - IcepackFreezer', 'Number of Refrigerator Unserviceable of type - ChestFreezer', 'Number of Refrigerator Unserviceable of type - IceLinedRefrigerator', 'Number of Refrigerator Unserviceable of model - MK304', 'Number of Refrigerator Unserviceable of type - ChestRefrigerator', and 'Number of Refrigerator Unserviceable of model - RCW 50 EG'.

1.10.3. Operations on Aggregation Query List

Filter Clear - Quick search and list the Aggregation Query List with edit and show details options

Add new - Add new Aggregation Query List

Edit - To edit Aggregation Query List



Translate - To translate an aggregation query list, the person has to select translate option by clicking the query



Remove - To remove Aggregation Query List



Show details - List shows name, description etc



1.10.4. Adding Aggregation Query

Please note that before creating the Aggregation Query user has to create a aggregated data element, which will further be used for Aggrgation Query

User has to click on Add New buttin to create a new Aggregation Query and user will be redirected to following page

User has to select the aggregated data element for creating Auery, so that the aggregated value generated by the query will be stored against the aggregated data element

Once the data element have been selected then user has to select the type for different Use cases as shown below

dhis2 CCEI Laos Maintenance Serv

CCEI Setup

- Model attributes
- Model
- Equipment type attributes
- Equipment type
- Aggregation Builder

Aggregation Query Builder Detail

Data element* Number of Refrigerator Unserviceable of mo

Type

Set value in Lookup

Add Cancel

Number of Refrigerator Unserviceable of mo

STORAGE CAPACITY

Please Select

STORAGE CAPACITY

REF WORKING STATUS BY MODEL

REF UTILIZATION

REF WORKING STATUS BY TYPE

REF TEMP ALARMS

1.10.5. Use Cases

Based on the type selected with the data element there will be some use cases for creating Aggregation Queries

1.10.5.1. Storage Capacity

The user can get storage capacity of each facility by selecting the appropriate data element. This gives the user to know whether shortage or surplus or sufficient storage available in a health facilities of a state.

dhis2 CCEI Laos Maintenance Serv

CCEI Setup

- Model attributes
- Model
- Equipment type attributes
- Equipment type
- Aggregation Builder

Aggregation Query Builder Detail

Data element* Low Alarms

Type

Set value in Lookup

Add Cancel

Low Alarms

STORAGE CAPACITY

1.10.5.2. Refrigerator working status by model

The user can get refrigerator working status by model of aggregate populate data from the facilities of state whether functioning or awaiting repair or unserviceable

The screenshot shows the 'dhis2 CCEI Laos' interface. On the left is a sidebar menu with categories: 'CCEI Setup' (containing 'Model attributes', 'Model', 'Equipment type attributes', 'Equipment type'), 'Aggregation Builder' (containing 'Aggregation Query List', 'Manual Aggregation'), and 'Lookups'. The main area is titled 'Aggregation Query Builder Detail'. It contains three input fields: 'Data element*' with the value 'Number of Refrigerator AwaitingRepair of model - M', 'Type' with the value 'REF WORKING STATUS BY MODEL', and a third field with the value 'TCW 2000 DC', 'HBD-116', 'HBD-286', and 'TFW 800'. Below these fields are two dropdown menus: the first shows 'Functioning', 'AwaitingRepair' (selected), and 'Unserviceable'; the second is empty. At the bottom are 'Add' and 'Cancel' buttons.

By selecting refrigerator status by model from type, all models of a refrigerator will be displayed and also working status option too. For each model type attribute three queries can be made like whether functioning or awaiting repair or unserviceable.

For Example

- No of refrigerator MK 304 are functioning
- No of refrigerator MK 304 are awaiting repair
- No of refrigerator MK 304 are unserviceable

1.10.5.3. Refrigerator utilization

The user can get utilization of refrigerators in an aggregate populate data of the health facilities of a state whether in use or not in use or in store for allocation. This gives user to evaluate the utilization of refrigerator by model

dhis2 CCEI Laos Maintenance Services

CCEI Setup

- Model attributes
- Model
- Equipment type attributes
- Equipment type
- Aggregation Builder**
- Aggregation Query List
- Manual Aggregation

Aggregation Query Builder Detail

Data element* Number of Refrigerator Awaiting Repair of model - M

Type UTILIZATION_OPTIONSET

MODEL_MODELTYPEATTRIBUTE

Add Cancel

REF UTILIZATION

InUse
NotInUse
InStoreForAllocation

TCW 2000 DC
HBD-116
HBD-286
TFW 800

By selecting refrigerator utilization, the all models of a refrigerator will be displayed and also utilization option set too. For each model type attribute three queries can be made like whether in use or not in use or in store for allocation.

For Example

- No of refrigerator HBD-116 are in use
- No of refrigerator HBD-116 are not in use
- No of refrigerator HBD-116 are in store for allocation

1.10.5.4. Refrigerator working status by type

The user can get refrigerator working status by type of aggregate populate data from the facilities of state whether functioning or awaiting repair or unserviceable

dhis2 CCEI Laos Maintenance Services

CCEI Setup

- Model attributes
- Model
- Equipment type attributes
- Equipment type
- Aggregation Builder**
- Aggregation Query List
- Manual Aggregation

Aggregation Query Builder Detail

Data element* Number of Refrigerator Awaiting Repair of model - MK 204

Type WORKING_STATUS_OPTIONSET

EQUIPMENTTYPE_MODELTYPEATTRIBUTE

Add Cancel

REF WORKING STATUS BY TYPE

Functioning
AwaitingRepair
Unserviceable

ChestRefrigerator
IcepackFreezer
SolarThermalRefrigerator
UprightRefrigerator

By selecting refrigerator status by type, the all model type attributes of a refrigerator will be displayed and also working status option too. For each model type attribute three queries can be made like whether functioning or awaiting repair or unserviceable

For Example

- No of Chest refrigerator are functioning
- No of Chest refrigerator are awaiting repair
- No of Chest refrigerator are unserviceable

1.10.5.5. Refrigerator temperature alarms

The user can get refrigerator temperature alarms whether high temperature alarms or low temperature alarms of the facilities and also number of refrigerators wise. This gives user to evaluate the temperature alarms by refrigerator and facility wise

The screenshot shows the 'dhis2 CCEI Laos' interface. On the left is a sidebar with a home icon and navigation links: 'CCEI Setup', 'Model attributes', 'Model', 'Equipment type attributes', 'Equipment type', 'Aggregation Builder', and 'Aggregation Query List'. The main panel is titled 'Aggregation Query Builder Detail'. It features a 'Data element*' field containing 'REF TEMP ALARMS' and a 'Type' field below it. To the right, there are three stacked input fields: the top one contains 'Number of Refrigerator AwaitingRepair of mod', the middle one contains 'REF TEMP ALARMS', and the bottom one is a dropdown menu with options: 'NO_OF_REF_WITH_HIGHTEMP_ALARM', 'NO_OF_REF_WITH_LOWTEMP_ALARM', 'FACILITY_WITH_HIGHTEMP_ALARM', and 'FACILITY_WITH_LOWTEMP_ALARM'. At the bottom of the main panel are 'Add' and 'Cancel' buttons.

The options for the user to evaluate temperature alarms are

- No of refrigerators with high temperature alarm
- No of refrigerators with low temperature alarm
- Facility with high temperature alarm
- Facility with low temperature alarm
- Facility with temperature alarms

1.11. Aggregation of Data

Once Aggregation Queries are ready then its time to convert equipment data to aggregated data for the particular period

To get aggregate values of the health facilities, the user has to select Manual Aggregation under aggregation builder. The user will get the aggregated data of the equipments which can further be used for Other Analysis modules like GIS, Pivot tables and Data Visulizer

The screenshot shows the 'Manual Aggregation' page in the dhis2 CCEI Laos system. The left sidebar contains a navigation menu with the following items: CCEI Setup (with sub-items: Model attributes, Model, Equipment type attributes, Equipment type), Aggregation Builder (with sub-items: Aggregation Query List, Manual Aggregation), Lookups (with sub-item: Lookups), and Transfer (with sub-item: Transfer facility data). The main content area is titled 'Manual Aggregation' and includes a 'Period' dropdown set to '[select]' with 'Prev year' and 'Next year' buttons. Below this is the 'Organisation Unit Selection' section, which has buttons for 'Select at level', 'Level 1' (dropdown), 'Un-select at level', 'Un-select all', 'Select in group', 'District Vaccine S' (dropdown), 'Un-select in group', and 'Select children'. A tree view shows the hierarchy starting with 'Lao PDR', followed by 'Atapeu', 'Phouvong', 'Phouvong Xaldaen', 'Samakkhixay', 'Sanamxay', 'Sanxay', 'Xaysetha', 'Bokeo', 'Bolikhamsay', 'Champasak', 'Huaphanh', 'Khammuane', 'Luangnamtha', 'Luangprabang', 'Oudomxay', and 'Phongsavath'. At the bottom of the tree is an 'Aggregate Values' button.

To get data aggregated user has to follow:

- Select the period from period list for which aggregation needs to be performed
- Select the facility or the parent facility from OrgUnit tree for which aggregation needs to be done, (In case if parent facility is selected then aggregation will run for whole child tree)
- Click Aggregate Values button to aggregate data