Public App Development Observatory

Window 2026-09-29T21:58:34Z → 2026-10-29T21:58:34Z (UTC) · generated 2026-10-29T21:58:47Z · ruleset pilot-5 · Microsoft Application Inspector 1.10.2

> Bounded, non-representative cohort from GitHub GraphQL search (GH Archive fallback). Percentages describe the analyzed cohort only; no confidence intervals are reported.

1	1	0	0	0
Sampled repositories	Complete scans	Partial	Failed	No eligible source

Subset of the 1 complete scans

0	0
Windows candidates of 1 complete scans	Windows applications of 1 complete scans

Primary programming languages and their target platforms

Percentages are calculated only from the 1 complete scans, excluding 0 partial scans, 0 failed scans, and 0 repositories with no eligible source. Each repository is counted in exactly one category, so shares add up to 100%.

GitHub's primary language per repository. The last column splits each language's repositories by primary target platform (an explicit OS target wins, several OS targets = Multiple OS, otherwise the most specific environment; generic runtimes/scripts come last), so each language's platform shares add up to 100%.

Category	Count / n	Share	Target platform distribution
JavaScript	1/1	100.0%	Web: 100.0%

Framework evidence

Percentages are calculated only from the 1 complete scans, excluding 0 partial scans, 0 failed scans, and 0 repositories with no eligible source. Each repository is counted in exactly one category, so shares add up to 100%.

Most specific detected framework per repository (e.g. Next.js before React).

Category	Count / n	Share
No framework detected	1/1	100.0%

Project application and automation types

Share of complete repository scans with collected project findings, including libraries/tools and non-Windows PowerShell. Each repository counts once per category across its projects. Categories overlap: Windows desktop app includes Windows Forms, WPF, WinUI, and UWP; shares need not sum to 100%. Older inventories without project findings are excluded. Types are identified from source patterns and project metadata, not inferred from OS or language. Repositories without sufficient type evidence remain in the denominator and are reported in the classification coverage note, not as application types. Static indicators do not prove executable or runtime behavior.

Category	Count / n	Share
Command-line tool	1/1	100.0%
Python application / script	1/1	100.0%
Shell / batch automation	1/1	100.0%
Web frontend	1/1	100.0%
PowerShell	0/1	0.0%
Service management	0/1	0.0%
UWP app	0/1	0.0%
WPF app	0/1	0.0%
WinUI app	0/1	0.0%
Windows Forms app	0/1	0.0%
Windows desktop app	0/1	0.0%
Windows service	0/1	0.0%

Classification coverage: 0 repositories have insufficient application-type evidence in the scanned source. They remain in the denominator but are not assigned an application type.

Windows application types

Complete Windows application scans; types can overlap.

N/A — no eligible repositories.

Windows component adoption

Complete Windows application scans; components overlap.

N/A — no eligible repositories.

Windows CI by primary language

Complete scans whose CI configuration (GitHub Actions, AppVeyor, Azure Pipelines, GitLab CI, CircleCI) references a Windows runner or GOOS=windows. Shows intent to build/test on Windows, not run results; dynamic matrices and external CI are not detected. Not an application metric.

Category	Count / n	Share
JavaScript	0/1	0.0%

Exploratory: all Windows candidates

Includes libraries/tools; not an application metric.

N/A — no eligible repositories.

Windows-container compatibility and containerization potential

Static base-image indicators from scanned Dockerfiles and Containerfiles; no build or runtime test. Source indicators do not prove build or runtime compatibility; absence of a Dockerfile is not proof of incompatibility.

Among complete Windows-targeted scans, repositories with container/orchestration configuration or Dockerfile/Containerfile base images are excluded. Remaining project-type and Windows-component indicators are heuristic screening evidence, not a test of Windows-container support.

The two assessment scopes overlap; their counts must not be added together.

Scope	Assessment	Repositories
Base-image evidence	Windows base image configured	0
Base-image evidence	Linux base image configured	0
Base-image evidence	Mixed or ambiguous base images	0
Base-image evidence	No container base-image evidence	1
Base-image evidence	Incomplete source scan	0
Containerization potential	Potentially suitable; validate with a build/run	0
Containerization potential	Conditional; dependencies or project type need review	0
Containerization potential	Poor fit for standard Windows Server containers	0
Containerization potential	Insufficient project evidence	0
Containerization potential	Excluded: container/orchestration evidence detected	0
Containerization potential	Excluded: no Windows target detected	1
Containerization potential	Not assessed: incomplete scan	0

Identified Windows repositories

Windows candidates: complete scans with a Windows platform signal, including libraries/tools and multi-OS repositories. Community feedback is limited to the report window and the collected sample, not a live or community-wide assessment.

Repository	Scan	Language	Platform	Framework	Windows app type	Windows components	Repository analysis

No Windows candidates identified.

Static, source-level evidence only; detection of a pattern is not proof of runtime use, and absence of a match is not proof of non-use. Partial and failed scans are nonresponse and are excluded from distributions, which can bias estimates if they differ systematically.