# Public App Development Observatory

Window 2026-09-24T09:00:00Z → 2026-10-24T09:00:00Z (UTC) · generated 2026-10-24T12:53:23Z · ruleset pilot-4 · Microsoft Application Inspector 1.10.2

> Uniform random sample of 1 repositories drawn from 370,185 public repositories with qualifying human activity in GH Archive. Shares carry 95% Wilson confidence intervals; worst-case margin for complete scans is ±98.0 percentage points.

| 370,185 | 1 | 1 | 0 | 0 |
|---|---|---|---|---|
| Population (30 days) | Sampled repositories | Complete scans | Partial | Failed |

| 0 |
|---|
| No eligible source |

Subset of the 1 complete scans


| 0 | 0 |
|---|---|
| Windows candidates of 1 complete scans | Windows applications of 1 complete scans |

Seed 2026-10-24T09:00:00Z · 720/720 archive hours · 1,202,568 qualifying events · 0 sampled repositories replaced because they were deleted/private.

## Target platform

**Percentages are calculated only from the 1 complete scans, excluding 0 partial scans, 0 failed scans, and 0 repositories with no eligible source. Each repository is counted in exactly one category, so shares add up to 100%.**

One primary platform per repository: an explicit OS target wins, several OS targets = Multiple OS, otherwise the most specific environment; generic runtimes/scripts come last.

| Category | Count / n | Share | 95% CI | |
|---|---|---|---|---|
| Web | 1/1 | 100.0% | 20.65–100.0% |  |

## Primary programming language

**Percentages are calculated only from the 1 complete scans, excluding 0 partial scans, 0 failed scans, and 0 repositories with no eligible source. Each repository is counted in exactly one category, so shares add up to 100%.**

GitHub's primary language per repository.

| Category | Count / n | Share | 95% CI | |
|---|---|---|---|---|
| TypeScript | 1/1 | 100.0% | 20.65–100.0% |  |

## Framework evidence

**Percentages are calculated only from the 1 complete scans, excluding 0 partial scans, 0 failed scans, and 0 repositories with no eligible source. Each repository is counted in exactly one category, so shares add up to 100%.**

Most specific detected framework per repository (e.g. Next.js before React).

| Category | Count / n | Share | 95% CI |
|---|---|---|---|
| React | 1/1 | 100.0% | 20.65–100.0% |

## Project application and automation types

Share of complete repository scans with collected project findings, including libraries/tools and non-Windows PowerShell. Each repository counts once per category across its projects. Categories overlap: Windows desktop app includes Windows Forms, WPF, WinUI, and UWP; shares need not sum to 100%. Older inventories without project findings are excluded. Static indicators do not prove executable or runtime behavior.

| Category | Count / n | Share | 95% CI |
|---|---|---|---|
| Unknown / no findings | 1/1 | 100.0% | 20.65–100.0% |
| PowerShell | 0/1 | 0.0% | 0.0–79.35% |
| Service management | 0/1 | 0.0% | 0.0–79.35% |
| UWP app | 0/1 | 0.0% | 0.0–79.35% |
| WPF app | 0/1 | 0.0% | 0.0–79.35% |
| WinUI app | 0/1 | 0.0% | 0.0–79.35% |
| Windows Forms app | 0/1 | 0.0% | 0.0–79.35% |
| Windows desktop app | 0/1 | 0.0% | 0.0–79.35% |
| Windows service | 0/1 | 0.0% | 0.0–79.35% |

## Windows application types

Complete Windows application scans; types can overlap.

N/A — no eligible repositories.

## Windows component adoption

Complete Windows application scans; components overlap.

N/A — no eligible repositories.

## Exploratory: all Windows candidates

Includes libraries/tools; not an application metric.

N/A — no eligible repositories.

## Sampled repositories

| Repository | Scan | Language | Platform | Framework | Windows app type | Windows components |
|---|---|---|---|---|---|---|
| viljarpuusepp/uhishange | success | TypeScript | Web | React | | |

Static, source-level evidence only; detection of a pattern is not proof of runtime use, and absence of a match is not proof of non-use. Partial and failed scans are nonresponse and are excluded from distributions, which can bias estimates if they differ systematically.