Write a JavaScript program that prompts the user to enter an amount in dollars. The program should convert the entered dollar amount to Indian Rupees. Use the conversion rate of 1 dollar = 74.5 rupees. Display the converted amount to the user.

## Index.html

```
∠ JS Udemy

                   ··· ■ index.html × ⇒ style.css
                                                                                                                                                  □ □ ··
Ф
                                                    Js index.js

√ JS_UDEMY

     > 🔯 .vscode
                               <!DOCTYPE html>
      > basics-03-variabl...
      > basics-assignmen...
                                cmeta charset="UTF-8" />
cmeta name="viewport" content="width-device-width, initial-scale=1.8" />
cmeta http-equiv="X-UA-Compatible" content="ie=edge" />
clink rel="stylesheet" href="style.css" />
      us app.js
      > behind-scenes-01...
品
      ∨ 📻 codekaro_Padmaja
                                ✓ ► Assignment2
■ index.html
          us index.js
         ∃ style.css
          Assignment 1_P...
          Assignment 1_P...
         codekaro-assign...
         index.html
         index.js
         > 🖿 Garbage Collection
        ES5 vs ES6.txt
        index.htmljavaScriptNotesF...
        notes_JS.txt
> OUTLINE
     > TIMELINE
                                                                                              Ln 16, Col 39 Spaces: 4 UTF-8 CRLF HTML ⊘ Port : 5501 ✓ Prettier 🛱 🕻
                             🚲 🛱 🛕 👼 💿 🤀 🥦 📧 🚱 🥒
```

Style.css

```
    ★ File Edit Selection View Go Run …
                                                                                   ··· 5 index.html 5 style.css × 1 index.js
C

√ JS UDEMY

      > 🔯 .vscode
                                  body {
      > basics-03-variabl...
                                      justify-content: center:
      > basics-assignmen...
ည
                                      align-items: center;
height: 100vh;
       us app.js
₽
                                    .container { width: 500px;
      > behind-scenes-01...
B
      height: 300px;
background-color: #f2f2f2;
border: 1px solid white;
padding: 20px;
       Assignment2
index.html
is index.js
display:flex;
          ~$signment 1_P...
          Assignment 1_P...
                                    button {
   padding: 10px 20px;
   background-color: ■rgb(233, 95, 118);
   color: ■white;
          codekaro-assign...
 •
          s index.js
                                     border: none;
cursor: pointer;
٨
       > control-03-monst...
                                      margin-top: 25px;
text-align: center;
       > Garbage Collection
         ES5 vs ES6.txt
                                    #result {
  font-weight: bold;
         index.html
         JavaScriptNotesF...
8
                                      margin-top: 20px;
         notes_JS.txt
> OUTLINE > TIMELINE
   ⊗ 0 △ 0 Ø O Watch
                                                                                                           Ln 9. Col 18 Spaces: 4 UTF-8 CRLF CSS Ø Port : 5501 ✓ Prettier 👨 🚨
                                                                                                                 🚵 🛱 🛕 🔚 🤨 🤀 😘 📢 🛍
```

## Index.js



