

32% (1 in 3) of Americans say that drugs have been a problem in their family

33% 1 in 3 women have been sexually assaulted or raped

25% 1 in 4 men sexually assaulted or raped

50 % 1 in 2 marriages end in divorce

3 Most Common Mental Health Disorders In America

#1 Anxiety - 40 million adults - 18.1% 18+ — 25.1% 13-18

#2 Major Depression - 16 Million adults - 6.7%

#3 Bipolar - 5.7 Million adults - 2.6%

Post-traumatic Stress Disorder (PTSD) affects 7.7 million adults, or 3.5% of the U.S. population

For every 1 person that committed suicide, 316 seriously contemplated it..

Now before any SUPER Spiritual Saint proclaims “Thus saith the Lord, IF you fall into any of these things, you are full of sin, need to repent, need to be filled with the Holy Ghost, need the demons cast out of you, etc etc etc..” Know this!!!!

David - *The author of most of the book of Psalms. 50%+ of his writings were those of a depressed man.*

“My guilt has overwhelmed me like a burden too heavy to bear.” [Ps. 38:4](#)

“Why are you downcast, O my soul? Why so disturbed within me? Put your hope in God for I will yet praise him, my Savior and my God.” [Ps. 42:11](#)

Elijah - *Afraid, discouraged, tired*

“I have had enough Lord, he said. Take my life, I am not better than my ancestors.” [1 Kings 19:4](#)

Jonah- *was mad at God and wanted to run away*

“Now O Lord, take away my life, for it is better for me to die than to live.” [Jonah 4:3](#)

And even after God reached out to Jonah again with great compassion, he responded, “...I am angry enough to die.” [Jonah 4:9](#)

Job -

“Why did I not perish at birth, and die as I came from the womb?” [Job 3:11](#) “I have no peace, no quietness, I have no rest, but only turmoil.” [Job 3:26](#) “I loathe my very

life, therefore I will give free rein to my complaint and speak out in the bitterness of my soul." [Job 10:1](#) "Terrors overwhelm me...my life ebbs away, days of suffering grip me. Night pierces my bones, my gnawing pains never rest." [Job 30:15-17](#)

Moses - *grieved because those that followed him were involved in sin*

"But now, please forgive their sin – but if not, then blot me out of the book you have written." [Exodus 32:32](#)

Jeremiah - *wrestled with great loneliness, feelings of defeat, and insecurity*

Read Jeremiah's complaint to the Lord [Jer 20:7-18](#)

20:14 *Cursed be the day I was born!*

May the day my mother bore me not be blessed!

18 *Why did I ever come out of the womb
to see trouble and sorrow
and to end my days in shame?*

Paul - Lost ALL Hope

Acts 27:20 - *When neither sun nor stars appeared for many days and the storm continued raging, we finally gave up all hope of being saved.*

Jesus

Isaiah prophesied that Christ would be "a man of sorrows, and acquainted with grief." [Isaiah 53:3](#)

"And He said to them, 'My soul is deeply grieved to the point of death; remain here and keep watch.' And He went a little beyond them, and fell to the ground and began to pray that if it were possible, the hour might pass Him by. And He was saying, 'Abba! Father! All things are possible for You; remove this cup from Me; yet not what I will, but what You will.'" **Mark 14:34-36**

The Bible says that so great was his anguish, that he sweat "drops of blood." **Luke 22:44**

"The LORD is close to the brokenhearted and saves those who are crushed in spirit." **Ps. 34:18**

1 Peter 5:7 - Cast all your anxiety (cares) on him because he cares for you.

Isaiah 53:5 - *But he was pierced for our transgressions, he was crushed for our iniquities; the (Chastisement - severe criticism, rebuke) punishment that brought us peace was on him, and by his wounds we are healed.*

Acts 17:24-25, 27 *"The God who made the world and everything in it is the Lord of heaven and earth and does not live in temples built by human hands. 25 And he is not served by human hands, as if he needed anything. Rather, he himself gives everyone life and breath and everything else.*

28 *'For in him we live and move and have our being (our life, how we operate, esmen- our hope in the Gospel that was preached unto us)*

YHWH - *it is composed with semi consonants and semi vowels - its a asprite word that linguists say is impossible to speak... The 1st breath is a breath out...*

This gift to the World that God sent on Christmas, His son... Provided us access to The Father through His son for us when "Life" knocks the breath out of us.

Therefore, when you lose your breath, stop running to different things to try to get it back!!! Run to the CREATOR so He can breath LIFE back into you..

Anxiety disorders are the most common mental illness in the U.S., affecting 40 million adults in the United States age 18 and older, or 18.1% of the population every year.

Anxiety disorders are highly treatable, yet only 36.9% of those suffering receive treatment.

People with an anxiety disorder are three to five times more likely to go to the doctor and six times more likely to be hospitalized for psychiatric disorders than those who do not suffer from anxiety disorders.

Anxiety disorders develop from a complex set of risk factors, including genetics, brain chemistry, personality, and life events.

Anxiety and Depression

*It's not uncommon for someone with an anxiety disorder to also suffer from depression or vice versa. **Nearly one-half of those diagnosed with depression are also diagnosed with an anxiety disorder.***

Facts

Generalized Anxiety Disorder (GAD) affects 6.8 million adults, or 3.1% of the U.S. population, yet only 43.2% are receiving treatment.

Women are twice as likely to be affected as men. GAD often co-occurs with major depression.

Panic Disorder (PD) affects 6 million adults, or 2.7% of the U.S. population.

Women are twice as likely to be affected as men.

Social Anxiety Disorder (SAD) affects 15 million adults, or 6.8% of the U.S. population.

SAD is equally common among men and women and typically begins around age 13. According to a 2007 ADAA survey, 36% of people with social anxiety disorder report experiencing symptoms for 10 or more years before seeking help.

Specific Phobias affect 19 million adults, or 8.7% of the U.S. population.

Women are twice as likely to be affected as men.

Symptoms typically begin in childhood; the average age-of-onset is 7 years old.

Obsessive-compulsive disorder (OCD) and posttraumatic stress disorder (PTSD) are closely related to anxiety disorders, which some may experience at the same time, along with depression.

Stress - *Everyone experiences stress and anxiety at one time or another.*

The difference between them is that stress is a response to a threat in a situation. Anxiety is a reaction to the stress.

Obsessive-Compulsive Disorder (OCD) *affects 2.2 million adults, or 1.0% of the U.S. population. OCD is equally common among men and women.*

The average age of onset is 19, with 25 percent of cases occurring by age 14. One-third of affected adults first experienced symptoms in childhood.

Post-traumatic Stress Disorder (PTSD) *affects 7.7 million adults, or 3.5% of the U.S. population. Women are more likely to be affected than men.*

Rape is the most likely trigger of PTSD: 65% of men and 45.9% of women who are raped will develop the disorder. Childhood sexual abuse is a strong predictor of lifetime likelihood for developing PTSD.

Depression is the leading cause of disability worldwide. Almost 75% of people with mental disorders remain untreated in developing countries with

almost 1 million people taking their lives each year. In addition, according to the World Health Organization (WHO), 1 in 13 globally suffers from anxiety.

Major Depressive Disorder

Depression is the leading cause of disability worldwide.

The leading cause of disability in the U.S. for ages 15 to 44.3.

MDD affects more than 16.1 million American adults, or about 6.7% of the U.S. population age 18 and older in a given year.

While major depressive disorder can develop at any age, the median age at onset is 32.5 years old.

More prevalent in women than in men.

Almost 75% of people with mental disorders remain untreated in developing countries with almost 1 million people taking their lives each year. In addition, according to the World Health Organization (WHO), 1 in 13 globally suffers from anxiety.

Persistent depressive disorder, or PDD, (formerly called dysthymia) is a form of depression that usually continues for at least two years.

Affects approximately 1.5 percent of the U.S. population age 18 and older in a given year. (about 3.3 million American adults). Only 61.7% of adults with MDD are receiving treatment. The average age of onset is 31 years old.

Related Illnesses -*Many people with an anxiety disorder also have a co-occurring disorder or physical illness, which can make their symptoms worse and recovery more difficult. It's essential to be treated for both disorders.*

Obsessive-compulsive disorder (OCD) and posttraumatic stress disorder (PTSD) are closely related to anxiety disorders, which some may experience at the same time, along with depression.

Anxiety disorders affect 25.1% of children between 13 and 18 years old. Research shows that untreated children with anxiety disorders are at

higher risk to perform poorly in school, miss out on important social experiences, and engage in substance abuse.

See statistics for anxiety disorders among children from the National Institute of Mental Health.

Anxiety disorders also often co-occur with other disorders such as depression, eating disorders, and attention-deficit/hyperactivity disorder (ADHD).

Childhood anxiety disorders

Anxiety and depression

Treatment

Tips for parents and caregivers

Anxiety disorders at school

School refusal

Older Adults

Anxiety is as common among older adults as among the young.

Generalized anxiety disorder (GAD) is the most common anxiety disorder among older adults, though anxiety disorders in this population are frequently associated with traumatic events such as a fall or acute illness. Read the best way to treat anxiety disorders in older adults.

Treatment Options

Anxiety disorders are treatable, and the vast majority of people with an anxiety disorder can be helped with professional care. Several standard approaches have proved effective:

Therapy

Medication

Complementary and alternative treatment

Transcranial Magnetic Stimulation

Tip to help with an anxiety attack

- Look around you.
- Find 5 things you can see, 4 things you can touch, 3 things you can hear, 2 things you can smell and 1 thing you can taste.

This is called grounding. It can help when you feel like you have lost all control of your surroundings.

A

Anxiety

MD

Depression

SA/R

**Sexually
Assaulted/Raped**

D

Divorced

DRUGS

I Can't Catch My Breath