

# Impact of Affective Appraisal on Collaborative Goal Management: How My Robot Shares My Worries

Anonymous

**Abstract**—A collaborative robot needs to be able to regulate and manage shared goals during collaboration. Emotion has a crucial influence on the goal management process. In this paper, we provide a cost function that we use to choose the goal in the shared plan with the lowest cost value out of a set of alternative goals. This cost function provides the cost value a) based on the goal attributes we consider in our framework, b) with respect to the reverse appraisal of the perceived emotion, and c) the appraisal of the collaborative environment.

## I. INTRODUCTION

Goals represent an important part of the context during collaboration. However, not all goals are appropriate to pursue, depending on conditions. In fact, it can be destructive for a collaboration to pursue a good goal in a wrong context. Therefore, a collaborative robot must be able to manage shared goals during collaboration. The goal management process provides a critical influence on a collaborative robot's behavior by maintaining or shifting the focus of attention to an appropriate goal based on the collaboration status.

Changes in a collaboration environment alter the balance of alternative goals. These changes can reflect the collaborators' internal changes, and the influence of their actions. In a collaboration environment, emotions represent the outcome of underlying internal mental processes of the collaborators. Emotions have different functions [1]. These functions, e.g., *goal management*, help one to communicate and/or regulate internal changes as well as changes in the environment. Goal-oriented emotions such as anger, frustration and worriedness, constitute the mental processes specifically influenced by one's internal goals. Therefore, reverse appraisal [2] of the collaborator's perceived emotion can impact regulation of the robot's active goals during collaboration. Furthermore, the appraisal of the individual alternative goals provides a context-dependent assessment of these goals. Hence, we use both appraisal and reverse appraisal in our goal management process.

## II. CONTRIBUTION

Here, we focus on a small part of a larger architecture framework built based on our *Affective Motivational Collaboration Theory* [3]. We introduce our goal management process based on a cost function including the influence of affective appraisal and reverse appraisal processes. Goal management is a crucial part of our investigation of the reciprocal influence of appraisal on a collaboration structure (see Figure 1).

We have investigated the influence of a collaboration structure on appraisal processes, and implemented distinct algorithms for different appraisal processes for a collaborative robot [4]. According to the appraisal theory, the outcome of




Fig. 1. Reciprocal influence of Collaboration and Appraisal mechanisms in our framework.

these processes are separable antecedents of emotion with which the robot evaluates the environment. Our appraisal variables included: a) *relevance* used to measure the significance of an event for the robot, b) *desirability* to characterize the value of an event to the robot in terms of whether the event facilitates or thwarts the collaboration goal, c) *expectedness* and d) *controllability* (the last two appraisal variables are beyond the scope of this paper). The outcome of each appraisal process is a specific value for the corresponding appraisal variable. The vector containing these appraisal variables can be mapped to a particular emotion instance at each point in time. For instance, a *relevant*, *undesirable*, *expected*, and *uncontrollable* event can elicit *anger* in an individual. However, it is not the actual emotion instance that is important for us. In fact, it is a) the functions of emotions in a social setting, i.e., *goal management*, and b) the meaning of the collaborator's perceived emotion in collaboration context.

A collaboration structure provides a hierarchy and constraints of the shared goals in the form of a shared plan (Figure 2) which contains both the robot and the human collaborator's goals. The robot pursues the goals for which the robot is responsible in the shared plan. However, there can be several goals available for the robot to pursue at each point in time during collaboration. In other words, any "live" goal can be pursued by the robot. A goal is live if all of its *predecessors* are achieved and all of its *preconditions* are satisfied. Therefore, a collaborative robot requires a mechanism to choose between a set of live goals. We believe appraisal processes are crucial to choose between the available live goals; since the appraisals are the immediate outcome of the robot's assessment of the collaboration environment.

For instance, Figure 2 shows a nonprimitive "Prepare Panels" goal which contains three primitive goals. These primitive goals do not have any temporal constraint between them. Therefore, if "Prepare Panels" is live, its primitive goals can be pursued by the responsible agent. In this example, the astronaut is responsible for the primitive goal "Check Connector"; the robot is responsible for the remaining two




Fig. 2. Astronaut-robot collaboration structure (shared plan).

primitive goals. According to the collaboration mechanism in our overall framework, “Check Connector” is in focus, with the astronaut pursuing this goal. Suddenly, the astronaut tells the robot that the connector is broken and she is *worried* about failure of the overall goal.

Equation 1 shows our general cost function we use to calculate the cost of each individual potential goal. The base in the equation is considered to calculate the cost of pursuing any given goal. There are three different functions used to calculate the cost, including *proximity* of a goal  $P(g)$ , *difficulty* of a goal  $D(g)$ , and *specificity* of a goal  $S(g)$ . The details about these functions are provided in equations 2 to 4. The exponent part of our cost function is considered to capture a) the influence of human’s emotional instance on the cost, and b) the influence of self appraisal of any given goal. The  $R_h \in [0, 1]$  and  $D_h \in [-1, 1]$  are *relevance* and *desirability* values respectively, which will be attained based on the reverse appraisal of the human’s perceived emotion. For instance, if the astronaut is frustrated  $D_h$  obtains a negative value (depending on how undesirable is the event according to reverse appraisal), and  $R_h$  will be 1 for the active goal and its value descends to 0 for other live goals depending on their distance to the active goal in the shared plan.  $R_r \in [0, 1]$  and  $D_r \in [-1, 1]$  are also *relevance* and *desirability* values. However, the self appraisal functions provide these values for all of the live goals. For instance, for the active goal for which the astronaut was frustrated,  $D_r$  can be a positive value (depending on the self’s desirability appraisal function);  $R_r$  can be 1, since the active goal is *relevant* for the robot. These values will change for the other live goals depending on how *relevant* they are with respect to the collaboration status. Finally,  $C \in [1, \infty]$  is a constant used to control the influence of affect on cost value. It has negative sign since *undesirability* (negative values) should increase the cost.  $\alpha \in [1, \infty]$  is another constant used to control the importance of reverse appraisal relative to self appraisal.

$$Cost(g) = \left( \frac{P(g) \times D(g)}{S(g) + 1} \right)^{-C[(R_r+1)D_r + \alpha(R_h+1)D_h]} \quad (1)$$

The *proximity* of a goal indicates how far the goal is from the current active goal in the shared plan. It is calculated by the distance function (Equation 2) which returns the number of edges between the current active goal  $g_{act}$ , and the given goal  $g$  in the shared plan.

$$P(g) = distance(g_{act}, g) \quad (2)$$

The *difficulty* of a goal is a function of three parameters (Equation 3) which consider the difficulty based on a) topology of the shared plan tree (domain independent), and b) the amount of effort required to pursue a given goal (domain dependent). The  $\sum pred_e(g)$  is the sum of efforts that all the *predecessors* of a given goal  $g$  require. The  $\sum desc_e(g)$  is the sum of efforts that all the *descendants* of a given goal  $g$  require. The effort values represent the amount of effort for the goals with respect to the domain. The  $H(g)$  is the height of the given goal  $g$  and it is important since a goal with higher height value (longest path from the goal to a leaf; a primitive goal) makes the collaboration more difficult than a goal with shorter height.

$$D(g) = (H(g) + 1) \times \left[ \sum_{m=0}^M pred_e(g) + \sum_{n=0}^N desc_e(g) \right] \quad (3)$$

The *specificity* of a goal is the function of *depth* (distance from the root) and *degree* (number of children) of a given goal  $g$ . The first number primitive goal (root) is the least specific goal, and the primitives (leaves) are the most specific goals.

$$S(g) = \frac{depth(g)}{degree(g) + 1} \quad (4)$$

The tuples below the goals in Figure 2 indicate the cost value of each goal. The first number in each tuple is the cost value without the influence of the affective part of the cost function, i.e., the exponent is equal to 1 in Equation 1. The second number of each tuple indicates the value of the cost including the influence of affective appraisal and the astronaut’s perceived emotion.

The robot perceives and interprets the astronaut’s negative emotion using reverse appraisal (the details about reverse appraisal process in our framework is beyond the scope of this paper). Then, the robot evaluates the cost function for the current and the live goals. The astronaut’s negative emotion increases the cost of pursuing the current goal, and also affects two other primitive live goals under the same parent. Therefore, instead of insisting on pursuing the same blocked goal which has caused the astronaut’s negative emotion, the robot acknowledges the astronaut’s emotion. The robot’s behavior mitigates the astronaut negative emotion allowing the robot to pursue another live goal “Connect Adaptor” which has a lower cost with respect to the collaboration status. The details about the robot’s behavior is beyond the scope of this paper.

### III. CONCLUSION

We use our proposed cost function in our goal management algorithm to be able to integrate affective appraisal into the collaboration mechanism in our framework. We will evaluate our cost function through conducting a user study to compare our results with humans’ responses. We will continue to implement other parts of our framework, including action selection and motivation processes.

### REFERENCES

- [1] M. Scheutz and V. Andronache, “Architectural mechanisms for dynamic changes of behavior selection strategies in behavior-based systems,” *IEEE Transactions on Systems, Man, and Cybernetics, Part B*, vol. 34, no. 6, pp. 2377–2395, 2004.

- [2] C. M. de Melo, J. Gratch, P. Carnevale, and S. J. Read, "Reverse appraisal: The importance of appraisals for the effect of emotion displays on people's decision-making in social dilemma," in *Proceedings of the 34th Annual Meeting of the Cognitive Science Society (CogSci)*, 2012.
- [3] M. Shayganfar, C. Rich, and C. L. Sidner, "Human-robot collaboration: Affect-driven functional coexistence," in *In Proceedings of Symbiotic Cognitive Systems Workshop at the 13th AAAI Conference on Artificial Intelligence*, 2016.
- [4] —, "Appraisal in human-robot collaboration," in *Under Review*, 2016.