Toward Improving Human-Robot Collaboration with Emotional Awareness

Mohammad Shayganfar \cdot Charles Rich \cdot Candace L. Sidner

Received: date / Accepted: date

Abstract Collaborative robots must be desinged to address the two challenging aspects of sociability and working with humans on shared activities in the same environement. The existing prominent collaboration theories provide frameworks for the collaboration structure, but leave the underlying processes used for generating and maintaining that structure unexplained. Humans are social and emotional beings. We posit that emotions can explain the underlying processes in a collaboration and provide mechanisms to model these in robots. In this paper, four collaboration examples are provided to highlight the roles of emotion in human-robot collaboration. The Affective Motivational Collaboration Theory is provided by us to explain, in detail, the underlying processes and provide an approach for implementing them in robots.

 $\textbf{Keywords} \ \ \text{Human-Robot Collaboration} \cdot \ \ \text{Emotional-Awareness} \cdot \ \ \text{Affective} \\ \ \ \text{Motivational Collaboration Theory}$

1 Introduction

One aspect of the sociability of robots is their ability to collaborate with humans in the same environment. Collaboration is a coordinated activity in which the participants work jointly to satisfy a shared goal [14]. There are many challenges in achieving a successful collaboration between robots and humans in the same environment. Therefore, It is crucial to understand what makes a collaboration not only successful, but also effective. The existing computational

Mohammad Shayganfar · Charles Rich · Candace L. Sidner 100 Institute Road, Worcester, MA, USA 01609-2280

 $\begin{aligned} &\text{Tel.:} +1\ 508\text{-}831\text{-}5357 \\ &\text{Fax:} +1\ 508\text{-}831\text{-}5776 \\ &\text{E-mail:} \ \text{mshayganfar@wpi.edu} \end{aligned}$

E-mail: nisnaygamar@wpi.edu E-mail: rich@wpi.edu E-mail: sidner@wpi.edu collaboration theories explain some of the important underlying concepts of collaboration such as the precense of a reason for collaborators' committment, and the necessity of communicating mental states between collaborators to maintain progress over the course of a collaboration. The existing prominent collaboration theories are mostly based on plans and joint intentions [6] [14] [15], and they are derived from Bratman's BDI architecture [2]. The two theories, Joint Intentions [6] and SharedPlans [11,12,14], have been extensively used to examine and describe teamwork and collaboration in robots and virtual agents. However, these theories only explain the structure of a collaboration. For instance, in SharedPlans theory collaborators build a shared plan in which they have a collection of beliefs and intentions about the actions in the plan. Also, collaborators communicate their beliefs and intentions by making utterances about what actions they can contribute to the shared plan. This communication leads to the construction of a shared plan, and ultimately termination of the collaboration. On the other hand, in Joint Intentions theory, the notion of joint intention is viewed as a persistent commitment of the team members to a shared goal. In this theory, once an agent entered into a joint commitment with other agents, it should communicate its private beliefs with other team members.

We believe, although the existing collaboration theories exlain the necessity of the important elements within a collaboration structure, there is still a lack of a theory explaining the underlying processes required to dynamically create, use, and maintain the elements of this structure. For instance, a general mechanism has yet to be developed that allows an agent to effectively interact with a human in a collaboration environment in case of a shared task failure. Therefore, a theory comprising a process view of the collaboration requires to embrace some elements of which a) they are inherently involved in social interactions, and b) they essentially constitute processes capable of modifying the content of social interaction. We believe emotions inherit these two properties, and social functions of emotions can shed light on some aspects of underlying processes in collaboration.

Humans are emotional and social being, therefore, emotions can also be social and they are involved in developing different social contexts including collaboration. Although emotions undeniably have personal aspects, they are usually experienced in a social context and acquire their significance in relation to this context [17]. For instance, humans feel the emotions of those around them. They have emotions about actions of those people around them. They have emotions about the things that happen to other people. Also, humans' concern about their relationship with others elicits emotion in them. The groups to which they belong can also elicit their emotions. They can also feel emotion about the success and failure of themselves, their own group, or of the others. Moreover, individuals sharing emotions might possess a shared understanding of their environment, and socially shared and regulated emotions can provide social meanings to the events happening in that environment [26]. There is also a communicative aspect of emotions. For instance, human behaviors around others are performative which is often intended to convey

information to others [9]. Or, when human's actions are visible in the social context, they behave differently in the presence of the others [27]. Emotions are also invloved in one's verbal behaviors. For instance, an utterance can include content and relational meaning. An emotion might seem to be elicited by the content of the utterance, but in fact it is an individual's response to the relational meaning [20]. The interpretation of these relational meanings are handled by the appraisal of the events. Appraisal processes also give us a way of viewing emotion as social [25]. Meaning is created by an individual's social relationships and experiences in the social world, and individuals communicate these meanings through utterances. Consequently, the meaning of these utterances and the emotional communication change the dynamic of social interactions. A successful and effective emotional communication necessitates ongoing reciprocal adjustments between interactants that can happen by interpreting each other's behaviors [17]. This adjustment procedure fundamentally requires a baseline and an assessment process. While the components of the collaboration struture, e.g., shared shared, provide the baseline, emotions and underlying processes can provide the assessment procedures.

We believe since collaboration is a special type of a social context, social functions of emotions are required for an agent to perform in such an environment. In this paper, we introduce two pairs of hypothetical examples. Each pair provides an emotional-awareness and emotional-ignorant robot based on our collaboration scenario. We also briefly discuss the Affective Motivational Collaboration Theory in which we introduce underlying mechanisms each of which include one or multiple processes that we believe they are required to be involved to produce collaborative behaviors. The emotional-awareness examples show how these mechanisms are involved to successfully finish a collaboration considering a) agreeing on a shared goal with a robot (see Sections 2.3 and 4.1), and b) delegating a new task to the robot (see Sections 2.5 and 4.3). The emotional-ignorant examples are the same, except that they ignore the human's verbally or nonverbally expressed emotions. The example in Section 2.4 (see also Section 4.2) shows agreeing on a shared goal can fail if the robot ignores the human's emotion. Similarly, the example in Section 2.6 (see also Section 4.4) shows how the delegation of a new task can fail if the robot ignores human's emotion. The same four example in Sections 2.3 to 2.6 are discussed in more details in our walkthrough examples in Section 4. In this section we use the same mechanisms introduced in Section 3 to show how each meachanism is involved to produce the utterances within our examples in Section 2.

2 Example Scenario

2.1 The Backstory

The scenario transpires in a facilty building collaborative robots to work with astronauts. The mission is to finish installing the required solar panels to

provide energy for the operation of science labs on the moon. Most of these panels have already been installed. However, the operation is now faced with low batteries which forces the operation team to be cautious about consuming energy. The astronaut is inspecting the working conditions in the field and planning the installation of the remaining panels in collaboration with the robot.

2.2 Astronaut-Robot Interaction

The robot and the astronaut will collaborate with each other to achieve their shared goal, which is to install two solar panels. They will face various difficulties, ranging from the task being unpleasant and challenging to conflicts of their private and/or shared goals occurring because of a blocked or a protracted sub-task. The robot and the astronaut will go through a series of assessment processes to figure out a) how did the current blocking happen? b) why is the current task is blocked? and c) what is the next action they are going to take? The robot uses its cognitive abilities and its communication skills to overcome these problems and to motivate the astronaut to propose alternative tasks. The following is part of an interaction between the astronaut and the robot during their collaboration on installing solar panels.

2.3 Agreeing on Shared Goal (Emotion-Awareness)

This and the next hypothetical examples show that agreeing on a shared goal requires the Robot to be aware of its collaborator's emotions (here, frustration). In this example, the Astronaut's first turn (A1), shows her verbally conveying her frustration with respect to the disfunctioning measurement tool that is used for checking the quality of the installed panel. In return, the Robot's first turn (A2), as the crucial part of this interaction, shows the Robot perceiving the Astronaut's frustration and acknowledging that verbally. Later on, in Section 4.1, we are going to show how the computational mechanisms, discussed in Section 3.1, are involved in this process. In other words, we are going to discuss how the emotion-driven goal-directed mechanisms can work together and lead the Robot's behavior to acknowledge the perceived emotion of the Astronaut properly, in order to avoid termination of the collaboration. Continuing in turn A3, the Astronaut's utterance shows the change of the underlying belief from termination of the collaboration to a belief in the possibility of seeking instrumental support by asking the Robot whether it is possible to fix the measurement tool. Notice that the proper acknowledgement of the Astronaut's emotion helps to change her emotion from frustration

¹ The underlined section of the Robot's utterances (in turn A2) shows the influence of using emotion-driven processes which leads to acknowledgement of the Astronaut's emotion. See the absence of these utterances as the consequence of ignoring the Astronaut's emotions in the same turn in the next example (Section 2.4).

to neutral. Now that the Astronaut does not express a negative emotion (i.e., frustration), and she is asking for instrumental support, the Robot can provide the alternative task as a potential solution (A4). Here is another advantage of the emotion-awareness in this hypothetical example. Although, the Robot, according to the shared plan (see Sections 5.4 and 3.1), could provide the same alternative task as a solution to the Astronaut immediately, it procrastinated instead, providing the potential solution based on the Astronaut's negative emotional state, i.e., frustration. Finally, since agreeing on a shared goal is a collaborative negotiation process, emotion-awareness plays a crucial role in providing a fair offer to the collaborator during negotiation. As a result, the Astronaut's response in the last turn (A5) shows the acceptance of the Robot's potential solution to continue collaboration and agreement on the shared goal while she is content. In the next example we are going to show what happens to the same hypothetical example when the Robot ignores the Astronaut's emotion and tries to save the collaboration process from failure.

A1. Astronaut: Oh no! Finishing the quality check of our installation with this measurement problem is so frustrating. I think we should stop now!

A2. Robot: I see. This is frustrating. But, I can help you with the measurement tool and we can finish the task as originally planned.

A3. Astronaut: Can you fix the measurement tool?

A4. Robot: The next task is fixing the panel and it needs you to prepare and attach the welding rod to your welding tool. To save our time, I will fetch another measurement tool while you are preparing your welding tool.

A5. Astronaut: That would be great!

2.4 Agreeing on Shared Goal (Emotion-Ignorance)

This example shows the same process of agreeing on a shared goal as previous one except that it diverges from reaching to an agreement, despite the fact that it begins with the same utterance (B1) as it appears in previous example (A1). As mentioned earlier in Section 2.3, the emotion-awareness is beneficial in collaboration by channeling the collaboration process towards the shared goal in the right direction. Without the emotion-awareness a collaborative Robot will try to maintain the status of the shared goal and prevent it from failure without considering its collaborator's negative emotion which can be a direct result of a type of task failure during collaboration. First, the emotionignorant Robot does not acknowledge the Astronaut's frustration (i.e., B2 in compare to A2 in Section 2.3), since it does not perceive that emotion. Then, while negotiating the shared goal the Robot fails to offer a potential

solution with respect to the Astronaut's emotional state which is the reflection of Astronaut's overall mental state. As a result, it causes the failure of the negotiation procedure during collaboration.

In this example, the Robot is not capable of perceiving the Astronaut's emotion, thus it does not apply the Astronaut's emotion (i.e., frustration) as an influential factor in its computational mechanisms (see Section 3.1). Hence, in the Robot's first response to the Astronaut's utterances (B2), first it does not acknowledge the Astronaut' emotion, and second, it immidiately conveys two available alternative actions according to the existing shared plan (see Section 5.4) and asks the Astronaut to select between these two actions. As it appears in the Astronaut's response, the Robot's immidiate proposal does not make any progress in collaboration. As a result, the Astronaut just repeats herself about the task status (B3) while still expresses frustration. The Astronaut's response does not change the Robot's mental state and this causes the Robot to try to repeat its own question while still is missing the Astronaut's frustration (B4). The Robot's utterance creates an ambiguious assumption for the Astronaut on whether the Robot can fix the broken measurement tool for her. This ambiguity makes the Astronaut even more frustrated and causes her to ask a question to remove the ambiguity of the Robot's proposal (B5). In return, the Robot not only misses the Astronaut's intensified frustration, but it also nullifies the Astronaut's assumption about fixing the disfunctional measurement tool and proposes the potential solution of replacing the broken tool and seeing whether the Astronaut agrees on that (B6). In B7, the Astronaut modifies its assumption and announces the shortage of time as justification of expressing her anger. At this point, the Robot's response becomes more crucial since its wrong way of interaction and emotion-ignorance behavior shift the Astronaut's emotional and mental states into a noncollaborative status. Consequently, again, the Robot wants to revive the collaboration process, therefore it provides more information about the repercussions of terminating the collaboration process and wants to see whether the Astronaut can pursue another task (B8).² Finally, the incorrect interaction of the Robot caused by its emotion-ignorance behaviors which was developed since the Robot's very first response and has continued till the end, leads to an unsuccessful termination of their collaboration (B9).

B1. Astronaut: Oh no! Finishing the quality check of our installation with this measurement problem is so frustrating. I think we should stop now!

B2. Robot: I can help you with the measurement tool, or we can terminate this task. What do you want me to do?

¹ Notice that the Robot's acknowledgement of the Astronaut's emotion is missing in B2 because of ignoring the Astronaut's emotion – see the Robot's same turn (A2) in Section 2.3. Also, notice (for the same reason) that the underlined uttrance in B2, reveals that the Robot requires the Astronaut's confirmation for the next step.

 $^{^2}$ Notice the underlined section of the Robot's turn B8 indicates its dissociated reasoning about the problem from the Astronaut's mental state.

- B3. Astronaut: As I said the measurement tool does not work properly. We can not continue!
- B4. Robot: Okay. Do you want me to fix this problem or terminate the task?
- B5. Astronaut: Can you fix my measurement tool?
- B6. Robot: I cannot fix your measurement tool, but I can fetch another one for you if you want?
- B7. Astronaut: No, I don't want another measurement tool! We don't have time for that!

B8. Robot: Okay. You want me to terminate this task. Terminating this task can influence the quality of installing this solar panel which can cause the mission to fail. Or, do you want us to work on another task? This can help us to install the panel using your welding tool, but I do not know whether the quality of our installation will be acceptable.

B9. Astronaut: I told you we have this problem and we should terminate the mission! We cannot continue without the measurement tool!

2.5 Delegation of a Task (Emotion-Awareness)

This and the next hypothetical examples as a completely different collaborative behaviors show how delegation of a task critically depends on understanding how worried the other collaborator is and the necessity of having sufficient time, which play together. This example shows when the Robot is aware of the Astronaut's worriedness, it can use its own motivation mechanism drived by emotions to come up with a way to alleviate that. Its methods are to exactly postpone any questions until such time as they are critical (effects are appeared in C2, C4). At the beginning of this example (C1), Astronaut is worried because of the lack of time in achieving the shared goal (finishing to install solar panels) for the overall task. She proposes the Robot to begin installing the second panel, since the first one still has some problems. The Robot in its first turn (C2), perceives the Astronaut's emotion (i.e., worriedness) and using the same cognitive mechanisms (see Section 3.1) acknowledges the Astronaut's emotion just as it did in first example in Section 2.3. Also, Robot does not ask the Astronaut (because of perceiving worriedness) if it is okay to leave the current task which was helping the Astronaut to install the first panel. As mentioned earlier, we are going to show step-by-step (see Sections 4.1 and 4.3) how different emotion-driven goal-directed mechanisms get invloved in each turn of the collaboration process to appropriately respond to the Astronaut based on the Affective Motivational Collaboration Theory (see Section 3.1).

¹ The underlined utterance in the Robot's turn C2, shows the Robot's awareness of the Astronaut's emotion.

Continuing in this example, after acknowledging the Astronaut's emotion, the Robot infers that it needs to postpone asking questions about the missing parts of the shared plan (see Section 5.4) since installing a panel is a collaborative task and some of the primitive tasks need to be done by the Astronaut. Then, the Astronaut perceives the Robot's response as a proper acceptance of the task delegation and tries to communicate the status of her own, even though she is still worried about finishing the overall task (C3). Now, the Robot perceives the Astronaut's worriedness and without asking the actual detailed questions about the delegated task, declares the possibility of asking some follow-up questions whenever the Astronaut's answers are required to make progress in executing some primitive tasks while installing the second panel (C4). Here, the Robot not only prevents overwhelming the Astronaut with several questions related to executing the next steps in the future, but its utterance implicitly reveals its knowledge of tasks' requirements to the Astronaut. As a result, the Robot's appraoch on acceptance of the delegated task mitigates the Astronaut's negative emotion (i.e., worriedness) which makes her to respond possitively to the Robot's proposal. The next example explains the same hypothetical task delegation scenario except it shows the negative impact of missing the Astronaut's emotion on task delegation process.

C1. Astronaut: I still have some problems with attaching the first panel! We do not have enough time. You should begin to install the second panel.

```
C2. Robot: Okay. Don't worry. I can handle that.
[Robot perceives the Astronaut's request as on open planning (as oppose to specific executive) task delegation.]
```

- C3. Astronaut: I will try to fix it asap.
- C4. Robot: I might need to ask some questions while I am installing the second panel.
- C5. Astronaut: That's fine. Just let me know.

2.6 Delegation of a Task (Emotion-Ignorance)

This last hypothetical example is also about task delegation (similar to the example in Section 2.5) and it shows how ignoring the collaborator's emotions in task delegation procedure can negatively impact the progress of a collaboration. In this example, the emotion-ignorant Robot is doing planning in its most efficient manner (efficient because time is short); asking a lot of questions (see utterances in D2, D4, D6, D8, D10) so that it can work out the plan. But asking questions exacerbates the Astronaut's worry which leads to an unsuccessful collaboration due to the lack of time.

As it is shown, the very first utterance of the Astronaut (D1) is the same as the first utterance in previous example (C1). The Astronaut is worried and expresses her worry. However, the Robot is not capable of perceiving and consequently acknowledging the Astronaut's emotion. As a result, the Robot responds to the Astronaut while the Astronaut's proposed task changes the Robot's focus of attention to a new task, and now, the Robot tries to determine a proper solution for an action selection problem. The reason that the Robot perceives the Astronaut's proposal as an action selection problem is primarily caused by the shift in the Robot's focus of attention from an unfinished ongoing task (unsatisfied postconditions) to a new partially known nonprimitive task (i.e., installing the second panel). Therefore, the Robot immediately tries to confirm leaving the current unfinished task (D2). Notice the absence of acknowledging the Astronaut's emotion by the Robot in this turn (compare C2 in Section 2.5 and D2 here). This vacancy of the emotional awareness is the beginning of the failure of the task delegaton process. As we can see, the Robot's response does not mitigate the Astronaut's worriedness about the future of the collaboration. Next, the Astronaut tries to help the Robot to select the proper action by responsing possitively about the Robot leaving the current task (D3). Now, the Robot shifts its focus of attention to the new task and uses the Collaboration mechanism (see Section 3.1) to obtain required information such as task dependencies, existing preconditions and required resources as well as the existence of a plan. Subsequently, the absence of the required information and dependencies to the Astronaut's actions causes the Robot to ask a question about whether the Astronaut will be able to help in some parts of the task (D4). Although, the Robot's interactive behavior is crucial in many collaborative contexts, here it implies that the Astronaut's worriedness caused by the lack of time is ignored by the Robot. This ignorance of the Astronaut's emotional state influences her mental state and consequently her behavior. Thus, she succinctly responds to the Robot's question while she is still worried about finishing of installing the first panel (D5). The Robot asks another question about the required inputs for the task which are dependent to the Astronaut without considering her worriedness (D6). At this point, since the Astronaut believes that the Robot's questions are unneccessary, she becomes frustrated and impatiently answers the Robot's question (D7). However, once again, not only the Robot misses the Astronaut's emotion, but it also wants to prevent failure of a task in the future (D8).² Then, the Astronaut does not recall the event referenced by the Robot and since she is frustrated, she does not even try to remove the ambiguity of the existing issue (D9). Therefore, once again, the Robot misses the Astronaut's frustration and tries to see whether the Astronaut wants the Robot to clarify the issue for her by providing her some examples (D10).³ At last, the

 $^{^{1}}$ The underlined section in D2 shows the Robot's need for confirmation of leaving an unfinished task.

² Notice that the undelined section in D8 is the result of the Robot's inference about the possibility of a future problem.

 $^{^3}$ The underlined utterance in D10 indicates another situation in which the Robot misses the Astronaut's emotion.

Astronaut terminates the collaboration task because of the lack of time (D11).

D1. Astronaut: I still have some problems with attaching the first panel! We do not have enough time. You should begin to install the second panel.

 ${\it D2. \ Robot:}$ Okay. I can handle that. Is it okay if I leave the current task though?

D3. Astronaut: Yes, that's fine. I can finish it by my own.

D4. Robot: Okay. But according to the plan, I need your help when we need to weld the panel. Will you be able to help me?

D5. Astronaut: Yes, I will.

D6. Robot: We also need your welding tool and supplies as well as the measuring tool to install the second panel.

D7. Astronaut: Just let me know whenever you need something!

D8. Robot: Thanks. I will. How about the conflict that might occur while I am trying to fix the second panel? You are going to need my help at the same time.

D9. Astronaut: Robot, I really don't understand what you are talking about!

 $\boldsymbol{D10.}$ $\boldsymbol{Robot:}$ Do you want me to provide some examples?

 $D11. \ Astronaut:$ We don't have time for this anymore!

3 Computational Framework

As we mentioned in Section 2, all provided examples in Sections 2.3 to 2.6 will be discussed in more details in Sections 4.1 to 4.4 using our computational theory called Affective Motivational Collaboration Theory. There are several mechanisms (see Fig. 1) involved in our computational framework applying different concepts of the Affective Motivational Collaboration Theory to provide an emotion-regulated collaborative behavior for a robot. In this section, we are going to breifly describe all these mechanisms. However, we will not elaborate the underlying processes involved in each mechanism due to the scope of this paper. We also explain different types of associated mental states in our computational framework based on the Affective Motivational Collaboration Theory.

3.1 Affective Motivational Collaboration Theory

Affective Motivational Collaboration Theory is about the interpretation and prediction of the observable behaviors in a dyadic collaborative interaction.

There are several theories which describe the underlying structure of a collaboration based on mental states of the collaborators (see Section 5.4). The collaboration structure of Affective Motivational Collaboration Theory is based on the SharedPlans theory [11,12,14]. Affective Motivational Collaboration Theory focuses on the processes that generate, maintain and update this structure based on mental state. The collaboration structure is important because social robots ultimately need to co-exist with humans, and therefore need to consider humans mental state as well as their own internal states and operational goals. The processes involved in collaboration are important because they explain how the collaboration structure is formed and dynamically evolved based on the collaborators' interaction.

The Affective Motivational Collaboration Theory focuses on the processes regulated by emotional states. It aims to explain both rapid emotional reactions to events as well as slower, more deliberative responses. These observable behaviors represent the outcome of reactive and deliberative processes related to the interpretation of the Robot's relationship to the collaborative environment. These reactive and deliberative processes are triggered by two types of events: external events, such as the human's utterances and primitive actions, and internal events, comprising changes in the Robot's mental state, such as belief formation and emotional changes. Affective Motivational Collaboration Theory explains how emotions regulate the underlying processes in the occurrence of these events during collaboration.

Emotion-regulated processes operate based on the Robot's mental state including the anticipated mental state of the human, generated according to the Robot's model of the human. These mental states include beliefs, intentions, goals, motives and emotion instances. Each of these mental states possesses multiple attributes impacting the relation between cognition and behavior or perception.

3.2 Underlying Mechanisms

The Affective Motivational Collaboration Model consists of seven mechanisms (see Fig. 1) most of which directly store and fetch the data in the Mental States.

3.2.1 Collaboration Mechanism

The Collaboration mechanism (see Fig. 1) will construct a hierarchy of tasks and also manage and maintain the constraints and other required details of the collaboration specified by the plan. These constraints on task states and on the ordering of tasks include the inputs and outputs of individual tasks, the preconditions specifying whether it is appropriate to perform a task, and the postconditions specifying whether a just-completed task was successful (which can be used as an indication of an impasse or failure). The Collaboration mechanism provides processes to update and monitor the shared plan. It also keeps




Fig. 1 Computational framework based on Affective Motivational Collaboration Theory (primary influences between mechanisms).

track of the focus of attention, which determines the salient objects, properties and relations at each point of the collaboration. These processes depend on the operation of other mechanisms. For instance, Appraisal mechanism is required to evaluate the current mental state with respect to the current status of the collaboration. Also, the Appraisal and Motivation mechanisms provide interpretation of task failure and the formation of new mental state (e.g. intentions) respectively.

3.2.2 Appraisal & Coping Mechanisms

Appraisal is a subjective evaluation mechanism based on individual processes each of which computes the value of the appraisal variables. The Appraisal mechanism is responsible for evaluating changes in the Robot's mental state, the anticipated mental state of the human, and the state of the collaboration environment. Collaboration needs the evaluative function of the Appraisal mechanism for various reasons. The course of a collaboration is based on a full or a partial plan which needs to be updated as time passes and collaborators achieve, fail at or abandon a task assigned to them. The failure of a task should not destroy the entire collaboration. Appraising the environment and the current event helps the Robot to update the collaboration plan in response to changes in the environment and avoid further critical failures during collaboration. Appraisal also helps the Robot to have a better understanding of the human's actions by making inferences based on appraisal variables. Further-

more, in order to collaborate successfully, a collaborator cannot simply use the plan and reach to the shared goal; there should be an adaptation mechanism not only for updating the plan but also the underlying mental state. The output of Appraisal can directly and indirectly impact other mechanisms. For instance, the Motivation mechanism uses this data to generate, compare and monitor motives based on the current internal appraisal of the Robot as well as the appraisal of the environment. The Coping mechanism is responsible for adopting the appropriate behavior with respect to interpretion of the ongoing internal and external changes. The Coping mechanism provides the Robot with different coping strategies associated with changes in the Robot's mental state with respect to the state of the collaboration. In other words, the Coping mechanism produces cognitive responses based on the appraisal patterns.

3.2.3 Motivation Mechanism

The *Motivation* mechanism (see Fig. 1) operates whenever the Robot a) requires a new motive to overcome an internal impasse in an ongoing task, or b) wants to provide an external motive to the human when the human faces a problem in a task. In both cases, the Motivation mechanism uses the Appraisal mechanism to compute attributes of the competing motives. The purpose of Motivation mechanism is to generate new emotion-driven goal-directed motives considered as "potential" intentions. These motives are generated based on what the Robot believes about the environment including Robot and the other collaborator and the corresponding appraisals. The Robot uses these motives to reach to a private or shared goal according to new conditions caused by changes in the environment. The Motivation mechanism consists of an arrangement of three distinct processes. First, several motives can be generated with respect to the current mental state. Only one of these competing motives is most likely to become a new intention. Therefore, a comparator decides which motive is more likely to be consistent with the current state based on the values of the motive attributes (e.g., motive insistence and motive urgency). Finally, the new motive will be used to form a new intention. As a result, the Robot can take an action based on the new intention to sustain the collaboration progress. Furthermore, the Motivation mechanism can serve the Theory of Mind mechanism by helping the Robot to infer the motive behind the human's current action.

3.2.4 Theory of Mind Mechanism

The *Theory of Mind* mechanism (see Fig. 1) is the mechanism of inferring a model of the human's anticipated mental state. The Robot uses the Theory of Mind mechanism to infer and attribute beliefs, intentions, motives and goals to its collaborator based on the user model it creates and maintains during collaboration. The Robot progressively updates this model during the collaboration. The refinement of this model helps the Robot to anticipate the human's mental state more accurately, which ultimately impacts the quality

of the collaboration and the achievement of the shared goal. Furthermore, the Robot can make inferences about the motive (or intention) behind the human's actions using the Motivation mechanism. This inference helps the Robot to update its own beliefs about the human's mental state. In the reverse appraisal process [8], the Robot also applies the Appraisal mechanism together with updated beliefs about the human's Mental States to infer the human's current mental state based on the human's emotional expression. Finally, the Collaboration mechanism provides the collaboration structure, including status of the shared plan with respect to the shared goal and the mutual beliefs to the Theory of Mind mechanism. Consequently, any change to the Robot's model of the human will update the Robot's mental state.

3.2.5 Perception & Action Mechanisms

The Perception mechanism is responsible for producing the sensory information used by other mechanisms in our framework, and it is only a source of data to the computational framework (see Fig. 1). Thus, the computational framework starts with high-level semantic representation of events (including utterances). The output of the Perception mechanism will be given to the Collaboration, Theory of Mind and Appraisal mechanisms and provides a unified perception representation across all of these mechanisms.

The Action mechanism functions whenever the Robot needs to show a proper behavior according to the result of the internal processes of the collaboration procedure, and it is only a sink of data in our computational framework (see Fig. 1). The input to the Action mechanism is provided by the Coping mechanism. This data will cause the Action mechanism to execute an appropriate behavior of the Robot. This data has the same level of abstraction as the output of the Perception mechanism, i.e., it includes Robot's utterances, primitive actions and emotional expressions.

3.3 Mental States & Emotion Instances

The Mental States shown in Fig. 1 comprise the knowledge base required for all the mechanisms in the overall framework.

3.3.1 Beliefs

Beliefs are a crucial part of the Mental States. We have two different perspectives on categorization of beliefs. In one perspective, we categorize beliefs based on whether they are shared or not between the collaborators. The SharedPlans [14] theory is the foundation of this categorization in which for any given proposition the Robot may have: a) private beliefs (the Robot believes the human does not know these), b) the inferred beliefs of the human (the Robot believes the human collaborator has these beliefs), and c) mutual

beliefs (the Robot believes both the Robot and the human have these same beliefs and both of them believe that). From another perspective, we categorize beliefs based on who or what they are about. In this categorization, beliefs can be about the Robot, the human, or they can be about the environment. Beliefs about the environment can be about internal events, such as outcomes of a new appraisal or a new motivate, or external events such as the human's offer, question or request, and general beliefs about the environment in which the Robot is situated. Beliefs can be created and updated by different processes. They also affect how these processes function as time passes.

3.3.2 Intentions

Intentions are mental constructs directed at future actions. They play an essential role in: a) taking actions according to the collaboration plan, b) coordination of actions with human collaborator, c) formation of beliefs about Robot and anticipated beliefs about the human, and d) behavior selection in the Coping mechanism. First, taking actions means that the Robot will intend to take an action for primitive tasks that have gained the focus of attention, possess active motives, have satisfied preconditions for which required temporal predecessors have been successfully achieved. Second, intentions are involved in action coordinations in which the human's behavior guides the Robot to infer an anticipated behavior of the human. Third, intentions play a role in belief formation mainly as a result of the permanence and commitment inherent to intentions in subsequent processes, e.g., appraisal of the human's reaction to the current action and self regulation. And lastly, intentions are involved in selecting intention-related strategies, e.g., planning, seeking instrumental support and procrastination, which these strategies are an essential category of the strategies in the Coping mechanism [18]. Intentions possess a set of attributes, e.g. Involvement, Certainty, Ambivalence which moderate the consistency between intention and behavior. The issue of consistency between the intentions (in collaboration) and the behaviors (as a result of the Coping mechanism in the appraisal cycle) is important because neither of these two mechanisms alone provides solution for this concern.

3.3.3 Motives

Motives are emotion-driven goal-directed mental constructs which can initiate, direct and maintain goal-directed behaviors. They are created by the emotion-regulated Motivation mechanism. Motives can cause the formation of a new intention for the Robot according to: a) its own emotional states (how the Robot feels about something), b) its own private goal (how an action helps the Robot to make progress), c) the collaboration goal (how an action helps to achieve the shared goal), and d) human's anticipated beliefs (how an action helps the human). Motives also possess a set of attributes, e.g., Insistence or Failure Disruptiveness. These attributes are involved in comparison of newly generated motives based on the current state of the collaboration. Ultimately,

the Robot forms or updates an intention about the winning motive in the Mental States.

3.3.4 Goals

Goals help the Robot to create and update the structure of the collaboration plan. Goals direct the formation of intentions to take appropriate corresponding actions during collaboration. Goals also drive the Motivation mechanism to generate required motive(s) in uncertain or ambiguous situations, e.g., to minimize the risk of impasse or to reprioritize goals. Goals have three attributes. The Specificity of goals has two functions for the Robot. First, it defines the performance standard for evaluating the progress and quality of the collaboration. Second, it serves the Robot to infer the winner of competing motives. The *Proximity* of goals distinguishes goals according to how "far" they are from the ongoing task. Proximal (or short-term) goals are achievable more quickly, and result in higher motivation and better self-regulation than more temporally distant (or long-term) goals. Goals can influence the Strength of beliefs, which is an important attribute for regulating the elicitation of social emotions. The *Difficulty* of goals impacts collaborative events and decisions in the appraisal, reverse appraisal, motive generation and intention formation processes. For instance, overly easy goals do not motivate; neither are humans motivated to attempt what they believe are impossible goals.

3.3.5 Emotions

Emotions in Mental States are emotion instances that are elicited by the Appraisal mechanism. These emotion instances include the Robot's own emotions as well as the anticipated emotions of the human which are created with the help of the processes in the Theory of Mind mechanism.

4 Walk Through Computational Examples

In this section, we are going to discuss how the individual computational mechanisms (see Section 3.2) are involved in generating the Robot's collaborative behaviors discussed in each example in Section 2. The following four walkthrough examples are in the same order as the four examples in Section 2. These examples can demonstrate the applicability of the Affective Motivational Collaboration Theory in modelling and understanding of the emotion-regulated underlying processes of a collaboration procedure. Notice that in emotional ignorance examples (Sections 4.2 and 4.4), we use the same mechanisms as in the emotional awareness examples.

Also, the utterances in our examples in Section 2 are repeated here inside of boxes to help better understanding of the associated details in our walk-throughs. The walkthrough explanations between these boxes use a simple and straightforward representation to show how the underlying mechanisms (see Section 3) are involved to generate collaborative responses for the Robot.

4.1 Agreeing on Shared Goal (Emotion-Awareness)

This Section provides a step-by-step walkthrough explanation of the same example presented in Section 2.3. In this example, the explanation between Astronaut's utterance A1 and Robot's utterance A2 illustrates how the Robot perceives and interprets events including Astronaut's utterances and emotional expressions, and how the Robot takes an appropriate action whenever it is required.¹

A1. Astronaut: Oh no! Finishing the quality check of our installation with this measurement problem is so frustrating. I think we should stop now!

(Perception) Robot perceives Astronaut's utterances and emotion.

First, the Robot perceives the Astronaut's utterances as well as her emotion in the first turn, i.e., A1. The perception mechanism (see Section 3.1) forms beliefs about the task under the Astronaut's focus of attention, and also the Astronaut's emotion which she has expressed both verbally and nonverbally. The beliefs formed about the task (i.e., installing the panel) include:

- the Astronaut's proposal of *stopping* the task,
- which is a *future* event,
- and is *caused by* the measurement tool problem.

Also, beliefs formed about the Astronaut's emotion (i.e., frustration) include:

- the existence of a negative valenced emotion,
- which maps into a three-value vector of pleasure, arousal, and dominance,
- and is verbally conveyed as *frustration*.

(Collaboration: Monitoring & Focus Shifting) Robot uses the Collaboration mechanism (see Section 3.2.1) to form new beliefs about the collaboration status based on its perception. These new beliefs are about:

- the unsatisfied precondition of the Astronaut's current task,
- the *blocked* status of the Astronaut's current *task*,
- and consequently the blocked status of the shared goal,
- which causes the change in the Robot's focus of attention to the Astronaut's task.

(Theory of Mind: Reverse Appraisal & User Modeling) Robot uses reverse appraisal to understand the meaning of Astronaut's frustration according to the collaborative task status (e.g., precondition and shared goal status).

¹ Since our walkthrough explanation of underlying processes is based on collaborators' utterances, we use **verbal** expression of emotions within the utterances to emphasize their existance in certain parts of the collaboration. However, although the nonverbal emotional expressions (e.g., facial expressions) can provide the same impact during collaboration, the automatic recognition of them is out of our research context.

Robot updates Astronaut's user model respectively.

The reverse appraisal process (see Section 3.2.2) forms beliefs about the anticipated appraisals of the Astronaut with respect to the current task's status based on the Astronaut's utterances and emotion in A1, and the output of the collaboration mechanism. Some of these anticipated appraisal values indicate that the event is interpreted as relevant, undesirable, uncontrollable, urgent, and unexpected by the Astronaut. Furthermore, the user modeling process updates the Astronaut's user model based on the output of the reverse appraisal process and the collaboration mechanism; this user modeling process forms beliefs that a) Astronaut has low autonomy, and b) Astronaut is a highly communicative collaborator.

(Appraisal) Robot appraises Astronaut's utterances and emotion.

The Appraisal mechanism simultaneously uses distinct processes to compute values for each individual appraisal variable. The output of these processes provides a vector of values describing the Robot's interpretation of the current event, (A1). The outcome will be mapped to a particular emotion instance, i.e., worriedness, since the Astronaut is frustrated and the task is blocked which makes the Robot to properly express an appropriate emotion as a response to the Astronaut's emotional state. The robot can choose to express this emotion verbally or nonverbally as part of its communication if it is required.

(Motivation: Motive & Intention Formation) Robot forms new motives according to the result of:

- a) appraisal with respect to the shared goal,
- b) reverse appraisal of the Astronaut's emotion,
- c) and the user model of the Astronaut.

Then, the motive comparator process compares current available motives and sorts them based on their distance to the Astronaut's emotional state and the achievement of the shared goal. The Robot, ultimately, selects the most related motive and forms a new intention with respect to the current status of collaboration. After this whole process, Robot uses the coping mechanism to take an action based on the available intention.

(Coping) Based on the current mental state, the Robot chooses an emotionfocused coping strategy (see Section 3.2.2) and decides to acknowledge Astronaut's emotion, and provide an alternative solution. Subsequently, the Robot

¹ Here, the distance function is a function of a) the Astronaut's emotional state as an admissible approximation of her mental state, and b) how taking an action based on the corresponding intention of a particular motive improves the possibility of the collaborators reaching to the collaborators' mutually accepted shared goal.

responds to the Astronaut with appropriate utterances appearing in A2.

A2. Robot: I see. This is frustrating. But, I can help you with the measurement tool and we can finish the task as originally planned.

The Astronaut's new utterance (A3) provides the Robot with a new question about whether the Robot can fix the measurement tool. The followings show how the robot employs the same mechanisms described in Section 3 which enables the Robot to negotiate with the Astronaut to reach an agreement on the shared goal.

A3. Astronaut: Can you fix the measurement tool?

Notice that the processes in the awareness function will be run again (similar to what we had above) for the new utterance of the Astronaut (A3) before the following processes are run. The new beliefs as the output of the awareness function based on the Astronaut's new utterance are:

- the precondition associated to the Astronaut's current *task* is still *unsatisfied*,
- the status of the Astronaut's current task is still blocked,
- and similarly the status of the shared goal is still blocked,
- however, the Astronaut's question changes the Robot's focus of attention to the measurement tool,
- also, the Astronaut's emotion has changed to neutral.
- but, her user model *stays the same*, i.e., having low-autonomy and being highly communicative.

(Collaboration) The change in the focus of attention to the measurement tool causes the Robot to check the availability of a recipe to fix or replace the disfunctioning measurement tool. Robot finds a recipe to replace the measurement tool.

(Appraisal) Robot appraises the possibility of replacing the measurement tool with respect to: a) the status of the shared goal, and b) the Astronaut's user model. Robot finds the replacement of the measurement tool *relevant*, *desirable*, and *controllable*.

(Motivation: Motive & Intention Formations) Robot forms new motives based on the next task according to the shared plan and outcome of the appraisal of the possibility of replacing the measurement tool. Robot forms the corresponding intentions with respect to the new motives.

Once again, the Robot uses the coping mechanim to take an action based on the recent intention. (Coping) Based on the current mental state, Robot chooses to negotiate and offer an alternative action to the Astronaut. (A4)

A4. Robot: The next task is fixing the panel and it needs you to prepare and attach the welding rod to your welding tool. To save our time, I will fetch another measurement tool while you are preparing your welding tool.

At this point, Astronaut is content with the way Robot outlined the shared goal and responds respectively (A5). Robot uses the same awareness function as we discussed above, therefore, Robot percieves and interprets the Astronauts response as an agreement on their new shared goal.

A5. Astronaut: That would be great!

4.2 Agreeing on Shared Goal (Emotion-Ignorance)

This walkthrough example begins with the same exact utterance as the previous one, and it provides the corresponding details of the emotion-ignorant example in Section 2.4. To avoid redundant explanations, we refer to similar procedures in previous walkthrough example.

B1. Astronaut: Oh no! Finishing the quality check of our installation with this measurement problem is so frustrating. I think we should stop now!

(Perception) Robot only perceives Astronaut's utterances. (B1)

Here, in the first step, Robot perceives the Astronaut's utterances and ignores her expressed emotion in B1, i.e., frustration. Similarly to previous example, the perception mechanism forms beliefs about the task under the Astronaut's focus of attention. These beliefs include:

- the Astronaut's proposal of *stopping* the task,
- which is a *future* event,
- and is *caused by* the measurement tool problem.

Notice that beliefs about the Astronaut's emotion are formed differently in compare to previous example, and they are based on neutral emotion of the Astronaut, since the Robot ignores the Astronaut's actual emotion instance, i.e., frustration.¹

- the existence of a neutral valenced emotion,
- which maps into a three-value vector of pleasure, arousal, and dominance,
- and is verbally conveyed as *neutral* emotion.

¹ In emotion-ignorant examples, we assume Robot always perceives neutral emotion expressed by the Astronaut.

(Collaboration) Robot uses the collaboration mechanism to form new beliefs about the collaboration status based on its perception. These new beliefs are the same as the previous example:

- the unsatisfied precondition of the Astronaut's current task,
- the blocked status of the Astronaut's current task,
- and consequently the blocked status of the shared goal,
- which causes the change in the Robot's focus of attention to the Astronaut's task.

(Theory of Mind: Reverse Appraisal & User Modeling) Robot uses reverse appraisal to understand the meaning of Astronaut's neutral emotion according to the collaborative task status (e.g., precondition and shared goal status). Robot updates Astronaut's user model respectively.

The reverse appraisal process, as we discussed in previous example, forms beliefs about the anticipated appraisals of the Astronaut with respect to the current task's status based on the Astronaut's utterances and emotion that the Robot perceives, as well as the output of the collaboration mechanism. In this example, since the Robot misses the actual expressed emotion by the Astronaut (i.e., frustration) and perceives her with amiss neutral emotion, the corresponding anticipated appraisal values indicate wrong interpretation of the event. For instance, the output of the reverse appraisal mechanism could indicate a relevant, desirable, controllable, non-urgent, and expected interpretation of the current event by the Astronaut. Furthermore, the user modeling process updates the Astronaut's user model based on the output of the reverse appraisal process and the collaboration mechanism; this user modeling process forms beliefs that a) Astronaut has high autonomy, and b) Astronaut is a moderately communicative collaborator.

(Appraisal) Robot appraises Astronaut's utterances.

The Appraisal mechanism operates similar to what we discussed in Section 2.3. The output of these processes provides a vector of values describing the Robot's interpretation of the current event (B1). The outcome will be also mapped to a particular emotion instance, but since the Robot misses Astronaut's emotion, it maps the appraisals to a defferent emotion, i.e., hope, than the one elicited in previous example. Robot elicits hope because it believes the Astronaut's emotion is neutral and the current task is blocked. Therefore, the Robot wants to immediately come up with an alternative solution.

(Motivation: *Motive & Intention Formation*) As we discussed earlier, Robot forms new motives according to the result of:

- a) appraisal with respect to the shared goal,
- b) reverse appraisal of the Astronaut's emotion,
- c) and the user model of the Astronaut.

Although the process of comparing and sorting available motives is similar to previous example, all of the new motives are different than the motives in that example. The reason is that each of the above three sources of motives forms a different motive because of holding different value which is caused by the ignorance of the Astronaut's actual emotion. For instance, the motive generated with the influence of appraisal in emotional-awareness example urges the Robot to postpone asking questions about the alternative solutions while the motive with the same cause (i.e., appraisal) in emotional-ignorance example urges the Robot to immediately try to fix the problem and come up with alternative solutions by asking questions. The Robot, similar to previous example, selects the most related motive and forms a new intention with respect to the current status of collaboration. After this whole process, the Robot uses the coping mechanism to take an action based on the available intention.

(Coping) Based on the current mental state, Robot decides to use problem-focused coping strategy of seeking information to be able to choose between two available actions and reduce the current amount of uncertainty. Therefore, the Robot, without acknowledging the Astronaut's emotion, asks the Astronaut to choose between two alternative solutions. (B2)

B2. Robot: I can help you with the measurement tool, or we can terminate this task. What do you want me to do?

As we mentioned earlier in Section 2.4, Robot's response does not make any progress in collaboration status. Hence, Astronaut repeats herself about the task status (B3).

B3. Astronaut: As I said the measurement tool does not work properly. We can not continue!

Robot perceives Astronaut's new utterance (B3) while, again, ignores her frustration. Robot goes through the same process as we mentioned above, and since Astronaut has just repeated herself, her new utterances do not change the Robot's mental state. Having the same mental state causes the Robot to ask similar question (B4).

B4. Robot: Okay. Do you want me to fix this problem or terminate the task?

This time, Robot's question makes an ambiguous assumption for the Astronaut on whether the Robot can fix the disfunctional measurement tool for her. The ambiguity of Robot's question does not help Astronaut's frustration and causes her to ask a clarification question (B5).

B5. Astronaut: Can you fix my measurement tool?

Again, the same processes will be run again (similar to what we had above) for the new utterance of the Astronaut (B5) before the following process. The new beliefs as the output of the awareness function based on the Astronaut's new utterance are as it follows. Notice that the Robot still believes that the Astronaut's emotion is neutral.

- the precondition associated to the Astronaut's current task is still unsatisfied,
- the status of the Astronaut's current task is still blocked,
- and similarly the status of the *shared goal* is still *blocked*,
- however, the Astronaut's question changes the Robot's focus of attention to fixing the measurement tool,
- also, the Astronaut's emotion is still neutral.
- but, her user model *has changed* to having medium-autonomy and being highly communicative.

(Collaboration) The change in the focus of attention to fixing the measurement tool causes the Robot to check the availability of a recipe to fix or replace the disfunctioning measurement tool. Similar to previous example, Robot finds a recipe to replace the measurement tool.

(Appraisal) Robot appraises the possibility of replacing the measurement tool with respect to: a) the status of the shared goal, and b) the Astronaut's user model. Robot finds the replacement of the measurement tool *relevant*, *desirable*, and *controllable* just as before.

(Motivation: Motive & Intention Formations) Robot forms new motives based on the next task according to the shared plan and outcome of the appraisal of the possibility of replacing the measurement tool. Robot forms the corresponding intentions with respect to the new motives.

Once again, the Robot decides to take an action based on the recent intention.

(Coping) Based on the current mental state, first, Robot responds to the Astronaut's question, and then, chooses to negotiate and offer an alternative action to the Astronaut(B6).

 ${\it B6.\ Robot:}$ I cannot fix your measurement tool, but I can fetch another one for you if you want?

Astronaut's strong emotion, shortage of time, and Robot's mismatching answer to Astronaut's assumption causes the Astronaut to reject the Robot's proposal (B7).

B7. Astronaut: No, I don't want another measurement tool! We don't have time for that!

After perceiving Astronaut's answer Robot tries to negotiate (using the same procedure as we discussed above) with the Astronaut to protect the collaboration and the shared goal from failure. Therefore, the Robot asks about the possibility of pusuing another task.

B8. Robot: Okay. You want me to terminate this task. Terminating this task can influence the quality of installing this solar panel which can cause the mission to fail. Or, do you want us to work on another task? This can help us to install the panel using your welding tool, but I do not know whether the quality of our installation will be acceptable.

Astronaut terminate the collaboration due to the lack of time and failure in Robot's collaborative behavior (B9).

B9. Astronaut: I told you we have this problem and we should terminate the mission! We cannot continue without the measurement tool!

As it was shown in this example, ignoring Astronaut's emotion, first, impacts the Robot's perception and corrresponding beliefs. The output of collaboration mechanism remains unchanged in compared to the emotional-awareness example which is a crucial point in our first two examples. Although the collaboration mechanism provides the required structural details of collaboration between the Robot and the Astronaut, these structural details are not enough for saving a collaboration from a failure. As we continue, we can see ignoring the actual emotion of the Astronaut causes misfunctioning of the processes in the Theory of Mind mechanism, i.e., reverse appraisal and user modeling. Comoparing the result of these two processes with the results in emotional-awareness example, shows the importance of correctly perceiving a collaborator's emotion. This problem continues even with appraisal mechanism which maps the Robot's interpretation of the environment to a wrong emotion. Consequently, all sources of the motivation mechanism provide incorrect values which drastically influence the formation of the underlying motives of the required intentions. Finally, the coping mechanism operates based on wrong newly formed intentions which leads to a totally different behavior of the Robot in compare to the same turn in emotional-awareness example. The divergance of the Robot's collaborative behavior from its successful path contniues among the Robot and the Astronaut's interaction which increases the required time for achieving the shared goal, and pepetuates the negative feeling of the Astronaut. The Robot also misses the right time to begin a negotiation process to save the collaboration from failure. Therefore, it causes the Astronaut to reject Robot's proposal which again aggravates the Astronaut's negative emotion. Consequently, the same collaboration fails even though that the Robot uses the same computational mechanisms, as we showed above. In Sections 4.3 and 4.4, as another example of collaborative behavior, we are going to show the importance of emotional-awareness and its underlying computational mechanisms in task delegation procedure.

4.3 Delegation of a Task (Emotion-Awareness)

This walkthrough example is focusing on delegation of a task by the Astronaut during collaboration (see also the example in Section 2.5). In this example, the explanation between Astronaut's utterance C1 and Robot's utterance C2 provides the details of how different mechanisms discussed in Section 3 are involved making the Robot to show collaborative behaviors in acceptance of a new delegated task. To avoid redundant explanations, we refer to similar procedures in previous walkthrough examples.

C1. Astronaut: I still have some problems with attaching the first panel! We do not have enough time. You should begin to install the second panel.

(Perception) Robot perceives Astronaut's utterances and emotion in C1.

The perception mechanism forms beliefs based on the Astronaut's utterances and her emotion (i.e., worriedness) which she has expressed nonverbally. We have shown some examples of the beliefs formed by perception mechanism in the example in Section 4.1.

(Collaboration: Interruption & Constraint Management) Robot infers the interruption and uses the constraint management process to retrieve required resources and preconditions. Robot also checks whether there is an available associated recipe for the delegated task.

(Theory of Mind: Reverse Appraisal & User Modeling) Robot uses reverse appraisal to understand the meaning of the Astronaut's worriedness with respect to the collaborative task status retrieved in previous step (e.g., precondition status, postcondition status, required resources, shared goal). Robot also updates the Astronaut's user model and froms belief that a) Astronaut has high autonomy, and b) Astronaut is a highly communicative collaborator. We have discussed more details about reverse appraisal and user modeling processes in our example in Section 4.1.

(Appraisal) Robot appraises Astronaut's utterances and emotion. The Robot interprets the Astronaut's utterances and emotional state as a *relevant*, *unexpected*, *undesirable*, *urgent*, but *controllable* event.

(Motivation: Motive & Intention Formations) Robot forms new motives based on the result of the same processes we discussed in Section 4.1, and compares the available motives in the same way we discussed in that section. Robot forms new intention(s) with respect to the selected motive.

(Coping) Based on the current mental state, Robot chooses an emotionfocused coping strategy and decides to acknowledge Astronaut's emotion, and provide a proper response (C2) without asking questions about the delegated task.

C2. Robot: Okay. Don't worry. I can handle that.

Astronaut perceives Robot's acknowledgement of her emotion as well as Robot's positive response to Astronaut's delegated task. Astronaut knows that the Robot needs her to help with some of the primitive tasks in her own delegated task to the Robot. Therefore, the Astronaut, while is still worried about time, informs the Robot that she will try to quickly finish her current task.

C3. Astronaut: I will try to fix it asap.

Robot perceives Astronaut's utterance and emotional expression. The same process happens from updating beliefs to taking actions as we discussed above or in previous examples. Since the Robot believes that the Astronaut is still worried about time, it just informs the Astronaut about some potential questions in the future. Robot knows about these questions since there are either missing information according to the partial plan, or required resources and sub-tasks that can be provided by the Astronaut. Robot chooses a proper utterance about missing information according to human's emotion (C4).

C4. Robot: I might need to ask some questions while I am installing the second panel.

Astronaut finds the Robot's response appropriate for the delegated task. Therefore, Robot's proper response mitigates the Astronaut's negative emotion which was caused by the lack of time for successive installing procedure of the first and second panels. As a result Astronaut properly responds to the Robot's needs (C5).

C5. Astronaut: That's fine. Just let me know.

4.4 Delegation of a Task (Emotion-Ignorance)

This walkthrough example begins with the same exact utterance as the previous one in Section 4.3. This section briefly provides the corresponding details of the emotion-ignorant example in Section 2.6 which is focusing on delegation of a task by the Astronaut during collaboration. In this example, the explanation between Astronaut's utterance D1 and Robot's utterance D2 provides some details to show that even though the same mechanisms (discussed in Section 3) are used to make the Robot obtaining collaborative behaviors, ignoring the Astronaut's expressed emotion changes the output of different computational mechanisms (see also Section 4.2) which ultimately causes unsuccessful termination of the task delegation process. To avoid redundant explanations, we group some of the Astronaut and Robot's utterances which constitute the representation of dawdling interaction between them. We also refer to similar

procedures in previous walkthrough examples.

D1. Astronaut: I still have some problems with attaching the first panel! We do not have enough time. You should begin to install the second panel.

(Perception) Robot only perceives Astronaut's utterances (D1). These beliefs are about unsatisfied postcondition of the first task, i.e., installing the first solar panel, and Atronaut's proposal of installing the second panel. We have shown some examples of the beliefs formed by perception mechanism in Section 4.1. Also, as we have shown in Section 4.2 Robot does not perceive Astronaut's emotion (i.e., worriedness). Therefore, Robot misses beliefs about Astronaut's emotion.

(Collaboration: Interruption & Constraint Management) Robot infers the interruption and uses the constraint management process to retrieve required resources, preconditions. Similar to previous example, Robot also checks whether there is an available associated recipe for the delegated task. Ignoring Astronaut's expressed emotion does not change beliefs formed based on the output of the collaboration mechanism.

(Theory of Mind: Reverse Appraisal & User Modeling) Similar to the example in Section 4.2, Robot uses reverse appraisal to understand the meaning of the Astronaut's emotion with respect to the collaborative task status. However, since the Robot ignores the actual Astronaut's emotion, the output of the reverse appraisal does not help the Robot's inference about its own collaborative behavior (see Section 4.2). Similarly, Robot updates the Astronaut's user model based on wrong beliefs achieved by ignoring Astronaut's expressed emotion. We have discussed more details about reverse appraisal and user modeling processes in our example in Section 4.1, and we have shown similar effects in Section 4.2.

(Appraisal) Robot appraises Astronaut's utterances with a wrong assumption of her expressing neutral emotion. Consequently, similar to the example in Section 4.3, the Robot interprets the Astronaut's utterances as a relevant, unexpected, undesirable, urgent, and controllable event.

(Motivation: Motive & Intention Formations) Robot forms and comopares new motives in the same way as we have discussed in previous examples. However, both processes of the motive formation and comparision are performed based on false outputs of the other processes (see also Section 4.2). Therefore, Robot forms new intention with respect to the selected motive which can be formed or selected for a wrong reason.

(Coping) Based on the current mental state (including a wrong intention), Robot decides to use problem-focused coping strategy of seeking social support (seeking information) to be able to drop the intention of working with the Astronaut on the same task. Respectively, Robot asks a quesiton (D2).

D2. Robot: Okay. I can handle that. Is it okay if I leave the current task though?

The rest of the Robot's utterances from D4 to D10 shows that the Robot wants to do planning in the most efficient manner by asking so many questions about missing information according to the shared plan. On the other hand, the Astronaut who was worried about the lack of time since the beginning tries to succinctly respond the Robot and successfully delegate the task. However, Robot by asking several questions instead of understanding Astronaut's mental state and accepting the delegated task, causes the Astronaut to quickly become frustrated and express her frustration (D9).

- D3. Astronaut: Yes, that's fine. I can finish it by my own.
- **D4.** Robot: Okay. But according to the plan, I need your help when we need to weld the panel. Will you be able to help me?
- D5. Astronaut: Yes, I will.
- **D6.** Robot: We also need your welding tool and supplies as well as the measuring tool to install the second panel.
- D7. Astronaut: Just let me know whenever you need something!
- **D8.** Robot: Thanks. I will. How about the conflict that might occur while I am trying to fix the second panel? You are going to need my help at the same time.
- **D9.** Astronaut: Robot, I really don't understand what you are talking about!
- **D10.** Robot: Do you want me to provide some examples?

Robot perceives Astronaut's last utterance and once again ignores her emotion. This time Robot's tries to provide some examples to clarify its own point which is even another divergance from achieving the shared goal or planning for the new delegated task (D10). Finally, Astronaut terminates the collaboration due to the lack of time and Robot's failure in incoporating proper collaborative behavior (D11).

D11. Astronaut: We don't have time for this anymore!

5 Related Work

- 5.1 Emotions in Social Context
- 5.2 Social Functions of Emotions
- 5.3 Affect and Motives
- 5.4 Collaboration Theories

The prominent collaboration theories are mostly based on plans and joint intentions [6,14,15], and they were derived from the BDI paradigm developed by Bratman [2] which is fundamentally reliant on folk psychology [23]. The two theories, Joint Intentions [6] and SharedPlans [14], have been extensively used to examine and describe teamwork and collaboration.

The SharedPlans theory is based on the theories of Bratman and Pollack [4,21,22], who outline a mental-state view of plans in which having a plan is not just knowing how to do an action, but also having the intention to do the actions entailed. Bratman's views of intention goes back to the philosophical views of Anscombe [1] and Castañeda [5] about intention. Also, as Grosz and Sidner mention in [14] the natural segmentation of discourse reflects intentional behaviors in each segment. These intentions are designated as Discourse Segment Purposes (DSPs) which are the basic reasons for engaging in different segments of discourse. DSPs are a natural extension of Gricean intentions at the utterance level [19].

Cohen and Levesque also mention that in Joint Intentions theory their view of intention is primarily future-directed [7] which makes their view similar to Bratman's theory of intention [3], contra Searle [24].

The SharedPlans model of collaborative action, presented by Grosz and Sidner [11,12,14], aims to provide the theoretical foundations needed for building collaborative robots/agents [10]. SharedPlans is a general theory of collaborative planning that requires no notion of joint intentions, accommodates multi-level action decomposition hierarchies and allows the process of expanding and elaborating partial plans into full plans. SharedPlans theory explains how a group of agents can incrementally form and execute a shared plan that then guides and coordinates their activity towards the accomplishment of a shared goal. SharedPlans is rooted in the observation that collaborative plans are not simply a collection of individual plans, but rather a tight interleaving of mutual beliefs and intentions of different team members. In [12] Grosz and Kraus use first-order logic to present the formalization of SharedPlans.

Grosz and Sidner in [14] present a model of plans to account for how agents with partial knowledge collaborate in the construction of a domain plan. They are interested in the type of plans that underlie discourse in which the agents are collaborating in order to achieve a shared goal. They propose that agents are building a shared plan in which participants have a collection of beliefs and intentions about the actions in the plan. Agents have a library of how to do

their actions, i.e. recipes. These recipes might be partially specified as to how an action is executed, or contributes to a goal. Then, each agent communicates their beliefs and intentions by making utterances about what actions they can contribute to the shared plan. This communication leads to the construction of a shared plan, and ultimately termination of the collaboration with each agent mutually believing that there exists one agent who is going to execute an action in the plan, and the fact that that agent has intention to perform the action, and that each action in the plan contributes to the goal [14,16].

6 Conclusion and Future Work

In this paper, first, we argued the missing part of computational collaboration theories and the need for a theory explaining the undelying processes involved in a collaboration. Then, we discussed the importance of social functions of emotions and how emotions are involved in social contexts to reveal or enrich the meaning of interactants' messages through communication. In fact, there is a correspondence between what a collaboration needs and what social functions of emotions provide within a social context. Next, in Section 2, we provided four hypothetical examples in two pairs. Each pair of examples was about a distinct collaborative behavior. The first pair was about agreeing on a shared goal between a robot and an astronaut, and the second pair was about delegation of a new task to the robot by the astronaut. Each pair of these examples contains a successful collaboration because of the robot being aware of the astronaut's emotion, and a failure in collaboration as the consequence of the robot ignoring the astraonuat's emotions. We provided a brief description for each example as well as the utterances of both the robot and the astronaut during their collaboration. These examples could illustrate the importance of emotional-awareness to attain a successful collaborative behavior. Then, in Section 3, we continued by briefly introduing main components of Affective Motivational Collaboration Theory as our computational framework which incorporates emotion-regulated mechanisms. This framework let us to describe the same examples in more details (in Section 4) in a way that we could explain what mechanisms or their underlying processes, and how they are involved to help the robot obtaining a collaborative behavior by observing the astronaut's emotions. At last, in Section 5, we provided some related works in which they are using comoputational collaboration and emotion theories.

We have also implemented the rules associated to these examples using JESS (Java Expert System Shell) which is a rule engine for the Java platform. In our current implementation we have categorized the rules in different modules associated with the mechanisms and the underlying processes in Affective Motivational Collaboration Theory (see Fig. 1). In our future work, we will implement our algorithms for each individual mechanism to be able to automatically generate the reauired facts within each mechanism to fire the existing rules. Ultimately, we are going to offer a platform which operates based on collaboration structure discussed by ShredPlans theory [13], and em-

ploys some emotion-driven processes such as appriasal process in [18] to enable a robot to obtain and demonstrate collaborative behaviors.

References

- 1. G. E. M. Anscombe. Intention. NY: Cornell University Press, 1963.
- M. E. Bratman. Intention, Plans, and Practical Reason. Cambridge, Mass.: Harvard University Press, 1987.
- M. E. Bratman. What is intention? In *Intentions in Communication*, Cognitive Technologies, pages 15–32. The MIT Press, Cambridge, MA, June 1990.
- 4. M. E. Bratman, D. J. Israel, and M. E. Pollack. Plans and resource-bounded practical reasoning. *Computational Intelligence*, 4(3):349–355, 1988.
- 5. H.-N. $Casta\~neda$. $Thinking\ and\ Doing$. Dordrecht, Holland: D. Riedel, 1975.
- 6. P. Cohen and H. J. Levesque. Teamwork. SRI International, 1991.
- P. R. Cohen and H. J. Levesque. Intention is choice with commitment. Artificial Intelligence, 42(2-3):213–261, 1990.
- 8. C. M. de Melo, J. Gratch, P. Carnevale, and S. J. Read. Reverse appraisal: The importance of appraisals for the effect of emotion displays on people's decision-making in social dilemma. In *Proceedings of the 34th Annual Meeting of the Cognitive Science Society (CogSci)*, 2012.
- 9. E. Goffman. The Presentation of Self in Everyday Life. Anchor, 1959.
- B. J. Grosz. AAAI-94 presidential address: Collaborative systems. AI Magazine, 17(2):67–85, 1996.
- B. J. Grosz, L. Hunsberger, and S. Kraus. Planning and acting together. AI Magazine, 20(4):23–34, 1999.
- B. J. Grosz and S. Kraus. Collaborative plans for complex group action. Artificial Intelligence, 86(2):269–357, 1996.
- B. J. Grosz and C. L. Sidner. Attention, intentions, and the structure of discourse. Computational Linguistics, 12(3):175–204, July 1986.
- B. J. Grosz and C. L. Sidner. Plans for discourse. In P. R. Cohen, J. Morgan, and M. E. Pollack, editors, *Intentions in Communication*, pages 417–444. MIT Press, Cambridge, MA, 1990.
- D. J. Litman and J. F. Allen. Discourse processing and commonsense plans. In P. R. Cohen, J. Morgan, and M. E. Pollack, editors, *Intentions in Communication*, pages 365–388. MIT Press, Cambridge, MA, 1990.
- K. E. Lochbaum, B. J. Grosz, and C. L. Sidner. Models of plans to support communication: An initial report. In *Proceedings of the Eighth National Conference on Artificial Intelligence*, pages 485–490. AAAI Press, 1990.
- 17. C. Marinetti, P. Moore, P. Lucas, and B. Parkinson. Emotions in social interactions: Unfolding emotional experience. In *Emotion-Oriented Systems, Cognitive Technologies*, pages 31–46. Springer Berlin Heidelberg, 2011.
- 18. S. C. Marsella and J. Gratch. EMA: A process model of appraisal dynamics. *Cognitive Systems Research*, 10(1):70–90, March 2009.
- S. Neale. Paul grice and the philosophy of language. Linguistics and Philosophy, 15(5):509–559, 1992.
- S. Planalp. Communicating Emotion: Social, Moral, and Cultural Processes. Cambridge University Press, 1999.
- M. E. Pollack. A model of plan inference that distinguishes between the beliefs of actors and observers. In Proceedings of the 24th Annual Meeting on Association for Computational Linguistics, pages 207–214. Association for Computational Linguistics, 1986
- M. E. Pollack. Plans as complex mental attitudes. In *Intentions in Communication*, pages 77–103. MIT Press, 1990.
- 23. I. Ravenscroft. Folk Psychology as a Theory. Stanford Encyclopedia of Philosophy,

- $24.\ \ \text{J. R. Searle. Collective intentionality. In } Intentions\ in\ Communication,\ pages\ 401-415.$ MIT Press, 1990.
- S. van Hooft. Scheler on sharing emotions. Philosophy Today, 38(1):18–28, 1994.
 A. K. Wisecup, D. T. Robinson, and L. Smith-Lovin. The Sociology of Emotions. SAGE Publications, Inc., 2007.
- 27. R. B. Zajonc. Social facilitation. $Science,\,149(3681):269-274,\,1965.$