Section 8. Temporal and Frequency Response With Peak Counting Plots

This supplementary section shows the temporal response of each design of experiments run and its associated frequency response. In addition, the chosen peaks using the peak detection algorithm in order to help assist readers with replication. A counted peak is shown as a blue dot in the frequency domain plot.



Figure S7: FID calibration plot.



Figure S8: Run 1 and core 8.



Figure S9: Run 2 and core 1.



Figure S10: Run 3 and core 8.



Figure S11: Run 4 and core 1.



Figure S12: Run 5 and core 6.



Figure S13: Run 6 and core 5.



Figure S14: Run 7 and core 2.



Figure S15: Run 8 and core 4.



Figure S16: Run 9 and core 9.



Figure S17: Run 10 and core 8.



Figure S18: Run 11 and core 3.



Figure S19: Run 12 and core 6.



Figure S20: Run 13 and core 7.



Figure S21: Run 14 and core 5.



Figure S22: Run 15 and core 3.



Figure S23: Run 16 and core 2.



Figure S24: Run 17 and core 6.



Figure S25: Run 18 and core 9.



Figure S26: Run 19 and core 5.



Figure S27: Run 20 and core 7.



Figure S28: Run 21 and core 1.



Figure S29: Run 22 and core 4.



Figure S30: Run 23 and core 4.



Figure S31: Run 24 and core 7.



Figure S32: Run 25 and core 2.



Figure S33: Run 26 and core 9.



Figure S34: Run 27 and core 3.