Operational Specification Template

Student	三留慎太郎	**Date**	2026/04/09
Program	7	**Program #**	
Instructor	日下部茂	**Language**	Java

Scenario Number シナリオ番号 1		**User Objective** ユーザの目的	数値 x と y の集合の相関と有意性、n 組のペアに対する回帰パラメータ β0 とβ1 を計算し、与えられた見積もり値 xk を与えられた際の予測値 yk を計算し、それに対する 70% 予測区間を計算する。
Scenario Objective シナリオの目的		計算のための操作を示すため	
Source	**Step**	**Action**	**Comments**
user	1	プログラムを起動する	
system	2	計算し出力する	

Operational Specification Template Instructions

Purpose	- To hold descriptions of the likely operational scenarios followed during program use - To ensure that all significant usage issues are considered during program design - To specify test scenarios
General	- Use this template for complete programs, subsystems, or systems. - Group multiple small scenarios on a single template, as long as they are clearly distinguished and have related objectives. - List the major scenarios and reference other exception, error, or special cases under comments. - Use this template to document the operational specifications during planning, design, test development, implementation, and test. - After implementation and testing, update the template to reflect the actual implemented product.
Header	- Enter your name and the date. - Enter the program name and number. - Enter the instructor's name and the programming language you are using.
Scenario Number	Where several scenarios are involved, reference numbers are needed.
User Objective	List the users' likely purpose for the scenario, for example, to log onto the system or to handle an error condition.
Scenario Objective	List the designer's purpose for the scenario, for example, to define common user errors or to detail a test scenario.
Source	- Enter the source of the scenario action. - Example sources could be user, program, and system.
Step	Provide sequence numbers for the scenario steps. These facilitate reviews and inspections.
Action	Describe the action taken, such as - Enter incorrect mode selection. - Provide error message.
Comments	List significant information relating to the action, such as - User enters an incorrect value. - An error is possible with this action.