Study Australia - API data handoff for the data team

Scope: Universities, courses and scholarships for the Study Australia destination page in Wix.
Data snapshot: 2 November 2026, India time.
Purpose: Describe the data received, its use in Wix, coverage gaps and the data needed to support reliable discovery and detailed information.

1. Evidence and catalogue scope

The live audit covered every Australia provider-list, course-search and scholarship-list page, all 45 university detail responses, 26 selected course details and 8 selected scholarship details. The list totals matched unique IDs, with no non-Australian records in those lists. Course and scholarship detail findings are samples unless explicitly stated otherwise.

These figures describe API responses. They do not establish independent verification against university websites or the contents of the published Wix CMS. “Missing” means absent, null or empty in the audited field; it does not establish that the underlying requirement or opportunity does not exist.

Dataset	Australia count	Meaning
Providers	1,279	All institution categories
Universities	45	Providers with `institution_type.code = university`
Courses	23,732	Courses across all provider categories
University courses	11,744	Courses attributed to the 45 university-classified providers
Scholarships	892	Awards associated with 40 providers

Provider classifications are 728 private VET colleges, 265 schools, 137 higher education institutes, 80 other providers, 45 universities, 16 TAFE/polytechnics and 8 university colleges. These are API classifications; counts should retain that scope when published. For example, the total course catalogue and the university-only course total are different measures.

The Australia reference response contains 20 study levels, 79 study areas and 521 campus-city entries. Provider, course and scholarship IDs are the joining keys; names are display labels.

2. How Wix consumes the data

The destination page is a native Wix Custom Element. It requests data from the site's own backend, which reads Wix CMS records or makes authenticated StudySearch Website API v2 requests. The upstream API credential stays in Wix Secrets Manager.

Flow: Australia page → Wix `/_functions/studysearch` → Wix backend → Wix CMS or StudySearch API → page data and detail views.

Data	API action / source	Wix storage and consumption
Provider/university summaries	`providers`; provider records from `sync`	Australian records in `CF_Providers`; university listings select the university classification
University detail	`provider`	Provider data plus provider-scoped ranking history; full provider detail supplies richer records such as outcomes
Ranking history	Provider rankings	`CF_Rankings`, associated by provider ID and ranking edition
Scholarship records	`scholarships`; scholarship records from `sync`	Australian records in `CF_Scholarships`; provider IDs associate awards with university views
Course search	`search`	Live Australia-filtered results; Australian courses are not copied into `CF_Courses`
Course detail	`course`	Live full record for the selected course ID
Reference vocabulary	`reference`	`CF_Reference`; the Australia slice supplies codes, labels and filter options
Provider logos	API logo metadata and Wix Media Manager	Stable Wix media URLs can accompany CMS provider records; source/approval/attribution metadata remains relevant

University and scholarship lists are loaded for local filtering and sorting. Course searches send filters to the API, including keyword, provider ID, study area/level, campus city, state, intake month, institution type, delivery mode, English-test code, annual tuition ceiling and scholarship availability.

Course searches use 50 records per API request. The university detail course preview loads up to 50 courses; its intake counts describe that preview, not the entire university catalogue. The individual course detail request supplies fields that may be absent from a search result. Scholarship detail currently uses the loaded scholarship record; the API also offers a richer individual `scholarship` response.

The configured CMS refresh cadence is six hours for delta updates and 24 hours for reference data. Live responses have a 15-minute backend cache; list/reference data may also remain in browser memory for the current page session. These are consumption settings, not promises about source-verification frequency. Source-update, projection-update and last-verified dates must remain distinct.

The audited provider, scholarship and course-search list actions accept page sizes of 1-50. Consumers need the total, actual page size and all pages to establish complete coverage. Detail-only fields should not be classified as missing because they are absent from a list response.

3. Universities

Data received and intended use

Data group	Relevant API fields	Use in Wix
Identity	`provider_id`, `name`, `legal_name`, `country_code`, `institution_type`, `website`	Provider identity, classification, official source and record association
Branding	`logo` and its URL, expiry, attribution and terms metadata	University and course identity visuals
Locations	`campuses`, city, postcode, subdivision, metro and regional classification	Listing location summary and detailed study-location records
Catalogue coverage	`course_count`, `scholarship_count`, `study_levels_offered`, `study_areas_offered`	Summary cards, subject/level breakdowns and catalogue navigation
Rankings	`ranking_summary`, `rankings`	QS/THE summaries and edition-by-edition history
Outcomes	`outcomes_state`, `outcomes`	University-wide survey information with its grain, study level, year and statistical context
Academic equivalence	`entry_matrix`	Country/qualification-specific guidance, retaining grades, bands and conditions
Narrative	`description`	University overview when verified content is supplied

Small summaries use identity, location, rankings and catalogue counts. Detailed information uses individual location records, ranking history, course/scholarship associations, outcomes and contextual academic data. Generated summaries should be traceable to those source records.

Coverage across all 45 universities

Field	Present	Missing / empty
Name, website and API logo	45	0
Campus records, study levels and study areas	45	0
QS ranking summary	38	7
THE ranking summary	38	7
Ranking history	39	6
University-group membership	26	19

Field	Present	Missing / empty
Outcome records	41	4
Description	0	45
Academic entry matrix	5	40

38 universities have a positive scholarship count. No ranking, group membership or scholarship association is not automatically a data defect; the data team should distinguish “not applicable/not ranked/no records” from “not collected/unknown.”

The four universities with no outcome records are UNSW Sydney, USQ - Sydney Education Centre, UQ College and Adelaide University. All 45 return `outcomes_state: admitted`, so that state alone does not confirm that survey records exist.

Academic data already arriving

Five universities provide 412 populated `entry_matrix` rows:

University	Rows	Country coverage returned
Swinburne University of Technology	3	India
Flinders University	12	12 country codes, including India, Nepal and Bangladesh
University of Melbourne	6	Great Britain
Australian National University	11	China
RMIT University	380	28 country codes, including India

Rows can contain country, qualification, study level, grade, scale, benchmark band, subject conditions and an as-at date. Numeric thresholds are not present in every row. For example, Swinburne supplies a CBSE undergraduate minimum of 60%, while its postgraduate/research entries describe qualification equivalence without a numeric minimum. Those are different kinds of admission information.

Data needed: Extend matrix coverage, identify applicable courses or bands, preserve all qualification and subject conditions, and supply provenance/effective dates where available. Do not reduce a matrix to one country-wide or university-wide percentage. Provider campus order also needs a documented meaning or an explicit primary-campus designation; the first returned location should not be assumed to be the main campus.

4. Courses

Data received and intended use

Data group	Relevant API fields	Use in Wix
Identity and classification	`course_id`, provider ID, `title`, `display_code`, `display_code_label`, `study_level`, `study_area`	Search results, course identity and provider/subject/level filters
Delivery	`duration_months`, `delivery_modes`, `campuses`	Duration, study mode and course-specific locations
Intakes	`intakes` with month, year, start date and deadline	Intake summaries and intake-specific planning
Fees	`tuition`, `tuition_history`	Current amount, year, currency, basis, derivation and source context
Entry	`english_requirements`, `english_note`, `entry_requirements`, structured `entry`	Academic and English requirements without conflating the two
Scholarships	`scholarship_count`, detail `scholarships`	Funding records to investigate, preserving eligibility limits
Outcomes	`provider_outcomes_state`, `provider_outcomes`	University-wide context, explicitly separate from course outcomes
Sources	`official_url`, `freshness`	Official links and source/projection timestamps
Narrative	Detail `description`	Course overview when available

Small summaries prioritise title, provider, level/area, location, mode, duration, intake months and fee context. Detailed information uses the full course response, including fee history, entry information, source links and associated records.

Coverage across all 23,732 course-search records

Field	Present	Missing / unstated
Title, provider, code, study area, study level and duration	23,732	0
Delivery modes	23,712	20
Campus records	23,701	31
Official course URL	17,752	5,980
Intake months	9,404	14,328
Intake year	0	23,732

Field	Present	Missing / unstated
Exact start date	0	23,732
Intake application deadline	0	23,732
Any tuition amount	23,374	358
Annual tuition amount	20,558	3,174
Fee year	8,394	15,338
English requirement records	16,044	7,688
English overall score	16,029	7,703
English minimum band score	8,594	15,138
Non-English academic summary in search response	0	23,732

Within the 11,744 university-course subset, 5,097 lack intake months, 227 lack any tuition amount, 931 lack annual tuition, 5,848 lack a fee year, 2,002 lack English requirement records, 5,218 lack minimum band scores and 2,920 lack an official course URL.

The search entry summary is English-only for 16,044 courses and has no basis for 7,688. The separate university entry matrices remain relevant; absence of academic summaries in search results does not imply absence of every form of academic data.

Fee and eligibility interpretation

12,202 courses flag annual tuition as derived. Recorded fee bases are 7,896 annual, 15,018 course total, 460 indicative annual and 358 missing. A raw course-total amount must retain that basis; it must not become an annual fee without a supported calculation. Preserve currency, year, source and `annual_is_derived` alongside the amount. Clarify whether additional compulsory charges are included and which intake/student cohort a fee applies to.

English requirements need their source scope. A university-policy threshold is different from a requirement verified for a specific course. Overall and minimum-band requirements are separate fields. An English score does not establish academic eligibility.

8,917 courses have a positive scholarship count. Associated provider awards do not, by themselves, confirm course, nationality or study-level eligibility. Funding records should remain separate from tuition until award applicability and value are confirmed.

Full-course detail sample and data needed

All 26 sampled full course records lack descriptions. All have fee history; 21 contain scholarship records and 24 contain provider outcomes. Twenty have English-only entry summaries and six have no entry summary. All 26 have empty/null structured minimum scores, prerequisites, selection tasks and requirements notes in `entry`. This is sample evidence, not a census of every course detail.

Data needed: Exact intake years/start dates/application deadlines; academic requirements with qualification, country, scale, conditions and course applicability; course descriptions; missing official URLs; fee years and basis/source context; complete English requirements with provenance. Where date availability is month-only or rolling, identify that explicitly rather than implying an exact date.

5. Scholarships

Data received and intended use

Data group	Relevant API fields	Use in Wix
Identity and relationships	`scholarship_id`, provider ID, `name`, `course_count`, detail `linked_courses`	Award identity, university association and eligible-course investigation
Benefit	`amount_type`, `amount_value`, `amount_currency`, `scholarship_percentage`, `amount_is_maximum`, `amount_note`, detail `award_tiers`	Value summaries and complete benefit explanation
Eligibility	`student_type`, study levels/areas, countries, `academic_minimum`, `study_load`, `study_stages`	Eligibility information with explicit unknowns and derivation context
Application and duration	`automatic_consideration`, `renewable`, opening/closing dates, `deadline_is_rolling`	Application method, renewal and timing
Status and sources	`current_status`, official scholarship URL, `last_verified_date`	Availability, official source and verification context
Narrative	`description`, `eligibility_summary`	Additional rules and benefit conditions

Small summaries use award/provider identity, value, level, status, nationality restrictions and dates. Detailed information needs complete benefits, eligibility conditions, application method, source dates and course-association scope. The full scholarship endpoint can provide richer information and a bounded linked-course list.

Coverage across all 892 scholarships

Field	Present	Missing / unstated
Name, provider and city	892	0
Official source URL and verification date	892	0
Amount note	892	0
Structured amount type/value	858	34
Study levels and study areas	755	137

Field	Present	Missing / unstated
Listed nationality restriction	60	832
Structured academic minimum	122	770
Automatic-consideration flag	268	624
Study load	339	553
Renewable flag	497	395
Study stage	351	541
Application opening date	351	541
Application deadline	474	418
Eligibility summary in list response	50	842

Benefit classifications: 664 fixed cash, 144 percentage of tuition, 50 full tuition and 34 unclassified. All 664 classified fixed cash awards supply AUD currency. All 194 classified percentage/full-tuition awards supply a percentage. The 34 unclassified awards need structured benefit classification; narrative notes may describe ranges or mixed benefits rather than a single value.

Application method: 225 automatic, 43 explicitly not automatic, 624 unstated. Student type: 326 international and 566 both. Status: 128 open, 53 opening soon, 293 closed and 418 check provider.

Data-quality gaps requiring clarification

Eligibility scope. An empty nationality list is not confirmation of worldwide eligibility. Null application, renewal or study-load flags are unknown, not false. All 755 populated study-level lists identify linked courses as their source; these derived levels are not independent award rules. Preserve `study_levels_source` and distinguish verified eligibility from inferred associations.

Benefit completeness. Notes can contain additional cash, accommodation, first-year-only conditions, recurring payments or ranges. Preserve them together with structured values and tiers. For Alex Chernov Scholarship, the response describes full tuition plus up to $20,000; a full-tuition classification alone does not describe the whole benefit. Some notes are noisy extracted fragments and need editorial/source validation before becoming student-facing prose.

Application status versus dates. Three records are marked open with a 1 November 2026 deadline in the 2 November snapshot:

- Scott Reid Memorial Scholarship - Griffith University.
- The University of Sydney Law School Dean's Scholarship.
- Computing and Information Systems PhD Scholarship - University of Melbourne.

Reconcile these records and define the date/timezone and refresh rules for status transitions. Distinguish rolling deadlines, multiple rounds, unknown dates and genuinely closed awards.

Linked-course completeness. In the detail sample, Alex Chernov returns 200 of 317 linked courses, with truncation flagged. Three Monash examples return 200 of 228. Federation Vice-Chancellor's Award (Semester 1 2027) returns all 132. Retain the total, returned count and truncation flag; an omitted course in a truncated response is not evidence of ineligibility. Confirm how a consumer can retrieve the remaining eligible courses or verify one course directly.

Narrative and criteria coverage. Only one of eight sampled scholarship detail responses has a description and award tier; seven have neither. Academic extracts can mix cohort-specific conditions. Supply complete rule context, score scale, applicable study level and any nationality/course exclusions rather than a detached minimum score.

6. Data contract and handoff priorities

The following are requested data improvements and clarifications, not a confirmed delivery roadmap.

1. **Academic criteria:** Expand provider matrix coverage and populate course-specific academic fields. Establish explicit links between country/qualification thresholds, benchmark bands, conditions and applicable courses.
2. **Intakes:** Supply intake year, exact start date and application deadline where known, with timezone and rolling/unknown-date semantics.
3. **Scholarship eligibility and benefits:** Resolve the 34 unclassified awards, preserve mixed benefits and payment periods, improve nationality/application/academic coverage, and reconcile status/date conflicts.
4. **Fees and provenance:** Fill missing years/amounts/official URLs; preserve source, currency, total-versus-annual basis, derived flags and effective cohort/intake.
5. **Descriptions and outcomes:** Supply verified university/course descriptions and distinguish unavailable surveys from admitted-but-empty outcome records. Retain provider grain, study level, survey, reference year, unit and available statistical context.
6. **Associations and freshness:** Clarify scholarship-course association rules and truncation retrieval; preserve stable IDs, update/removal semantics, source timestamps and verification dates across sync and detail responses.

For Wix consumption, each field should have a documented meaning, stable type, allowed values, null semantics, provenance and applicability. Keep “unknown,” “not applicable,” “not collected” and confirmed negative values distinct. Current summary counts and historical records should remain separate. Rank bands must retain their published display values and edition years; provider-wide outcomes must not be represented as course outcomes or individual predictions.

Data already exposed includes provider entry matrices, structured course-entry objects and richer scholarship detail fields. Their presence in the schema is separate from population coverage. Any upcoming expansion should identify which records, fields and countries/qualifications will be populated and provide an expected delivery date confirmed by the data team.