




- **Name:** M. Siri Chandana
- **Roll Number:** 2520030603









MySQL Workbench
MUNDRUSIRICHANDANA
File Edit View Query Database Server Tools Scripting Help
SQL File 3* acid properites physicianex5 week1 ddl.dcl.tcl funct 1 SQL File 9*
Limit to 200 rows
(70010, 1983.43, '2012-10-10', 3004, 5006),
(70003, 2480.40, '2012-10-10', 3009, 5003),
(70012, 250.45, '2012-06-27', 3008, 5002),
(70011, 75.29, '2012-08-17', 3003, 5007),
(70013, 3045.60, '2012-04-25', 3002, 5001);
SELECT *
FROM orders
WHERE purch_amt > 2000;
Result Grid
ord_no purch_amt ord_date customer_id salesman_id
70003 2480.40 2012-10-10 3009 5003
70005 2400.60 2012-07-27 3007 5001
70008 5760.00 2012-09-10 3002 5001
70013 3045.60 2012-04-25 3002 5001
Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.
No object selected
Action Output
86 11:05:41 SELECT * FROM bank_transactions LIMIT 0, 200 10 row(s) returned 0.000 sec / 0.000 sec
87 11:14:54 CREATE DATABASE function_db 1 row(s) affected 0.047 sec
88 11:14:54 USE function_db 0 row(s) affected 0.000 sec
89 11:14:54 CREATE TABLE orders (ord_no INT PRIMARY KEY, purch_amt DECIMAL(10,2), ord_date DATE, ... 0 row(s) affected 0.016 sec
90 11:15:39 INSERT INTO orders VALUES (70001, 150.50, '2012-10-05', 3005, 5002), (70009, 270.65, '2012-09-10', 3001... 12 row(s) affected Records: 12 Duplicates: 0 Warnings: 0 0.062 sec
91 11:17:33 SELECT * FROM orders WHERE purch_amt > 2000 LIMIT 0, 200 4 row(s) returned 0.000 sec / 0.000 sec
Query Completed
11:17
31-08-2026



MySQL Workbench
MUNDRUSIRICHANDANA
File Edit View Query Database Server Tools Scripting Help
SQL File 3* acid properites physicianex5 week1 ddl.dcl.tcl funct 1 SQL File 9*
Limit to 200 rows
(70011, 75.29, '2012-08-17', 3003, 5007),
(70013, 3045.60, '2012-04-25', 3002, 5001);
SELECT *
FROM orders
WHERE purch_amt > 2000;
SELECT *
FROM orders
WHERE ord_date = '2012-09-10';
Result Grid
ord_no purch_amt ord_date customer_id salesman_id
70007 948.50 2012-09-10 3005 5002
70008 5760.00 2012-09-10 3002 5001
70009 270.65 2012-09-10 3001 5005
Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.
No object selected
Action Output
87 11:14:54 CREATE DATABASE function_db 1 row(s) affected 0.047 sec
88 11:14:54 USE function_db 0 row(s) affected 0.000 sec
89 11:14:54 CREATE TABLE orders (ord_no INT PRIMARY KEY, purch_amt DECIMAL(10,2), ord_date DATE, ... 0 row(s) affected 0.016 sec
90 11:15:39 INSERT INTO orders VALUES (70001, 150.50, '2012-10-05', 3005, 5002), (70009, 270.65, '2012-09-10', 3001... 12 row(s) affected Records: 12 Duplicates: 0 Warnings: 0 0.062 sec
91 11:17:33 SELECT * FROM orders WHERE purch_amt > 2000 LIMIT 0, 200 4 row(s) returned 0.000 sec / 0.000 sec
92 11:20:15 SELECT * FROM orders WHERE ord_date = '2012-09-10' LIMIT 0, 200 3 row(s) returned 0.031 sec / 0.000 sec
Query Completed
11:20
31-08-2026



MySQL Workbench
MUNDRUSIRICHANDANA
File Edit View Query Database Server Tools Scripting Help
SCHEMAS
bookflow1_db
bookflow_db
join_db
skyjumper
studentmarks_db
sys
week1_db
Tables
Views
Stored Procedures
Functions
SQL File 3* acid properites physicianex5 week1 ddl.dcl.tcl funct 1 SQL File 9*
Limit to 200 rows
Execute the selected portion of the script or everything, if there is no selection
SELECT *
FROM orders
WHERE ord_date = '2012-09-10';
SELECT *
FROM orders
ORDER BY purch_amt DESC;
Result Grid
ord_no purch_amt ord_date customer_id salesman_id
70008 5760.00 2012-09-10 3002 5001
70013 3045.60 2012-04-25 3002 5001
70003 2480.40 2012-10-10 3009 5003
70005 2400.60 2012-07-27 3007 5001
70010 1983.43 2012-10-10 3004 5006
70007 948.50 2012-09-10 3005 5002
70009 270.65 2012-09-10 3001 5005
70012 250.45 2012-06-27 3008 5002
70001 150.50 2012-10-05 3005 5002
orders 3
SQLAdditions
Jump to
Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.
Context Help Snippets
Administration Schemas
Information
No object selected
Object Info Session
Output
Action Output
Time Action Message Duration / Fetch
88 11:14:54 USE function_db 0 row(s) affected 0.000 sec
89 11:14:54 CREATE TABLE orders (ord_no INT PRIMARY KEY, purch_amt DECIMAL(10,2), ord_date DATE, ... 0 row(s) affected 0.016 sec
90 11:15:39 INSERT INTO orders VALUES (70001, 150.50, '2012-10-05', 3005, 5002), (70009, 270.65, '2012-09-10', 3001... 12 row(s) affected Records: 12 Duplicates: 0 Warnings: 0 0.062 sec
91 11:17:33 SELECT * FROM orders WHERE purch_amt > 2000 LIMIT 0, 200 4 row(s) returned 0.000 sec / 0.000 sec
92 11:20:15 SELECT * FROM orders WHERE ord_date = '2012-09-10' LIMIT 0, 200 3 row(s) returned 0.031 sec / 0.000 sec
93 11:20:37 SELECT * FROM orders ORDER BY purch_amt DESC LIMIT 0, 200 12 row(s) returned 0.000 sec / 0.000 sec
Query Completed
25°C Mostly cloudy
Search
ENG IN
11:20 31-08-2026



MySQL Workbench
MUNDRUSIRICHANDANA
File Edit View Query Database Server Tools Scripting Help
SCHEMAS
bookflow1_db
bookflow_db
join_db
skyjumper
studentmarks_db
sys
week1_db
Tables
Views
Stored Procedures
Functions
SQL File 3* acid properites physicianex5 week1 ddl.dcl.tcl funct 1 SQL File 9*
Limit to 200 rows
FROM orders
Execute the selected portion of the script or everything, if there is no selection
SELECT *
FROM orders
ORDER BY purch_amt DESC;
SELECT *
FROM orders
ORDER BY ord_date;
Result Grid
ord_no purch_amt ord_date customer_id salesman_id
70013 3045.60 2012-04-25 3002 5001
70012 250.45 2012-06-27 3008 5002
70005 2400.60 2012-07-27 3007 5001
70004 110.50 2012-08-17 3009 5003
70011 75.29 2012-08-17 3003 5007
70007 948.50 2012-09-10 3005 5002
70008 5760.00 2012-09-10 3002 5001
70009 270.65 2012-09-10 3001 5005
70001 150.50 2012-10-05 3005 5002
orders 4
SQLAdditions
Jump to
Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.
Context Help Snippets
Administration Schemas
Information
No object selected
Object Info Session
Output
Action Output
Time Action Message Duration / Fetch
89 11:14:54 CREATE TABLE orders (ord_no INT PRIMARY KEY, purch_amt DECIMAL(10,2), ord_date DATE, ... 0 row(s) affected 0.016 sec
90 11:15:39 INSERT INTO orders VALUES (70001, 150.50, '2012-10-05', 3005, 5002), (70009, 270.65, '2012-09-10', 3001... 12 row(s) affected Records: 12 Duplicates: 0 Warnings: 0 0.062 sec
91 11:17:33 SELECT * FROM orders WHERE purch_amt > 2000 LIMIT 0, 200 4 row(s) returned 0.000 sec / 0.000 sec
92 11:20:15 SELECT * FROM orders WHERE ord_date = '2012-09-10' LIMIT 0, 200 3 row(s) returned 0.031 sec / 0.000 sec
93 11:20:37 SELECT * FROM orders ORDER BY purch_amt DESC LIMIT 0, 200 12 row(s) returned 0.000 sec / 0.000 sec
94 11:20:57 SELECT * FROM orders ORDER BY ord_date LIMIT 0, 200 12 row(s) returned 0.000 sec / 0.000 sec
Query Completed
25°C Mostly cloudy
Search
ENG IN
11:20 31-08-2026


MySQL Workbench
MUNDRUSIRICHANDANA
File Edit View Query Database Server Tools Scripting Help
SQL File 3* acid properites physicianex5 week1 ddl.dcl.tcl funct 1 SQL File 9*
Limit to 200 rows
32 SELECT *
33 FROM orders
34 ORDER BY purch_amt DESC;
35 SELECT *
36 FROM orders
37 ORDER BY ord_date;
38 SELECT SUM(purch_amt) AS total_revenue
39 FROM orders;
Result Grid
ord_no purch_amt ord_date customer_id salesman_id
70001 150.50 2012-10-05 3005 5002
70002 65.26 2012-10-05 3002 5001
70003 2480.40 2012-10-10 3009 5003
70004 110.50 2012-08-17 3009 5003
70005 2400.60 2012-07-27 3007 5001
70007 948.50 2012-09-10 3005 5002
70008 5760.00 2012-09-10 3002 5001
70009 270.65 2012-09-10 3001 5005
70010 1983.43 2012-10-10 3004 5006
Navigator
SCHEMAS
bookflow1_db
bookflow_db
join_db
skyjumper
studentmarks_db
sys
week1_db
Tables
Views
Stored Procedures
Functions
Administration Schemas
Information
No object selected
Object Info Session
SQLAdditions
Jump to
Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.
Context Help Snippets
Output
Action Output
Time Action Message Duration / Fetch
95 11:21:13 ORDER BY ord_date Error Code: 1064. You have an error in your SQL syntax; check the manual that corresponds to your MySQL se... 0.000 sec
96 11:21:20 FROM orders Error Code: 1064. You have an error in your SQL syntax; check the manual that corresponds to your MySQL se... 0.000 sec
97 11:21:28 FROM orders ORDER BY purch_amt DESC Error Code: 1064. You have an error in your SQL syntax; check the manual that corresponds to your MySQL se... 0.000 sec
98 11:21:42 FROM orders Error Code: 1064. You have an error in your SQL syntax; check the manual that corresponds to your MySQL se... 0.000 sec
99 11:21:49 FROM orders ORDER BY purch_amt DESC Error Code: 1064. You have an error in your SQL syntax; check the manual that corresponds to your MySQL se... 0.000 sec
100 11:21:54 SELECT * FROM orders LIMIT 0, 200 12 row(s) returned 0.000 sec / 0.000 sec
Query Completed
25°C Mostly cloudy
Search
ENG IN
11:21 31-08-2026


MySQL Workbench
MUNDRUSIRICHANDANA
File Edit View Query Database Server Tools Scripting Help
SQL File 3* acid properites physicianex5 week1 ddl.dcl.tcl funct 1 SQL File 9*
Limit to 200 rows
45 FROM orders;SELECT COUNT(*) AS total_orders
46 FROM orders;
47 SELECT COUNT(*) AS total_orders
48 FROM orders;
49 SELECT salesman_id,
50 SUM(purch_amt) AS total_sales
51 FROM orders
52 GROUP BY salesman_id;
Result Grid
salesman_id total_sales
5002 1349.45
5001 11271.46
5003 2590.90
5005 270.65
5006 1983.43
5007 75.29
Navigator
SCHEMAS
bookflow1_db
bookflow_db
join_db
skyjumper
studentmarks_db
sys
week1_db
Tables
Views
Stored Procedures
Functions
Administration Schemas
Information
No object selected
Object Info Session
SQLAdditions
Jump to
Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.
Context Help Snippets
Result 11
Read Only
Output
Action Output
Time Action Message Duration / Fetch
101 11:22:26 SELECT AVG(purch_amt) AS average_order FROM orders LIMIT 0, 200 1 row(s) returned 0.000 sec / 0.000 sec
102 11:22:38 SELECT MAX(purch_amt) AS highest_order FROM orders LIMIT 0, 200 1 row(s) returned 0.000 sec / 0.000 sec
103 11:22:49 SELECT MIN(purch_amt) AS lowest_order FROM orders LIMIT 0, 200 1 row(s) returned 0.000 sec / 0.000 sec
104 11:22:57 SELECT MIN(purch_amt) AS lowest_order FROM orders LIMIT 0, 200 1 row(s) returned 0.000 sec / 0.000 sec
105 11:23:04 SELECT COUNT(*) AS total_orders FROM orders LIMIT 0, 200 1 row(s) returned 0.016 sec / 0.000 sec
106 11:23:16 SELECT salesman_id, SUM(purch_amt) AS total_sales FROM orders GROUP BY salesman_id LIMIT 0, 200 6 row(s) returned 0.000 sec / 0.000 sec
Query Completed
25°C Mostly cloudy
Search
ENG IN
11:23 31-08-2026


MySQL Workbench
MUNDRUSIRICHANDANA
File Edit View Query Database Server Tools Scripting Help
SQL File 3* acid properites physicianex5 week1 ddl.dcl.tcl funct 1 SQL File 9*
Limit to 200 rows
80 FROM orders
81 GROUP BY customer_id
82 HAVING MAX(purch_amt) BETWEEN 2000 AND 6000;
83 SELECT salesman_id,
84 COUNT(*) AS total_orders
85 FROM orders
86 GROUP BY salesman_id
87 HAVING COUNT(*) >= 2;
Result Grid
salesman_id total_orders
5002 3
5001 4
5003 2
Result 18
Read Only
SQLAdditions
Jump to
Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.
Context Help Snippets
Navigator
SCHEMAS
Filter objects
bookflow1_db
bookflow_db
join_db
skyjumper
studentmarks_db
sys
week1_db
Tables
Views
Stored Procedures
Functions
Administration Schemas
Information
No object selected
Object Info Session
Output
Action Output
Time Action Message Duration / Fetch
112 11:24:20 SELECT salesman_id, SUM(purch_amt) AS total_sales FROM orders GROUP BY salesman_id HAVING S... 1 row(s) returned 0.000 sec / 0.000 sec
113 11:24:31 SELECT customer_id, SUM(purch_amt) AS total_purchase FROM orders GROUP BY customer_id HAVIN... 2 row(s) returned 0.000 sec / 0.000 sec
114 11:24:42 SELECT customer_id, COUNT(*) AS total_orders FROM orders GROUP BY customer_id HAVING COUNT... 3 row(s) returned 0.000 sec / 0.000 sec
115 11:24:56 SELECT customer_id, SUM(purch_amt) AS total_purchase FROM orders GROUP BY customer_id HAVIN... 5 row(s) returned 0.000 sec / 0.000 sec
116 11:25:11 SELECT customer_id, MAX(purch_amt) AS max_purchase FROM orders GROUP BY customer_id HAVIN... 3 row(s) returned 0.000 sec / 0.000 sec
117 11:25:24 SELECT salesman_id, COUNT(*) AS total_orders FROM orders GROUP BY salesman_id HAVING COUN... 3 row(s) returned 0.016 sec / 0.000 sec
Query Completed
25°C Mostly cloudy
Search
ENG IN
11:25 31-08-2026


MySQL Workbench
MUNDRUSIRICHANDANA
File Edit View Query Database Server Tools Scripting Help
SQL File 3* acid properites physicianex5 week1 ddl.dcl.tcl funct 1 SQL File 9*
Limit to 200 rows
85 FROM orders
86 GROUP BY salesman_id
87 HAVING COUNT(*) >= 2;
88 SELECT ord_date,
89 MAX(purch_amt) AS highest_purchase
90 FROM orders
91 GROUP BY ord_date
92 HAVING MAX(purch_amt) > 2000;
Result Grid
ord_date highest_purchase
2012-10-10 2480.40
2012-07-27 2400.60
2012-09-10 5760.00
2012-04-25 3045.60
Result 19
Read Only
SQLAdditions
Jump to
Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.
Context Help Snippets
Navigator
SCHEMAS
Filter objects
bookflow1_db
bookflow_db
join_db
skyjumper
studentmarks_db
sys
week1_db
Tables
Views
Stored Procedures
Functions
Administration Schemas
Information
No object selected
Object Info Session
Output
Action Output
Time Action Message Duration / Fetch
113 11:24:31 SELECT customer_id, SUM(purch_amt) AS total_purchase FROM orders GROUP BY customer_id HAVIN... 2 row(s) returned 0.000 sec / 0.000 sec
114 11:24:42 SELECT customer_id, COUNT(*) AS total_orders FROM orders GROUP BY customer_id HAVING COUNT... 3 row(s) returned 0.000 sec / 0.000 sec
115 11:24:56 SELECT customer_id, SUM(purch_amt) AS total_purchase FROM orders GROUP BY customer_id HAVIN... 5 row(s) returned 0.000 sec / 0.000 sec
116 11:25:11 SELECT customer_id, MAX(purch_amt) AS max_purchase FROM orders GROUP BY customer_id HAVIN... 3 row(s) returned 0.000 sec / 0.000 sec
117 11:25:24 SELECT salesman_id, COUNT(*) AS total_orders FROM orders GROUP BY salesman_id HAVING COUN... 3 row(s) returned 0.016 sec / 0.000 sec
118 11:25:39 SELECT ord_date, MAX(purch_amt) AS highest_purchase FROM orders GROUP BY ord_date HAVING M... 4 row(s) returned 0.000 sec / 0.000 sec
Query Completed
25°C Mostly cloudy
Search
ENG IN
11:25 31-08-2026


MySQL Workbench
MUNDRUSIRICHANDANA
File Edit View Query Database Server Tools Scripting Help
Navigator
SCHEMAS
Filter objects
bookflow1_db
bookflow_db
join_db
skyjumper
studentmarks_db
sys
week1_db
Tables
Views
Stored Procedures
Functions
Administration Schemas
Information
No object selected
Object Info Session
SQL File 3* acid properites physicianex5 week1 ddl,dcl,tcl funct 1 funct2 SQL File 10
Limit to 200 rows
1 CREATE DATABASE joins_db;
2 USE joins_db;
3
4 CREATE TABLE class (
5 id INT,
6 name VARCHAR(30)
7);
8
9 CREATE TABLE class_info (
10 id INT,
11 address VARCHAR(30)
12);
13
14 INSERT INTO class VALUES
15 (1, 'Siri'),
16 (2, 'Chandana'),
17 (4, 'Puja');
18
19 INSERT INTO class_info VALUES
SQLAdditions
Jump to
Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.
Context Help Snippets
Output
Action Output
Time Action Message Duration / Fetch
118 11:25:39 SELECT ord_date, MAX(purch_amt) AS highest_purchase FROM orders GROUP BY ord_date HAVING M... 4 row(s) returned 0.000 sec / 0.000 sec
119 11:30:47 INSERT INTO class VALUES (4, 'Rani') Error Code: 1146. Table 'function_db.class' doesn't exist 0.000 sec
120 11:30:59 INSERT INTO class VALUES (4, 'Rani') Error Code: 1146. Table 'function_db.class' doesn't exist 0.000 sec
121 11:32:32 CREATE DATABASE join_db Error Code: 1007. Can't create database 'join_db'; database exists 0.000 sec
122 11:32:48 CREATE DATABASE joins_db 1 row(s) affected 0.016 sec
123 11:32:49 USE joins_db 0 row(s) affected 0.000 sec
Query Completed
25°C
Mostly cloudy
Search
ENG
IN
11:32
31-08-2026