



Name: M. Siri Chandana


Roll Number: 2520030603









MySQL Workbench
MUNDRUSIRICHANDANA
File Edit View Query Database Server Tools Scripting Help
SCHEMAS
bookflow1_db
bookflow_db
join_db
skyjumper
studentmarks_db
sys
week1_db
Tables
Views
Stored Procedures
Functions
SQL File 3*
acid properites
physicianex5
week1
ddl,dcl,tcl
funct 1
funct2
SQL File 10
Limit to 200 rows
id INT,
address VARCHAR(30)
);
INSERT INTO class VALUES
(1, 'Siri'),
(2, 'Chandana'),
(4, 'Puja');
INSERT INTO class_info VALUES
(1, 'Hyderabad'),
(2, 'Delhi'),
(3, 'Tirupati');
SELECT *
FROM class
CROSS JOIN class_info;
SELECT *
SQLAdditions
Jump to
Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.
Context Help
Snippets
Administration
Schemas
Information
No object selected
Object Info
Session
Output
Action Output
Time Action Message Duration / Fetch
122 11:32:48 CREATE DATABASE joins_db 1 row(s) affected 0.016 sec
123 11:32:49 USE joins_db 0 row(s) affected 0.000 sec
124 11:32:59 CREATE TABLE class (id INT, name VARCHAR(30)) 0 row(s) affected 0.063 sec
125 11:33:16 CREATE TABLE class_info (id INT, address VARCHAR(30)) 0 row(s) affected 0.062 sec
126 11:33:29 INSERT INTO class VALUES (1, 'Siri'), (2, 'Chandana'), (4, 'Puja') 3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0 0.016 sec
127 11:33:40 INSERT INTO class_info VALUES (1, 'Hyderabad'), (2, 'Delhi'), (3, 'Tirupati') 3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0 0.031 sec
Query Completed
25°C
Mostly cloudy
Search
ENG
IN
11:33
31-08-2026



MySQL Workbench
MUNDRUSIRICHANDANA
File Edit View Query Database Server Tools Scripting Help
SCHEMAS
bookflow1_db
bookflow_db
join_db
skyjumper
studentmarks_db
sys
week1_db
Tables
Views
Stored Procedures
Functions
SQL File 3*
acid properites
physicianex5
week1
ddl,dcl,tcl
funct 1
funct2
SQL File 10
Limit to 200 rows
INSERT INTO class_info VALUES
(1, 'Hyderabad'),
(2, 'Delhi'),
(3, 'Tirupati');
SELECT *
FROM class
CROSS JOIN class_info;
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
id name id address
4 Puja 1 Hyderabad
2 Chandana 1 Hyderabad
1 Siri 1 Hyderabad
4 Puja 2 Delhi
2 Chandana 2 Delhi
1 Siri 2 Delhi
4 Puja 3 Tirupati
2 Chandana 3 Tirupati
1 Siri 3 Tirupati
Result Grid
Form Editor
Field Types
Result 1
Read Only
SQLAdditions
Jump to
Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.
Context Help
Snippets
Administration
Schemas
Information
No object selected
Object Info
Session
Output
Action Output
Time Action Message Duration / Fetch
123 11:32:49 USE joins_db 0 row(s) affected 0.000 sec
124 11:32:59 CREATE TABLE class (id INT, name VARCHAR(30)) 0 row(s) affected 0.063 sec
125 11:33:16 CREATE TABLE class_info (id INT, address VARCHAR(30)) 0 row(s) affected 0.062 sec
126 11:33:29 INSERT INTO class VALUES (1, 'Siri'), (2, 'Chandana'), (4, 'Puja') 3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0 0.016 sec
127 11:33:40 INSERT INTO class_info VALUES (1, 'Hyderabad'), (2, 'Delhi'), (3, 'Tirupati') 3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0 0.031 sec
128 11:33:51 SELECT * FROM class CROSS JOIN class_info LIMIT 0, 200 9 row(s) returned 0.000 sec / 0.000 sec
Query Completed
25°C
Mostly cloudy
Search
ENG
IN
11:33
31-08-2026



MySQL Workbench
MUNDRUSIRICHANDANA
File Edit View Query Database Server Tools Scripting Help
SCHEMAS
week1_db
Tables
Views
Stored Procedures
Functions
SQL File 3*
FROM class
CROSS JOIN class_info;
SELECT *
FROM class
INNER JOIN class_info
ON class.id = class_info.id;
Result Grid
id name id address
1 Siri 1 Hyderabad
2 Chandana 2 Delhi
No object selected
Output
Action Output
124 11:32:59 CREATE TABLE class (id INT, name VARCHAR(30)) 0 row(s) affected 0.063 sec
125 11:33:16 CREATE TABLE class_info (id INT, address VARCHAR(30)) 0 row(s) affected 0.062 sec
126 11:33:29 INSERT INTO class VALUES (1, 'Siri'), (2, 'Chandana'), (4, 'Puja') 3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0 0.016 sec
127 11:33:40 INSERT INTO class_info VALUES (1, 'Hyderabad'), (2, 'Delhi'), (3, 'Tirupati') 3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0 0.031 sec
128 11:33:51 SELECT * FROM class CROSS JOIN class_info LIMIT 0, 200 9 row(s) returned 0.000 sec / 0.000 sec
129 11:34:02 SELECT * FROM class INNER JOIN class_info ON class.id = class_info.id LIMIT 0, 200 2 row(s) returned 0.015 sec / 0.000 sec
Query Completed
Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.



MySQL Workbench
MUNDRUSIRICHANDANA
File Edit View Query Database Server Tools Scripting Help
SCHEMAS
week1_db
Tables
Views
Stored Procedures
Functions
SQL File 3*
ON class.id = class_info.id;
INSERT INTO class VALUES
(1, 'Siri'),
(2, 'Chandana'),
(3, 'Puja');
SELECT *
FROM class
INNER JOIN class_info
ON class.id = class_info.id;
SELECT class.name,
class_info.address
FROM class
INNER JOIN class_info
ON class.id = class_info.id;
SELECT *
No object selected
Output
Action Output
125 11:33:16 CREATE TABLE class_info (id INT, address VARCHAR(30)) 0 row(s) affected 0.062 sec
126 11:33:29 INSERT INTO class VALUES (1, 'Siri'), (2, 'Chandana'), (4, 'Puja') 3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0 0.016 sec
127 11:33:40 INSERT INTO class_info VALUES (1, 'Hyderabad'), (2, 'Delhi'), (3, 'Tirupati') 3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0 0.031 sec
128 11:33:51 SELECT * FROM class CROSS JOIN class_info LIMIT 0, 200 9 row(s) returned 0.000 sec / 0.000 sec
129 11:34:02 SELECT * FROM class INNER JOIN class_info ON class.id = class_info.id LIMIT 0, 200 2 row(s) returned 0.015 sec / 0.000 sec
130 11:34:14 INSERT INTO class VALUES (1, 'Siri'), (2, 'Chandana'), (3, 'Puja') 3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0 0.016 sec
Query Completed
Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.



MySQL Workbench
MUNDRUSIRICHANDANA
File Edit View Query Database Server Tools Scripting Help
SQL File 3* acid properites physicianex5 week1 ddl.dcl.tcl funct 1 funct2 SQL File 10
Limit to 200 rows
ON class.id = class_info.id;
INSERT INTO class VALUES
(1, 'Siri'),
(2, 'Chandana'),
(3, 'Puja');
SELECT *
FROM class
INNER JOIN class_info
ON class.id = class_info.id;
SELECT class.name,
class_info.address
FROM class
INNER JOIN class_info
ON class.id = class_info.id;
SELECT *
Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.
No object selected
Output
Action Output
125 11:33:16 CREATE TABLE class_info (id INT, address VARCHAR(30)) 0 row(s) affected 0.062 sec
126 11:33:29 INSERT INTO class VALUES (1, 'Siri'), (2, 'Chandana'), (4, 'Puja') 3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0 0.016 sec
127 11:33:40 INSERT INTO class_info VALUES (1, 'Hyderabad'), (2, 'Delhi'), (3, 'Tirupati') 3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0 0.031 sec
128 11:33:51 SELECT * FROM class CROSS JOIN class_info LIMIT 0, 200 9 row(s) returned 0.000 sec / 0.000 sec
129 11:34:02 SELECT * FROM class INNER JOIN class_info ON class.id = class_info.id LIMIT 0, 200 2 row(s) returned 0.015 sec / 0.000 sec
130 11:34:14 INSERT INTO class VALUES (1, 'Siri'), (2, 'Chandana'), (3, 'Puja') 3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0 0.016 sec
Query Completed



MySQL Workbench
MUNDRUSIRICHANDANA
File Edit View Query Database Server Tools Scripting Help
SQL File 3* acid properites physicianex5 week1 ddl.dcl.tcl funct 1 funct2 SQL File 10
Limit to 200 rows
ON class.id = class_info.id;
Execute the selected portion of the script or everything, if there is no selection
SELECT class.name,
class_info.address
FROM class
INNER JOIN class_info
ON class.id = class_info.id;
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
name address
Siri Hyderabad
Chandana Delhi
Siri Hyderabad
Chandana Delhi
Puja Tirupati
Result 4
Read Only
Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.
No object selected
Output
Action Output
127 11:33:40 INSERT INTO class_info VALUES (1, 'Hyderabad'), (2, 'Delhi'), (3, 'Tirupati') 3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0 0.031 sec
128 11:33:51 SELECT * FROM class CROSS JOIN class_info LIMIT 0, 200 9 row(s) returned 0.000 sec / 0.000 sec
129 11:34:02 SELECT * FROM class INNER JOIN class_info ON class.id = class_info.id LIMIT 0, 200 2 row(s) returned 0.015 sec / 0.000 sec
130 11:34:14 INSERT INTO class VALUES (1, 'Siri'), (2, 'Chandana'), (3, 'Puja') 3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0 0.016 sec
131 11:34:26 SELECT * FROM class INNER JOIN class_info ON class.id = class_info.id LIMIT 0, 200 5 row(s) returned 0.000 sec / 0.000 sec
132 11:34:37 SELECT class.name, class_info.address FROM class INNER JOIN class_info ON class.id = class_info.id L... 5 row(s) returned 0.000 sec / 0.000 sec
Query Completed



MySQL Workbench
MUNDRUSIRICHANDANA
File Edit View Query Database Server Tools Scripting Help
SCHEMAS
bookflow1_db
bookflow_db
join_db
skyjumper
studentmarks_db
sys
week1_db
Tables
Views
Stored Procedures
Functions
SQL File 3* acid properites physicianex5 week1 ddl.dcl.tcl funct 1 funct2 SQL File 10
Limit to 200 rows
41 ON class.id = class_info.id;
42
43 SELECT class.name,
44 class_info.address
45 FROM class
46 INNER JOIN class_info
47 ON class.id = class_info.id;
48
Execute the selected portion of the script or everything, if there is no selection
SQLAdditions
Jump to
Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
name address
Siri Hyderabad
Chandana Delhi
Siri Hyderabad
Chandana Delhi
Puja Tirupati
Result Grid
Form Editor
Field Types
Result 4
Read Only
Context Help
Snippets
Administration Schemas
Information
No object selected
Object Info Session
Output
Action Output
Time Action Message Duration / Fetch
127 11:33:40 INSERT INTO class_info VALUES (1, 'Hyderabad'), (2, 'Delhi'), (3, 'Tirupati') 3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0 0.031 sec
128 11:33:51 SELECT * FROM class CROSS JOIN class_info LIMIT 0, 200 9 row(s) returned 0.000 sec / 0.000 sec
129 11:34:02 SELECT * FROM class INNER JOIN class_info ON class.id = class_info.id LIMIT 0, 200 2 row(s) returned 0.015 sec / 0.000 sec
130 11:34:14 INSERT INTO class VALUES (1, 'Siri'), (2, 'Chandana'), (3, 'Puja') 3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0 0.016 sec
131 11:34:26 SELECT * FROM class INNER JOIN class_info ON class.id = class_info.id LIMIT 0, 200 5 row(s) returned 0.000 sec / 0.000 sec
132 11:34:37 SELECT class.name, class_info.address FROM class INNER JOIN class_info ON class.id = class_info.id L... 5 row(s) returned 0.000 sec / 0.000 sec
Query Completed
25°C
Mostly cloudy
Search
ENG
IN
11:34
31-08-2026



MySQL Workbench
MUNDRUSIRICHANDANA
File Edit View Query Database Server Tools Scripting Help
SCHEMAS
bookflow1_db
bookflow_db
join_db
skyjumper
studentmarks_db
sys
week1_db
Tables
Views
Stored Procedures
Functions
SQL File 3* acid properites physicianex5 week1 ddl.dcl.tcl funct 1 funct2 SQL File 10
Limit to 200 rows
50 FROM class
51 NATURAL JOIN class_info;
52
53 INSERT INTO class VALUES
54 (4, 'Rani');
55
56 SELECT *
57 FROM class
58 LEFT OUTER JOIN class_info
59 ON class.id = class_info.id;
60
61 SELECT *
62 FROM class
63 LEFT JOIN class_info
64 ON class.id = class_info.id
65 WHERE class_info.id IS NULL;
66
67 INSERT INTO class_info VALUES
68 (7, 'NOIDA'),
SQLAdditions
Jump to
Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.
Context Help
Snippets
Administration Schemas
Information
No object selected
Object Info Session
Output
Action Output
Time Action Message Duration / Fetch
129 11:34:02 SELECT * FROM class INNER JOIN class_info ON class.id = class_info.id LIMIT 0, 200 2 row(s) returned 0.015 sec / 0.000 sec
130 11:34:14 INSERT INTO class VALUES (1, 'Siri'), (2, 'Chandana'), (3, 'Puja') 3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0 0.016 sec
131 11:34:26 SELECT * FROM class INNER JOIN class_info ON class.id = class_info.id LIMIT 0, 200 5 row(s) returned 0.000 sec / 0.000 sec
132 11:34:37 SELECT class.name, class_info.address FROM class INNER JOIN class_info ON class.id = class_info.id L... 5 row(s) returned 0.000 sec / 0.000 sec
133 11:34:48 SELECT * FROM class NATURAL JOIN class_info LIMIT 0, 200 5 row(s) returned 0.000 sec / 0.000 sec
134 11:35:00 INSERT INTO class VALUES (4, 'Rani') 1 row(s) affected 0.015 sec
Query Completed
25°C
Mostly cloudy
Search
ENG
IN
11:35
31-08-2026



MySQL Workbench
MUNDRUSIRICHANDANA
File Edit View Query Database Server Tools Scripting Help
Navigator
SCHEMAS
Filter objects
bookflow1_db
bookflow_db
join_db
skyjumper
studentmarks_db
sys
week1_db
Tables
Views
Stored Procedures
Functions
Administration Schemas
Information
No object selected
Object Info Session
SQL File 3* acid properites physicianex5 week1 ddl,dcl,tcl funct 1 funct2 SQL File 10
Limit to 200 rows
64 ON class.id = class_info.id
65 WHERE class_info.id IS NULL;
66
67 INSERT INTO class_info VALUES
68 (7, 'NOIDA'),
69 (8, 'PANIPAT');
70
71 SELECT *
72 FROM class
73 RIGHT OUTER JOIN class_info
74 ON class.id = class_info.id;
75
76 SELECT *
77 FROM class
78 LEFT JOIN class_info
79 ON class.id = class_info.id
80 UNION
81 SELECT *
82 FROM class
SQLAdditions
Jump to
Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.
Context Help Snippets
Output
Action Output
Time Action Message Duration / Fetch
132 11:34:37 SELECT class.name, class_info.address FROM class INNER JOIN class_info ON class.id = class_info.id L... 5 row(s) returned 0.000 sec / 0.000 sec
133 11:34:48 SELECT * FROM class NATURAL JOIN class_info LIMIT 0, 200 5 row(s) returned 0.000 sec / 0.000 sec
134 11:35:00 INSERT INTO class VALUES (4, 'Rani') 1 row(s) affected 0.015 sec
135 11:35:12 SELECT * FROM class LEFT OUTER JOIN class_info ON class.id = class_info.id LIMIT 0, 200 7 row(s) returned 0.000 sec / 0.000 sec
136 11:35:26 SELECT * FROM class LEFT JOIN class_info ON class.id = class_info.id WHERE class_info.id IS NULL LIMIT... 2 row(s) returned 0.000 sec / 0.000 sec
137 11:35:39 INSERT INTO class_info VALUES (7, 'NOIDA'), (8, 'PANIPAT') 2 row(s) affected Records: 2 Duplicates: 0 Warnings: 0 0.047 sec
Query Completed
25°C
Mostly cloudy
Search
ENG
IN
11:35
31-08-2026



MySQL Workbench
MUNDRUSIRICHANDANA
File Edit View Query Database Server Tools Scripting Help
Navigator
SCHEMAS
Filter objects
bookflow1_db
bookflow_db
join_db
skyjumper
studentmarks_db
sys
week1_db
Tables
Views
Stored Procedures
Functions
Administration Schemas
Information
No object selected
Object Info Session
SQL File 3* acid properites physicianex5 week1 ddl,dcl,tcl funct 1 funct2 SQL File 10
Limit to 200 rows
64 ON class.id = class_info.id
65 WHERE class_info.id IS NULL;
66
67 INSERT INTO class_info VALUES
68 (7, 'NOIDA'),
69 (8, 'PANIPAT');
70
71 SELECT *
72 FROM class
73 RIGHT OUTER JOIN class_info
74 ON class.id = class_info.id;
75
76 SELECT *
77 FROM class
78 LEFT JOIN class_info
79 ON class.id = class_info.id
80 UNION
81 SELECT *
82 FROM class
SQLAdditions
Jump to
Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.
Context Help Snippets
Output
Action Output
Time Action Message Duration / Fetch
132 11:34:37 SELECT class.name, class_info.address FROM class INNER JOIN class_info ON class.id = class_info.id L... 5 row(s) returned 0.000 sec / 0.000 sec
133 11:34:48 SELECT * FROM class NATURAL JOIN class_info LIMIT 0, 200 5 row(s) returned 0.000 sec / 0.000 sec
134 11:35:00 INSERT INTO class VALUES (4, 'Rani') 1 row(s) affected 0.015 sec
135 11:35:12 SELECT * FROM class LEFT OUTER JOIN class_info ON class.id = class_info.id LIMIT 0, 200 7 row(s) returned 0.000 sec / 0.000 sec
136 11:35:26 SELECT * FROM class LEFT JOIN class_info ON class.id = class_info.id WHERE class_info.id IS NULL LIMIT... 2 row(s) returned 0.000 sec / 0.000 sec
137 11:35:39 INSERT INTO class_info VALUES (7, 'NOIDA'), (8, 'PANIPAT') 2 row(s) affected Records: 2 Duplicates: 0 Warnings: 0 0.047 sec
Query Completed
25°C
Mostly cloudy
Search
ENG
IN
11:35
31-08-2026


MySQL Workbench
MUNDRUSIRICHANDANA
File Edit View Query Database Server Tools Scripting Help
SCHEMAS
bookflow1_db
bookflow_db
join_db
skyjumper
studentmarks_db
sys
week1_db
Tables
Views
Stored Procedures
Functions
SQL File 3* acid properites physicianex5 week1 ddl.dcl.tcl funct 1 funct2 SQL File 10
Limit to 200 rows
50 FROM class
51 NATURAL JOIN class_info;
53 INSERT INTO class VALUES
54 (4, 'Rani');
56 SELECT *
57 FROM class
58 LEFT OUTER JOIN class_info
59 ON class.id = class_info.id;
61 SELECT *
62 FROM class
63 LEFT JOIN class_info
64 ON class.id = class_info.id
65 WHERE class_info.id IS NULL;
67 INSERT INTO class_info VALUES
68 (7, 'NOIDA'),
SQLAdditions
Jump to
Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.
Context Help Snippets
Administration Schemas
Information
No object selected
Object Info Session
Output
Action Output
Time Action Message Duration / Fetch
129 11:34:02 SELECT * FROM class INNER JOIN class_info ON class.id = class_info.id LIMIT 0, 200 2 row(s) returned 0.015 sec / 0.000 sec
130 11:34:14 INSERT INTO class VALUES (1, 'Siri'), (2, 'Chandana'), (3, 'Puja') 3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0 0.016 sec
131 11:34:26 SELECT * FROM class INNER JOIN class_info ON class.id = class_info.id LIMIT 0, 200 5 row(s) returned 0.000 sec / 0.000 sec
132 11:34:37 SELECT class.name, class_info.address FROM class INNER JOIN class_info ON class.id = class_info.id L... 5 row(s) returned 0.000 sec / 0.000 sec
133 11:34:48 SELECT * FROM class NATURAL JOIN class_info LIMIT 0, 200 5 row(s) returned 0.000 sec / 0.000 sec
134 11:35:00 INSERT INTO class VALUES (4, 'Rani') 1 row(s) affected 0.015 sec
Query Completed
25°C Mostly cloudy
Search
ENG IN
11:35 31-08-2026


MySQL Workbench
MUNDRUSIRICHANDANA
File Edit View Query Database Server Tools Scripting Help
SCHEMAS
bookflow1_db
bookflow_db
join_db
skyjumper
studentmarks_db
sys
week1_db
Tables
Views
Stored Procedures
Functions
SQL File 3* acid properites physicianex5 week1 ddl.dcl.tcl funct 1 funct2 SQL File 10
Limit to 200 rows
78 LEFT JOIN class_info
79 ON class.id = class_info.id
80 UNION
81 SELECT *
82 FROM class
83 RIGHT JOIN class_info
84 ON class.id = class_info.id;
Result Grid Filter Rows: Export: Wrap Cell Content:
id name id address
1 Siri 1 Hyderabad
2 Chandana 2 Delhi
4 Puja NULL NULL
3 Puja 3 Tirupati
4 Rani NULL NULL
NULL NULL 7 NOIDA
NULL NULL 8 PANIPAT
Result Grid
Form Editor
Field Types
Read Only
Result 9
SQLAdditions
Jump to
Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.
Context Help Snippets
Administration Schemas
Information
No object selected
Object Info Session
Output
Action Output
Time Action Message Duration / Fetch
135 11:35:12 SELECT * FROM class LEFT OUTER JOIN class_info ON class.id = class_info.id LIMIT 0, 200 7 row(s) returned 0.000 sec / 0.000 sec
136 11:35:26 SELECT * FROM class LEFT JOIN class_info ON class.id = class_info.id WHERE class_info.id IS NULL LIMIT... 2 row(s) returned 0.000 sec / 0.000 sec
137 11:35:39 INSERT INTO class_info VALUES (7, 'NOIDA'), (8, 'PANIPAT') 2 row(s) affected Records: 2 Duplicates: 0 Warnings: 0 0.047 sec
138 11:35:52 SELECT * FROM class RIGHT OUTER JOIN class_info ON class.id = class_info.id LIMIT 0, 200 7 row(s) returned 0.000 sec / 0.000 sec
139 11:36:24 SELECT name FROM first_table UNION SELECT name FROM second_table Error Code: 1146. Table 'joins_db.first_table' doesn't exist 0.000 sec
140 11:52:59 SELECT * FROM class LEFT JOIN class_info ON class.id = class_info.id UNION SELECT * FROM class RIGH... 7 row(s) returned 0.000 sec / 0.000 sec
Query Completed
26°C Mostly cloudy
Search
ENG IN
11:53 31-08-2026


MySQL Workbench
MUNDRUSIRICHANDANA
File Edit View Query Database Server Tools Scripting Help
SQL File 3* acid properites physicianex5 week1 ddl.dcl.tcl funct 1 funct2 SQL File 10
LEFT JOIN class_info
ON class.id = class_info.id
UNION
SELECT *
FROM class
RIGHT JOIN class_info
ON class.id = class_info.id;
Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.
No object selected
Query Completed


MySQL Workbench
MUNDRUSIRICHANDANA
File Edit View Query Database Server Tools Scripting Help
SQL File 3* acid properites physicianex5 week1 ddl.dcl.tcl funct 1 funct2 SQL File 10
) A;
SELECT *
FROM first_table
INTERSECT
SELECT *
FROM second_table;
Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.
No object selected
Query Completed


MySQL Workbench
MUNDRUSIRICHANDANA
File Edit View Query Database Server Tools Scripting Help
Navigator
SCHEMAS
Filter objects
bookflow1_db
bookflow_db
join_db
skyjumper
studentmarks_db
sys
week1_db
Tables
Views
Stored Procedures
Functions
Administration Schemas
Information
No object selected
Object Info Session
SQL File 3* acid properites physicianex5 week1 ddl,dcl,tcl funct 1 funct2 SQL File 10
Limit to 200 rows
129) A;
130
131 SELECT *
132 FROM first_table
133 INTERSECT
134 SELECT *
135 FROM second_table;
136
Result Grid Filter Rows: Export: Wrap Cell Content:
id name
2 Nova
3 Govinda
second_table 15
Read Only
SQL Additions
Jump to
Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.
Context Help Snippets
Output
Action Output
Time Action Message Duration / Fetch
147 11:54:17 SELECT * FROM first_table UNION ALL SELECT * FROM second_table 4 row(s) returned 0.016 sec / 0.000 sec
148 11:54:26 SELECT COUNT(*) FROM (SELECT * FROM first_table UNION ALL SELECT * FROM second_t... 1 row(s) returned 0.000 sec / 0.000 sec
149 11:55:03 SELECT * FROM first_table LIMIT 0, 200 2 row(s) returned 0.000 sec / 0.000 sec
150 11:55:09 NTERSECT SELECT * FROM second_table Error Code: 1064. You have an error in your SQL syntax; check the manual that corresponds to your MySQL se... 0.000 sec
151 11:58:22 USE joins_db 0 row(s) affected 0.000 sec
152 12:01:37 SELECT * FROM second_table LIMIT 0, 200 2 row(s) returned 0.000 sec / 0.000 sec
Query Completed
26°C
Mostly cloudy
Search
ENG
IN
12:01
31-08-2026