AN AUTOAUDIO FIELD NOTE

WHO OWNS LOCAL AI?

Compute, control, and the provenance of local AI



NO. 01 / NOVEMBER 2026

© 2026 Michael Sitarzewski · CC BY 4.0 · Third-party material excluded

FIELD NOTE 01 / NOVEMBER 2026

Who Owns Local AI?

Compute, control, and the provenance of local AI

Research direction
Michael Sitarzewski

An AutoAudio reading and listening edition
Three chapters / Narration by Sohee / 23:51

© 2026 Michael Sitarzewski. Michael Sitarzewski's original contributions, selection, arrangement and presentation, including the cover and listening edition, are licensed under Creative Commons Attribution 4.0 International (CC BY 4.0), to the extent he holds the applicable rights.

Creative Commons Attribution 4.0 International
Third-party source wording is excluded; see Reuse and attribution.

Research reference date: 8 November 2026.
The application, model, font and source terms remain separate.

Contents

Three Compute Worlds 4

Distillation and Open Weights 8

Provenance You Can Check 14

Sources 19

Source notes 20

Made on one Mac 22

Colophon 23

Reuse and attribution 25

Numbered source notes locate attributed publisher statements. A dagger (†) identifies source-derived wording excluded from the CC BY license. Interpretive conclusions and practical guidance remain the edition's synthesis.

CHAPTER 01

Three Compute Worlds

The story about American labs running out of compute only makes sense if you mix up three different kinds of compute. Frontier training is the capital intensive work of pre training and post training a large model from scratch or with large scale reinforcement learning. Hosted inference is the fleet that serves API and product traffic. Consumer inference is running a model locally on personal hardware.

OpenAI describes its long term effort as building the compute foundation required to deliver the benefits of AGI broadly and reliably to the world. † OpenAI says it is continuing to expand its compute footprint and bring new capacity online faster. † OpenAI says it is building together with partners local communities and the broader infrastructure ecosystem to help get ahead of shortages for the emerging compute powered economy. † [1] OpenAI says no single company can build the infrastructure for the Intelligence Age alone. †

OpenAI says building AGI infrastructure at this scale requires coordination across the entire ecosystem. † [2] That language points to large scale investment in frontier training and hosted inference rather than a shortage. Anthropic describes the operational cost of defending its hosted fleet. Anthropic says it has turned away meaningful revenue and trillions of tokens worth of paying traffic from distillers. †

That is a statement about the scale of hosted inference and the cost of defending it not about a lack of training compute. [3] The premise that American labs lack sufficient compute conflates the cost of training a frontier model with the cost of serving it and the cost of running it locally. Frontier training is measured in months of GPU time and billions of dollars of capital. Hosted inference is measured in sustained fleet utilization and the ability to meet demand spikes.

Consumer inference is typically performed on a laptop, with performance limited by memory bandwidth and latency. Apple Silicon enthusiasts live in the consumer inference world. MLX is an array framework for machine learning on Apple silicon brought to you by Apple machine learning research. † MLX uses a unified memory model where arrays live in shared memory.

Operations on MLX arrays can be performed on any of the supported device types without transferring data. † MLX is designed by machine learning researchers for machine learning researchers. † The framework is intended to be user friendly but still efficient to train and deploy models. † [4] That design makes it practical to run quantized seven to thirty billion parameter models locally.

Local inference economics are about electricity memory and the legal conditions under which weights are released. The bottleneck for a local user is not the labs training compute but local memory bandwidth and the provenance of the weights they download. Frontier training compute is a different budget than the inference fleet that serves paying customers. Hosted inference capacity is a different budget than the memory available on a laptop.

When people say American labs lack sufficient compute they are often comparing the cost of training a frontier model to the cost of distilling it from an API. Distillation is a widely used and legitimate training method. † Frontier labs routinely distill their own models to create smaller cheaper versions for their customers. † 5 That is a normal product strategy not evidence of a compute shortage.

The retrieved primary sources show public investment in large scale training infrastructure and massive hosted inference fleets. They also show release of smaller distilled variants for customers, and quantization is discussed as a practical bridge to local use. The evidence on compute constraints in the retrieved set is descriptive not definitive. OpenAI's Stargate text acknowledges a shared ecosystem burden not a verified shortfall.

Anthropic states a hardware requirement for illicit extraction at scale. Without visibility into these attacks the apparently rapid advancements made by these labs are incorrectly taken as evidence that export controls are ineffective and able to be circumvented by innovation. † In reality these advancements depend in significant part on capabilities extracted from American models and executing this extraction at scale requires access to advanced chips. † That is a claim about distillation scale not a dated quantified statement that American frontier training is compute constrained. 6

No dated figures on current compute budgets are present in the retrieved material. The premise test therefore fails if it is framed as a blanket lack of compute. American labs appear to be investing heavily in frontier training and hosted inference while

also releasing smaller models for local use. The real friction is not about who has more GPUs in total.

It is about who controls the weights that reach local devices and under what licenses. For an Apple Silicon enthusiast the practical question is whether a model fits in unified memory and whether the license permits local use. MLX makes that practical by keeping arrays in shared memory and avoiding data transfers between devices. The compute world you inhabit is consumer inference.

The compute world the labs inhabit is frontier training and hosted inference. Those are related but not interchangeable. Treating them as the same leads to the mistaken idea that a local user's ability to run a model reflects a shortage at the frontier. It does not.

It reflects a deliberate strategy to release open weights and to optimize them for local hardware. The economics are different. Training is capital intensive and rare. Hosting is operationally intensive and continuous.

Local inference is cheap per query once the weights are in hand. That is why the three worlds need to be kept separate. Once you separate them the premise that American labs lack sufficient compute loses its force. What remains is a more precise question about access control distillation and provenance.

That question is the subject of the next chapters.

CHAPTER 02

Distillation and Open Weights

Distillation is a widely used and legitimate training method. † Anthropic says these labs used a technique called distillation which involves training a less capable model on the outputs of a stronger one. † Anthropic says distillation is a widely used and legitimate training method. † Anthropic says for example frontier AI labs routinely distill their own models to create smaller cheaper versions for their customers. †

Anthropic also says but distillation can also be used for illicit purposes. † Anthropic says competitors can use it to acquire powerful capabilities from other labs in a fraction of the time and at a fraction of the cost that it would take to develop them independently. † [7] Anthropic describes distillation attacks as covert, industrial-scale campaigns to extract capabilities from other labs without authorization, distinguishing legitimate self-distillation from illicit cross-lab extraction. [8] Open weights sit between frontier training and local use.

Releasing weights enables models to be run locally, complementing hosted inference fleets. DeepSeek describes its first generation reasoning models DeepSeek R1 Zero and DeepSeek R1. † DeepSeek says DeepSeek R1 Zero is a model trained via large scale reinforcement learning without supervised fine tuning as a preliminary step. † DeepSeek says

DeepSeek R1 Zero demonstrated remarkable performance on reasoning.

DeepSeek says to support the research community it has open sourced DeepSeek R1 Zero DeepSeek R1 and six dense models distilled from DeepSeek R1 based on Llama and Qwen. † DeepSeek says DeepSeek R1 achieves performance comparable to OpenAI o1 across math code and reasoning tasks. † DeepSeek says it demonstrates that the reasoning patterns of larger models can be distilled into smaller models resulting in better performance compared to the reasoning patterns discovered through reinforcement learning on small models. †

That is a self described pipeline of reinforcement learning followed by self distillation into smaller dense models. The open source release makes those distilled weights available for local deployment. [9] Quantization is the practical bridge to Apple Silicon. Quantization reduces the numeric precision of the same weight tensor so a model fits in unified memory and runs with lower bandwidth.

MLX is an array framework for machine learning on Apple silicon brought to you by Apple machine learning research. † MLX uses a unified memory model where arrays live in shared memory. Operations on MLX arrays can be performed on any of the supported device types without transferring data. † MLX is designed by machine learning researchers for machine learning researchers. †

The framework is intended to be user friendly but still efficient to train and deploy models. † [10] Together quantization and MLX make seven to thirty billion parameter models practical on a laptop. The connecting chain is frontier training then hosted

inference then open weights release then distillation and quantization then local inference. Each step changes cost and risk but not the underlying training data rights.

Anthropic frames distillation attacks as covert industrial scale campaigns to extract the capabilities of one model and replicate them in another without the authorization of the original model's developers. † Anthropic says these attacks are often conducted using networks of fraudulent accounts. † Anthropic says these attacks allow companies to mimic frontier capabilities for a fraction of the development time and cost. † Anthropic says as it wrote in September this method has been used extensively to help overseas AI laboratories keep pace with US companies. † 11

Anthropic gives a specific example about Zhipu and GLM 5.3. Anthropic says Zhipu for example distilled the cyber capabilities of leading US models during the development of GLM 5.3. † Anthropic says the company tried to distill Claude Fable 5 although after finding that our cyber safeguards degraded its attacks it switched to an older Claude model and another lab's model. † Anthropic reports that the US Center for Advancing Innovation and Standards for Super Intelligence has since assessed GLM 5.3 to be the most cyber capable open weights model released to date. †

Anthropic says its own research has found that GLM 5.3's safeguards can easily be bypassed and that the model is willing to develop security exploits from end to end. † 12 Those statements are allegations attributed to Anthropic. The retrieved material does not contain a contemporaneous public rebuttal from Zhipu. The CAISSI assessment is reported by Anthropic and is not independently verified in the retrieved sources.

No independent forensic audit of GLM 5.3's training data provenance is present in the retrieved material. The claim therefore remains an attributed accusation rather than an established fact. Anthropic also warns about downstream risk. Anthropic says foreign labs that distill American models can then feed these unprotected capabilities into military intelligence and surveillance systems. †

Anthropic says this can enable authoritarian governments to deploy frontier AI for offensive cyber operations disinformation campaigns and mass surveillance. † Anthropic says if distilled models are open sourced this risk multiplies as these capabilities spread freely beyond any single government's control. † [13] Anthropic says without visibility into these attacks the apparently rapid advancements made by these labs are incorrectly taken as evidence that export controls are ineffective and able to be circumvented by innovation. † Anthropic says in reality these advancements depend in significant part on capabilities extracted from American models and executing this extraction at scale requires access to advanced chips. †

That is a claim about scale and hardware requirements not a dated quantified proof of training data use. [14] DeepSeek's public release notes acknowledge self distillation and claim comparable performance. The retrieved primary source is DeepSeek's GitHub describing self distillation and reinforcement learning training not proof of external training data use. [15] Public press allegations about DeepSeek R1 being distilled from OpenAI o1 are not confirmed or denied in the retrieved primary source.

The retrieved source shows transparency about DeepSeek's own distillation mechanics and its open sourcing of dense distillates.

The friction is therefore between two narratives. One narrative is that frontier labs legitimately distill their own models for customers and for research. Both narratives involve the same technical operation.

The difference is authorization and disclosure. Open weights make the technical operation visible to local users. A local user can download a distilled model and run it with MLX on Apple Silicon. The user inherits the license terms of the released weights and the quantization artifacts they use.

The user does not inherit proof about how the teacher model was trained. Artifact signatures such as file hashes prove bit level identity with a publisher. They do not prove the publisher had rights to the training data or that the model was not distilled from a proprietary teacher. That limit matters for provenance.

Legitimate distillation is a product strategy. Frontier labs routinely create smaller cheaper versions for customers. Illicit distillation is an accusation about unauthorized extraction. The retrieved sources show Anthropic’s allegations about Zhipu and GLM 5.3 and DeepSeek’s self described distillation pipeline.

They do not provide a verified multi provider consensus on training data provenance. The practical implication for an Apple Silicon enthusiast is that distillation and quantization enable local use but they do not resolve questions of authorization. What you can verify locally is the distribution chain the license and the lineage metadata that the publisher provides. What you cannot verify locally is the full history of how a teacher model was trained.

Keeping those layers separate keeps the discussion fair. Distillation connects frontier training to local devices.

Quantization connects open weights to Apple Silicon. Open weights connect hosted inference to consumer inference.

The accusations connect policy to technical practice. The next step is to clarify what provenance a local user can actually check. That is the focus of the next chapter.

CHAPTER 03

Provenance You Can Check

A local user can verify the distribution chain, not the full training history. You can confirm that the bits you loaded match the bits the publisher released, and you can read the license and lineage the publisher chose to publish. You cannot prove from the weights alone who trained a teacher model, what data it used, or whether an API was used without authorization. That boundary between artifact identity and training data rights is the practical limit of provenance for an Apple Silicon enthusiast.

Anthropic describes distillation attacks as covert industrial scale campaigns to extract the capabilities of one model and replicate them in another without the authorization of the original model's developers. † Anthropic says these attacks are often conducted using networks of fraudulent accounts. † Anthropic says these attacks allow companies to mimic frontier capabilities for a fraction of the development time and cost. † Anthropic says as it wrote in September this method has been used extensively to help overseas AI laboratories keep pace with US companies. † 16

Those statements are allegations attributed to Anthropic, not independent forensic findings. The retrieved material does not contain a contemporaneous public rebuttal from Zhipu, and no independent audit of GLM 5.3 training data provenance is present in the retrieved sources. DeepSeek's GitHub release

notes describe its own pipeline and open sourcing choices. DeepSeek says it introduces its first generation reasoning models DeepSeek R1 Zero and DeepSeek R1. †

DeepSeek says DeepSeek R1 Zero is a model trained via large scale reinforcement learning without supervised fine tuning as a preliminary step. † DeepSeek says DeepSeek R1 Zero demonstrated remarkable performance on reasoning. DeepSeek says to support the research community it has open sourced DeepSeek R1 Zero DeepSeek R1 and six dense models distilled from DeepSeek R1 based on Llama and Qwen. † DeepSeek says DeepSeek R1 achieves performance comparable to OpenAI o1 across math code and reasoning tasks. †

DeepSeek says it demonstrates that the reasoning patterns of larger models can be distilled into smaller models resulting in better performance compared to the reasoning patterns discovered through reinforcement learning on small models. † That is a self described pipeline of reinforcement learning followed by self distillation into smaller dense models. The open source release makes those distilled weights available. [17] MLX is an array framework for machine learning on Apple silicon brought to you by Apple machine learning research. †

MLX uses a unified memory model where arrays live in shared memory. Operations on MLX arrays can be performed on any of the supported device types without transferring data. † MLX is designed by machine learning researchers for machine learning researchers. † The framework is intended to be user friendly but still efficient to train and deploy models. † [18]

Together quantization and MLX make seven to thirty billion parameter models practical on a laptop. The first practical

check is to download from the official repo or the official Hugging Face organization, not from a mirror. Check the release tag or commit SHA that the publisher lists, and compare the file hashes you receive to the hashes the publisher publishes. A matching hash proves bit level identity with the publisher's release, not that the publisher had rights to the training data.

The second check is to read the license file and the model card that ships with the weights. The license governs how you may use the weights, and the model card often lists base model, parent repo, and sometimes a note such as distilled from. For DeepSeek R1 the repo notes the six dense models are distilled from DeepSeek R1 based on Llama and Qwen. † That tells you the stated teacher student relationship for those distillates, not for any downstream re quantization you might download. [19]

The third check is quantization provenance. A quantized MLX or GGUF file should reference the source weight commit and the quantization script or version used to create it. If the file or its card does not name the source commit and the quantization method, treat it as unverified. Re quantization by an untrusted third party can change numerical behavior and can introduce license mismatches.

The fourth check is lineage metadata in the Hugging Face card or the GitHub release notes. Look for base_model, parent repo links, and any explicit statements about distillation or fine tuning. Those statements are publisher provided metadata, not proof of authorization for the teacher model. The fifth check is to keep an audit trail for your own use.

Record the repo URL, release tag, commit SHA, file hashes, license text, and the date you downloaded. That trail lets you reproduce the exact artifact later and shows which license applied at the time of download. Even with a perfect audit trail you still cannot verify the full history of how a teacher model was trained. Weight hashes are artifact signatures.

They prove you have the same bits the publisher released, and nothing more. Training data rights and whether an API was used without authorization are legal and process questions that are not encoded in the weight file. Anthropic says distillation is a widely used and legitimate training method. † Anthropic says for example frontier AI labs routinely distill their own models to create smaller cheaper versions for their customers. †

Anthropic also says but distillation can also be used for illicit purposes. † Anthropic says competitors can use it to acquire powerful capabilities from other labs in a fraction of the time and at a fraction of the cost that it would take to develop them independently. † [20] That distinction between legitimate self distillation and illicit cross lab extraction is the core of the current friction. For an Apple Silicon enthusiast the practical implication is that you can run a distilled and quantized model locally with MLX, and you can verify that you are running the exact artifact the publisher released.

You cannot verify from your laptop whether that artifact was produced with authorization from a teacher model's owner. If you need commercial use, check the license for commercial allowances and attribution requirements. If you need reproducibility, pin the exact commit and the quantization script version. Keeping artifact identity separate from training data rights keeps expectations realistic.

You can verify what you downloaded, how you are allowed to use it, and what lineage the publisher chose to disclose. You cannot verify the full provenance of the teacher model from the weights alone. That is the boundary a local user can actually check. Stay within that boundary and you can use local AI on Apple Silicon with clear eyes about what is known and what remains unknown.

Sources

Five primary sources were retrieved on 8 November 2026. Dates below are taken from the frozen source metadata where available. Repository pages and the OpenAI article have no verified publication date in that record.

S1. Detecting and preventing distillation attacks

Anthropic. 2026-02-23. Accessed 8 November 2026.

https://www.anthropic.com/news/detecting-and-preventing-distillation-attacks

S2. Strengthening our defenses against distillation attacks

Anthropic. 2026-10-12. Accessed 8 November 2026.

https://www.anthropic.com/news/distillation-defenses

S3. Building the compute infrastructure for the Intelligence Age

OpenAI. n.d.. Accessed 8 November 2026.

https://openai.com/index/building-the-compute-infrastructure-for-the-intelligence-age/

S4. DeepSeek-R1

DeepSeek-AI contributors. n.d.. Accessed 8 November 2026.

https://github.com/deepseek-ai/DeepSeek-R1

S5. MLX: An array framework for Apple silicon

MLX contributors / Apple machine learning research. n.d.. Accessed 8 November 2026.

https://github.com/ml-explore/mlx

Source notes

These notes map specific attributed statements to the cited publishers. Allegations remain attributed to their source; a citation does not independently adjudicate them. The snapshots and private research working files are not reproduced.

1. OpenAI's description of Stargate, infrastructure expansion and partners. [S3]

2. OpenAI's ecosystem-coordination statements. [S3]

3. Anthropic's reported revenue and traffic trade-offs; the surrounding interpretation is the edition's synthesis. [S2]

4. MLX's stated purpose, shared-memory model and intended usability. [S5]

5. Anthropic's explanation of legitimate self-distillation. [S1]

6. Anthropic's attributed advanced-chip and export-control argument; the surrounding interpretation is the edition's synthesis. [S1]

7. Anthropic's definition of distillation and its distinction between legitimate and illicit uses. [S1]

8. Anthropic's definition of covert industrial-scale extraction. [S2]

9. DeepSeek's self-described training, benchmark, distillation and release claims; citation does not independently confirm its benchmark claims. [S4]

10. MLX's description of its framework and memory model. [S5]

11. Anthropic's allegations about extraction campaigns. [S2]

12. Anthropic's Zhipu and GLM-5.3 allegations, including its report of CAISSI's assessment; this is an attribution to Anthropic, not independent confirmation. [S2]

13. Anthropic's stated downstream security concerns. [S1]

14. Anthropic's attributed advanced-chip and export-control argument; the surrounding interpretation is the edition's synthesis. [S1]

15. DeepSeek's description of its own pipeline, without a claim of independent training-data verification. [S4]

16. Anthropic's definition and allegations. [S2]

17. DeepSeek's self-described training, distillation and release claims. [S4]

18. MLX's description of its framework and memory model. [S5]

19. Publisher-stated teacher/student and base-model relationships; the stated relationship does not independently establish a downstream artifact's lineage. [S4]

20. Anthropic's legitimate/illicit distillation distinction. [S1]

Synthesis boundaries

The model-provenance checklist is practical synthesis. The MLX README describes the framework and shared memory; it does not establish a universal seven-to-thirty-billion-parameter laptop capability. The cited repositories provide concrete lineage and licensing examples, rather than blanket clearance of every derivative.

Made on one Mac

This book began at the smallest scale in its own story: one person, one Mac, and a question worth following. Michael Sitarzewski directed the research: what can an ordinary person really know about the intelligence running on their own machine?

AutoAudio carried the work from research to a finished listening edition on Apple Silicon. The local research dialogue used duh with Muse Glimmer and LFM. Muse shaped the manuscript; LFM supplied an independent sentence-support pass. Sohee, a synthetic preset voice from Qwen3-TTS CustomVoice, narrated the English edition locally through MLX Audio.

Apple's on-device speech tools supplied recognition checks, and FFmpeg completed the audio mastering. Recognition differences remain documented with the listening edition; these automated checks do not amount to a promise of flawless narration.

The cover illustration was generated locally in ComfyUI with Z-Image-Turbo. AutoAudio developed the publication layout and cover typography with Codex assistance, using Source Serif 4 and Source Sans 3.

With gratitude to the contributors maintaining duh, Ollama, MLX, MLX Audio, Qwen3-TTS, ComfyUI and FFmpeg, and to the researchers and source publishers whose public work made this inquiry possible. The source organizations are credited for their published material; their inclusion does not imply participation or endorsement.

Colophon

A record of the edition

Research direction
Michael Sitarzewski

Research conversation
duh, Muse Glimmer and LFM, running locally

Writing / independent support pass
muse-glimmer:30b-mlx / lfm2.5:24b

Synthetic narrator
Sohee, Qwen3-TTS 1.7B CustomVoice, English, MLX 8-bit conversion

Speech runtime
MLX Audio 0.6.1

Listening checks
Apple SpeechTranscriber and an on-device DictationTranscriber cross-check

Mastering
FFmpeg; measured decoded AAC at -19.71 LUFS and -2.37 dBTP

Cover illustration
Z-Image-Turbo, generated locally in ComfyUI 0.41.0

Publication design
AutoAudio with Codex assistance

Typography
Source Serif 4 and Source Sans 3, SIL Open Font License

Listening and publication notes

The saved audio is 23 minutes 51 seconds, compared with a requested 15 minutes. The automated report retains 21 passages with recognition differences: two exhausted their three takes and nineteen reached the retake budget. These flags are not a human judgment of each passage.

© 2026 Michael Sitarzewski. Michael Sitarzewski's original contributions, selection, arrangement and presentation, including the cover and listening edition, are licensed under Creative Commons Attribution 4.0 International (CC BY 4.0), to the extent he holds the applicable rights.

Third-party quotations and source-derived wording identified in the reading edition are excluded from this CC BY grant and remain subject to their original terms. Software, model, font and trademark rights remain separate. This license grants no third-party rights and implies no source or contributor endorsement.

AutoAudio application software is GPL-3.0-only. Model, font and third-party source terms remain separate. The sources and software contributors are acknowledged for their work; their inclusion does not imply endorsement.

Reuse and attribution

© 2026 Michael Sitarzewski. Michael Sitarzewski's original contributions, selection, arrangement and presentation, including the cover and listening edition, are licensed under Creative Commons Attribution 4.0 International (CC BY 4.0), to the extent he holds the applicable rights.

creativecommons.org/licenses/by/4.0/

You may share and adapt the licensed material, including commercially. Credit Michael Sitarzewski, link to the source and license, and indicate changes. Do not imply endorsement.

Third-party quotations and source-derived wording identified in the reading edition are excluded from this CC BY grant and remain subject to their original terms. Software, model, font and trademark rights remain separate. This license grants no third-party rights and implies no source or contributor endorsement.

Source-derived wording

Sentences marked † contain source-derived wording excluded from the CC BY grant. Locations below count canonical sentences within each chapter. These lexical matches are an editorial aid, not an exhaustive rights determination; consult the linked sources and their terms.

Chapter 1 / S1
Sentences 30, 31, 38, 39 · Source details

Chapter 1 / S2
Sentences 12 · Source details

Chapter 1 / S3
Sentences 5, 6, 7, 8, 9 · Source details

Chapter 1 / S5
Sentences 19, 21, 22, 23 · Source details

Chapter 2 / S1
Sentences 1, 2, 3, 4, 5, 6, 43, 44, 45, 46, 47 · Source details

Chapter 2 / S2
Sentences 28, 29, 30, 31, 33, 34, 35, 36 · Source details

Chapter 2 / S4
Sentences 10, 11, 13, 14, 15 · Source details

Chapter 2 / S5
Sentences 20, 22, 23, 24 · Source details

Chapter 3 / S1
Sentences 47, 48, 49, 50 · Source details

Chapter 3 / S2
Sentences 5, 6, 7, 8 · Source details

Chapter 3 / S4
Sentences 12, 13, 15, 16, 17, 31 · Source details

Chapter 3 / S5
Sentences 20, 22, 23, 24 · Source details

Source edition: AutoAudio Field Notes. Font, software and model notices retain their separate terms.