

Jointed mathematical equations of atmosphere and pollution

Nora Juhasz

September 17, 2017

Abstract

This document describes the outline of this project's plan.

Contents

1	Equations of the atmosphere	4
2	Equations describing pollution	4
3	Creating a synchronized system of an atmosphere containing pollution	4
4	Dimension reduction for the jointed system	4
5	Solutions for the jointed two-dimensional system	4
6	Numerical simulations for the jointed two-dimensional system	4

- 1 Equations of the atmosphere
- 2 Equations describing pollution
- 3 Creating a synchronized system of an atmosphere containing pollution
- 4 Dimension reduction for the jointed system
- 5 Solutions for the jointed two-dimensional system
- 6 Numerical simulations for the jointed two-dimensional system

References

- [Ali et al., 1998] Ali, I., Kalla, S., and Khajah, H. (1998). A partial differential equation related to a problem in atmospheric pollution. *Mathematical and computer modelling*, 28(12):1–6.
- [Andria et al., 2000] Andria, G., Lay-Ekuakille, A., and Notarnicola, M. (2000). Mathematical models for atmospheric and industrial pollutant prediction. In *XVI IMEKO World Congress, Vienna, Austria*.
- [Azérad and Guillén, 2001] Azérad, P. and Guillén, F. (2001). Mathematical justification of the hydrostatic approximation in the primitive equations of geophysical fluid dynamics. *SIAM Journal on Mathematical Analysis*, 33(4):847–859.
- [Prodanova et al., 2008] Prodanova, M., Perez, J. L., Syrakov, D., San Jose, R., Ganev, K., Miloshev, N., and Roglev, S. (2008). Application of mathematical models to simulate an extreme air pollution episode in the bulgarian city of stara zagora. *Applied Mathematical Modelling*, 32(8):1607–1619.
- [Temam and Ziane, 2005] Temam, R. and Ziane, M. (2005). Some mathematical problems in geophysical fluid dynamics. *Handbook of mathematical fluid dynamics*, 3:535–658.