




Tracking COVID-19 Report Date: 2020-03-25






Tracking COVID-19 Report Date: 2020-03-25




Tracking COVID-19 Report Date: 2020-03-25




Tracking COVID-19 Report Date: 2020-03-25



Tracking COVID-19 Report Date: 2020-03-25




Tracking COVID-19 Report Date: 2020-03-25



Tracking COVID-19 Report Date: 2020-03-25




Tracking COVID-19 Report Date: 2020-03-25




Tracking COVID-19 Report Date: 2020-03-25

Euro Tracking https://www.ecdc.europa.eu/sites/default/files/documents/COVID-19-geographic-disbtribution-worldwide-2020-03-25.xlsx 4.75 -4.50 -4.25 -4.00 -3.75 -3.50 -3.25 **-**Global Death Rate (% of positive) 2.75 - 2.50 - 2.25 - 2.00 - 2.0 1.75 **-**1.50 -1.25 **-**Mar 23 Jan 20 Jan 27 Feb 03 Feb 10 Feb 17 Mar 02 Mar 09 Mar 16 Feb 24 Date


Tracking COVID-19 Report Date: 2020-03-25




Tracking COVID-19 Report Date: 2020-03-25





Tracking COVID-19 Report Date: 2020-03-25





Tracking COVID-19 Report Date: 2020-03-25














Tracking COVID-19 Report Date: 2020-03-25




Tracking COVID-19 Report Date: 2020-03-25





Tracking COVID-19 Report Date: 2020-03-25







Tracking COVID-19 Report Date: 2020-03-25









Tracking COVID-19 Report Date: 2020-03-25




Tracking COVID-19 Report Date: 2020-03-25




Tracking COVID-19 Report Date: 2020-03-25




Tracking COVID-19 Report Date: 2020-03-25



Tracking COVID-19 Report Date: 2020-03-25



Tracking COVID-19 Report Date: 2020-03-25




Tracking COVID-19 Report Date: 2020-03-25 CDC Tracking 250 **-*** NY 84.2% (210 deaths) 200 -150 **-**WA 15.8% (110 deaths) 1**00 -**90 -80 -70 -60 **-**LA 35.3% (46 deaths) 50 -NJ 63.0% (44 deaths) 40 -CA 48.1% (40 deaths) Cumulative Deaths 30 -250 GA 28.0% (32 deaths) 500 FL 28.6% (18 deaths) 750 L 33.3% (16 deaths) - CA 10 - 👉 FL → LA **──** NJ → NY **→** UT **→** WA

2 -

UT 0.0% (1 deaths)

Cumulative Deaths by Season www.cdc.gov/nchs/fastats



Weekly Deaths by Season www.cdc.gov/nchs/fastats

