

Этап 2

Основы информационной безопасности

намруев Максим саналович

Содержание

1	Цель работы	5
2	Задание	6
3	Выполнение лабораторной работы	7
4	Выводы	10

Список иллюстраций

3.1	Нкоманды	7
3.2	Нкоманды	8
3.3	Нкоманды	8
3.4	Нкоманды	9
3.5	Нкоманды	9

Список таблиц

1 Цель работы

Установить DVWA

2 Задание

1. Установить DVWA

3 Выполнение лабораторной работы

Ввожу команды(рис. 3.1).

```
(msnamruev@msnamruev)~  
$ cd /var/www/html  
  
(msnamruev@msnamruev)-[/var/www/html]  
$ sudo git clone https://github.com/ethicalhack3r/DVWA  
sudo] пароль для msnamruev:  
fatal: целевой путь «DVWA» уже существует и не является пустым каталогом.  
  
(msnamruev@msnamruev)-[/var/www/html]  
$ ls  
DVWA index.html index.nginx-debian.html  
  
(msnamruev@msnamruev)-[/var/www/html]  
$ sudo chmod -R 777 DVWA~  
chmod: невозможно получить доступ к 'DVWA~': Нет такого файла или каталога  
  
(msnamruev@msnamruev)-[/var/www/html]  
$ sudo chmod -R 777 DVWA  
  
(msnamruev@msnamruev)-[/var/www/html]  
$ cd DVWA/config  
  
(msnamruev@msnamruev)-[/var/www/html/DVWA/config]  
$ ls  
config.inc.php.dist  
  
(msnamruev@msnamruev)-[/var/www/html/DVWA/config]  
$ sudo cp config.inc.php.dist config.inc.php  
  
(msnamruev@msnamruev)-[/var/www/html/DVWA/config]  
$ ls  
config.inc.php config.inc.php.dist  
  
(msnamruev@msnamruev)-[/var/www/html/DVWA/config]  
$
```

Рис. 3.1: Команды

меняю значения(рис. 3.2).

```

See README.md for more information on this.
_DVWA = array();
_DVWA[ 'db_server' ] = getenv( 'DB_SERVER' ) ? '127.0.0.1';
_DVWA[ 'db_database' ] = getenv( 'DB_DATABASE' ) ? 'dvwa';
_DVWA[ 'db_user' ] = getenv( 'DB_USER' ) ? 'userDVWA';
_DVWA[ 'db_password' ] = getenv( 'DB_PASSWORD' ) ? '12345';
_DVWA[ 'db_port' ] = getenv( 'DB_PORT' ) ? '3306';

ReCAPTCHA settings

```

Рис. 3.2: Нкоманды

Ещё команды(рис. 3.3).

```

(msnamruev@msnamruev) [/var/www/html]
$ sudo chmod -R 777 DVWA

(msnamruev@msnamruev) [/var/www/html]
$ cd DVWA/config

(msnamruev@msnamruev) [/var/www/html/DVWA/config]
$ ls
config.inc.php.dist

(msnamruev@msnamruev) [/var/www/html/DVWA/config]
$ sudo cp config.inc.php.dist config.inc.php

(msnamruev@msnamruev) [/var/www/html/DVWA/config]
$ ls
config.inc.php  config.inc.php.dist

(msnamruev@msnamruev) [/var/www/html/DVWA/config]
$ sudo nano config.inc.php

(msnamruev@msnamruev) [/var/www/html/DVWA/config]
$ sudo nano config.inc.php

(msnamruev@msnamruev) [/var/www/html/DVWA/config]
$ sudo systemctl start mysql

(msnamruev@msnamruev) [/var/www/html/DVWA/config]
$ systemctl status mysql
systemctl status mysql
 mariadb.service - MariaDB 11.4.3 database server
   Loaded: loaded (/usr/lib/systemd/system/mariadb.service; disabled; preset: disabled)
   Active: active (running) since Sat 2025-03-22 19:42:32 MSK; 7s ago
   Invocation: dae22ac0504c4d9b9d2a0bd68644886
   Docs: man:mariadb(8)
         https://mariadb.com/kb/en/library/systemd/
   Process: 4756 ExecStartPre=/usr/bin/install -m 755 -o mysql -g root -d /var/run/mysql (code=exited, status=0/SUCCESS)
   Process: 4759 ExecStartPre=/bin/sh -c systemctl unset-environment _WSREP_START_POSITION (code=exited, status=0/SUCCESS)
   Process: 4761 ExecStartPre=/bin/sh -c [ ! -e /usr/bin/galera_recovery ] && VAR= || VAR=/usr/bin/galera_recovery
   Process: 4844 ExecStartPost=/bin/sh -c systemctl unset-environment _WSREP_START_POSITION (code=exited, status=0/SUCCESS)
   Process: 4846 ExecStartPost=/etc/mysql/debian-start (code=exited, status=0/SUCCESS)
   Main PID: 4829 (mariabdd)
   Status: "Taking your SQL requests now..."
   Tasks: 15 (limit: 61969)
   Memory: 242.8M (peak: 247.7M)
   CPU: 1.532s
   CGroup: /system.slice/mariadb.service
           └─4829 /usr/sbin/mariabdd

```

Рис. 3.3: Нкоманды

Ещё больше команд(рис. 3.4).


```

$ sudo mysql -u root -p
Enter password:
Welcome to the MariaDB monitor. Commands end with ; or \g.
Your MariaDB connection id is 32
Server version: 11.4.3-MariaDB-1 Debian n/a

Copyright (c) 2000, 2018, Oracle, MariaDB Corporation Ab and others.

Support MariaDB developers by giving a star at https://github.com/MariaDB/server
Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

MariaDB [(none)]> create user 'userDVWA'@'127.0.0.1' identified by "dvwa"
      → create user 'userDVWA'@'127.0.0.1' identified by "dvwa";
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MariaDB
version for the right syntax to use near 'create user 'userDVWA'@'127.0.0.1' identified by "dvwa"' at line 2
MariaDB [(none)]> create user 'userDVWA'@'127.0.0.1' identified by "dvwa";
Query OK, 0 rows affected (0.005 sec)

MariaDB [(none)]> grant all privileges on dvwa.* to 'userDVWA'@'127.0.0.1' identified by 'dvwa';
Query OK, 0 rows affected (0.003 sec)

MariaDB [(none)]> exit
bye

(msnamruev@msnamruev)-[/var/www/html/DVWA/config]
$ cd /etc/php/7.4/apache2
bash: cd: /etc/php/7.4/apache2: Нет такого файла или каталога

(msnamruev@msnamruev)-[/var/www/html/DVWA/config]
$ cd /etc/php
(msnamruev@msnamruev)-[/etc/php]
$ ls
8.2
(msnamruev@msnamruev)-[/etc/php]
$ cd /etc/php/8.2/apache2
(msnamruev@msnamruev)-[/etc/php/8.2/apache2]
$ █

```

Рис. 3.4: Нкоманды

ещё несколько значений(рис. 3.5).

```

: Whether to allow the treatment of URLs (like http:// or ftp://) as files.
: https://php.net/allow-url-fopen
allow_url_fopen = On

: Whether to allow include/require to open URLs (like https:// or ftp://) as files.
: https://php.net/allow-url-include
allow_url_include = On
--

```

Рис. 3.5: Нкоманды

4 Выводы

DVWA установлено