

V4.2 Master Binder


6D Projection Framework

Consolidated Toy Models 1-5: Graph Geometry, Quantum States, Quantum Dynamics, Gravity, and Dark Sector

Rev A | 2026.05.26 | Publication-Foundation Binder

Status: speculative research binder. This document consolidates toy-model results, structural analogues, and guardrails. It is not a peer-reviewed physics theory and does not claim physical proof of 3T, full General Relativity, quantum field theory, dark matter, or dark energy.

V4.2 Master Binder: Consolidated Toy Model Tracks



1. Executive Summary

The V4.2 work sequence investigated whether a 6D projection architecture can reproduce selected mathematical structures of known physics through controlled toy models. The central architecture is an original 6D continuum giving rise to an observable 3S+1T sector and a hidden/relational 3T+1S sector. The tests were intentionally staged: graph geometry first, then quantum projection, then quantum dynamics, then weak-field gravity, then dark-sector analogues.


The strongest defensible outcome is structural compatibility. Across the closed tracks, the framework produced internally coherent analogues for path delay/lensing/orbits, quantum-state projection, decoherence and record stability, complex phase and Schrodinger-type evolution, gauge coupling, weak-field spin-2 gravity, flat galactic rotation curves, BTF-like scaling, and a dark-energy-like background pressure.

The work has not yet achieved physical validation. No real observational dataset has been fitted; no physical constants have been derived from first principles; and no full nonlinear field theory has been obtained.

2. Adopted Work Protocol

The working protocol adopted during the sequence is part of the binder because it prevents manual prompt-passing and overclaims.


Adopted Work Sequence: User Compass, Twins Engine



Practical rule: intuition supplies architecture and boundary conditions; the mathematical engine formalizes, tests, rejects failures, and returns consolidated results with guardrails. The user should not have to act as a secretary between complementary reasoning modes.

3. Track-by-Track Master Audit

Toy	Track	Core test	Result	Primary guardrail
1	Graph Geometry	Relational density -> operational cost -> path bending / delay / orbit analogue	Static and dynamic graph behaviour can mimic selected gravitational signatures.	Not General Relativity; analogue only.
2	Quantum States	3T -> 1T projection compatibility with probabilities, entanglement limits, decoherence, measurement update, erasure	Projection framework is compatible with core quantum-state rules in small toy models.	Not a derivation of QM, Standard Model, or physical hidden variables.
3	Quantum Dynamics	Hidden transverse phase plane -> complex amplitudes, Schrodinger structure, kinetic term, potentials, gauge coupling, relativistic bridge	Quantum-dynamics operators can be structurally mapped to hidden phase rotation/twisting.	Not QFT; not physical mass/charge derivation.
4	Gravity & Spacetime	Relational distances + directed 1T causality -> Lorentzian metric, curvature, weak-field spin-2 interface	Structural compatibility with the linear weak-field spin-2 layer.	Not nonlinear Einstein-Hilbert / full GR.
5	Dark Sector	Relational graph tension -> flat rotation analogue; capacity threshold -> BTF-like scaling; same scale -> DE-like pressure	Structural compatibility with selected local/global dark-sector signatures.	No real observational validation yet.



4. Master Equation Index

The table below is not a derivation. It is a rebind index: the minimum equation set needed to restart the framework without losing the thread.

Area	Equation / structure	Meaning
1D source field	$R_i = R_0 \exp(-r_i^2 / 2 \rho^2)$	Localized relational density on graph.
1D cost rule	$c_{ij} = c_0 c_{ij} [1 + \lambda R_{\bar{a}}] / [1 + \mu R_{\bar{a}} \text{direction_factor}]$	Operational path cost modified by delay and connectivity.
2A projection	$P_i(n) = \cos(\theta/2) 0\rangle + \exp(i \phi) \sin(\theta/2) 1\rangle$	3D orientation mapped to two-state quantum amplitude.
2F macroscopic stability	$\Gamma_N = q^N$	Environmental record overlap decays exponentially with scale.
3A complex phase	$J^2 = -I$; J maps to i	Hidden 2T rotation plane gives complex phase shorthand.
3B dynamics	$i \hbar d_t \psi = H \psi$	Uniform hidden phase rotation maps to Schrodinger-type evolution.
3C kinetic term	$-\hbar^2/(2m) \nabla^2 \psi$	Spatial phase twist maps to kinetic operator structure.
3E gauge connection	$D = \partial - i(e/\hbar) A$	Local phase-frame consistency maps to gauge connection.
4J gauge response	$\partial^\mu \hbar_\mu = 0$; $\nabla^2 \hbar_\mu = -T_\mu$	Weak-field spin-2 response in harmonic-gauge-like sector.

Area	Equation / structure	Meaning
4J trace reversal	$h_{\mu\nu} = \bar{h}_{\mu\nu} - \eta_{\mu\nu} \bar{h}_{\text{trace}}/(D-2)$	Trace-reversed variable selected for weak-field balance.
5B graph action	$A[\Phi] = 2\pi \int r \left[\frac{1}{2} \left(\frac{d\Phi}{dr} \right)^2 - S \Phi \right] dr$	Annular graph action producing $1/r$ edge-response gradient.
5D capacity law	$L(T; M_b) = T^2/(2A_R) - G M_b \ln(T/T_{\text{ref}})$	Capacity action yielding square-root BTF law.
5E local/global bridge	$A_R = \xi c H_C ; v_{\text{flat}}^4 = A_R G M_b ; p_C = -\rho_C$	Same capacity scale used locally and globally.

5. Toy Model 1 - Graph Geometry

Toy Model 1 tested whether relational density on a graph can produce operational geometries that resemble delay, lensing, and orbital capture. The early scalar cost models produced delay and detour but not true focusing. Later vectorial and directional cost rules produced controlled path focusing, and a dynamic potential analogue produced bounded orbit-like trajectories.

```
Core ladder:
relational record density R_i
-> edge cost c_ij
-> shortest-path geometry
-> delay / focusing / orbital analogue
```

```
Guardrail:
This is not General Relativity.
It is a graph-based operational analogue.
```

Close-out: Toy Model 1 established that changing network cost/connectivity can make flat graph paths behave as if they move through curved operational geometry.

6. Toy Model 2 - Quantum States

Toy Model 2 tested the 3T -> 1T projection idea against quantum-state basics. The single-state projection matched probability normalization and Born-rule structure. The naive two-particle hidden-vector version failed Bell correlations, which correctly exposed Bell-theorem constraints. Non-factorizable relational-state handling then became the proper architecture. Decoherence, measurement update, quantum erasure, and macroscopic irreversibility were treated as record-access and environment-entanglement effects.

```
Core ladder:
3T orientation -> 1T amplitude
environment records -> decoherence
observer correlation -> local update
erasure -> conditional interference recovery
many records -> practical irreversibility
```

```
Guardrail:
Compatibility with quantum formalism is not a derivation of quantum mechanics.
```

7. Toy Model 3 - Quantum Dynamics

Toy Model 3 investigated whether complex amplitudes and quantum dynamics can be read as hidden temporal geometry. The transverse 2T phase plane gave a natural real representation of the imaginary unit through a 90-degree rotation operator. Continuous phase rotation produced Schrodinger-type first-order time evolution. Spatial twisting produced the kinetic operator structure. Local phase-frame changes produced a gauge-connection structure. Relativistic constraints led to a spinor/Dirac-type bridge at the structural level.

```
Core ladder:
hidden 2T phase plane -> complex amplitude
phase rotation -> Schrodinger-type dynamics
spatial phase twist -> kinetic term
local phase frame -> gauge connection
relativistic constraint -> spinor bridge
```

```
Guardrail:
This is not QFT or the Standard Model.
Mass, charge,  $\hbar$ , and particle spectrum are not derived.
```

8. Toy Model 4 - Gravity and Spacetime

Toy Model 4 built from relational distance to weak-field spin-2 structure. Undirected graph distances produced a metric candidate but only a positive-definite geometry. Directed 1T causality supplied Lorentzian signature. Varying metric produced curvature tensors. Scalar density failed as a complete source. Tensorial stress, conservation, and gauge structure were required. The final gauge-constrained spin-2 action selected the trace-reversed weak-field response variable.

```
Core ladder:
relational distance matrix
-> metric candidate
directed 1T causality
-> Lorentzian signature
metric variation
-> curvature tensors
gauge-constrained tensor action
-> trace-reversed weak-field spin-2 response

Key result:
 $\partial^\mu \bar{h}_{\mu\nu} = 0$ 
 $\nabla^2 \bar{h}_{\mu\nu} = -T_{\mu\nu}$ 
 $h_{\mu\nu} = \bar{h}_{\mu\nu} - \eta_{\mu\nu} \bar{h}_{\text{trace}}/(D-2)$ 

Guardrail:
Linear weak-field compatibility only.
Nonlinear Einstein-Hilbert action not derived.
```

Close-out: Toy Model 4 is the strongest gravity result so far. It closes the weak-field interface gap but deliberately stops before nonlinear self-coupling.

9. Toy Model 5 - Dark Sector

Toy Model 5 used the closed weak-field baseline as a foundation for dark-sector analogues. 5A showed that a relational-tension term can flatten a rotation curve. 5B derived the flat-curve shape from an effective 2D annular graph action. 5C showed that constant coupling fails the BTF exponent, requiring Γ proportional to $M_b^{-1/2}$. 5D expressed the required square-root law through a capacity action. 5E connected the same capacity scale A_R to a dark-energy-like constant background pressure. 5F closed the track with an observational guardrail map.

```
Core ladder:
2D annular graph action
-> edge-flux conservation
->  $a_{\text{rel}} \sim 1/r$ 
->  $v_{\text{rel}}^2$  constant
->  $M_{\text{rel}} \sim r$ 

BTF requirement:
 $T_{\text{edge}}^2 = A_R \Gamma M_b$ 
 $v_{\text{flat}}^4 = A_R \Gamma M_b$ 

Local-global bridge:
 $A_R = \xi c H_C$ 
 $\rho_C = \text{constant}$ 
 $p_C = -\rho_C$ 

Guardrail:
No real dark-sector observational validation yet.
```

10. Derived vs Assumed vs Untested


10.1 Derived or structurally established

- Graph cost/connectivity can produce path delay and focusing analogues.
- A 3D orientation projection can reproduce two-state amplitude/probability structure.
- Decoherence and irreversibility can be represented as environment record access and overlap decay.
- Complex phase can be represented by a hidden real rotation plane.
- Schrodinger-type evolution, kinetic structure, potentials, and gauge connection can be structurally mapped to phase rotation/twisting.
- Directed 1T causality is needed to move from Riemannian graph distance to Lorentzian signature.
- Gauge-compatible weak-field spin-2 response selects trace reversal.
- Effective 2D annular graph economics gives flat rotation-curve shape.
- A capacity action can produce the square-root edge-stress law needed for BTF-like scaling.
- A constant global capacity density gives $p=-\rho$ in the toy model.

10.2 Assumed or not yet derived

- The physical existence and ontology of 3T.
- The exact projection mechanism from a full 6D manifold.
- Physical values of $\hbar$, mass, charge, G , ξ , A_R , H_0 , Λ .
- Why galaxy-scale relational tension must be effectively 2D/annular.
- Why the proposed capacity action is the unique correct action.
- Nonlinear spin-2 self-coupling and full Einstein-Hilbert structure.
- Quantum field theory and Standard Model field content.
- Real-data observational performance.

10.3 Untested observational targets



11. External-Facing Guardrails

Category	Guardrail
Physics status	Speculative toy-model framework, not established physics.
Observations	No real galaxy, CMB, lensing, cluster, BAO, or supernova dataset has been fitted.
Gravity	Weak-field spin-2 compatibility reached; nonlinear GR not derived.
Quantum	Structural compatibility only; Standard Model and QFT not derived.
Dark sector	Flat-curve and BTF-like structural analogues only; dark matter/dark energy not solved.
Constants	Physical values of ξ , A_R , H_0 , Λ , G , $\hbar$, mass, charge are not derived.
3T	Physical existence of hidden 3T is not proven.
Publication	GitHub/public release should include code, data protocol, and explicit falsification targets.

The framework should be presented as a structured speculative research program, not as a completed physical theory.

12. GitHub / Publication Readiness

Item	Status	Required before public release
Master Binder	Completed in this file	Foundation document for context/rebind.
README / public overview	Draftable from Binder	Needs plain-language rewrite and strict non-claims.
Code repository	Not yet ready	Requires clean scripts, reproducible environment, tests.
5G real-data protocol	Next recommended	Before any real fit, define variables and no-hidden-freedom rules.
SPARC/galaxy dataset fit	Future	Use public data only; report failures.
Lensing and clusters	Future critical	Cannot claim dark matter replacement without this.
Cosmology data	Future critical	CMB/BAO/SN/structure growth required before dark-energy claims.

Recommended release strategy: publish only after a clean README, reproducible scripts, and the 5G real-galaxy fitting protocol exist. The repository should invite falsification rather than make a victory claim.

13. Recommended Next Work Sequence

- First: keep this Master Binder as the sealed context baseline.
- Second: prepare a GitHub README draft in plain language with strict non-claims.
- Third: write Toy Model 5G - Minimal Real-Galaxy Rotation-Curve Fitting Protocol.
- Fourth: only then run a small public dataset test, starting with one galaxy or a small SPARC subset.
- Fifth: report failures as useful constraints, not as embarrassments.
- Sixth: do not claim dark-sector replacement until lensing, clusters, CMB, and structure growth are confronted.

14. Master Rebind Prompt

We are resuming after the V4.2 Master Binder Rev A.

Architecture:

Original speculative 6D framework with observable 3S+1T sector
and hidden/relational 3T+1S sector.

Closed tracks:

Toy Model 1 - Graph Geometry:

relational density -> edge cost -> path delay/focusing/orbit analogue.

Guardrail: graph analogue, not GR.

Toy Model 2 - Quantum States:

3T orientation -> 1T amplitudes; decoherence/measurement/erasure/irreversibility
handled as record access and environment correlation.

Guardrail: compatible toy models, not a derivation of QM.

Toy Model 3 - Quantum Dynamics:

hidden 2T phase plane -> complex amplitudes; phase rotation -> Schrodinger-type dynamics;

spatial twist -> kinetic term; local phase frame -> gauge connection; relativistic constraint -> spinor bridge.

Guardrail: not QFT or Standard Model.

Toy Model 4 - Gravity:

relational distances + directed 1T causality -> Lorentzian signature;

varying metric -> curvature;

gauge-constrained spin-2 action -> trace-reversed weak-field response.

Key:

$\partial^\mu \bar{h}_{\mu\nu} = 0$

$\nabla^2 \bar{h}_{\mu\nu} = -T_{\mu\nu}$

$h_{\mu\nu} = \bar{h}_{\mu\nu} - \eta_{\mu\nu} \bar{h}_{\text{trace}}/(D-2)$

Guardrail: linear weak-field compatibility only; full nonlinear GR not derived.

Toy Model 5 - Dark Sector:

5B derived flat rotation shape from effective 2D annular graph action:

$A[\Phi] = 2\pi \int r [1/2 (d\Phi/dr)^2 - S \Phi] dr$

=> $a_{\text{rel}} \sim 1/r$

=> $v_{\text{rel}}^2 \text{ constant}$

=> $M_{\text{rel}} \sim r$

5C/5D:

BTF-like scaling requires capacity law:

$T_{\text{edge}}^2 = A_R G M_b$

$v_{\text{flat}}^4 = A_R G M_b$

5E:

local-global capacity bridge:

$A_R = \xi c H_C$

$\rho_C \text{ constant}$

$p_C = -\rho_C$

5F:

Dark Sector closed as structural compatibility only.

Strongest defensible statement:

The V4.2 framework has produced a coherent chain of toy-model structural
compatibility results across graph geometry, quantum states/dynamics,
weak-field gravity, and selected dark-sector signatures.

Do not claim:

physical 3T proven, full QM derived, Standard Model derived, full GR derived,
dark matter solved, dark energy solved, Lambda-CDM replaced, real data fitted,
or observational validation achieved.

Recommended next:

Toy Model 5G - Minimal Real-Galaxy Rotation-Curve Fitting Protocol,

and GitHub README/public release preparation only after code/data guardrails are clean.

15. Final Binder Statement

This Master Binder is the consolidation point for V4.2. It preserves the useful mathematical progress while keeping the claims restrained. The framework is now organized enough to move toward reproducible public testing, but not yet mature enough for broad physical claims. The next responsible step is not more rhetoric; it is a clean real-data protocol.