

## Journal Articles

- [1] G. Aad (ATLAS), “Observation of VVZ production at  $\sqrt{s}=13$  TeV with the ATLAS detector”, *Phys. Lett. B* **866**, 139527 (2025).
- [2] G. Aad (ATLAS), “A continuous calibration of the ATLAS flavour-tagging classifiers via optimal transportation maps”, (2025).
- [3] G. Aad (ATLAS), “A measurement of the high-mass  $\tau\bar{\tau}$  production cross-section at  $\sqrt{s} = 13$  TeV with the ATLAS detector and constraints on new particles and couplings”, (2025).
- [4] G. Aad (ATLAS), “An implementation of neural simulation-based inference for parameter estimation in ATLAS”, *Rept. Prog. Phys.* **88**, 067801 (2025).
- [5] G. Aad (ATLAS), “ATLAS searches for additional scalars and exotic Higgs boson decays with the LHC Run 2 dataset”, *Phys. Rept.* **1116**, 184–260 (2025).
- [6] G. Aad (ATLAS), “Characterising the Higgs boson with ATLAS data from the LHC Run-2”, *Phys. Rept.* **1116**, 4–56 (2025).
- [7] G. Aad (ATLAS), “Characterization of nuclear breakup as a function of hard-scattering kinematics using dijets measured by ATLAS in  $p$ +Pb collisions”, (2025).
- [8] G. Aad (ATLAS), “Charged-hadron and identified-hadron ( $K_S^0$ ,  $\Lambda$ ,  $\pi^-$ ) yield measurements in photo-nuclear Pb+Pb and  $p$ +Pb collisions at  $\sqrt{s_{NN}} = 5.02$  TeV with ATLAS”, *Phys. Rev. C* **111**, 064908 (2025).
- [9] G. Aad (ATLAS), “Climbing to the Top of the ATLAS 13 TeV data”, *Phys. Rept.* **1116**, 127–183 (2025).
- [10] G. Aad (ATLAS), “Combination of searches for singly and doubly charged Higgs bosons produced via vector-boson fusion in proton–proton collisions at  $\sqrt{s}=13$  TeV with the ATLAS detector”, *Phys. Lett. B* **860**, 139137 (2025).
- [11] G. Aad (ATLAS), “Combination of searches for singly produced vectorlike top quarks in pp collisions at  $\sqrt{s}=13$  TeV with the ATLAS detector”, *Phys. Rev. D* **111**, 012012 (2025).
- [12] G. Aad (ATLAS), “Configuration, Performance, and Commissioning of the ATLAS b-jet Triggers for the 2022 and 2023 LHC data-taking periods”, *JINST* **20**, P03002 (2025).
- [13] G. Aad (ATLAS), “Constraining off-shell Higgs boson production and the Higgs boson total width using  $WW \rightarrow \ell\nu\ell\nu$  final states with the ATLAS detector”, (2025).
- [14] G. Aad (ATLAS), “Constraint on the total width of the Higgs boson from Higgs boson and four-top-quark measurements in pp collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, *Phys. Lett. B* **861**, 139277 (2025).
- [15] G. Aad (ATLAS), “Differential cross-section measurements of Higgs boson production in the  $H \rightarrow \tau^+\tau^-$  decay channel in pp collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, *JHEP* **03**, 010 (2025).
- [16] G. Aad (ATLAS), “Electroweak diboson production in association with a high-mass dijet system in semileptonic final states from  $pp$  collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, (2025).
- [17] G. Aad (ATLAS), “Electroweak, QCD and flavour physics studies with ATLAS data from Run 2 of the LHC”, *Phys. Rept.* **1116**, 57–126 (2025).
- [18] G. Aad (ATLAS), “Estimation of backgrounds from jets misidentified as  $\tau$ -leptons using the Universal Fake Factor method with the ATLAS detector”, (2025).
- [19] G. Aad (ATLAS), “Evidence for longitudinally polarized  $W$  bosons in the electroweak production of same-sign  $W$  boson pairs in association with two jets in pp collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, (2025).
- [20] G. Aad (ATLAS), “Evidence for the collective nature of radial flow in Pb+Pb collisions with the ATLAS detector”, (2025).
- [21] G. Aad (ATLAS), “Expected tracking performance of the ATLAS Inner Tracker at the High-Luminosity LHC”, *JINST* **20**, P02018 (2025).
- [22] G. Aad (ATLAS), “Exploration at the high-energy frontier: ATLAS Run 2 searches investigating the exotic jungle beyond the Standard Model”, *Phys. Rept.* **1116**, 301–385 (2025).
- [23] G. Aad (ATLAS), “Measurement of  $t\bar{t}$  production in association with additional b-jets in the  $e\mu$  final state in proton–proton collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, *JHEP* **01**, 068 (2025).
- [24] G. Aad (ATLAS), “Measurement of  $W^\pm$ -boson differential cross-sections in proton-proton collisions with low pile-up data at  $\sqrt{s} = 5.02$  TeV and 13 TeV with the ATLAS detector”, (2025).

- [25] G. Aad (ATLAS), “Measurement of coincident photon-initiated processes in ultra-peripheral Pb+Pb collisions with the ATLAS detector”, (2025).
- [26] G. Aad (ATLAS), “Measurement of double-differential charged-current Drell-Yan cross-sections at high transverse masses in  $pp$  collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, (2025).
- [27] G. Aad (ATLAS), “Measurement of high-mass  $t\bar{t}\ell^+\ell^-$  production and lepton flavour universality-inspired effective field theory interpretations at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, (2025).
- [28] G. Aad (ATLAS), “Measurement of jet track functions in  $pp$  collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, (2025).
- [29] G. Aad (ATLAS), “Measurement of off-shell Higgs boson production in the  $H^* \rightarrow ZZ \rightarrow 4\ell$  decay channel using a neural simulation-based inference technique in 13 TeV pp collisions with the ATLAS detector”, Rept. Prog. Phys. **88**, 057803 (2025).
- [30] G. Aad (ATLAS), “Measurement of photonuclear jet production in ultraperipheral Pb+Pb collisions at sNN=5.02 TeV with the ATLAS detector”, Phys. Rev. D **111**, 052006 (2025).
- [31] G. Aad (ATLAS), “Measurement of substructure-dependent suppression of large-radius jets with charged particles in Pb+Pb collisions with ATLAS”, (2025).
- [32] G. Aad (ATLAS), “Measurement of the associated production of a top-antitop-quark pair and a Higgs boson decaying into a  $b\bar{b}$  pair in pp collisions at  $\sqrt{s} = 13$  TeV using the ATLAS detector at the LHC”, Eur. Phys. J. C **85**, 210 (2025).
- [33] G. Aad (ATLAS), “Measurement of the Lund jet plane in hadronic decays of top quarks and W bosons with the ATLAS detector”, Eur. Phys. J. C **85**, 416 (2025).
- [34] G. Aad (ATLAS), “Measurement of the top quark mass with the ATLAS detector using  $t\bar{t}$  events with a high transverse momentum top quark”, Phys. Lett. B **867**, 139608 (2025).
- [35] G. Aad (ATLAS), “Measurement of top-quark pair production in association with charm quarks in proton–proton collisions at s=13 TeV with the ATLAS detector”, Phys. Lett. B **860**, 139177 (2025).
- [36] G. Aad (ATLAS), “Measurements of  $W^+W^-$  production cross-sections in  $pp$  collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, (2025).
- [37] G. Aad (ATLAS), “Measurements of differential cross-sections of  $WbWb$  production in the dilepton channel in  $pp$  collisions at  $\sqrt{s} = 13$  TeV using the ATLAS detector”, (2025).
- [38] G. Aad (ATLAS), “Measurements of Higgs boson production via gluon-gluon fusion and vector-boson fusion using  $H \rightarrow WW^* \rightarrow \ell\nu\ell\nu$  decays in  $pp$  collisions with the ATLAS detector and their effective field theory interpretations”, (2025).
- [39] G. Aad (ATLAS), “Measurements of the production cross-sections of a Higgs boson in association with a vector boson and decaying into  $WW^*$  with the ATLAS detector at  $\sqrt{s} = 13$  TeV”, (2025).
- [40] G. Aad (ATLAS), “Observation of  $t\bar{t}\gamma\gamma$  production at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, (2025).
- [41] G. Aad (ATLAS), “Observation of double parton scattering in same-sign W boson pair production in pp collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, (2025).
- [42] G. Aad (ATLAS), “Observation of  $t\bar{t}^-$  Production in Pb+Pb Collisions at sNN=5.02 TeV with the ATLAS Detector”, Phys. Rev. Lett. **134**, 142301 (2025).
- [43] G. Aad (ATLAS), “Reconstruction and identification of pairs of collimated  $\tau$ -leptons decaying hadronically using  $\sqrt{s} = 13$  TeV pp collision data with the ATLAS detector”, Eur. Phys. J. C **85**, 561 (2025).
- [44] G. Aad (ATLAS), “Search for  $t\bar{t}H/A \rightarrow t\bar{t}t\bar{t}$  production in proton–proton collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, Eur. Phys. J. C **85**, 573 (2025).
- [45] G. Aad (ATLAS), “Search for a heavy charged Higgs boson decaying into a W boson and a Higgs boson in final states with leptons and b-jets in  $\sqrt{s} = 13$  TeV pp collisions with the ATLAS detector”, JHEP **02**, 143 (2025).
- [46] G. Aad (ATLAS), “Search for a light charged Higgs boson in  $t \rightarrow H^\pm b$  decays, with  $H^\pm \rightarrow cs$ , in  $pp$  collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, Eur. Phys. J. C **85**, 153 (2025).
- [47] G. Aad (ATLAS), “Search for a new pseudoscalar decaying into a pair of bottom and antibottom quarks in top-associated production in  $\sqrt{s}=13$  TeV proton-proton collisions with the ATLAS detector”, (2025).
- [48] G. Aad (ATLAS), “Search for a new scalar decaying into new spin-1 bosons in four-lepton final states with the ATLAS detector”, Phys. Lett. B **865**, 139472 (2025).

- [49] G. Aad (ATLAS), “Search for boosted low-mass resonances decaying into hadrons produced in association with a photon in pp collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, JHEP **01**, 099 (2025).
- [50] G. Aad (ATLAS), “Search for cascade decays of charged sleptons and sneutrinos in final states with three leptons and missing transverse momentum in  $pp$  collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, (2025).
- [51] G. Aad (ATLAS), “Search for charged Higgs bosons produced in top-quark decays or in association with top quarks and decaying via  $H^{\pm} \rightarrow \tau^{\pm} \nu \tau$  in 13 TeV pp collisions with the ATLAS detector”, Phys. Rev. D **111**, 072006 (2025).
- [52] G. Aad (ATLAS), “Search for Dark Matter Produced in Association with a Dark Higgs Boson in the  $b\bar{b}$  Final State Using pp Collisions at  $s=13$  TeV with the ATLAS Detector”, Phys. Rev. Lett. **134**, 121801 (2025).
- [53] G. Aad (ATLAS), “Search for diphoton resonances in the 66 to 110 GeV mass range using pp collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, JHEP **01**, 053 (2025).
- [54] G. Aad (ATLAS), “Search for electroweak production of vector-like leptons in  $\tau$ -lepton and  $b$ -jet final states in  $pp$  collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, (2025).
- [55] G. Aad (ATLAS), “Search for emerging jets in  $pp$  collisions at  $\sqrt{s} = 13.6$  TeV with the ATLAS experiment”, (2025).
- [56] G. Aad (ATLAS), “Search for events with one displaced vertex from long-lived neutral particles decaying into hadronic jets in the ATLAS muon spectrometer in  $pp$  collisions at  $\sqrt{s} = 13$  TeV”, (2025).
- [57] G. Aad (ATLAS), “Search for heavy neutral leptons in decays of W bosons using leptonic and semi-leptonic displaced vertices in  $\sqrt{s} = 13$  TeV  $pp$  collisions with the ATLAS detector”, (2025).
- [58] G. Aad (ATLAS), “Search for Higgs boson decays into a pair of pseudoscalar particles in the  $\gamma\gamma\tau_{had}\tau_{had}$  final state using pp collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, JHEP **03**, 190 (2025).
- [59] G. Aad (ATLAS), “Search for Higgs boson exotic decays into Lorentz-boosted light bosons in the four- $\tau$  final state at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, (2025).
- [60] G. Aad (ATLAS), “Search for light neutral particles decaying promptly into collimated pairs of electrons or muons in pp collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, Eur. Phys. J. C **85**, 335 (2025).
- [61] G. Aad (ATLAS), “Search for long-lived charged particles using large specific ionisation loss and time of flight in 140  $fb^{-1}$  of  $pp$  collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, (2025).
- [62] G. Aad (ATLAS), “Search for Magnetic Monopole Pair Production in Ultraperipheral Pb+Pb Collisions at  $s_{NN}=5.36$  TeV with the ATLAS Detector at the LHC”, Phys. Rev. Lett. **134**, 061803 (2025).
- [63] G. Aad (ATLAS), “Search for new physics in final states with semi-visible jets or anomalous signatures using the ATLAS detector”, (2025).
- [64] G. Aad (ATLAS), “Search for same-charge top-quark pair production in pp collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, JHEP **02**, 084 (2025).
- [65] G. Aad (ATLAS), “Search for single production of vector-like quarks decaying into  $W(\ell)b$  in  $pp$  collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, (2025).
- [66] G. Aad (ATLAS), “Search for single-production of vector-like quarks decaying into  $Wb$  in the fully hadronic final state in pp collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, JHEP **02**, 075 (2025).
- [67] G. Aad (ATLAS), “Search for supersymmetry in final states with missing transverse momentum and charm-tagged jets using 139  $fb^{-1}$  of proton-proton collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, JHEP **02**, 193 (2025).
- [68] G. Aad (ATLAS), “Search for the associated production of charm quarks and a Higgs boson decaying into a photon pair with the ATLAS detector”, JHEP **02**, 045 (2025).
- [69] G. Aad (ATLAS), “Search for the jet-induced diffusion wake in the quark-gluon plasma via measurements of jet-track correlations in photon-jet events in Pb+Pb collisions at  $s_{NN}=5.02$  TeV with the ATLAS detector”, Phys. Rev. C **111**, 044909 (2025).
- [70] G. Aad (ATLAS), “Search for triple Higgs boson production in the  $6b$  final state using pp collisions at  $s=13$  TeV with the ATLAS detector”, Phys. Rev. D **111**, 032006 (2025).
- [71] G. Aad (ATLAS), “Search for vector-like leptons coupling to first- and second-generation Standard Model leptons in pp collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, JHEP **05**, 075 (2025).
- [72] G. Aad (ATLAS), “Searches for direct slepton production in the compressed-mass corridor in  $\sqrt{s} = 13$  TeV  $pp$  collisions with the ATLAS detector”, (2025).

- [73] G. Aad (ATLAS), “Software and computing for Run 3 of the ATLAS experiment at the LHC”, *Eur. Phys. J. C* **85**, 234 (2025).
- [74] G. Aad (ATLAS), “Test of lepton flavour universality in W-boson decays into electrons and  $\tau$ -leptons using pp collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, *JHEP* **05**, 038 (2025).
- [75] G. Aad (ATLAS), “The environmental impact, carbon emissions and sustainability of computing in the ATLAS experiment”, (2025).
- [76] G. Aad (ATLAS), “The performance of missing transverse momentum reconstruction and its significance with the ATLAS detector using  $140 \text{ fb}^{-1}$  of  $\sqrt{s} = 13$  TeV pp collisions”, *Eur. Phys. J. C* **85**, 606 (2025).
- [77] G. Aad (ATLAS), “The quest to discover supersymmetry at the ATLAS experiment”, *Phys. Rept.* **1116**, 261–300 (2025).
- [78] G. Aad (ATLAS), “Total Cost of Ownership and Evaluation of Google Cloud Resources for the ATLAS Experiment at the LHC”, *Comput. Softw. Big Sci.* **9**, 2 (2025).
- [79] G. Aad (ATLAS), “Transforming jet flavour tagging at ATLAS”, (2025).
- [80] G. Aad (ATLAS), “Weakly supervised anomaly detection for resonant new physics in the dijet final state using proton-proton collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, (2025).
- [81] A. Badea, “Intelligent pixel detectors: towards a radiation hard ASIC with on-chip machine learning in 28nm CMOS”, *PoS ICHEP2024*, 1074 (2025).
- [82] J. Butterworth (LHC Reinterpretation Forum), “Reinterpretation and preservation of data and analyses in HEP”, (2025).
- [83] E. G. Campolongo, “Building Machine Learning Challenges for Anomaly Detection in Science”, (2025).
- [84] A. Khot, X. Wang, A. Roy, V. Kindratenko, **M. S. Neubauer**, “Evidential Deep Learning for Uncertainty Quantification and Out-of-Distribution Detection in Jet Identification using Deep Neural Networks”, (2025).
- [85] G. Aad (ATLAS), “A precise measurement of the jet energy scale derived from single-particle measurements and in situ techniques in proton-proton collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, (2024).
- [86] G. Aad (ATLAS), “A precise measurement of the Z-boson double-differential transverse momentum and rapidity distributions in the full phase space of the decay leptons with the ATLAS experiment at  $\sqrt{s} = 8$  TeV”, *Eur. Phys. J. C* **84**, 315 (2024).
- [87] G. Aad (ATLAS), “A search for R-parity-violating supersymmetry in final states containing many jets in pp collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, *JHEP* **05**, 003 (2024).
- [88] G. Aad (ATLAS), “A search for top-squark pair production, in final states containing a top quark, a charm quark and missing transverse momentum, using the  $139 \text{ fb}^{-1}$  of pp collision data collected by the ATLAS detector”, *JHEP* **07**, 250 (2024).
- [89] G. Aad (ATLAS), “Accuracy versus precision in boosted top tagging with the ATLAS detector”, *JINST* **19**, P08018 (2024).
- [90] G. Aad (ATLAS), “ATLAS Run 2 searches for electroweak production of supersymmetric particles interpreted within the pMSSM”, *JHEP* **05**, 106 (2024).
- [91] G. Aad (ATLAS), “Azimuthal Angle Correlations of Muons Produced via Heavy-Flavor Decays in 5.02 TeV Pb+Pb and pp Collisions with the ATLAS Detector”, *Phys. Rev. Lett.* **132**, 202301 (2024).
- [92] G. Aad (ATLAS), “Azimuthal anisotropies of charged particles with high transverse momentum in Pb+Pb collisions at  $\sqrt{s_{\text{NN}}} = 5.02$  TeV with the ATLAS detector”, (2024).
- [93] G. Aad (ATLAS), “Beam-induced backgrounds measured in the ATLAS detector during local gas injection into the LHC beam vacuum”, *JINST* **19**, P06014 (2024).
- [94] G. Aad (ATLAS), “Calibration of a soft secondary vertex tagger using proton-proton collisions at  $s=13$  TeV with the ATLAS detector”, *Phys. Rev. D* **110**, 032015 (2024).
- [95] G. Aad (ATLAS), “Combination and summary of ATLAS dark matter searches interpreted in a 2HDM with a pseudo-scalar mediator using  $139 \text{ fb}^{-1}$  of  $s=13$  TeV pp collision data”, *Sci. Bull.* **69**, 3005–3035 (2024).
- [96] G. Aad (ATLAS), “Combination of searches for heavy spin-1 resonances using  $139 \text{ fb}^{-1}$  of proton-proton collision data at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, *JHEP* **04**, 118 (2024).
- [97] G. Aad (ATLAS), “Combination of searches for Higgs boson decays into a photon and a massless dark photon using pp collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, *JHEP* **08**, 153 (2024).
- [98] G. Aad (ATLAS), “Combination of Searches for Higgs Boson Pair Production in pp Collisions at  $s=13$  TeV with the ATLAS Detector”, *Phys. Rev. Lett.* **133**, 101801 (2024).

- [99] G. Aad (ATLAS), “Combination of searches for pair-produced leptoquarks at  $\sqrt{s}=13$  TeV with the ATLAS detector”, Phys. Lett. B **854**, 138736 (2024).
- [100] G. Aad (ATLAS), “Combination of Searches for Resonant Higgs Boson Pair Production Using pp Collisions at  $\sqrt{s}=13$  TeV with the ATLAS Detector”, Phys. Rev. Lett. **132**, 231801 (2024).
- [101] G. Aad (ATLAS), “Constraints on simplified dark matter models involving an s-channel mediator with the ATLAS detector in pp collisions at  $\sqrt{s} = 13$  TeV”, Eur. Phys. J. C **84**, 1102 (2024).
- [102] G. Aad (ATLAS), “Cross-section measurements for the production of a  $W$ -boson in association with high-transverse-momentum jets in  $pp$  collisions at  $\sqrt{s}=13$  TeV with the ATLAS detector”, (2024).
- [103] G. Aad (ATLAS), “Deep Generative Models for Fast Photon Shower Simulation in ATLAS”, Comput. Softw. Big Sci. **8**, 7 (2024).
- [104] G. Aad (ATLAS), “Determination of the Relative Sign of the Higgs Boson Couplings to  $W$  and  $Z$  Bosons Using  $WH$  Production via Vector-Boson Fusion with the ATLAS Detector”, Phys. Rev. Lett. **133**, 141801 (2024).
- [105] G. Aad (ATLAS), “Differential cross-section measurements of  $D^\pm$  and  $D_s^\pm$  meson production in proton-proton collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, (2024).
- [106] G. Aad (ATLAS), “Differential cross-section measurements of the production of four charged leptons in association with two jets using the ATLAS detector”, JHEP **01**, 004 (2024).
- [107] G. Aad (ATLAS), “Differential cross-sections for events with missing transverse momentum and jets measured with the ATLAS detector in 13 TeV proton-proton collisions”, JHEP **08**, 223 (2024).
- [108] G. Aad (ATLAS), “Disentangling Sources of Momentum Fluctuations in Xe+Xe and Pb+Pb Collisions with the ATLAS Detector”, Phys. Rev. Lett. **133**, 252301 (2024).
- [109] G. Aad (ATLAS), “Electron and photon efficiencies in LHC Run 2 with the ATLAS experiment”, JHEP **05**, 162 (2024).
- [110] G. Aad (ATLAS), “Electron and photon energy calibration with the ATLAS detector using LHC Run 2 data”, JINST **19**, P02009 (2024).
- [111] G. Aad (ATLAS), “Energy scale and resolution for anti- $k_t$  jets with radius parameters  $R = 0.2$  and  $0.6$  measured in proton-proton collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, (2024).
- [112] G. Aad (ATLAS, CMS), “Evidence for the Higgs Boson Decay to a  $Z$  Boson and a Photon at the LHC”, Phys. Rev. Lett. **132**, 021803 (2024).
- [113] G. Aad (ATLAS), “Fiducial and differential cross-section measurements of electroweak  $W\gamma jj$  production in pp collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, Eur. Phys. J. C **84**, 1064 (2024).
- [114] G. Aad (ATLAS), “Improved reconstruction of highly boosted  $\tau$ -lepton pairs in the  $\tau\tau \rightarrow (\mu\nu_\mu\nu_\tau)(hadrons + \nu_\tau)$  decay channels with the ATLAS detector”, (2024).
- [115] G. Aad (ATLAS), “Improving topological cluster reconstruction using calorimeter cell timing in ATLAS”, Eur. Phys. J. C **84**, 455 (2024).
- [116] G. Aad (ATLAS), “Inclusive and differential cross-section measurements of  $t\bar{t}Z$  production in pp collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector, including EFT and spin-correlation interpretations”, JHEP **07**, 163 (2024).
- [117] G. Aad (ATLAS), “Interpretations of the ATLAS measurements of Higgs boson production and decay rates and differential cross-sections in pp collisions at  $\sqrt{s} = 13$  TeV”, JHEP **11**, 097 (2024).
- [118] G. Aad (ATLAS), “Jet radius dependence of dijet momentum balance and suppression in Pb+Pb collisions at 5.02 TeV with the ATLAS detector”, Phys. Rev. C **110**, 054912 (2024).
- [119] G. Aad (ATLAS), “Measurement and interpretation of same-sign  $W$  boson pair production in association with two jets in pp collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, JHEP **04**, 026 (2024).
- [120] G. Aad (ATLAS), “Measurement of differential cross-sections in  $t\bar{t}$  and  $t\bar{t}$ +jets production in the lepton+jets final state in pp collisions at  $\sqrt{s} = 13$  TeV using 140 fb<sup>1</sup> of ATLAS data”, JHEP **08**, 182 (2024).
- [121] G. Aad (ATLAS), “Measurement of jet substructure in boosted  $t\bar{t}^-$  events with the ATLAS detector using 140 fb-1 of 13 TeV pp collisions”, Phys. Rev. D **109**, 112016 (2024).
- [122] G. Aad (ATLAS), “Measurement of single top-quark production in association with a  $W$  boson in pp collisions at  $\sqrt{s}=13$  TeV with the ATLAS detector”, Phys. Rev. D **110**, 072010 (2024).
- [123] G. Aad (ATLAS), “Measurement of t-channel production of single top quarks and antiquarks in pp collisions at 13 TeV using the full ATLAS Run 2 data sample”, JHEP **05**, [Erratum: JHEP 06, 024 (2024)], 305 (2024).

- [124] G. Aad (ATLAS), “Measurement of t-channel single-top-quark production in pp collisions at  $\sqrt{s}=5.02$  TeV with the ATLAS detector”, Phys. Lett. B **854**, 138726 (2024).
- [125] G. Aad (ATLAS), “Measurement of the  $H \rightarrow \gamma\gamma$  and  $H \rightarrow ZZ^* \rightarrow 4\ell$  cross-sections in pp collisions at  $\sqrt{s} = 13.6$  TeV with the ATLAS detector”, Eur. Phys. J. C **84**, 78 (2024).
- [126] G. Aad (ATLAS), “Measurement of the Centrality Dependence of the Dijet Yield in p+Pb Collisions at  $\sqrt{s_{NN}}=8.16$  TeV with the ATLAS Detector”, Phys. Rev. Lett. **132**, 102301 (2024).
- [127] G. Aad (ATLAS), “Measurement of the production cross-section of  $J/\psi$  and  $\psi(2S)$  mesons in pp collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, Eur. Phys. J. C **84**, 169 (2024).
- [128] G. Aad (ATLAS), “Measurement of the total and differential cross-sections of  $t\bar{t}W$  production in pp collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, JHEP **05**, 131 (2024).
- [129] G. Aad (ATLAS), “Measurement of the  $t\bar{t}$  cross section and its ratio to the Z production cross section using pp collisions at  $\sqrt{s}=13.6$  TeV with the ATLAS detector”, Phys. Lett. B **848**, 138376 (2024).
- [130] G. Aad (ATLAS), “Measurement of the  $VH, H \rightarrow \tau\tau$  process with the ATLAS detector at 13 TeV”, Phys. Lett. B **855**, 138817 (2024).
- [131] G. Aad (ATLAS), “Measurement of the W-boson mass and width with the ATLAS detector using proton–proton collisions at  $\sqrt{s} = 7$  TeV”, Eur. Phys. J. C **84**, 1309 (2024).
- [132] G. Aad (ATLAS), “Measurement of the Z boson invisible width at  $\sqrt{s}=13$  TeV with the ATLAS detector”, Phys. Lett. B **854**, 138705 (2024).
- [133] G. Aad (ATLAS), “Measurement of vector boson production cross sections and their ratios using pp collisions at  $\sqrt{s}=13.6$  TeV with the ATLAS detector”, Phys. Lett. B **854**, 138725 (2024).
- [134] G. Aad (ATLAS), “Measurement of ZZ production cross-sections in the four-lepton final state in pp collisions at  $\sqrt{s}=13.6$  TeV with the ATLAS experiment”, Phys. Lett. B **855**, 138764 (2024).
- [135] G. Aad (ATLAS), “Measurements of  $WH$  and  $ZH$  production with Higgs boson decays into bottom quarks and direct constraints on the charm Yukawa coupling in 13 TeV pp collisions with the ATLAS detector”, (2024).
- [136] G. Aad (ATLAS), “Measurements of electroweak WZ boson pair production in association with two jets in pp collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, JHEP **06**, 192 (2024).
- [137] G. Aad (ATLAS), “Measurements of inclusive and differential cross-sections of  $t\bar{t}\gamma$  production in pp collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, JHEP **10**, 191 (2024).
- [138] G. Aad (ATLAS), “Measurements of jet cross-section ratios in 13 TeV proton-proton collisions with ATLAS”, Phys. Rev. D **110**, 072019 (2024).
- [139] G. Aad (ATLAS), “Measurements of Lund subjet multiplicities in 13 TeV proton-proton collisions with the ATLAS detector”, Phys. Lett. B **859**, 139090 (2024).
- [140] G. Aad (ATLAS), “Measurements of the production cross-section for a Z boson in association with b- or c-jets in proton–proton collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, Eur. Phys. J. C **84**, 984 (2024).
- [141] G. Aad (ATLAS), “Observation of  $t\bar{t}$  production in the lepton+jets and dilepton channels in p+Pb collisions at  $\sqrt{s_{NN}} = 8.16$  TeV with the ATLAS detector”, JHEP **11**, 101 (2024).
- [142] G. Aad (ATLAS), “Observation of  $VVZ$  production at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, (2024).
- [143] G. Aad (ATLAS), “Observation of  $W\gamma\gamma$  triboson production in proton-proton collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, Phys. Lett. B **848**, 138400 (2024).
- [144] G. Aad (ATLAS), “Observation of electroweak production of  $W^+W$  in association with jets in proton-proton collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, JHEP **07**, 254 (2024).
- [145] G. Aad (ATLAS), “Observation of quantum entanglement with top quarks at the ATLAS detector”, Nature **633**, 542–547 (2024).
- [146] G. Aad (ATLAS), “Observation of  $WZ\gamma$  Production in pp Collisions at  $\sqrt{s}=13$  TeV with the ATLAS Detector”, Phys. Rev. Lett. **132**, 021802 (2024).
- [147] G. Aad (ATLAS), “Operation and performance of the ATLAS tile calorimeter in LHC Run 2”, Eur. Phys. J. C **84**, 1313 (2024).
- [148] G. Aad (ATLAS), “Performance and calibration of quark/gluon-jet taggers using 140 fb<sup>1</sup> of pp collisions at TeV with the ATLAS detector\*”, Chin. Phys. C **48**, 023001 (2024).
- [149] G. Aad (ATLAS), “Performance of the ATLAS forward proton Time-of-Flight detector in Run 2”, JINST **19**, P05054 (2024).
- [150] G. Aad (ATLAS), “Precise measurements of W- and Z-boson transverse momentum spectra with the ATLAS detector using pp collisions at  $\sqrt{s} = 5.02$  TeV and 13 TeV”, Eur. Phys. J. C **84**, 1126 (2024).

- [151] G. Aad (ATLAS), “Precise test of lepton flavour universality in  $W$ -boson decays into muons and electrons in  $pp$  collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, *Eur. Phys. J. C* **84**, 993 (2024).
- [152] G. Aad (ATLAS), “Precision calibration of calorimeter signals in the ATLAS experiment using an uncertainty-aware neural network”, (2024).
- [153] G. Aad (ATLAS), “Precision measurement of the  $B^0$  meson lifetime using  $B^0 \rightarrow J/\psi K^{*0}$  decays with the ATLAS detector”, (2024).
- [154] G. Aad (ATLAS), “Probing the CP nature of the top–Higgs Yukawa coupling in  $t\bar{t}H$  and  $tH$  events with  $H \rightarrow b\bar{b}$  decays using the ATLAS detector at the LHC”, *Phys. Lett. B* **849**, 138469 (2024).
- [155] G. Aad (ATLAS), “Search for a CP-odd Higgs boson decaying into a heavy CP-even Higgs boson and a  $Z$  boson in the  $\ell^+\ell^-\bar{t}t$  and  $\nu\bar{\nu}b\bar{b}$  final states using 140 fb<sup>1</sup> of data collected with the ATLAS detector”, *JHEP* **02**, 197 (2024).
- [156] G. Aad (ATLAS), “Search for a light CP-odd Higgs boson decaying into a pair of  $\tau$ -leptons in proton-proton collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, *JHEP* **12**, 126 (2024).
- [157] G. Aad (ATLAS), “Search for a new  $Z'$  gauge boson via the  $pp \rightarrow W^\pm(*) \rightarrow Z' \mu^\pm \nu \rightarrow \mu^\pm \mu^\mp \mu^\pm \nu$  process in  $pp$  collisions at  $s=13$  TeV with the ATLAS detector”, *Phys. Rev. D* **110**, 072008 (2024).
- [158] G. Aad (ATLAS), “Search for a resonance decaying into a scalar particle and a Higgs boson in final states with leptons and two photons in proton-proton collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, *JHEP* **10**, 104 (2024).
- [159] G. Aad (ATLAS), “Search for a resonance decaying into a scalar particle and a Higgs boson in the final state with two bottom quarks and two photons in proton–proton collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, *JHEP* **11**, 047 (2024).
- [160] G. Aad (ATLAS), “Search for charged-lepton-flavor violating  $\mu\tau$ qt interactions in top-quark production and decay in  $pp$  collisions at  $s=13$  TeV with the ATLAS detector at the LHC”, *Phys. Rev. D* **110**, 012014 (2024).
- [161] G. Aad (ATLAS), “Search for dark mesons decaying to top and bottom quarks in proton-proton collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, *JHEP* **09**, 005 (2024).
- [162] G. Aad (ATLAS), “Search for decays of the Higgs boson into a pair of pseudoscalar particles decaying into  $b\bar{b}\tau^+\tau^-$  using  $pp$  collisions at  $s=13$  TeV with the ATLAS detector”, *Phys. Rev. D* **110**, 052013 (2024).
- [163] G. Aad (ATLAS), “Search for displaced leptons in  $\sqrt{s} = 13$  TeV and 13.6 TeV  $pp$  collisions with the ATLAS detector”, (2024).
- [164] G. Aad (ATLAS), “Search for electroweak production of supersymmetric particles in final states with two  $\tau$ -leptons in  $\sqrt{s} = 13$  TeV  $pp$  collisions with the ATLAS detector”, *JHEP* **05**, 150 (2024).
- [165] G. Aad (ATLAS), “Search for flavour-changing neutral-current couplings between the top quark and the Higgs boson in multi-lepton final states in 13 TeV  $pp$  collisions with the ATLAS detector”, *Eur. Phys. J. C* **84**, 757 (2024).
- [166] G. Aad (ATLAS), “Search for heavy Majorana neutrinos in  $e^\pm e^\pm$  and  $e^\pm \mu^\pm$  final states via  $WW$  scattering in  $pp$  collisions at  $s=13$  TeV with the ATLAS detector”, *Phys. Lett. B* **856**, 138865 (2024).
- [167] G. Aad (ATLAS), “Search for heavy neutral Higgs bosons decaying into a top quark pair in 140 fb<sup>1</sup> of proton-proton collision data at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, *JHEP* **08**, 013 (2024).
- [168] G. Aad (ATLAS), “Search for heavy resonances in final states with four leptons and missing transverse momentum or jets in  $pp$  collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, *JHEP* **10**, 130 (2024).
- [169] G. Aad (ATLAS), “Search for heavy right-handed Majorana neutrinos in the decay of top quarks produced in proton-proton collisions at  $s=13$  TeV with the ATLAS detector”, *Phys. Rev. D* **110**, 112004 (2024).
- [170] G. Aad (ATLAS), “Search for Higgs boson decays into a  $Z$  boson and a light hadronically decaying resonance in 140 fb<sup>−1</sup> of 13 TeV  $pp$  collisions with the ATLAS detector”, (2024).
- [171] G. Aad (ATLAS), “Search for high-mass resonances in final states with a  $\tau$ -lepton and missing transverse momentum with the ATLAS detector”, *Phys. Rev. D* **109**, 112008 (2024).
- [172] G. Aad (ATLAS), “Search for leptoquark pair production decaying into  $t\bar{e}^-\bar{e}^+$  or  $t\mu^-\bar{\mu}^+$  in multi-lepton final states in  $pp$  collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, *Eur. Phys. J. C* **84**, 818 (2024).
- [173] G. Aad (ATLAS), “Search for light long-lived neutral particles from Higgs boson decays via vector-boson-fusion production from  $pp$  collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, *Eur. Phys. J. C* **84**, 719 (2024).

- [174] G. Aad (ATLAS), “Search for Light Long-Lived Particles in pp Collisions at  $\sqrt{s}=13$  TeV Using Displaced Vertices in the ATLAS Inner Detector”, Phys. Rev. Lett. **133**, 161803 (2024).
- [175] G. Aad (ATLAS), “Search for low-mass resonances decaying into two jets and produced in association with a photon or a jet at  $\sqrt{s}=13$  TeV with the ATLAS detector”, Phys. Rev. D **110**, 032002 (2024).
- [176] G. Aad (ATLAS), “Search for Nearly Mass-Degenerate Higgsinos Using Low-Momentum Mildly Displaced Tracks in pp Collisions at  $\sqrt{s}=13$  TeV with the ATLAS Detector”, Phys. Rev. Lett. **132**, 221801 (2024).
- [177] G. Aad (ATLAS), “Search for neutral long-lived particles that decay into displaced jets in the ATLAS calorimeter in association with leptons or jets using pp collisions at  $\sqrt{s} = 13$  TeV”, JHEP **11**, 036 (2024).
- [178] G. Aad (ATLAS), “Search for new particles in events with a hadronically decaying W or Z boson and large missing transverse momentum at  $\sqrt{s} = 13$  TeV using the ATLAS detector”, JHEP **11**, 126 (2024).
- [179] G. Aad (ATLAS), “Search for new particles in final states with a boosted top quark and missing transverse momentum in proton-proton collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, JHEP **05**, 263 (2024).
- [180] G. Aad (ATLAS), “Search for New Phenomena in Two-Body Invariant Mass Distributions Using Unsupervised Machine Learning for Anomaly Detection at  $\sqrt{s}=13$  TeV with the ATLAS Detector”, Phys. Rev. Lett. **132**, 081801 (2024).
- [181] G. Aad (ATLAS), “Search for new phenomena with top-quark pairs and large missing transverse momentum using 140 fb<sup>1</sup> of pp collision data at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, JHEP **03**, 139 (2024).
- [182] G. Aad (ATLAS), “Search for non-resonant Higgs boson pair production in final states with leptons, taus, and photons in pp collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, JHEP **08**, 164 (2024).
- [183] G. Aad (ATLAS), “Search for non-resonant Higgs boson pair production in the  $2b + 2\ell + E_T^{\text{miss}}$  final state in pp collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, JHEP **02**, 037 (2024).
- [184] G. Aad (ATLAS), “Search for non-resonant production of semi-visible jets using Run 2 data in ATLAS”, Phys. Lett. B **848**, 138324 (2024).
- [185] G. Aad (ATLAS), “Search for pair production of boosted Higgs bosons via vector-boson fusion in the  $b\bar{b}b\bar{b}$  final state using pp collisions at  $\sqrt{s}=13$  TeV with the ATLAS detector”, Phys. Lett. B **858**, 139007 (2024).
- [186] G. Aad (ATLAS), “Search for pair production of higgsinos in events with two Higgs bosons and missing transverse momentum in  $\sqrt{s}=13$  TeV pp collisions at the ATLAS experiment”, Phys. Rev. D **109**, 112011 (2024).
- [187] G. Aad (ATLAS), “Search for pair production of squarks or gluinos decaying via sleptons or weak bosons in final states with two same-sign or three leptons with the ATLAS detector”, JHEP **02**, 107 (2024).
- [188] G. Aad (ATLAS), “Search for pair-produced higgsinos decaying via Higgs or Z bosons to final states containing a pair of photons and a pair of b-jets with the ATLAS detector”, Phys. Lett. B **856**, 138938 (2024).
- [189] G. Aad (ATLAS), “Search for pair-produced vectorlike quarks coupling to light quarks in the lepton plus jets final state using 13 TeV pp collisions with the ATLAS detector”, Phys. Rev. D **110**, 052009 (2024).
- [190] G. Aad (ATLAS), “Search for pair-production of vector-like quarks in lepton+jets final states containing at least one b-tagged jet using the Run 2 data from the ATLAS experiment”, Phys. Lett. B **854**, 138743 (2024).
- [191] G. Aad (ATLAS), “Search for quantum black hole production in lepton+jet final states using proton-proton collisions at  $\sqrt{s}=13$  TeV with the ATLAS detector”, Phys. Rev. D **109**, 032010 (2024).
- [192] G. Aad (ATLAS), “Search for R-parity violating supersymmetric decays of the top squark to a b-jet and a lepton in  $\sqrt{s}=13$  TeV pp collisions with the ATLAS detector”, Phys. Rev. D **110**, 092004 (2024).
- [193] G. Aad (ATLAS), “Search for resonant production of dark quarks in the dijet final state with the ATLAS detector”, JHEP **02**, 128 (2024).
- [194] G. Aad (ATLAS), “Search for short- and long-lived axion-like particles in  $H \rightarrow aa \rightarrow 4\gamma$  decays with the ATLAS experiment at the LHC”, Eur. Phys. J. C **84**, 742 (2024).
- [195] G. Aad (ATLAS), “Search for singly produced vectorlike top partners in multilepton final states with 139 fb<sup>-1</sup> of pp collision data at  $\sqrt{s}=13$  TeV with the ATLAS detector”, Phys. Rev. D **109**, 112012 (2024).



- [196] G. Aad (ATLAS), “Search for supersymmetry using vector boson fusion signatures and missing transverse momentum in pp collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, JHEP **12**, 116 (2024).
- [197] G. Aad (ATLAS), “Search for the decay of the Higgs boson to a  $Z$  boson and a light pseudoscalar particle decaying to two photons”, Phys. Lett. B **850**, 138536 (2024).
- [198] G. Aad (ATLAS), “Search for the Exclusive W Boson Hadronic Decays  $W^{\pm} \rightarrow \pi^{\pm} \gamma$ ,  $W^{\pm} \rightarrow K^{\pm} \gamma$  and  $W^{\pm} \rightarrow \rho^{\pm} \gamma$  with the ATLAS Detector”, Phys. Rev. Lett. **133**, 161804 (2024).
- [199] G. Aad (ATLAS), “Search for the nonresonant production of Higgs boson pairs via gluon fusion and vector-boson fusion in the  $b\bar{b} \tau^{+} \tau^{-}$  final state in proton-proton collisions at  $s=13$  TeV with the ATLAS detector”, Phys. Rev. D **110**, 032012 (2024).
- [200] G. Aad (ATLAS), “Search for the  $Z\gamma$  decay mode of new high-mass resonances in pp collisions at  $s=13$  TeV with the ATLAS detector”, Phys. Lett. B **848**, 138394 (2024).
- [201] G. Aad (ATLAS), “Search for top-philic heavy resonances in pp collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, Eur. Phys. J. C **84**, 157 (2024).
- [202] G. Aad (ATLAS), “Searches for exclusive Higgs boson decays into  $D^{*} \gamma$  and  $Z$  boson decays into  $D0 \gamma$  and  $Ks0 \gamma$  in pp collisions at  $s=13$  TeV with the ATLAS detector”, Phys. Lett. B **855**, 138762 (2024).
- [203] G. Aad (ATLAS), “Sensor response and radiation damage effects for 3D pixels in the ATLAS IBL Detector”, JINST **19**, P10008 (2024).
- [204] G. Aad (ATLAS), “Simultaneous energy and mass calibration of large-radius jets with the ATLAS detector using a deep neural network”, Mach. Learn. Sci. Tech. **5**, 035051 (2024).
- [205] G. Aad (ATLAS), “Simultaneous Unbinned Differential Cross-Section Measurement of Twenty-Four  $Z$ +jets Kinematic Observables with the ATLAS Detector”, Phys. Rev. Lett. **133**, 261803 (2024).
- [206] G. Aad (ATLAS), “Software Performance of the ATLAS Track Reconstruction for LHC Run 3”, Comput. Softw. Big Sci. **8**, 9 (2024).
- [207] G. Aad (ATLAS), “Statistical Combination of ATLAS Run 2 Searches for Charginos and Neutralinos at the LHC”, Phys. Rev. Lett. **133**, 031802 (2024).
- [208] G. Aad (ATLAS), “Studies of new Higgs boson interactions through nonresonant  $HH$  production in the  $b\bar{b} \gamma \gamma$  final state in pp collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, JHEP **01**, 066 (2024).
- [209] G. Aad (ATLAS), “Studies of the Energy Dependence of Diboson Polarization Fractions and the Radiation-Amplitude-Zero Effect in  $WZ$  Production with the ATLAS Detector”, Phys. Rev. Lett. **133**, [Erratum: Phys.Rev.Lett. 133, 169901 (2024)], 101802 (2024).
- [210] G. Aad (ATLAS), “Study of  $Z \rightarrow l l \gamma$  decays at  $\sqrt{s} = 8$  TeV with the ATLAS detector”, Eur. Phys. J. C **84**, 195 (2024).
- [211] G. Aad (ATLAS), “Study of High-Transverse-Momentum Higgs Boson Production in Association with a Vector Boson in the  $qqbb$  Final State with the ATLAS Detector”, Phys. Rev. Lett. **132**, 131802 (2024).
- [212] G. Aad (ATLAS), “Test of CP-invariance of the Higgs boson in vector-boson fusion production and in its decay into four leptons”, JHEP **05**, 105 (2024).
- [213] G. Aad (ATLAS), “The ATLAS experiment at the CERN Large Hadron Collider: a description of the detector configuration for Run 3”, JINST **19**, P05063 (2024).
- [214] G. Aad (ATLAS), “The ATLAS trigger system for LHC Run 3 and trigger performance in 2022”, JINST **19**, P06029 (2024).
- [215] G. Aad (ATLAS), “Underlying-event studies with strange hadrons in pp collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, Eur. Phys. J. C **84**, 1335 (2024).
- [216] G. Aad (ATLAS), “Using pile-up collisions as an abundant source of low-energy hadronic physics processes in ATLAS and an extraction of the jet energy resolution”, JHEP **12**, 032 (2024).
- [217] K. M. Black, “Muon Collider Forum report”, JINST **19**, T02015 (2024).
- [218] D. Ciangottini, “Analysis Facilities White Paper”, edited by L. Heinrich (2024).
- [219] M. Feickert, D. S. Katz, **M. S. Neubauer**, E. Sexton-Kennedy, G. A. Stewart, “Software Citation in HEP: Current State and Recommendations for the Future”, EPJ Web Conf. **295**, 08017 (2024).
- [220] A. Hayrapetyan (ATLAS, CMS), “Combination of Measurements of the Top Quark Mass from Data Collected by the ATLAS and CMS Experiments at  $s=7$  and 8 TeV”, Phys. Rev. Lett. **132**, 261902 (2024).
- [221] H. Li, “FAIR AI Models in High Energy Physics”, EPJ Web Conf. **295**, 09017 (2024).
- [222] J. Yoo, “Smart pixel sensors: towards on-sensor filtering of pixel clusters with deep learning”, Mach. Learn. Sci. Tech. **5**, 035047 (2024).

- [223] M. Aaboud (ATLAS), “Measurement of the inclusive  $t\bar{t}$  production cross section in the lepton+jets channel in pp collisions at  $\sqrt{s}=7$  TeV with the ATLAS detector using support vector machines”, Phys. Rev. D **108**, 032014 (2023).
- [224] G. Aad (ATLAS, CMS), “Combination of inclusive top-quark pair production cross-section measurements using ATLAS and CMS data at  $\sqrt{s} = 7$  and 8 TeV”, JHEP **07**, 213 (2023).
- [225] G. Aad (ATLAS), “Evidence for the charge asymmetry in  $pp \rightarrow t\bar{t}$  production at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, JHEP **08**, 077 (2023).
- [226] G. Aad (ATLAS), “Measurements of the suppression and correlations of dijets in Xe+Xe collisions at  $\sqrt{s_{NN}}=5.44$  TeV”, Phys. Rev. C **108**, 024906 (2023).
- [227] G. Aad (ATLAS), “A precise determination of the strong-coupling constant from the recoil of  $Z$  bosons with the ATLAS experiment at  $\sqrt{s} = 8$  TeV”, (2023).
- [228] G. Aad (ATLAS), “A search for heavy Higgs bosons decaying into vector bosons in same-sign two-lepton final states in pp collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, JHEP **07**, 200 (2023).
- [229] G. Aad (ATLAS), “A search for new resonances in multiple final states with a high transverse momentum  $Z$  boson in  $\sqrt{s} = 13$  TeV  $pp$  collisions with the ATLAS detector”, JHEP **06**, 036 (2023).
- [230] G. Aad (ATLAS), “Anomaly detection search for new resonances decaying into a Higgs boson and a generic new particle  $X$  in hadronic final states using  $\sqrt{s} = 13$  TeV  $pp$  collisions with the ATLAS detector”, Phys. Rev. D **108**, 052009 (2023).
- [231] G. Aad (ATLAS), “ATLAS flavour-tagging algorithms for the LHC Run 2 pp collision dataset”, Eur. Phys. J. C **83**, 681 (2023).
- [232] G. Aad (ATLAS), “Calibration of the light-flavour jet mistagging efficiency of the b-tagging algorithms with Z+jets events using  $139 \text{ fb}^{-1}$  of ATLAS proton–proton collision data at  $\sqrt{s} = 13$  TeV”, Eur. Phys. J. C **83**, 728 (2023).
- [233] G. Aad (ATLAS), “Charged-hadron production in  $pp$ ,  $p+\text{Pb}$ ,  $\text{Pb}+\text{Pb}$ , and Xe+Xe collisions at  $\sqrt{s_{NN}} = 5$  TeV with the ATLAS detector at the LHC”, JHEP **07**, 074 (2023).
- [234] G. Aad (ATLAS), “Combination of searches for invisible decays of the Higgs boson using  $139 \text{ fb}^{-1}$  of proton-proton collision data at  $\sqrt{s}=13$  TeV collected with the ATLAS experiment”, Phys. Lett. B **842**, 137963 (2023).
- [235] G. Aad (ATLAS), “Combined Measurement of the Higgs Boson Mass from the  $H \rightarrow \gamma\gamma$  and  $H \rightarrow ZZ^* \rightarrow 4\ell$  Decay Channels with the ATLAS Detector Using  $\sqrt{s}=7, 8$ , and 13 TeV pp Collision Data”, Phys. Rev. Lett. **131**, 251802 (2023).
- [236] G. Aad (ATLAS), “Comparison of inclusive and photon-tagged jet suppression in 5.02 TeV Pb+Pb collisions with ATLAS”, Phys. Lett. B **846**, [Erratum: Phys.Lett.B 858, 138998 (2024)], 138154 (2023).
- [237] G. Aad (ATLAS), “Constraints on spin-0 dark matter mediators and invisible Higgs decays using ATLAS 13 TeV  $pp$  collision data with two top quarks and missing transverse momentum in the final state”, Eur. Phys. J. C **83**, 503 (2023).
- [238] G. Aad (ATLAS), “Constraints on the Higgs boson self-coupling from single- and double-Higgs production with the ATLAS detector using pp collisions at  $\sqrt{s}=13$  TeV”, Phys. Lett. B **843**, 137745 (2023).
- [239] G. Aad (ATLAS), “Correlations between flow and transverse momentum in Xe+Xe and Pb+Pb collisions at the LHC with the ATLAS detector: A probe of the heavy-ion initial state and nuclear deformation”, Phys. Rev. C **107**, 054910 (2023).
- [240] G. Aad (ATLAS), “Cross-section measurements for the production of a  $Z$  boson in association with high-transverse-momentum jets in pp collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, JHEP **06**, 080 (2023).
- [241] G. Aad (ATLAS), “Determination of the strong coupling constant from transverse energy–energy correlations in multijet events at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, JHEP **07**, 085 (2023).
- [242] G. Aad (ATLAS), “Differential  $t\bar{t}$  cross-section measurements using boosted top quarks in the all-hadronic final state with  $139 \text{ fb}^{-1}$  of ATLAS data”, JHEP **04**, 080 (2023).
- [243] G. Aad (ATLAS), “Evidence of off-shell Higgs boson production from  $ZZ$  leptonic decay channels and constraints on its total width with the ATLAS detector”, Phys. Lett. B **846**, 138223 (2023).
- [244] G. Aad (ATLAS), “Evidence of pair production of longitudinally polarised vector bosons and study of CP properties in  $ZZ \rightarrow 4\ell$  events with the ATLAS detector at  $\sqrt{s} = 13$  TeV”, JHEP **12**, 107 (2023).
- [245] G. Aad (ATLAS), “Exclusive dielectron production in ultraperipheral Pb+Pb collisions at  $\sqrt{s_{NN}} = 5.02$  TeV with ATLAS”, JHEP **2306**, 182 (2023).

- [246] G. Aad (ATLAS), “Fast b-tagging at the high-level trigger of the ATLAS experiment in LHC Run 3”, JINST **18**, P11006 (2023).
- [247] G. Aad (ATLAS), “Inclusive and differential cross-sections for dilepton  $t\bar{t}$  production measured in  $\sqrt{s} = 13$  TeV pp collisions with the ATLAS detector”, JHEP **07**, 141 (2023).
- [248] G. Aad (ATLAS), “Inclusive-photon production and its dependence on photon isolation in  $pp$  collisions at  $\sqrt{s} = 13$  TeV using  $139 \text{ fb}^{-1}$  of ATLAS data”, JHEP **07**, 086 (2023).
- [249] G. Aad (ATLAS), “Integrated and differential fiducial cross-section measurements for the vector boson fusion production of the Higgs boson in the  $H \rightarrow WW^* \rightarrow e\nu\mu\nu$  decay channel at 13 TeV with the ATLAS detector”, Phys. Rev. D **108**, 072003 (2023).
- [250] G. Aad (ATLAS), “Luminosity determination in  $pp$  collisions at  $\sqrt{s} = 13$  TeV using the ATLAS detector at the LHC”, Eur. Phys. J. C **83**, 982 (2023).
- [251] G. Aad (ATLAS), “Measurement of  $Z\gamma\gamma$  production in pp collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, Eur. Phys. J. C **83**, 539 (2023).
- [252] G. Aad (ATLAS), “Measurement of cross-sections for production of a  $Z$  boson in association with a flavor-inclusive or doubly  $b$ -tagged large-radius jet in proton-proton collisions at  $\sqrt{s} = 13$  TeV with the ATLAS experiment”, Phys. Rev. D **108**, 012022 (2023).
- [253] G. Aad (ATLAS), “Measurement of electroweak  $Z(\nu\bar{\nu})\gamma jj$  production and limits on anomalous quartic gauge couplings in pp collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, JHEP **06**, 082 (2023).
- [254] G. Aad (ATLAS), “Measurement of exclusive pion pair production in proton–proton collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector”, Eur. Phys. J. C **83**, 627 (2023).
- [255] G. Aad (ATLAS), “Measurement of muon pairs produced via  $\gamma\gamma$  scattering in nonultraperipheral Pb+Pb collisions at sNN=5.02 TeV with the ATLAS detector”, Phys. Rev. C **107**, 054907 (2023).
- [256] G. Aad (ATLAS), “Measurement of single top-quark production in the s-channel in proton–proton collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, JHEP **06**, 191 (2023).
- [257] G. Aad (ATLAS), “Measurement of substructure-dependent jet suppression in Pb+Pb collisions at 5.02 TeV with the ATLAS detector”, Phys. Rev. C **107**, 054909 (2023).
- [258] G. Aad (ATLAS), “Measurement of Suppression of Large-Radius Jets and Its Dependence on Substructure in Pb+Pb Collisions at sNN=5.02 TeV with the ATLAS Detector”, Phys. Rev. Lett. **131**, 172301 (2023).
- [259] G. Aad (ATLAS), “Measurement of the  $B_s^0 \rightarrow \mu\mu$  effective lifetime with the ATLAS detector”, JHEP **09**, 199 (2023).
- [260] G. Aad (ATLAS), “Measurement of the  $t\bar{t}$  production cross-section in pp collisions at  $\sqrt{s} = 5.02$  TeV with the ATLAS detector”, JHEP **06**, 138 (2023).
- [261] G. Aad (ATLAS), “Measurement of the charge asymmetry in top-quark pair production in association with a photon with the ATLAS experiment”, Phys. Lett. B **843**, 137848 (2023).
- [262] G. Aad (ATLAS), “Measurement of the CP properties of Higgs boson interactions with  $\tau$ -leptons with the ATLAS detector”, Eur. Phys. J. C **83**, 563 (2023).
- [263] G. Aad (ATLAS), “Measurement of the cross-sections of the electroweak and total production of a  $Z\gamma$  pair in association with two jets in  $pp$  collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, Phys. Lett. B **846**, 138222 (2023).
- [264] G. Aad (ATLAS), “Measurement of the Higgs boson mass in the  $H \rightarrow ZZ^* \rightarrow 4\ell$  decay channel using  $139 \text{ fb}^{-1}$  of  $\sqrt{s} = 13$  TeV  $pp$  collisions recorded by the ATLAS detector at the LHC”, Phys. Lett. B **843**, 137880 (2023).
- [265] G. Aad (ATLAS), “Measurement of the Higgs boson mass with  $H \rightarrow \gamma\gamma$  decays in  $140 \text{ fb}^{-1}$  of  $s=13$  TeV pp collisions with the ATLAS detector”, Phys. Lett. B **847**, 138315 (2023).
- [266] G. Aad (ATLAS), “Measurement of the nuclear modification factor of  $b$ -jets in 5.02 TeV Pb+Pb collisions with the ATLAS detector”, Eur. Phys. J. C **83**, 438 (2023).
- [267] G. Aad (ATLAS), “Measurement of the polarisation of W bosons produced in top-quark decays using dilepton events at  $s=13$  TeV with the ATLAS experiment”, Phys. Lett. B **843**, 137829 (2023).
- [268] G. Aad (ATLAS), “Measurement of the production of a  $W$  boson in association with a charmed hadron in  $pp$  collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, Phys. Rev. D **108**, 032012 (2023).
- [269] G. Aad (ATLAS), “Measurement of the properties of Higgs boson production at  $\sqrt{s} = 13$  TeV in the  $H \rightarrow \gamma\gamma$  channel using  $139 \text{ fb}^{-1}$  of  $pp$  collision data with the ATLAS experiment”, JHEP **07**, 088 (2023).
- [270] G. Aad (ATLAS), “Measurement of the Sensitivity of Two-Particle Correlations in pp Collisions to the Presence of Hard Scatterings”, Phys. Rev. Lett. **131**, 162301 (2023).

- [271] G. Aad (ATLAS), “Measurement of the top-quark mass using a leptonic invariant mass in pp collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, JHEP **06**, 019 (2023).
- [272] G. Aad (ATLAS), “Measurement of the total and differential Higgs boson production cross-sections at  $\sqrt{s} = 13$  TeV with the ATLAS detector by combining the  $H \rightarrow ZZ^* \rightarrow 4\ell$  and  $H \rightarrow \gamma\gamma$  decay channels”, JHEP **05**, 028 (2023).
- [273] G. Aad (ATLAS), “Measurement of the total cross section and  $\rho$ -parameter from elastic scattering in pp collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, Eur. Phys. J. C **83**, 441 (2023).
- [274] G. Aad (ATLAS), “Measurements of  $W^+W^-$  production in decay topologies inspired by searches for electroweak supersymmetry”, Eur. Phys. J. C **83**, 718 (2023).
- [275] G. Aad (ATLAS), “Measurements of  $Z\gamma$ +jets differential cross sections in  $pp$  collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, JHEP **07**, 072 (2023).
- [276] G. Aad (ATLAS), “Measurements of differential cross sections of Higgs boson production through gluon fusion in the  $H \rightarrow WW^* \rightarrow e\nu\mu\nu$  final state at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, Eur. Phys. J. C **83**, 774 (2023).
- [277] G. Aad (ATLAS), “Measurements of Higgs boson production by gluon-gluon fusion and vector-boson fusion using  $H \rightarrow WW^* \rightarrow e\nu\mu\nu$  decays in  $pp$  collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, Phys. Rev. D **108**, 032005 (2023).
- [278] G. Aad (ATLAS), “Measurements of longitudinal flow decorrelations in  $pp$  and Xe+Xe collisions with the ATLAS detector”, (2023).
- [279] G. Aad (ATLAS), “Measurements of multijet event isotropies using optimal transport with the ATLAS detector”, JHEP **10**, 060 (2023).
- [280] G. Aad (ATLAS), “Measurements of observables sensitive to colour reconnection in  $t\bar{t}$  events with the ATLAS detector at  $\sqrt{s} = 13$  TeV”, Eur. Phys. J. C **83**, 518 (2023).
- [281] G. Aad (ATLAS), “Measurements of the suppression and correlations of dijets in Pb+Pb collisions at sNN=5.02 TeV”, Phys. Rev. C **107**, [Erratum: Phys.Rev.C 109, 029901 (2024)], 054908 (2023).
- [282] G. Aad (ATLAS), “Model-independent search for the presence of new physics in events including  $H \rightarrow \gamma\gamma$  with  $\sqrt{s} = 13$  TeV pp data recorded by the ATLAS detector at the LHC”, JHEP **07**, 176 (2023).
- [283] G. Aad (ATLAS), “New techniques for jet calibration with the ATLAS detector”, Eur. Phys. J. C **83**, 761 (2023).
- [284] G. Aad (ATLAS), “Observation of an Excess of Dicharmonium Events in the Four-Muon Final State with the ATLAS Detector”, Phys. Rev. Lett. **131**, 151902 (2023).
- [285] G. Aad (ATLAS), “Observation of electroweak production of two jets and a Z-boson pair”, Nature Phys. **19**, 237–253 (2023).
- [286] G. Aad (ATLAS), “Observation of four-top-quark production in the multilepton final state with the ATLAS detector”, Eur. Phys. J. C **83**, [Erratum: Eur.Phys.J.C 84, 156 (2024)], 496 (2023).
- [287] G. Aad (ATLAS), “Observation of gauge boson joint-polarisation states in  $W\pm Z$  production from pp collisions at s=13 TeV with the ATLAS detector”, Phys. Lett. B **843**, 137895 (2023).
- [288] G. Aad (ATLAS), “Observation of Single-Top-Quark Production in Association with a Photon Using the ATLAS Detector”, Phys. Rev. Lett. **131**, 181901 (2023).
- [289] G. Aad (ATLAS), “Observation of the  $\gamma\gamma \rightarrow \tau\tau$  Process in Pb+Pb Collisions and Constraints on the  $\tau$ -Lepton Anomalous Magnetic Moment with the ATLAS Detector”, Phys. Rev. Lett. **131**, 151802 (2023).
- [290] G. Aad (ATLAS), “Performance of the reconstruction of large impact parameter tracks in the inner detector of ATLAS”, Eur. Phys. J. C **83**, 1081 (2023).
- [291] G. Aad (ATLAS), “Production of  $\Upsilon(nS)$  mesons in Pb+Pb and pp collisions at 5.02 TeV”, Phys. Rev. C **107**, 054912 (2023).
- [292] G. Aad (ATLAS), “Pursuit of paired dijet resonances in the Run 2 dataset with ATLAS”, Phys. Rev. D **108**, 112005 (2023).
- [293] G. Aad (ATLAS), “Search for  $t\bar{t}H/A \rightarrow t\bar{t}t\bar{t}$  production in the multilepton final state in proton–proton collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, JHEP **07**, 203 (2023).
- [294] G. Aad (ATLAS), “Search for a light charged Higgs boson in  $t \rightarrow H^\pm b$  decays, with  $H^\pm \rightarrow cb$ , in the lepton+jets final state in proton-proton collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, JHEP **09**, 004 (2023).

- [295] G. Aad (ATLAS), “Search for a new heavy scalar particle decaying into a Higgs boson and a new scalar singlet in final states with one or two light leptons and a pair of  $\tau$ -leptons with the ATLAS detector”, JHEP **10**, 009 (2023).
- [296] G. Aad (ATLAS), “Search for a new pseudoscalar decaying into a pair of muons in events with a top-quark pair at  $\sqrt{s}=13$  TeV with the ATLAS detector”, Phys. Rev. D **108**, 092007 (2023).
- [297] G. Aad (ATLAS), “Search for a new scalar resonance in flavour-changing neutral-current top-quark decays  $t \rightarrow qX$  ( $q = u, c$ ), with  $X \rightarrow b\bar{b}$ , in proton-proton collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, JHEP **07**, 199 (2023).
- [298] G. Aad (ATLAS), “Search for a new  $Z'$  gauge boson in  $4\mu$  events with the ATLAS experiment”, JHEP **07**, 090 (2023).
- [299] G. Aad (ATLAS), “Search for an axion-like particle with forward proton scattering in association with photon pairs at ATLAS”, JHEP **07**, 234 (2023).
- [300] G. Aad (ATLAS), “Search for boosted diphoton resonances in the 10 to 70 GeV mass range using 138 fb<sup>1</sup> of 13 TeV pp collisions with the ATLAS detector”, JHEP **07**, 155 (2023).
- [301] G. Aad (ATLAS), “Search for dark matter produced in association with a dark Higgs boson decaying into  $W^+W^-$  in the one-lepton final state at  $\sqrt{s}=13$  TeV using 139 fb<sup>-1</sup> of  $pp$  collisions recorded with the ATLAS detector”, JHEP **07**, 116 (2023).
- [302] G. Aad (ATLAS), “Search for dark matter produced in association with a Higgs boson decaying to tau leptons at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, JHEP **09**, 189 (2023).
- [303] G. Aad (ATLAS), “Search for dark matter produced in association with a single top quark and an energetic  $W$  boson in  $\sqrt{s} = 13$  TeV  $pp$  collisions with the ATLAS detector”, Eur. Phys. J. C **83**, 603 (2023).
- [304] G. Aad (ATLAS), “Search for dark photons from Higgs boson decays via  $ZH$  production with a photon plus missing transverse momentum signature from  $pp$  collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, JHEP **07**, 133 (2023).
- [305] G. Aad (ATLAS), “Search for dark photons in rare  $Z$  boson decays with the ATLAS detector”, Phys. Rev. Lett. **131**, 251801 (2023).
- [306] G. Aad (ATLAS), “Search for direct pair production of sleptons and charginos decaying to two leptons and neutralinos with mass splittings near the  $W$ -boson mass in  $\sqrt{s} = 13$  TeV pp collisions with the ATLAS detector”, JHEP **06**, 031 (2023).
- [307] G. Aad (ATLAS), “Search for direct production of electroweakinos in final states with one lepton, jets and missing transverse momentum in pp collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, JHEP **12**, 167 (2023).
- [308] G. Aad (ATLAS), “Search for direct production of winos and higgsinos in events with two same-charge leptons or three leptons in pp collision data at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, JHEP **11**, 150 (2023).
- [309] G. Aad (ATLAS), “Search for displaced photons produced in exotic decays of the Higgs boson using 13 TeV pp collisions with the ATLAS detector”, Phys. Rev. D **108**, 032016 (2023).
- [310] G. Aad (ATLAS), “Search for doubly charged Higgs boson production in multi-lepton final states using 139 fb<sup>-1</sup> of proton–proton collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, Eur. Phys. J. C **83**, 605 (2023).
- [311] G. Aad (ATLAS), “Search for excited  $\tau$ -leptons and leptoquarks in the final state with  $\tau$ -leptons and jets in pp collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, JHEP **06**, 199 (2023).
- [312] G. Aad (ATLAS), “Search for exclusive Higgs and  $Z$  boson decays to  $\omega\gamma$  and Higgs boson decays to  $K^*\gamma$  with the ATLAS detector”, Phys. Lett. B **847**, 138292 (2023).
- [313] G. Aad (ATLAS), “Search for flavor-changing neutral-current couplings between the top quark and the  $Z$  boson with proton-proton collisions at  $\sqrt{s}=13$  TeV with the ATLAS detector”, Phys. Rev. D **108**, 032019 (2023).
- [314] G. Aad (ATLAS), “Search for flavour-changing neutral current interactions of the top quark and the Higgs boson in events with a pair of  $\tau$ -leptons in pp collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, JHEP **2306**, 155 (2023).
- [315] G. Aad (ATLAS), “Search for flavour-changing neutral tqH interactions with  $H \rightarrow \gamma\gamma$  in pp collisions at  $\sqrt{s} = 13$  TeV using the ATLAS detector”, JHEP **12**, 195 (2023).
- [316] G. Aad (ATLAS), “Search for flavour-changing neutral-current couplings between the top quark and the photon with the ATLAS detector at  $\sqrt{s}=13$  TeV”, Phys. Lett. B **842**, [Erratum: Phys.Lett.B 847, 138286 (2024)], 137379 (2023).

- [317] G. Aad (ATLAS), “Search for heavy Higgs bosons with flavour-violating couplings in multi-lepton plus  $b$ -jets final states in pp collisions at 13 TeV with the ATLAS detector”, JHEP **12**, 081 (2023).
- [318] G. Aad (ATLAS), “Search for heavy long-lived multi-charged particles in the full LHC Run 2 pp collision data at  $s=13$  TeV using the ATLAS detector”, Phys. Lett. B **847**, 138316 (2023).
- [319] G. Aad (ATLAS), “Search for heavy Majorana or Dirac neutrinos and right-handed  $W$  gauge bosons in final states with charged leptons and jets in pp collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, Eur. Phys. J. C **83**, 1164 (2023).
- [320] G. Aad (ATLAS), “Search for Heavy Neutral Leptons in Decays of  $W$  Bosons Using a Dilepton Displaced Vertex in  $s=13$  TeV pp Collisions with the ATLAS Detector”, Phys. Rev. Lett. **131**, 061803 (2023).
- [321] G. Aad (ATLAS), “Search for heavy resonances decaying into a  $Z$  or  $W$  boson and a Higgs boson in final states with leptons and  $b$ -jets in  $139 \text{ fb}^{-1}$  of  $pp$  collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, JHEP **06**, 016 (2023).
- [322] G. Aad (ATLAS), “Search for heavy, long-lived, charged particles with large ionisation energy loss in  $pp$  collisions at  $\sqrt{s} = 13$  TeV using the ATLAS experiment and the full Run 2 dataset”, JHEP **2306**, 158 (2023).
- [323] G. Aad (ATLAS), “Search for Higgs boson pair production in association with a vector boson in pp collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, Eur. Phys. J. C **83**, 519 (2023).
- [324] G. Aad (ATLAS), “Search for high-mass  $W\gamma$  and  $Z\gamma$  resonances using hadronic  $W/Z$  boson decays from  $139 \text{ fb}^{-1}$  of pp collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, JHEP **07**, 125 (2023).
- [325] G. Aad (ATLAS), “Search for leptonic charge asymmetry in  $t\bar{t}W$  production in final states with three leptons at  $\sqrt{s} = 13$  TeV”, JHEP **07**, 033 (2023).
- [326] G. Aad (ATLAS), “Search for leptoquarks decaying into the  $b\tau$  final state in  $pp$  collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, JHEP **10**, 001 (2023).
- [327] G. Aad (ATLAS), “Search for light long-lived neutral particles that decay to collimated pairs of leptons or light hadrons in pp collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, JHEP **06**, 153 (2023).
- [328] G. Aad (ATLAS), “Search for long-lived, massive particles in events with displaced vertices and multiple jets in pp collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, JHEP **06**, 200 (2023).
- [329] G. Aad (ATLAS), “Search for magnetic monopoles and stable particles with high electric charges in  $\sqrt{s} = 13$  TeV pp collisions with the ATLAS detector”, JHEP **11**, 112 (2023).
- [330] G. Aad (ATLAS), “Search for Majorana neutrinos in same-sign  $WW$  scattering events from pp collisions at  $\sqrt{s} = 13$  TeV”, Eur. Phys. J. C **83**, 824 (2023).
- [331] G. Aad (ATLAS), “Search for new phenomena in final states with photons, jets and missing transverse momentum in pp collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, JHEP **07**, 021 (2023).
- [332] G. Aad (ATLAS), “Search for new phenomena in multi-body invariant masses in events with at least one isolated lepton and two jets using  $\sqrt{s} = 13$  TeV proton–proton collision data collected by the ATLAS detector”, JHEP **07**, 202 (2023).
- [333] G. Aad (ATLAS), “Search for nonresonant pair production of Higgs bosons in the  $b\bar{b}b\bar{b}$  final state in pp collisions at  $s=13$  TeV with the ATLAS detector”, Phys. Rev. D **108**, 052003 (2023).
- [334] G. Aad (ATLAS), “Search for pair production of third-generation leptoquarks decaying into a bottom quark and a  $\tau$ -lepton with the ATLAS detector”, Eur. Phys. J. C **83**, 1075 (2023).
- [335] G. Aad (ATLAS), “Search for pair-produced scalar and vector leptoquarks decaying into third-generation quarks and first- or second-generation leptons in pp collisions with the ATLAS detector”, JHEP **2306**, 188 (2023).
- [336] G. Aad (ATLAS), “Search for pair-produced vector-like top and bottom partners in events with large missing transverse momentum in pp collisions with the ATLAS detector”, Eur. Phys. J. C **83**, 719 (2023).
- [337] G. Aad (ATLAS), “Search for pair-production of vector-like quarks in pp collision events at  $s=13$  TeV with at least one leptonically decaying  $Z$  boson and a third-generation quark with the ATLAS detector”, Phys. Lett. B **843**, 138019 (2023).
- [338] G. Aad (ATLAS), “Search for pairs of muons with small displacements in pp collisions at  $s=13$  TeV with the ATLAS detector”, Phys. Lett. B **846**, 138172 (2023).
- [339] G. Aad (ATLAS), “Search for periodic signals in the dielectron and diphoton invariant mass spectra using  $139 \text{ fb}^{-1}$  of pp collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, JHEP **10**, 079 (2023).
- [340] G. Aad (ATLAS), “Search for resonant and non-resonant Higgs boson pair production in the  $b\bar{b}\tau^+\tau^-$  decay channel using 13 TeV pp collision data from the ATLAS detector”, JHEP **07**, 040 (2023).

- [341] G. Aad (ATLAS), “Search for resonant WZ production in the fully leptonic final state in proton–proton collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, *Eur. Phys. J. C* **83**, 633 (2023).
- [342] G. Aad (ATLAS), “Search for single production of vector-like T quarks decaying into Ht or Zt in pp collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, *JHEP* **08**, 153 (2023).
- [343] G. Aad (ATLAS), “Search for single vector-like B quark production and decay via  $B \rightarrow bH(b\bar{b})$  in pp collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, *JHEP* **11**, 168 (2023).
- [344] G. Aad (ATLAS), “Search for supersymmetry in final states with missing transverse momentum and three or more b-jets in 139 fb<sup>-1</sup> of proton–proton collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, *Eur. Phys. J. C* **83**, 561 (2023).
- [345] G. Aad (ATLAS), “Search for the charged-lepton-flavor-violating decay  $Z \rightarrow e\mu$  in pp collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, *Phys. Rev. D* **108**, 032015 (2023).
- [346] G. Aad (ATLAS), “Search for third-generation vector-like leptons in pp collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, *JHEP* **07**, 118 (2023).
- [347] G. Aad (ATLAS), “Search for vector-boson resonances decaying into a top quark and a bottom quark using pp collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, *JHEP* **12**, 073 (2023).
- [348] G. Aad (ATLAS), “Search in diphoton and dielectron final states for displaced production of Higgs or Z bosons with the ATLAS detector in s=13 TeV pp collisions”, *Phys. Rev. D* **108**, 012012 (2023).
- [349] G. Aad (ATLAS), “Searches for exclusive Higgs and Z boson decays into a vector quarkonium state and a photon using 139 fb<sup>-1</sup> of ATLAS  $\sqrt{s} = 13$  TeV proton–proton collision data”, *Eur. Phys. J. C* **83**, 781 (2023).
- [350] G. Aad (ATLAS), “Searches for lepton-flavour-violating decays of the Higgs boson into  $e\tau$  and  $\mu\tau$  in  $\sqrt{s} = 13$  TeV pp collisions with the ATLAS detector”, *JHEP* **07**, 166 (2023).
- [351] G. Aad (ATLAS), “Searches for new phenomena in events with two leptons, jets, and missing transverse momentum in 139 fb<sup>-1</sup> of  $\sqrt{s} = 13$  TeV pp collisions with the ATLAS detector”, *Eur. Phys. J. C* **83**, 515 (2023).
- [352] G. Aad (ATLAS), “Strong Constraints on Jet Quenching in Centrality-Dependent p+Pb Collisions at 5.02 TeV from ATLAS”, *Phys. Rev. Lett.* **131**, 072301 (2023).
- [353] G. Aad (ATLAS), “Studies of the muon momentum calibration and performance of the ATLAS detector with pp collisions at  $\sqrt{s} = 13$  TeV”, *Eur. Phys. J. C* **83**, 686 (2023).
- [354] G. Aad (ATLAS), “Test of CP Invariance in Higgs Boson Vector-Boson-Fusion Production Using the  $H \rightarrow \gamma\gamma$  Channel with the ATLAS Detector”, *Phys. Rev. Lett.* **131**, 061802 (2023).
- [355] G. Aad (ATLAS), “Tools for estimating fake/non-prompt lepton backgrounds with the ATLAS detector at the LHC”, *JINST* **18**, T11004 (2023).
- [356] W. Bhimji, “Snowmass 2021 Computational Frontier CompF4 Topical Group Report Storage and Processing Resource Access”, *Comput. Softw. Big Sci.* **7**, 5 (2023).
- [357] B. Bockelman, “IRIS-HEP Strategic Plan for the Next Phase of Software Upgrades for HL-LHC Physics”, (2023).
- [358] J. Dickinson, “Smartpixels: Towards on-sensor inference of charged particle track parameters and uncertainties”, (2023).
- [359] J. Duarte, “FAIR AI models in high energy physics”, *Mach. Learn. Sci. Tech.* **4**, 045062 (2023).
- [360] S.-Y. Huang, Y.-C. Yang, Y.-R. Su, B.-C. Lai, J. Duarte, S. Hauck, S.-C. Hsu, J.-X. Hu, **M. S. Neubauer**, “Low Latency Edge Classification GNN for Particle Trajectory Tracking on FPGAs”, 10.1109/FPL60245.2023.00050 (2023).
- [361] E. A. Huerta, “FAIR for AI: An interdisciplinary and international community building perspective”, *Sci. Data* **10**, 487 (2023).
- [362] A. Khot, **M. S. Neubauer**, A. Roy, “A detailed study of interpretability of deep neural network based top taggers”, *Mach. Learn. Sci. Tech.* **4**, 035003 (2023).
- [363] A. Lazar, “Accelerating the Inference of the Exa.TrkX Pipeline”, *J. Phys. Conf. Ser.* **2438**, 012008 (2023).
- [364] C.-Y. Wang, “Reconstruction of Large Radius Tracks with the Exa.TrkX pipeline”, *J. Phys. Conf. Ser.* **2438**, 012117 (2023).
- [365] G. Aad (ATLAS), “Observation of WWW Production in pp Collisions at  $\sqrt{s} = 13$  TeV with the ATLAS Detector”, *Phys. Rev. Lett.* **129**, 061803 (2022).
- [366] G. Aad (ATLAS), “A detailed map of Higgs boson interactions by the ATLAS experiment ten years after the discovery”, *Nature* **607**, [Erratum: *Nature* 612, E24 (2022)], 52–59 (2022).

- [367] G. Aad (ATLAS), “A search for an unexpected asymmetry in the production of  $e+\mu-$  and  $e-\mu+$  pairs in proton–proton collisions recorded by the ATLAS detector at  $\sqrt{s}=13$  TeV”, *Phys. Lett. B* **830**, 137106 (2022).
- [368] G. Aad (ATLAS), “AtlFast3: The Next Generation of Fast Simulation in ATLAS”, *Comput. Softw. Big Sci.* **6**, 7 (2022).
- [369] G. Aad (ATLAS), “Constraints on Higgs boson production with large transverse momentum using  $H\rightarrow b\bar{b}$  decays in the ATLAS detector”, *Phys. Rev. D* **105**, 092003 (2022).
- [370] G. Aad (ATLAS), “Constraints on Higgs boson properties using  $WW^*(\rightarrow e\nu\mu\nu)jj$  production in  $36.1\text{ fb}^{-1}$  of  $\sqrt{s} = 13$  TeV pp collisions with the ATLAS detector”, *Eur. Phys. J. C* **82**, 622 (2022).
- [371] G. Aad (ATLAS), “Determination of the parton distribution functions of the proton using diverse ATLAS data from  $pp$  collisions at  $\sqrt{s} = 7, 8$  and 13 TeV”, *Eur. Phys. J. C* **82**, 438 (2022).
- [372] G. Aad (ATLAS), “Direct constraint on the Higgs-charm coupling from a search for Higgs boson decays into charm quarks with the ATLAS detector”, *Eur. Phys. J. C* **82**, 717 (2022).
- [373] G. Aad (ATLAS), “Emulating the impact of additional proton–proton interactions in the ATLAS simulation by presampling sets of inelastic Monte Carlo events”, *Comput. Softw. Big Sci.* **6**, 3 (2022).
- [374] G. Aad (ATLAS), “Measurement of Higgs boson decay into  $b$ -quarks in associated production with a top-quark pair in  $pp$  collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, *JHEP* **06**, 097 (2022).
- [375] G. Aad (ATLAS), “Measurement of the c-jet mistagging efficiency in  $t\bar{t}$  events using pp collision data at  $\sqrt{s} = 13$  TeV collected with the ATLAS detector”, *Eur. Phys. J. C* **82**, 95 (2022).
- [376] G. Aad (ATLAS), “Measurement of the energy asymmetry in  $t\bar{t}j$  production at 13 TeV with the ATLAS experiment and interpretation in the SMEFT framework”, *Eur. Phys. J. C* **82**, 374 (2022).
- [377] G. Aad (ATLAS), “Measurement of the energy response of the ATLAS calorimeter to charged pions from  $W^\pm \rightarrow \tau^\pm(\rightarrow \pi^\pm\nu_\tau)\nu_\tau$  events in Run 2 data”, *Eur. Phys. J. C* **82**, 223 (2022).
- [378] G. Aad (ATLAS), “Measurement of the nuclear modification factor for muons from charm and bottom hadrons in Pb+Pb collisions at 5.02 TeV with the ATLAS detector”, *Phys. Lett. B* **829**, 137077 (2022).
- [379] G. Aad (ATLAS), “Measurement of the polarisation of single top quarks and antiquarks produced in the t-channel at  $\sqrt{s} = 13$  TeV and bounds on the tWb dipole operator from the ATLAS experiment”, *JHEP* **11**, 040 (2022).
- [380] G. Aad (ATLAS), “Measurements of azimuthal anisotropies of jet production in Pb+Pb collisions at  $\sqrt{s_{NN}} = 5.02$  TeV with the ATLAS detector”, *Phys. Rev. C* **105**, 064903 (2022).
- [381] G. Aad (ATLAS), “Measurements of differential cross-sections in top-quark pair events with a high transverse momentum top quark and limits on beyond the Standard Model contributions to top-quark pair production with the ATLAS detector at  $\sqrt{s} = 13$  TeV”, *JHEP* **06**, 063 (2022).
- [382] G. Aad (ATLAS), “Measurements of Higgs boson production cross-sections in the  $H \rightarrow \tau^+\tau^-$  decay channel in pp collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, *JHEP* **08**, 175 (2022).
- [383] G. Aad (ATLAS), “Measurements of jet observables sensitive to b-quark fragmentation in  $t\bar{t}$  events at the LHC with the ATLAS detector”, *Phys. Rev. D* **106**, 032008 (2022).
- [384] G. Aad (ATLAS), “Measurements of the Higgs boson inclusive and differential fiducial cross-sections in the diphoton decay channel with pp collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, *JHEP* **08**, 027 (2022).
- [385] G. Aad (ATLAS), “Modelling and computational improvements to the simulation of single vector-boson plus jet processes for the ATLAS experiment”, *JHEP* **08**, 089 (2022).
- [386] G. Aad (ATLAS), “Observation of electroweak production of two jets in association with an isolated photon and missing transverse momentum, and search for a Higgs boson decaying into invisible particles at 13 TeV with the ATLAS detector”, *Eur. Phys. J. C* **82**, 105 (2022).
- [387] G. Aad (ATLAS), “Operation and performance of the ATLAS semiconductor tracker in LHC Run 2”, *JINST* **17**, P01013 (2022).
- [388] G. Aad (ATLAS), “Performance of the ATLAS Level-1 topological trigger in Run 2”, *Eur. Phys. J. C* **82**, 7 (2022).
- [389] G. Aad (ATLAS), “Search for associated production of a Z boson with an invisibly decaying Higgs boson or dark matter candidates at  $\sqrt{s}=13$  TeV with the ATLAS detector”, *Phys. Lett. B* **829**, 137066 (2022).
- [390] G. Aad (ATLAS), “Search for events with a pair of displaced vertices from long-lived neutral particles decaying into hadronic jets in the ATLAS muon spectrometer in pp collisions at  $\sqrt{s}=13$  TeV”, *Phys. Rev. D* **106**, 032005 (2022).



- [391] G. Aad (ATLAS), “Search for exotic decays of the Higgs boson into  $b\bar{b}$  and missing transverse momentum in pp collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, JHEP **01**, 063 (2022).
- [392] G. Aad (ATLAS), “Search for flavour-changing neutral-current interactions of a top quark and a gluon in pp collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, Eur. Phys. J. C **82**, 334 (2022).
- [393] G. Aad (ATLAS), “Search for heavy particles in the  $b$ -tagged dijet mass distribution with additional  $b$ -tagged jets in proton-proton collisions at  $\sqrt{s} = 13$  TeV with the ATLAS experiment”, Phys. Rev. D **105**, 012001 (2022).
- [394] G. Aad (ATLAS), “Search for Higgs boson decays into a pair of pseudoscalar particles in the  $b\bar{b}\mu\mu$  final state with the ATLAS detector in  $pp$  collisions at  $\sqrt{s} = 13$  TeV”, Phys. Rev. D **105**, 012006 (2022).
- [395] G. Aad (ATLAS), “Search for Higgs boson pair production in the two bottom quarks plus two photons final state in  $pp$  collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, Phys. Rev. D **106**, 052001 (2022).
- [396] G. Aad (ATLAS), “Search for Higgs bosons decaying into new spin-0 or spin-1 particles in four-lepton final states with the ATLAS detector with 139 fb $^{-1}$  of  $pp$  collision data at  $\sqrt{s} = 13$  TeV”, JHEP **03**, 041 (2022).
- [397] G. Aad (ATLAS), “Search for invisible Higgs-boson decays in events with vector-boson fusion signatures using 139 fb $^{-1}$  of proton-proton data recorded by the ATLAS experiment”, JHEP **08**, 104 (2022).
- [398] G. Aad (ATLAS), “Search for lepton-flavor-violation in  $Z$ -boson decays with  $\tau$ -leptons with the ATLAS detector”, Phys. Rev. Lett. **127**, 271801 (2022).
- [399] G. Aad (ATLAS), “Search for long-lived charginos based on a disappearing-track signature using 136 fb $^{-1}$  of pp collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, Eur. Phys. J. C **82**, 606 (2022).
- [400] G. Aad (ATLAS), “Search for neutral long-lived particles in  $pp$  collisions at  $\sqrt{s} = 13$  TeV that decay into displaced hadronic jets in the ATLAS calorimeter”, JHEP **06**, 005 (2022).
- [401] G. Aad (ATLAS), “Search for new phenomena in three- or four-lepton events in  $pp$  collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, Phys. Lett. B **824**, 136832 (2022).
- [402] G. Aad (ATLAS), “Search for resonant pair production of Higgs bosons in the  $b\bar{b}b\bar{b}$  final state using  $pp$  collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, Phys. Rev. D **105**, 092002 (2022).
- [403] G. Aad (ATLAS), “Search for single production of a vectorlike  $T$  quark decaying into a Higgs boson and top quark with fully hadronic final states using the ATLAS detector”, Phys. Rev. D **105**, 092012 (2022).
- [404] G. Aad (ATLAS), “Search for type-III seesaw heavy leptons in leptonic final states in pp collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, Eur. Phys. J. C **82**, 988 (2022).
- [405] G. Aad (ATLAS), “Study of  $B_c^+ \rightarrow J/\psi D_s^+$  and  $B_c^+ \rightarrow J/\psi D_s^{*+}$  decays in pp collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, JHEP **08**, 087 (2022).
- [406] G. Aad (ATLAS), “The ATLAS inner detector trigger performance in pp collisions at 13 TeV during LHC Run 2”, Eur. Phys. J. C **82**, 206 (2022).
- [407] G. Aad (ATLAS), “Two-particle Bose–Einstein correlations in  $pp$  collisions at  $\sqrt{s} = 13$  TeV measured with the ATLAS detector at the LHC”, Eur. Phys. J. C **82**, 608 (2022).
- [408] S. Bailey, “Data and Analysis Preservation, Recasting, and Reinterpretation”, (2022).
- [409] A. Belloni, “Report of the Topical Group on Electroweak Precision Physics and Constraining New Physics for Snowmass 2021”, (2022).
- [410] J. Bonilla, “Jets and Jet Substructure at Future Colliders”, Front. in Phys. **10**, 897719 (2022).
- [411] Y. Chen, “A FAIR and AI-ready Higgs boson decay dataset”, Sci. Data **9**, 31 (2022).
- [412] K. Cranmer, “Publishing statistical models: Getting the most out of particle physics experiments”, SciPost Phys. **12**, 037 (2022).
- [413] A. M. Deiana, “Applications and Techniques for Fast Machine Learning in Science”, Front. Big Data **5**, 787421 (2022).
- [414] A. Elabd, “Graph Neural Networks for Charged Particle Tracking on FPGAs”, Front. Big Data **5**, 828666 (2022).
- [415] F. Maltoni, “TF07 Snowmass Report: Theory of Collider Phenomena”, (2022).
- [416] **M. Neubauer**, M. Feickert, M. Katare, A. Roy, “Deep Learning for the Matrix Element Method”, PoS **ICHEP2022**, 246 (2022).
- [417] **M. S. Neubauer**, A. Roy, Z. Wang, “Making Digital Objects FAIR in High Energy Physics: An Implementation for Universal FeynRules Output (UFO) Models”, (2022).

- [418] A. Roy, **M. S. Neubauer**, “Interpretability of an Interaction Network for identifying  $H \rightarrow b\bar{b}$  jets”, PoS **ICHEP2022**, 223 (2022).
- [419] P. Shanahan, “Snowmass 2021 Computational Frontier CompF03 Topical Group Report: Machine Learning”, (2022).
- [420] M. Aaboud (ATLAS), “Measurement of the relative  $B_c^\pm/B^\pm$  production cross section with the ATLAS detector at  $\sqrt{s} = 8$  TeV”, Phys. Rev. D **104**, 012010 (2021).
- [421] G. Aad (ATLAS), “A search for the decays of stopped long-lived particles at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, JHEP **07**, 173 (2021).
- [422] G. Aad (ATLAS), “A search for the dimuon decay of the Standard Model Higgs boson with the ATLAS detector”, Phys. Lett. B **812**, 135980 (2021).
- [423] G. Aad (ATLAS), “Configuration and performance of the ATLAS  $b$ -jet triggers in Run 2”, Eur. Phys. J. C **81**, 1087 (2021).
- [424] G. Aad (ATLAS), “Determination of the parton distribution functions of the proton from ATLAS measurements of differential W and Z boson production in association with jets”, JHEP **07**, 223 (2021).
- [425] G. Aad (ATLAS), “Differential cross-section measurements for the electroweak production of dijets in association with a Z boson in proton–proton collisions at ATLAS”, Eur. Phys. J. C **81**, 163 (2021).
- [426] G. Aad (ATLAS), “Evidence for Higgs boson decays to a low-mass dilepton system and a photon in pp collisions at  $\sqrt{s}=13$  TeV with the ATLAS detector”, Phys. Lett. B **819**, 136412 (2021).
- [427] G. Aad (ATLAS), “Exclusive dimuon production in ultraperipheral Pb+Pb collisions at  $\sqrt{s_{NN}} = 5.02$  TeV with ATLAS”, Phys. Rev. C **104**, 024906 (2021).
- [428] G. Aad (ATLAS), “Jet energy scale and resolution measured in proton–proton collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, Eur. Phys. J. C **81**, 689 (2021).
- [429] G. Aad (ATLAS), “Longitudinal Flow Decorrelations in Xe+Xe Collisions at  $\sqrt{s_{NN}} = 5.44$  TeV with the ATLAS Detector”, Phys. Rev. Lett. **126**, 122301 (2021).
- [430] G. Aad (ATLAS), “Measurement of  $b$ -quark fragmentation properties in jets using the decay  $B^\pm \rightarrow J/\psi K^\pm$  in  $pp$  collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, JHEP **12**, 131 (2021).
- [431] G. Aad (ATLAS), “Measurement of hadronic event shapes in high- $p_T$  multijet final states at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, JHEP **01**, [Erratum: JHEP 12, 053 (2021)], 188 (2021).
- [432] G. Aad (ATLAS), “Measurement of light-by-light scattering and search for axion-like particles with 2.2 nb $^{-1}$  of Pb+Pb data with the ATLAS detector”, JHEP **03**, [Erratum: JHEP 11, 050 (2021)], 243 (2021).
- [433] G. Aad (ATLAS), “Measurement of single top-quark production in association with a W boson in the single-lepton channel at  $\sqrt{s} = 8$  TeV with the ATLAS detector”, Eur. Phys. J. C **81**, 720 (2021).
- [434] G. Aad (ATLAS), “Measurement of the  $CP$ -violating phase  $\phi_s$  in  $B_s^0 \rightarrow J/\psi\phi$  decays in ATLAS at 13 TeV”, Eur. Phys. J. C **81**, 342 (2021).
- [435] G. Aad (ATLAS), “Measurement of the associated production of a Higgs boson decaying into  $b$ -quarks with a vector boson at high transverse momentum in  $pp$  collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, Phys. Lett. B **816**, 136204 (2021).
- [436] G. Aad (ATLAS), “Measurement of the jet mass in high transverse momentum  $Z(\rightarrow b\bar{b})\gamma$  production at  $\sqrt{s} = 13$  TeV using the ATLAS detector”, Phys. Lett. B **812**, 135991 (2021).
- [437] G. Aad (ATLAS), “Measurement of the production cross section of pairs of isolated photons in  $pp$  collisions at 13 TeV with the ATLAS detector”, JHEP **11**, 169 (2021).
- [438] G. Aad (ATLAS), “Measurement of the  $t\bar{t}t\bar{t}$  production cross section in  $pp$  collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, JHEP **11**, 118 (2021).
- [439] G. Aad (ATLAS), “Measurements of  $W^+W^- + \geq 1$  jet production cross-sections in  $pp$  collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, JHEP **06**, 003 (2021).
- [440] G. Aad (ATLAS), “Measurements of  $WH$  and  $ZH$  production in the  $H \rightarrow b\bar{b}$  decay channel in  $pp$  collisions at 13 TeV with the ATLAS detector”, Eur. Phys. J. C **81**, 178 (2021).
- [441] G. Aad (ATLAS), “Measurements of differential cross-sections in four-lepton events in 13 TeV proton-proton collisions with the ATLAS detector”, JHEP **07**, 005 (2021).
- [442] G. Aad (ATLAS), “Measurements of Higgs bosons decaying to bottom quarks from vector boson fusion production with the ATLAS experiment at  $\sqrt{s} = 13$  TeV”, Eur. Phys. J. C **81**, 537 (2021).
- [443] G. Aad (ATLAS), “Measurements of sensor radiation damage in the ATLAS inner detector using leakage currents”, JINST **16**, P08025 (2021).

- [444] G. Aad (ATLAS), “Measurements of the inclusive and differential production cross sections of a top-quark–antiquark pair in association with a Z boson at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, *Eur. Phys. J. C* **81**, 737 (2021).
- [445] G. Aad (ATLAS), “Measurements of top-quark pair single- and double-differential cross-sections in the all-hadronic channel in  $pp$  collisions at  $\sqrt{s} = 13$  TeV using the ATLAS detector”, *JHEP* **01**, 033 (2021).
- [446] G. Aad (ATLAS), “Medium-Induced Modification of Z-Tagged Charged Particle Yields in  $Pb + Pb$  Collisions at 5.02 TeV with the ATLAS Detector”, *Phys. Rev. Lett.* **126**, 072301 (2021).
- [447] G. Aad (ATLAS), “Muon reconstruction and identification efficiency in ATLAS using the full Run 2  $pp$  collision data set at  $\sqrt{s} = 13$  TeV”, *Eur. Phys. J. C* **81**, 578 (2021).
- [448] G. Aad (ATLAS), “Observation of photon-induced  $W^+W^-$  production in  $pp$  collisions at  $\sqrt{s} = 13$  TeV using the ATLAS detector”, *Phys. Lett. B* **816**, 136190 (2021).
- [449] G. Aad (ATLAS), “Optimisation of large-radius jet reconstruction for the ATLAS detector in 13 TeV proton–proton collisions”, *Eur. Phys. J. C* **81**, 334 (2021).
- [450] G. Aad (ATLAS), “Performance of the ATLAS RPC detector and Level-1 muon barrel trigger at  $\sqrt{s} = 13$  TeV”, *JINST* **16**, P07029 (2021).
- [451] G. Aad (ATLAS), “Search for a heavy Higgs boson decaying into a Z boson and another heavy Higgs boson in the  $\ell\ell b\bar{b}$  and  $\ell\ell WW$  final states in  $pp$  collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, *Eur. Phys. J. C* **81**, 396 (2021).
- [452] G. Aad (ATLAS), “Search for bottom-squark pair production in  $pp$  collision events at  $\sqrt{s} = 13$  TeV with hadronically decaying  $\tau$ -leptons,  $b$ -jets and missing transverse momentum using the ATLAS detector”, *Phys. Rev. D* **104**, 032014 (2021).
- [453] G. Aad (ATLAS), “Search for charged Higgs bosons decaying into a top quark and a bottom quark at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, *JHEP* **06**, 145 (2021).
- [454] G. Aad (ATLAS), “Search for charged-lepton-flavour violation in Z-boson decays with the ATLAS detector”, *Nature Phys.* **17**, 819–825 (2021).
- [455] G. Aad (ATLAS), “Search for chargino–neutralino pair production in final states with three leptons and missing transverse momentum in  $\sqrt{s} = 13$  TeV  $pp$  collisions with the ATLAS detector”, *Eur. Phys. J. C* **81**, 1118 (2021).
- [456] G. Aad (ATLAS), “Search for charginos and neutralinos in final states with two boosted hadronically decaying bosons and missing transverse momentum in  $pp$  collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, *Phys. Rev. D* **104**, 112010 (2021).
- [457] G. Aad (ATLAS), “Search for dark matter in association with an energetic photon in  $pp$  collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, *JHEP* **02**, 226 (2021).
- [458] G. Aad (ATLAS), “Search for dark matter in events with missing transverse momentum and a Higgs boson decaying into two photons in  $pp$  collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, *JHEP* **10**, 013 (2021).
- [459] G. Aad (ATLAS), “Search for Dark Matter Produced in Association with a Dark Higgs Boson Decaying into  $W^\pm W^\mp$  or  $ZZ$  in Fully Hadronic Final States from  $\sqrt{s} = 13$  TeV  $pp$  Collisions Recorded with the ATLAS Detector”, *Phys. Rev. Lett.* **126**, 121802 (2021).
- [460] G. Aad (ATLAS), “Search for dark matter produced in association with a single top quark in  $\sqrt{s} = 13$  TeV  $pp$  collisions with the ATLAS detector”, *Eur. Phys. J. C* **81**, 860 (2021).
- [461] G. Aad (ATLAS), “Search for dark matter produced in association with a Standard Model Higgs boson decaying into b-quarks using the full Run 2 dataset from the ATLAS detector”, *JHEP* **11**, 209 (2021).
- [462] G. Aad (ATLAS), “Search for Displaced Leptons in  $\sqrt{s} = 13$  TeV  $pp$  Collisions with the ATLAS Detector”, *Phys. Rev. Lett.* **127**, 051802 (2021).
- [463] G. Aad (ATLAS), “Search for doubly and singly charged Higgs bosons decaying into vector bosons in multi-lepton final states with the ATLAS detector using proton-proton collisions at  $\sqrt{s} = 13$  TeV”, *JHEP* **06**, 146 (2021).
- [464] G. Aad (ATLAS), “Search for exotic decays of the Higgs boson into long-lived particles in  $pp$  collisions at  $\sqrt{s} = 13$  TeV using displaced vertices in the ATLAS inner detector”, *JHEP* **11**, 229 (2021).
- [465] G. Aad (ATLAS), “Search for heavy resonances decaying into a pair of Z bosons in the  $\ell^+\ell^-\ell'^+\ell'^-$  and  $\ell^+\ell^-\nu\bar{\nu}$  final states using  $139\text{ fb}^{-1}$  of proton–proton collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, *Eur. Phys. J. C* **81**, 332 (2021).
- [466] G. Aad (ATLAS), “Search for Higgs boson production in association with a high-energy photon via vector-boson fusion with decay into bottom quark pairs at  $\sqrt{s}=13$  TeV with the ATLAS detector”, *JHEP* **03**, 268 (2021).

- [467] G. Aad (ATLAS), “Search for new phenomena in  $pp$  collisions in final states with tau leptons, b-jets, and missing transverse momentum with the ATLAS detector”, Phys. Rev. D **104**, 112005 (2021).
- [468] G. Aad (ATLAS), “Search for new phenomena in events with an energetic jet and missing transverse momentum in  $pp$  collisions at  $\sqrt{s}=13$  TeV with the ATLAS detector”, Phys. Rev. D **103**, 112006 (2021).
- [469] G. Aad (ATLAS), “Search for new phenomena in events with two opposite-charge leptons, jets and missing transverse momentum in  $pp$  collisions at  $\sqrt{s}=13$  TeV with the ATLAS detector”, JHEP **04**, 165 (2021).
- [470] G. Aad (ATLAS), “Search for new phenomena in final states with  $b$ -jets and missing transverse momentum in  $\sqrt{s}=13$  TeV  $pp$  collisions with the ATLAS detector”, JHEP **05**, 093 (2021).
- [471] G. Aad (ATLAS), “Search for New Phenomena in Final States with Two Leptons and One or No  $b$ -Tagged Jets at  $\sqrt{s}=13$  TeV Using the ATLAS Detector”, Phys. Rev. Lett. **127**, 141801 (2021).
- [472] G. Aad (ATLAS), “Search for new phenomena with top quark pairs in final states with one lepton, jets, and missing transverse momentum in  $pp$  collisions at  $\sqrt{s}=13$  TeV with the ATLAS detector”, JHEP **04**, 174 (2021).
- [473] G. Aad (ATLAS), “Search for pair production of scalar leptoquarks decaying into first- or second-generation leptons and top quarks in proton–proton collisions at  $\sqrt{s}=13$  TeV with the ATLAS detector”, Eur. Phys. J. C **81**, 313 (2021).
- [474] G. Aad (ATLAS), “Search for pair production of third-generation scalar leptoquarks decaying into a top quark and a  $\tau$ -lepton in  $pp$  collisions at  $\sqrt{s}=13$  TeV with the ATLAS detector”, JHEP **06**, 179 (2021).
- [475] G. Aad (ATLAS), “Search for phenomena beyond the Standard Model in events with large  $b$ -jet multiplicity using the ATLAS detector at the LHC”, Eur. Phys. J. C **81**, [Erratum: Eur.Phys.J.C 81, 249 (2021)], 11 (2021).
- [476] G. Aad (ATLAS), “Search for R-parity-violating supersymmetry in a final state containing leptons and many jets with the ATLAS experiment using  $\sqrt{s}=13$  TeV proton–proton collision data”, Eur. Phys. J. C **81**, 1023 (2021).
- [477] G. Aad (ATLAS), “Search for resonances decaying into photon pairs in 139 fb<sup>-1</sup> of  $pp$  collisions at  $\sqrt{s}=13$  TeV with the ATLAS detector”, Phys. Lett. B **822**, 136651 (2021).
- [478] G. Aad (ATLAS), “Search for squarks and gluinos in final states with jets and missing transverse momentum using 139 fb<sup>-1</sup> of  $\sqrt{s}=13$  TeV  $pp$  collision data with the ATLAS detector”, JHEP **02**, 143 (2021).
- [479] G. Aad (ATLAS), “Search for squarks and gluinos in final states with one isolated lepton, jets, and missing transverse momentum at  $\sqrt{s}=13$  with the ATLAS detector”, Eur. Phys. J. C **81**, [Erratum: Eur.Phys.J.C 81, 956 (2021)], 600 (2021).
- [480] G. Aad (ATLAS), “Search for supersymmetry in events with four or more charged leptons in 139 fb<sup>-1</sup> of  $\sqrt{s}=13$  TeV  $pp$  collisions with the ATLAS detector”, JHEP **07**, 167 (2021).
- [481] G. Aad (ATLAS), “Search for trilepton resonances from chargino and neutralino pair production in  $\sqrt{s}=13$  TeV  $pp$  collisions with the ATLAS detector”, Phys. Rev. D **103**, 112003 (2021).
- [482] G. Aad (ATLAS), “Search for type-III seesaw heavy leptons in dilepton final states in  $pp$  collisions at  $\sqrt{s}=13$  TeV with the ATLAS detector”, Eur. Phys. J. C **81**, 218 (2021).
- [483] G. Aad (ATLAS), “Test of the universality of  $\tau$  and  $\mu$  lepton couplings in  $W$ -boson decays with the ATLAS detector”, Nature Phys. **17**, 813–818 (2021).
- [484] G. Aad (ATLAS), “The ATLAS Fast TracKer system”, JINST **16**, P07006 (2021).
- [485] G. Aad (ATLAS), “Two-particle azimuthal correlations in photonuclear ultraperipheral Pb+Pb collisions at 5.02 TeV with ATLAS”, Phys. Rev. C **104**, 014903 (2021).
- [486] K. Choi, A. Eckart, B. Galewsky, R. Gardner, **M. S. Neubauer**, P. Onyisi, M. Proffitt, I. Vukotic, G. T. Watts, “Towards Real-World Applications of ServiceX, an Analysis Data Transformation System”, EPJ Web Conf. **251**, 02053 (2021).
- [487] G. DeZoort, S. Thais, J. Duarte, V. Razavimaleki, M. Atkinson, I. Ojalvo, **M. Neubauer**, P. Elmer, “Charged Particle Tracking via Edge-Classifying Interaction Networks”, Comput. Softw. Big Sci. **5**, 26 (2021).
- [488] X. Ju (Exa.TrkX), “Performance of a geometric deep learning pipeline for HL-LHC particle tracking”, Eur. Phys. J. C **81**, 876 (2021).
- [489] M. Aaboud (ATLAS), “Determination of jet calibration and energy resolution in proton-proton collisions at  $\sqrt{s}=8$  TeV using the ATLAS detector”, Eur. Phys. J. C **80**, 1104 (2020).

- [490] M. Aaboud (ATLAS), “Fluctuations of anisotropic flow in Pb+Pb collisions at  $\sqrt{s_{\text{NN}}} = 5.02$  TeV with the ATLAS detector”, JHEP **01**, 051 (2020).
- [491] M. Aaboud (ATLAS), “Measurement of  $J/\psi$  production in association with a W boson with pp data at 8 TeV”, JHEP **01**, 095 (2020).
- [492] M. Aaboud (ATLAS), “Measurement of long-range two-particle azimuthal correlations in Z-boson tagged pp collisions at  $\sqrt{s}=8$  and 13 TeV”, Eur. Phys. J. C **80**, 64 (2020).
- [493] M. Aaboud (ATLAS), “Measurements of top-quark pair spin correlations in the  $e\mu$  channel at  $\sqrt{s} = 13$  TeV using pp collisions in the ATLAS detector”, Eur. Phys. J. C **80**, 754 (2020).
- [494] G. Aad (ATLAS), “CP Properties of Higgs Boson Interactions with Top Quarks in the  $t\bar{t}H$  and  $tH$  Processes Using  $H \rightarrow \gamma\gamma$  with the ATLAS Detector”, Phys. Rev. Lett. **125**, 061802 (2020).
- [495] G. Aad (ATLAS), “Z boson production in Pb+Pb collisions at  $\sqrt{s_{\text{NN}}} = 5.02$  TeV measured by the ATLAS experiment”, Phys. Lett. B **802**, 135262 (2020).
- [496] G. Aad (ATLAS), “A search for the  $Z\gamma$  decay mode of the Higgs boson in pp collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, Phys. Lett. B **809**, 135754 (2020).
- [497] G. Aad (ATLAS), “Alignment of the ATLAS Inner Detector in Run-2”, Eur. Phys. J. C **80**, 1194 (2020).
- [498] G. Aad (ATLAS), “ATLAS data quality operations and performance for 2015–2018 data-taking”, JINST **15**, P04003 (2020).
- [499] G. Aad (ATLAS), “Combination of searches for Higgs boson pairs in pp collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, Phys. Lett. B **800**, 135103 (2020).
- [500] G. Aad (CMS, ATLAS), “Combination of the W boson polarization measurements in top quark decays using ATLAS and CMS data at  $\sqrt{s} = 8$  TeV”, JHEP **08**, 051 (2020).
- [501] G. Aad (ATLAS), “Combined measurements of Higgs boson production and decay using up to 80 fb<sup>-1</sup> of proton-proton collision data at  $\sqrt{s} = 13$  TeV collected with the ATLAS experiment”, Phys. Rev. D **101**, 012002 (2020).
- [502] G. Aad (ATLAS), “Dijet resonance search with weak supervision using  $\sqrt{s} = 13$  TeV pp collisions in the ATLAS detector”, Phys. Rev. Lett. **125**, 131801 (2020).
- [503] G. Aad (ATLAS), “Evidence for  $t\bar{t}t\bar{t}$  production in the multilepton final state in proton–proton collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, Eur. Phys. J. C **80**, 1085 (2020).
- [504] G. Aad (ATLAS), “Evidence for electroweak production of two jets in association with a  $Z\gamma$  pair in pp collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, Phys. Lett. B **803**, 135341 (2020).
- [505] G. Aad (ATLAS), “Higgs boson production cross-section measurements and their EFT interpretation in the  $4\ell$  decay channel at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, Eur. Phys. J. C **80**, [Erratum: Eur.Phys.J.C 81, 29 (2021), Erratum: Eur.Phys.J.C 81, 398 (2021)], 957 (2020).
- [506] G. Aad (ATLAS), “Measurement of azimuthal anisotropy of muons from charm and bottom hadrons in pp collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, Phys. Rev. Lett. **124**, 082301 (2020).
- [507] G. Aad (ATLAS), “Measurement of azimuthal anisotropy of muons from charm and bottom hadrons in Pb+Pb collisions at  $s_{\text{NN}}=5.02$  TeV with the ATLAS detector”, Phys. Lett. B **807**, 135595 (2020).
- [508] G. Aad (ATLAS), “Measurement of differential cross sections for single diffractive dissociation in  $\sqrt{s} = 8$  TeV pp collisions using the ATLAS ALFA spectrometer”, JHEP **02**, [Erratum: JHEP 10, 182 (2020)], 042 (2020).
- [509] G. Aad (ATLAS), “Measurement of isolated-photon plus two-jet production in pp collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, JHEP **03**, 179 (2020).
- [510] G. Aad (ATLAS), “Measurement of soft-drop jet observables in pp collisions with the ATLAS detector at  $\sqrt{s} = 13$  TeV”, Phys. Rev. D **101**, 052007 (2020).
- [511] G. Aad (ATLAS), “Measurement of the  $t\bar{t}$  production cross-section and lepton differential distributions in  $e\mu$  dilepton events from pp collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, Eur. Phys. J. C **80**, 528 (2020).
- [512] G. Aad (ATLAS), “Measurement of the  $t\bar{t}$  production cross-section in the lepton+jets channel at  $\sqrt{s} = 13$  TeV with the ATLAS experiment”, Phys. Lett. B **810**, 135797 (2020).
- [513] G. Aad (ATLAS), “Measurement of the  $Z(\rightarrow \ell^+\ell^-)\gamma$  production cross-section in pp collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, JHEP **03**, 054 (2020).
- [514] G. Aad (ATLAS), “Measurement of the azimuthal anisotropy of charged-particle production in Xe + Xe collisions at  $\sqrt{s_{\text{NN}}} = 5.44$  TeV with the ATLAS detector”, Phys. Rev. C **101**, 024906 (2020).
- [515] G. Aad (ATLAS), “Measurement of the Lund Jet Plane Using Charged Particles in 13 TeV Proton-Proton Collisions with the ATLAS Detector”, Phys. Rev. Lett. **124**, 222002 (2020).

- [516] G. Aad (ATLAS), “Measurement of the transverse momentum distribution of Drell–Yan lepton pairs in proton–proton collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, *Eur. Phys. J. C* **80**, 616 (2020).
- [517] G. Aad (ATLAS), “Measurements of inclusive and differential cross-sections of combined  $t\bar{t}\gamma$  and  $tW\gamma$  production in the  $e\mu$  channel at 13 TeV with the ATLAS detector”, *JHEP* **09**, 049 (2020).
- [518] G. Aad (ATLAS), “Measurements of the Higgs boson inclusive and differential fiducial cross sections in the  $4\ell$  decay channel at  $\sqrt{s} = 13$  TeV”, *Eur. Phys. J. C* **80**, 942 (2020).
- [519] G. Aad (ATLAS), “Measurements of the production cross-section for a  $Z$  boson in association with  $b$ -jets in proton-proton collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, *JHEP* **07**, 044 (2020).
- [520] G. Aad (ATLAS), “Observation and Measurement of Forward Proton Scattering in Association with Lepton Pairs Produced via the Photon Fusion Mechanism at ATLAS”, *Phys. Rev. Lett.* **125**, 261801 (2020).
- [521] G. Aad (ATLAS), “Observation of the associated production of a top quark and a  $Z$  boson in  $pp$  collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, *JHEP* **07**, 124 (2020).
- [522] G. Aad (ATLAS), “Operation of the ATLAS trigger system in Run 2”, *JINST* **15**, P10004 (2020).
- [523] G. Aad (ATLAS), “Performance of electron and photon triggers in ATLAS during LHC Run 2”, *Eur. Phys. J. C* **80**, 47 (2020).
- [524] G. Aad (ATLAS), “Performance of the ATLAS muon triggers in Run 2”, *JINST* **15**, P09015 (2020).
- [525] G. Aad (ATLAS), “Performance of the missing transverse momentum triggers for the ATLAS detector during Run-2 data taking”, *JHEP* **08**, 080 (2020).
- [526] G. Aad (ATLAS), “Performance of the upgraded PreProcessor of the ATLAS Level-1 Calorimeter Trigger”, *JINST* **15**, P11016 (2020).
- [527] G. Aad (ATLAS), “Reconstruction and identification of boosted di- $\tau$  systems in a search for Higgs boson pairs using 13 TeV proton-proton collision data in ATLAS”, *JHEP* **11**, 163 (2020).
- [528] G. Aad (ATLAS), “Search for  $t\bar{t}$  resonances in fully hadronic final states in  $pp$  collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, *JHEP* **10**, 061 (2020).
- [529] G. Aad (ATLAS), “Search for a scalar partner of the top quark in the all-hadronic  $t\bar{t}$  plus missing transverse momentum final state at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, *Eur. Phys. J. C* **80**, 737 (2020).
- [530] G. Aad (ATLAS), “Search for chargino-neutralino production with mass splittings near the electroweak scale in three-lepton final states in  $\sqrt{s}=13$  TeV  $pp$  collisions with the ATLAS detector”, *Phys. Rev. D* **101**, 072001 (2020).
- [531] G. Aad (ATLAS), “Search for dijet resonances in events with an isolated charged lepton using  $\sqrt{s} = 13$  TeV proton-proton collision data collected by the ATLAS detector”, *JHEP* **06**, 151 (2020).
- [532] G. Aad (ATLAS), “Search for direct production of electroweakinos in final states with missing transverse momentum and a Higgs boson decaying into photons in  $pp$  collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, *JHEP* **10**, 005 (2020).
- [533] G. Aad (ATLAS), “Search for direct production of electroweakinos in final states with one lepton, missing transverse momentum and a Higgs boson decaying into two  $b$ -jets in  $pp$  collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, *Eur. Phys. J. C* **80**, 691 (2020).
- [534] G. Aad (ATLAS), “Search for direct stau production in events with two hadronic  $\tau$ -leptons in  $\sqrt{s} = 13$  TeV  $pp$  collisions with the ATLAS detector”, *Phys. Rev. D* **101**, 032009 (2020).
- [535] G. Aad (ATLAS), “Search for displaced vertices of oppositely charged leptons from decays of long-lived particles in  $pp$  collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, *Phys. Lett. B* **801**, 135114 (2020).
- [536] G. Aad (ATLAS), “Search for electroweak production of charginos and sleptons decaying into final states with two leptons and missing transverse momentum in  $\sqrt{s} = 13$  TeV  $pp$  collisions using the ATLAS detector”, *Eur. Phys. J. C* **80**, 123 (2020).
- [537] G. Aad (ATLAS), “Search for flavour-changing neutral currents in processes with one top quark and a photon using 81 fb $^{-1}$  of  $pp$  collisions at  $\sqrt{s} = 13$  TeV with the ATLAS experiment”, *Phys. Lett. B* **800**, 135082 (2020).
- [538] G. Aad (ATLAS), “Search for heavy diboson resonances in semileptonic final states in  $pp$  collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, *Eur. Phys. J. C* **80**, 1165 (2020).
- [539] G. Aad (ATLAS), “Search for heavy Higgs bosons decaying into two tau leptons with the ATLAS detector using  $pp$  collisions at  $\sqrt{s} = 13$  TeV”, *Phys. Rev. Lett.* **125**, 051801 (2020).
- [540] G. Aad (ATLAS), “Search for heavy neutral Higgs bosons produced in association with  $b$ -quarks and decaying into  $b$ -quarks at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, *Phys. Rev. D* **102**, 032004 (2020).

- [541] G. Aad (ATLAS), “Search for heavy resonances decaying into a photon and a hadronically decaying Higgs boson in  $pp$  collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, Phys. Rev. Lett. **125**, 251802 (2020).
- [542] G. Aad (ATLAS), “Search for Higgs Boson Decays into a  $Z$  Boson and a Light Hadronically Decaying Resonance Using 13 TeV  $pp$  Collision Data from the ATLAS Detector”, Phys. Rev. Lett. **125**, 221802 (2020).
- [543] G. Aad (ATLAS), “Search for Higgs boson decays into two new low-mass spin-0 particles in the  $4b$  channel with the ATLAS detector using  $pp$  collisions at  $\sqrt{s} = 13$  TeV”, Phys. Rev. D **102**, 112006 (2020).
- [544] G. Aad (ATLAS), “Search for lepton-flavour violation in high-mass dilepton final states using 139 fb<sup>-1</sup> of  $pp$  collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, JHEP **23**, 082 (2020).
- [545] G. Aad (ATLAS), “Search for light long-lived neutral particles produced in  $pp$  collisions at  $\sqrt{s} = 13$  TeV and decaying into collimated leptons or light hadrons with the ATLAS detector”, Eur. Phys. J. C **80**, 450 (2020).
- [546] G. Aad (ATLAS), “Search for long-lived neutral particles produced in  $pp$  collisions at  $\sqrt{s} = 13$  TeV decaying into displaced hadronic jets in the ATLAS inner detector and muon spectrometer”, Phys. Rev. D **101**, 052013 (2020).
- [547] G. Aad (ATLAS), “Search for long-lived, massive particles in events with a displaced vertex and a muon with large impact parameter in  $pp$  collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, Phys. Rev. D **102**, 032006 (2020).
- [548] G. Aad (ATLAS), “Search for Magnetic Monopoles and Stable High-Electric-Charge Objects in 13 TeV Proton-Proton Collisions with the ATLAS Detector”, Phys. Rev. Lett. **124**, 031802 (2020).
- [549] G. Aad (ATLAS), “Search for new non-resonant phenomena in high-mass dilepton final states with the ATLAS detector”, JHEP **11**, [Erratum: JHEP 04, 142 (2021)], 005 (2020).
- [550] G. Aad (ATLAS), “Search for new phenomena in final states with large jet multiplicities and missing transverse momentum using  $\sqrt{s} = 13$  TeV proton-proton collisions recorded by ATLAS in Run 2 of the LHC”, JHEP **10**, 062 (2020).
- [551] G. Aad (ATLAS), “Search for new resonances in mass distributions of jet pairs using 139 fb<sup>-1</sup> of  $pp$  collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, JHEP **03**, 145 (2020).
- [552] G. Aad (ATLAS), “Search for non-resonant Higgs boson pair production in the  $b\bar{b}\ell\nu\ell\nu$  final state with the ATLAS detector in  $pp$  collisions at  $\sqrt{s} = 13$  TeV”, Phys. Lett. B **801**, 135145 (2020).
- [553] G. Aad (ATLAS), “Search for pairs of scalar leptoquarks decaying into quarks and electrons or muons in  $\sqrt{s} = 13$  TeV  $pp$  collisions with the ATLAS detector”, JHEP **10**, 112 (2020).
- [554] G. Aad (ATLAS), “Search for resonances decaying into a weak vector boson and a Higgs boson in the fully hadronic final state produced in proton–proton collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, Phys. Rev. D **102**, 112008 (2020).
- [555] G. Aad (ATLAS), “Search for squarks and gluinos in final states with same-sign leptons and jets using 139 fb<sup>-1</sup> of data collected with the ATLAS detector”, JHEP **06**, 046 (2020).
- [556] G. Aad (ATLAS), “Search for the  $HH \rightarrow b\bar{b}b\bar{b}$  process via vector-boson fusion production using proton-proton collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, JHEP **07**, [Erratum: JHEP 01, 145 (2021), Erratum: JHEP 05, 207 (2021)], 108 (2020).
- [557] G. Aad (ATLAS), “Search for the Higgs boson decays  $H \rightarrow ee$  and  $H \rightarrow e\mu$  in  $pp$  collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, Phys. Lett. B **801**, 135148 (2020).
- [558] G. Aad (ATLAS), “Search for top squarks in events with a Higgs or  $Z$  boson using 139 fb<sup>-1</sup> of  $pp$  collision data at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, Eur. Phys. J. C **80**, 1080 (2020).
- [559] G. Aad (ATLAS), “Searches for electroweak production of supersymmetric particles with compressed mass spectra in  $\sqrt{s} = 13$  TeV  $pp$  collisions with the ATLAS detector”, Phys. Rev. D **101**, 052005 (2020).
- [560] G. Aad (ATLAS), “Searches for lepton-flavour-violating decays of the Higgs boson in  $\sqrt{s} = 13$  TeV  $pp$  collisions with the ATLAS detector”, Phys. Lett. B **800**, 135069 (2020).
- [561] G. Aad (ATLAS), “Test of CP invariance in vector-boson fusion production of the Higgs boson in the  $H \rightarrow \tau\tau$  channel in proton–proton collisions at  $s=13$ TeV with the ATLAS detector”, Phys. Lett. B **805**, 135426 (2020).
- [562] G. Aad (ATLAS), “Transverse momentum and process dependent azimuthal anisotropies in  $\sqrt{s_{NN}} = 8.16$  TeV  $p$ +Pb collisions with the ATLAS detector”, Eur. Phys. J. C **80**, 73 (2020).

- [563] J. Alison, “Higgs boson potential at colliders: Status and perspectives”, Rev. Phys. **5**, edited by B. Di Micco, M. Gouzevitch, J. Mazzitelli, and C. Vernieri, 100045 (2020).
- [564] B. Galewsky, R. Gardner, L. Gray, **M. Neubauer**, J. Pivarski, M. Proffitt, I. Vukotic, G. Watts, M. Weinberg, “ServiceX A Distributed, Caching, Columnar Data Delivery Service”, EPJ Web Conf. **245**, edited by C. Doglioni, D. Kim, G. A. Stewart, L. Silvestris, P. Jackson, and W. Kamleh, 04043 (2020).
- [565] R. Gardner, L. Bryant, **M. Neubauer**, F. Wuerthwein, J. Stephen, A. Chien, “The Scalable Systems Laboratory: a Platform for Software Innovation for HEP”, EPJ Web Conf. **245**, edited by C. Doglioni, D. Kim, G. A. Stewart, L. Silvestris, P. Jackson, and W. Kamleh, 05019 (2020).
- [566] M. Aaboud (ATLAS), “Search for scalar resonances decaying into  $\mu^+\mu^-$  in events with and without  $b$ -tagged jets produced in proton-proton collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, JHEP **07**, 117 (2019).
- [567] M. Aaboud (ATLAS), “A search for pairs of highly collimated photon-jets in  $pp$  collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, Phys. Rev. D **99**, 012008 (2019).
- [568] M. Aaboud (ATLAS), “A strategy for a general search for new phenomena using data-derived signal regions and its application within the ATLAS experiment”, Eur. Phys. J. C **79**, 120 (2019).
- [569] M. Aaboud (ATLAS), “Combination of searches for invisible Higgs boson decays with the ATLAS experiment”, Phys. Rev. Lett. **122**, 231801 (2019).
- [570] M. Aaboud (ATLAS, CMS), “Combinations of single-top-quark production cross-section measurements and  $|f_{LV}V_{tb}|$  determinations at  $\sqrt{s} = 7$  and 8 TeV with the ATLAS and CMS experiments”, JHEP **05**, 088 (2019).
- [571] M. Aaboud (ATLAS), “Comparison of Fragmentation Functions for Jets Dominated by Light Quarks and Gluons from  $pp$  and Pb+Pb Collisions in ATLAS”, Phys. Rev. Lett. **123**, 042001 (2019).
- [572] M. Aaboud (ATLAS), “Constraints on mediator-based dark matter and scalar dark energy models using  $\sqrt{s} = 13$  TeV  $pp$  collision data collected by the ATLAS detector”, JHEP **05**, 142 (2019).
- [573] M. Aaboud (ATLAS), “Correlated long-range mixed-harmonic fluctuations measured in  $pp$ ,  $p$ +Pb and low-multiplicity Pb+Pb collisions with the ATLAS detector”, Phys. Lett. B **789**, 444–471 (2019).
- [574] M. Aaboud (ATLAS), “Cross-section measurements of the Higgs boson decaying into a pair of  $\tau$ -leptons in proton-proton collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, Phys. Rev. D **99**, 072001 (2019).
- [575] M. Aaboud (ATLAS), “Dijet azimuthal correlations and conditional yields in  $pp$  and  $p$ +Pb collisions at  $\sqrt{s_{NN}}=5.02$  TeV with the ATLAS detector”, Phys. Rev. C **100**, 034903 (2019).
- [576] M. Aaboud (ATLAS), “Electron and photon energy calibration with the ATLAS detector using 2015–2016 LHC proton-proton collision data”, JINST **14**, P03017 (2019).
- [577] M. Aaboud (ATLAS), “Electron reconstruction and identification in the ATLAS experiment using the 2015 and 2016 LHC proton-proton collision data at  $\sqrt{s} = 13$  TeV”, Eur. Phys. J. C **79**, 639 (2019).
- [578] M. Aaboud (ATLAS), “In situ calibration of large-radius jet energy and mass in 13 TeV proton–proton collisions with the ATLAS detector”, Eur. Phys. J. C **79**, 135 (2019).
- [579] M. Aaboud (ATLAS), “Measurement of  $W^\pm Z$  production cross sections and gauge boson polarisation in  $pp$  collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, Eur. Phys. J. C **79**, 535 (2019).
- [580] M. Aaboud (ATLAS), “Measurement of  $ZZ$  production in the  $\ell\ell\nu\nu$  final state with the ATLAS detector in  $pp$  collisions at  $\sqrt{s} = 13$  TeV”, JHEP **10**, 127 (2019).
- [581] M. Aaboud (ATLAS), “Measurement of fiducial and differential  $W^+W^-$  production cross-sections at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, Eur. Phys. J. C **79**, 884 (2019).
- [582] M. Aaboud (ATLAS), “Measurement of jet-substructure observables in top quark,  $W$  boson and light jet production in proton-proton collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, JHEP **08**, 033 (2019).
- [583] M. Aaboud (ATLAS), “Measurement of photon–jet transverse momentum correlations in 5.02 TeV Pb + Pb and  $pp$  collisions with ATLAS”, Phys. Lett. B **789**, 167–190 (2019).
- [584] M. Aaboud (ATLAS), “Measurement of prompt photon production in  $\sqrt{s_{NN}} = 8.16$  TeV  $p$ +Pb collisions with ATLAS”, Phys. Lett. B **796**, 230–252 (2019).
- [585] M. Aaboud (ATLAS), “Measurement of the  $t\bar{t}Z$  and  $t\bar{t}W$  cross sections in proton-proton collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, Phys. Rev. D **99**, 072009 (2019).
- [586] M. Aaboud (ATLAS), “Measurement of the four-lepton invariant mass spectrum in 13 TeV proton-proton collisions with the ATLAS detector”, JHEP **04**, 048 (2019).
- [587] M. Aaboud (ATLAS), “Measurement of the nuclear modification factor for inclusive jets in Pb+Pb collisions at  $\sqrt{s_{NN}} = 5.02$  TeV with the ATLAS detector”, Phys. Lett. B **790**, 108–128 (2019).



- [588] M. Aaboud (ATLAS), “Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run 2 data collected in 2015 and 2016”, *Eur. Phys. J. C* **79**, 205 (2019).
- [589] M. Aaboud (ATLAS), “Measurement of the ratio of cross sections for inclusive isolated-photon production in  $pp$  collisions at  $\sqrt{s} = 13$  and 8 TeV with the ATLAS detector”, *JHEP* **04**, 093 (2019).
- [590] M. Aaboud (ATLAS), “Measurement of the top quark mass in the  $t\bar{t} \rightarrow \text{lepton} + \text{jets}$  channel from  $\sqrt{s} = 8$  TeV ATLAS data and combination with previous results”, *Eur. Phys. J. C* **79**, 290 (2019).
- [591] M. Aaboud (ATLAS), “Measurement of  $VH$ ,  $H \rightarrow b\bar{b}$  production as a function of the vector-boson transverse momentum in 13 TeV  $pp$  collisions with the ATLAS detector”, *JHEP* **05**, 141 (2019).
- [592] M. Aaboud (ATLAS), “Measurements of  $W$  and  $Z$  boson production in  $pp$  collisions at  $\sqrt{s} = 5.02$  TeV with the ATLAS detector”, *Eur. Phys. J. C* **79**, [Erratum: *Eur. Phys. J. C* 79, 374 (2019)], 128 (2019).
- [593] M. Aaboud (ATLAS), “Measurements of gluon-gluon fusion and vector-boson fusion Higgs boson production cross-sections in the  $H \rightarrow WW^* \rightarrow e\nu\mu\nu$  decay channel in  $pp$  collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, *Phys. Lett. B* **789**, 508–529 (2019).
- [594] M. Aaboud (ATLAS), “Measurements of inclusive and differential fiducial cross-sections of  $t\bar{t}$  production with additional heavy-flavour jets in proton-proton collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, *JHEP* **04**, 046 (2019).
- [595] M. Aaboud (ATLAS), “Measurements of inclusive and differential fiducial cross-sections of  $t\bar{t}\gamma$  production in leptonic final states at  $\sqrt{s} = 13$  TeV in ATLAS”, *Eur. Phys. J. C* **79**, 382 (2019).
- [596] M. Aaboud (ATLAS), “Modelling radiation damage to pixel sensors in the ATLAS detector”, *JINST* **14**, P06012 (2019).
- [597] M. Aaboud (ATLAS), “Observation of electroweak  $W^\pm Z$  boson pair production in association with two jets in  $pp$  collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, *Phys. Lett. B* **793**, 469–492 (2019).
- [598] M. Aaboud (ATLAS), “Observation of electroweak production of a same-sign  $W$  boson pair in association with two jets in  $pp$  collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, *Phys. Rev. Lett.* **123**, 161801 (2019).
- [599] M. Aaboud (ATLAS), “Performance of top-quark and  $W$ -boson tagging with ATLAS in Run 2 of the LHC”, *Eur. Phys. J. C* **79**, 375 (2019).
- [600] M. Aaboud (ATLAS), “Properties of  $g \rightarrow b\bar{b}$  at small opening angles in  $pp$  collisions with the ATLAS detector at  $\sqrt{s} = 13$  TeV”, *Phys. Rev. D* **99**, 052004 (2019).
- [601] M. Aaboud (ATLAS), “Search for a right-handed gauge boson decaying into a high-momentum heavy neutrino and a charged lepton in  $pp$  collisions with the ATLAS detector at  $\sqrt{s} = 13$  TeV”, *Phys. Lett. B* **798**, 134942 (2019).
- [602] M. Aaboud (ATLAS), “Search for chargino and neutralino production in final states with a Higgs boson and missing transverse momentum at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, *Phys. Rev. D* **100**, 012006 (2019).
- [603] M. Aaboud (ATLAS), “Search for doubly charged scalar bosons decaying into same-sign  $W$  boson pairs with the ATLAS detector”, *Eur. Phys. J. C* **79**, 58 (2019).
- [604] M. Aaboud (ATLAS), “Search for excited electrons singly produced in proton–proton collisions at  $\sqrt{s} = 13$  TeV with the ATLAS experiment at the LHC”, *Eur. Phys. J. C* **79**, 803 (2019).
- [605] M. Aaboud (ATLAS), “Search for four-top-quark production in the single-lepton and opposite-sign dilepton final states in  $pp$  collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, *Phys. Rev. D* **99**, 052009 (2019).
- [606] M. Aaboud (ATLAS), “Search for heavy charged long-lived particles in proton-proton collisions at  $\sqrt{s} = 13$  TeV using an ionisation measurement with the ATLAS detector”, *Phys. Lett. B* **788**, 96–116 (2019).
- [607] M. Aaboud (ATLAS), “Search for heavy charged long-lived particles in the ATLAS detector in 36.1  $\text{fb}^{-1}$  of proton-proton collision data at  $\sqrt{s} = 13$  TeV”, *Phys. Rev. D* **99**, 092007 (2019).
- [608] M. Aaboud (ATLAS), “Search for heavy long-lived multicharged particles in proton-proton collisions at  $\sqrt{s} = 13$  TeV using the ATLAS detector”, *Phys. Rev. D* **99**, 052003 (2019).
- [609] M. Aaboud (ATLAS), “Search for heavy Majorana or Dirac neutrinos and right-handed  $W$  gauge bosons in final states with two charged leptons and two jets at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, *JHEP* **01**, 016 (2019).
- [610] M. Aaboud (ATLAS), “Search for heavy particles decaying into a top-quark pair in the fully hadronic final state in  $pp$  collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, *Phys. Rev. D* **99**, 092004 (2019).
- [611] M. Aaboud (ATLAS), “Search for Higgs boson decays into a pair of light bosons in the  $b\bar{b}\mu\mu$  final state in  $pp$  collision at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, *Phys. Lett. B* **790**, 1–21 (2019).

- [612] M. Aaboud (ATLAS), “Search for Higgs boson pair production in the  $b\bar{b}WW^*$  decay mode at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, JHEP **04**, 092 (2019).
- [613] M. Aaboud (ATLAS), “Search for Higgs boson pair production in the  $WW^{(*)}WW^{(*)}$  decay channel using ATLAS data recorded at  $\sqrt{s} = 13$  TeV”, JHEP **05**, 124 (2019).
- [614] M. Aaboud (ATLAS), “Search for invisible Higgs boson decays in vector boson fusion at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, Phys. Lett. B **793**, 499–519 (2019).
- [615] M. Aaboud (ATLAS), “Search for large missing transverse momentum in association with one top-quark in proton-proton collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, JHEP **05**, 041 (2019).
- [616] M. Aaboud (ATLAS), “Search for light resonances decaying to boosted quark pairs and produced in association with a photon or a jet in proton-proton collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, Phys. Lett. B **788**, 316–335 (2019).
- [617] M. Aaboud (ATLAS), “Search for long-lived neutral particles in  $pp$  collisions at  $\sqrt{s} = 13$  TeV that decay into displaced hadronic jets in the ATLAS calorimeter”, Eur. Phys. J. C **79**, 481 (2019).
- [618] M. Aaboud (ATLAS), “Search for long-lived particles in final states with displaced dimuon vertices in  $pp$  collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, Phys. Rev. D **99**, 012001 (2019).
- [619] M. Aaboud (ATLAS), “Search for long-lived particles produced in  $pp$  collisions at  $\sqrt{s} = 13$  TeV that decay into displaced hadronic jets in the ATLAS muon spectrometer”, Phys. Rev. D **99**, 052005 (2019).
- [620] M. Aaboud (ATLAS), “Search for low-mass resonances decaying into two jets and produced in association with a photon using  $pp$  collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, Phys. Lett. B **795**, 56–75 (2019).
- [621] M. Aaboud (ATLAS), “Search for pair production of Higgs bosons in the  $b\bar{b}b\bar{b}$  final state using proton-proton collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, JHEP **01**, 030 (2019).
- [622] M. Aaboud (ATLAS), “Search for single production of vector-like quarks decaying into  $Wb$  in  $pp$  collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, JHEP **05**, 164 (2019).
- [623] M. Aaboud (ATLAS), “Search for squarks and gluinos in final states with hadronically decaying  $\tau$ -leptons, jets, and missing transverse momentum using  $pp$  collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, Phys. Rev. D **99**, 012009 (2019).
- [624] M. Aaboud (ATLAS), “Search for the Production of a Long-Lived Neutral Particle Decaying within the ATLAS Hadronic Calorimeter in Association with a  $Z$  Boson from  $pp$  Collisions at  $\sqrt{s} = 13$  TeV”, Phys. Rev. Lett. **122**, 151801 (2019).
- [625] M. Aaboud (ATLAS), “Search for top-quark decays  $t \rightarrow Hq$  with  $36 \text{ fb}^{-1}$  of  $pp$  collision data at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, JHEP **05**, 123 (2019).
- [626] M. Aaboud (ATLAS), “Search for vector-boson resonances decaying to a top quark and bottom quark in the lepton plus jets final state in  $pp$  collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, Phys. Lett. B **788**, 347–370 (2019).
- [627] M. Aaboud (ATLAS), “Searches for scalar leptoquarks and differential cross-section measurements in dilepton-dijet events in proton-proton collisions at a centre-of-mass energy of  $\sqrt{s} = 13$  TeV with the ATLAS experiment”, Eur. Phys. J. C **79**, 733 (2019).
- [628] M. Aaboud (ATLAS), “Searches for third-generation scalar leptoquarks in  $\sqrt{s} = 13$  TeV  $pp$  collisions with the ATLAS detector”, JHEP **06**, 144 (2019).
- [629] M. Aaboud (ATLAS), “Study of the hard double-parton scattering contribution to inclusive four-lepton production in  $pp$  collisions at  $\sqrt{s} = 8$  TeV with the ATLAS detector”, Phys. Lett. B **790**, 595–614 (2019).
- [630] M. Aaboud (ATLAS), “Study of the rare decays of  $B_s^0$  and  $B^0$  mesons into muon pairs using data collected during 2015 and 2016 with the ATLAS detector”, JHEP **04**, 098 (2019).
- [631] G. Aad (ATLAS), “ATLAS b-jet identification performance and efficiency measurement with  $t\bar{t}$  events in  $pp$  collisions at  $\sqrt{s} = 13$  TeV”, Eur. Phys. J. C **79**, 970 (2019).
- [632] G. Aad (ATLAS), “Electron and photon performance measurements with the ATLAS detector using the 2015–2017 LHC proton-proton collision data”, JINST **14**, P12006 (2019).
- [633] G. Aad (ATLAS), “Evidence for the production of three massive vector bosons with the ATLAS detector”, Phys. Lett. B **798**, 134913 (2019).
- [634] G. Aad (ATLAS), “Evidence for the production of three massive vectorbosons in  $pp$  collisions with the ATLAS detector”, PoS **DIS2019**, 135 (2019).
- [635] G. Aad (ATLAS), “Identification of boosted Higgs bosons decaying into  $b$ -quark pairs with the ATLAS detector at 13 TeV”, Eur. Phys. J. C **79**, 836 (2019).

- [636] G. Aad (ATLAS), “Measurement of  $K_S^0$  and  $\Lambda^0$  production in  $t\bar{t}$  dileptonic events in pp collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector”, Eur. Phys. J. C **79**, 1017 (2019).
- [637] G. Aad (ATLAS), “Measurement of  $W^\pm$  boson production in Pb+Pb collisions at  $\sqrt{s_{NN}} = 5.02$  TeV with the ATLAS detector”, Eur. Phys. J. C **79**, 935 (2019).
- [638] G. Aad (ATLAS), “Measurement of  $W^\pm$ -boson and Z-boson production cross-sections in pp collisions at  $\sqrt{s} = 2.76$  TeV with the ATLAS detector”, Eur. Phys. J. C **79**, 901 (2019).
- [639] G. Aad (ATLAS), “Measurement of angular and momentum distributions of charged particles within and around jets in Pb+Pb and  $pp$  collisions at  $\sqrt{s_{NN}} = 5.02$  TeV with the ATLAS detector”, Phys. Rev. C **100**, [Erratum: Phys.Rev.C 101, 059903 (2020)], 064901 (2019).
- [640] G. Aad (ATLAS), “Measurement of distributions sensitive to the underlying event in inclusive Z-boson production in pp collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, Eur. Phys. J. C **79**, 666 (2019).
- [641] G. Aad (ATLAS), “Measurement of flow harmonics correlations with mean transverse momentum in lead-lead and proton-lead collisions at  $\sqrt{s_{NN}} = 5.02$  TeV with the ATLAS detector”, Eur. Phys. J. C **79**, 985 (2019).
- [642] G. Aad (ATLAS), “Measurement of the cross-section and charge asymmetry of  $W$  bosons produced in proton–proton collisions at  $\sqrt{s} = 8$  TeV with the ATLAS detector”, Eur. Phys. J. C **79**, 760 (2019).
- [643] G. Aad (ATLAS), “Measurement of the inclusive cross-section for the production of jets in association with a Z boson in proton-proton collisions at 8 TeV using the ATLAS detector”, Eur. Phys. J. C **79**, 847 (2019).
- [644] G. Aad (ATLAS), “Measurement of the inclusive isolated-photon cross section in  $pp$  collisions at  $\sqrt{s} = 13$  TeV using 36 fb $^{-1}$  of ATLAS data”, JHEP **10**, 203 (2019).
- [645] G. Aad (ATLAS), “Measurement of the production cross section for a Higgs boson in association with a vector boson in the  $H \rightarrow WW^* \rightarrow \ell\nu\ell\nu$  channel in  $pp$  collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, Phys. Lett. B **798**, 134949 (2019).
- [646] G. Aad (ATLAS), “Measurement of the top-quark mass in  $t\bar{t} + 1$ -jet events collected with the ATLAS detector in  $pp$  collisions at  $\sqrt{s} = 8$  TeV”, JHEP **11**, 150 (2019).
- [647] G. Aad (ATLAS), “Measurements of top-quark pair differential and double-differential cross-sections in the  $\ell$ +jets channel with  $pp$  collisions at  $\sqrt{s} = 13$  TeV using the ATLAS detector”, Eur. Phys. J. C **79**, [Erratum: Eur.Phys.J.C 80, 1092 (2020)], 1028 (2019).
- [648] G. Aad (ATLAS), “Observation of light-by-light scattering in ultraperipheral Pb+Pb collisions with the ATLAS detector”, Phys. Rev. Lett. **123**, 052001 (2019).
- [649] G. Aad (ATLAS), “Properties of jet fragmentation using charged particles measured with the ATLAS detector in  $pp$  collisions at  $\sqrt{s} = 13$  TeV”, Phys. Rev. D **100**, 052011 (2019).
- [650] G. Aad (ATLAS), “Resolution of the ATLAS muon spectrometer monitored drift tubes in LHC Run 2”, JINST **14**, P09011 (2019).
- [651] G. Aad (ATLAS), “Search for a heavy charged boson in events with a charged lepton and missing transverse momentum from  $pp$  collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, Phys. Rev. D **100**, 052013 (2019).
- [652] G. Aad (ATLAS), “Search for bottom-squark pair production with the ATLAS detector in final states containing Higgs bosons,  $b$ -jets and missing transverse momentum”, JHEP **12**, 060 (2019).
- [653] G. Aad (ATLAS), “Search for diboson resonances in hadronic final states in 139 fb $^{-1}$  of  $pp$  collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, JHEP **09**, [Erratum: JHEP 06, 042 (2020)], 091 (2019).
- [654] G. Aad (ATLAS), “Search for heavy neutral leptons in decays of  $W$  bosons produced in 13 TeV  $pp$  collisions using prompt and displaced signatures with the ATLAS detector”, JHEP **10**, 265 (2019).
- [655] G. Aad (ATLAS), “Search for high-mass dilepton resonances using 139 fb $^{-1}$  of  $pp$  collision data collected at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, Phys. Lett. B **796**, 68–87 (2019).
- [656] G. Aad (ATLAS), “Search for the electroweak diboson production in association with a high-mass dijet system in semileptonic final states in  $pp$  collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, Phys. Rev. D **100**, 032007 (2019).
- [657] J. Albrecht (HEP Software Foundation), “A Roadmap for HEP Software and Computing R&D for the 2020s”, Comput. Softw. Big Sci. **3**, 7 (2019).
- [658] E. A. Huerta, “Enabling real-time multi-messenger astrophysics discoveries with deep learning”, Nature Rev. Phys. **1**, 600–608 (2019).
- [659] E. A. Huerta, R. Haas, S. Jha, **M. Neubauer**, D. S. Katz, “Supporting High-Performance and High-Throughput Computing for Experimental Science”, Comput. Softw. Big Sci. **3**, 5 (2019).

- [660] M. Aaboud (ATLAS), “Combined measurement of differential and total cross sections in the  $H \rightarrow \gamma\gamma$  and the  $H \rightarrow ZZ^* \rightarrow 4\ell$  decay channels at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, Phys. Lett. B **786**, 114–133 (2018).
- [661] M. Aaboud (ATLAS), “Measurement of dijet azimuthal decorrelations in  $pp$  collisions at  $\sqrt{s} = 8$  TeV with the ATLAS detector and determination of the strong coupling”, Phys. Rev. D **98**, 092004 (2018).
- [662] M. Aaboud (ATLAS), “Measurement of inclusive jet and dijet cross-sections in proton-proton collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, JHEP **05**, 195 (2018).
- [663] M. Aaboud (ATLAS), “Measurement of the production cross-section of a single top quark in association with a Z boson in proton-proton collisions at 13 TeV with the ATLAS detector”, Phys. Lett. B **780**, 557–577 (2018).
- [664] M. Aaboud (ATLAS), “Observation of Higgs boson production in association with a top quark pair at the LHC with the ATLAS detector”, Phys. Lett. B **784**, 173–191 (2018).
- [665] M. Aaboud (ATLAS), “Search for a Structure in the  $B_s^0\pi^\pm$  Invariant Mass Spectrum with the ATLAS Experiment”, Phys. Rev. Lett. **120**, 202007 (2018).
- [666] M. Aaboud (ATLAS), “Search for an invisibly decaying Higgs boson or dark matter candidates produced in association with a Z boson in  $pp$  collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, Phys. Lett. B **776**, 318–337 (2018).
- [667] M. Aaboud (ATLAS), “Search for dark matter in events with a hadronically decaying vector boson and missing transverse momentum in  $pp$  collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, JHEP **10**, 180 (2018).
- [668] M. Aaboud (ATLAS), “Search for electroweak production of supersymmetric particles in final states with two or three leptons at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, Eur. Phys. J. C **78**, 995 (2018).
- [669] M. Aaboud (ATLAS), “Search for flavour-changing neutral current top-quark decays  $t \rightarrow qZ$  in proton-proton collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, JHEP **07**, 176 (2018).
- [670] M. Aaboud (ATLAS), “Search for heavy ZZ resonances in the  $\ell^+\ell^-\ell^+\ell^-$  and  $\ell^+\ell^-\nu\bar{\nu}$  final states using proton-proton collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, Eur. Phys. J. C **78**, 293 (2018).
- [671] M. Aaboud (ATLAS), “Search for Higgs boson pair production in the  $\gamma\gamma b\bar{b}$  final state with 13 TeV  $pp$  collision data collected by the ATLAS experiment”, JHEP **11**, 040 (2018).
- [672] M. Aaboud (ATLAS), “Search for low-mass dijet resonances using trigger-level jets with the ATLAS detector in  $pp$  collisions at  $\sqrt{s} = 13$  TeV”, Phys. Rev. Lett. **121**, 081801 (2018).
- [673] M. Aaboud (ATLAS), “Search for pair production of heavy vector-like quarks decaying into hadronic final states in  $pp$  collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, Phys. Rev. D **98**, 092005 (2018).
- [674] M. Aaboud (ATLAS), “Search for pair production of higgsinos in final states with at least three  $b$ -tagged jets in  $\sqrt{s} = 13$  TeV  $pp$  collisions using the ATLAS detector”, Phys. Rev. D **98**, 092002 (2018).
- [675] M. Aaboud (ATLAS), “Search for resonant  $WZ$  production in the fully leptonic final state in proton-proton collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, Phys. Lett. B **787**, 68–88 (2018).
- [676] M. Aaboud (ATLAS), “Search for the Decay of the Higgs Boson to Charm Quarks with the ATLAS Experiment”, Phys. Rev. Lett. **120**, 211802 (2018).
- [677] M. Aaboud (ATLAS), “Search for the Higgs boson produced in association with a vector boson and decaying into two spin-zero particles in the  $H \rightarrow aa \rightarrow 4b$  channel in  $pp$  collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, JHEP **10**, 031 (2018).
- [678] M. Aaboud (ATLAS), “ $ZZ \rightarrow \ell^+\ell^-\ell'^+\ell'^-$  cross-section measurements and search for anomalous triple gauge couplings in 13 TeV  $pp$  collisions with the ATLAS detector”, Phys. Rev. D **97**, 032005 (2018).
- [679] M. Aaboud (ATLAS), “A search for lepton-flavor-violating decays of the Z boson into a  $\tau$ -lepton and a light lepton with the ATLAS detector”, Phys. Rev. D **98**, 092010 (2018).
- [680] M. Aaboud (ATLAS), “A search for pair-produced resonances in four-jet final states at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, Eur. Phys. J. C **78**, 250 (2018).
- [681] M. Aaboud (ATLAS), “A search for resonances decaying into a Higgs boson and a new particle  $X$  in the  $XH \rightarrow qqbb$  final state with the ATLAS detector”, Phys. Lett. B **779**, 24–45 (2018).
- [682] M. Aaboud (ATLAS), “Angular analysis of  $B_d^0 \rightarrow K^*\mu^+\mu^-$  decays in  $pp$  collisions at  $\sqrt{s} = 8$  TeV with the ATLAS detector”, JHEP **10**, 047 (2018).
- [683] M. Aaboud (ATLAS, CMS), “Combination of inclusive and differential  $t\bar{t}$  charge asymmetry measurements using ATLAS and CMS data at  $\sqrt{s} = 7$  and 8 TeV”, JHEP **04**, 033 (2018).
- [684] M. Aaboud (ATLAS), “Combination of searches for heavy resonances decaying into bosonic and leptonic final states using 36 fb $^{-1}$  of proton-proton collision data at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, Phys. Rev. D **98**, 052008 (2018).

- [685] M. Aaboud (ATLAS), “Combination of the searches for pair-produced vector-like partners of the third-generation quarks at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, Phys. Rev. Lett. **121**, 211801 (2018).
- [686] M. Aaboud (ATLAS), “Comparison between simulated and observed LHC beam backgrounds in the ATLAS experiment at  $E_{\text{beam}} = 4$  TeV”, JINST **13**, P12006 (2018).
- [687] M. Aaboud (ATLAS), “Constraints on off-shell Higgs boson production and the Higgs boson total width in  $ZZ \rightarrow 4\ell$  and  $ZZ \rightarrow 2\ell 2\nu$  final states with the ATLAS detector”, Phys. Lett. B **786**, 223–244 (2018).
- [688] M. Aaboud (ATLAS), “Direct top-quark decay width measurement in the  $t\bar{t}$  lepton+jets channel at  $\sqrt{s}=8$  TeV with the ATLAS experiment”, Eur. Phys. J. C **78**, 129 (2018).
- [689] M. Aaboud (ATLAS), “Evidence for the associated production of the Higgs boson and a top quark pair with the ATLAS detector”, Phys. Rev. D **97**, 072003 (2018).
- [690] M. Aaboud (ATLAS), “Measurement of  $\tau$  polarisation in  $Z/\gamma^* \rightarrow \tau\tau$  decays in proton–proton collisions at  $\sqrt{s} = 8$  TeV with the ATLAS detector”, Eur. Phys. J. C **78**, 163 (2018).
- [691] M. Aaboud (ATLAS), “Measurement of colour flow using jet-pull observables in  $t\bar{t}$  events with the ATLAS experiment at  $\sqrt{s} = 13$  TeV”, Eur. Phys. J. C **78**, 847 (2018).
- [692] M. Aaboud (ATLAS), “Measurement of differential cross sections and  $W^+/W^-$  cross-section ratios for  $W$  boson production in association with jets at  $\sqrt{s} = 8$  TeV with the ATLAS detector”, JHEP **05**, [Erratum: JHEP 10, 048 (2020)], 077 (2018).
- [693] M. Aaboud (ATLAS), “Measurement of differential cross sections of isolated-photon plus heavy-flavour jet production in pp collisions at  $\sqrt{s} = 8$  TeV using the ATLAS detector”, Phys. Lett. B **776**, 295–317 (2018).
- [694] M. Aaboud (ATLAS), “Measurement of differential cross-sections of a single top quark produced in association with a  $W$  boson at  $\sqrt{s} = 13$  TeV with ATLAS”, Eur. Phys. J. C **78**, 186 (2018).
- [695] M. Aaboud (ATLAS), “Measurement of jet fragmentation in 5.02 TeV proton-lead and proton-proton collisions with the ATLAS detector”, Nucl. Phys. A **978**, 65 (2018).
- [696] M. Aaboud (ATLAS), “Measurement of jet fragmentation in Pb+Pb and  $pp$  collisions at  $\sqrt{s_{NN}} = 5.02$  TeV with the ATLAS detector”, Phys. Rev. C **98**, 024908 (2018).
- [697] M. Aaboud (ATLAS), “Measurement of long-range multiparticle azimuthal correlations with the subevent cumulant method in  $pp$  and  $p + Pb$  collisions with the ATLAS detector at the CERN Large Hadron Collider”, Phys. Rev. C **97**, 024904 (2018).
- [698] M. Aaboud (ATLAS), “Measurement of longitudinal flow decorrelations in Pb+Pb collisions at  $\sqrt{s_{NN}} = 2.76$  and 5.02 TeV with the ATLAS detector”, Eur. Phys. J. C **78**, 142 (2018).
- [699] M. Aaboud (ATLAS), “Measurement of quarkonium production in proton–lead and proton–proton collisions at 5.02 TeV with the ATLAS detector”, Eur. Phys. J. C **78**, 171 (2018).
- [700] M. Aaboud (ATLAS), “Measurement of the  $Z\gamma \rightarrow \nu\bar{\nu}\gamma$  production cross section in pp collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector and limits on anomalous triple gauge-boson couplings”, JHEP **12**, 010 (2018).
- [701] M. Aaboud (ATLAS), “Measurement of the  $W$ -boson mass in pp collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector”, Eur. Phys. J. C **78**, [Erratum: Eur.Phys.J.C 78, 898 (2018)], 110 (2018).
- [702] M. Aaboud (ATLAS), “Measurement of the azimuthal anisotropy of charged particles produced in  $\sqrt{s_{NN}} = 5.02$  TeV Pb+Pb collisions with the ATLAS detector”, Eur. Phys. J. C **78**, 997 (2018).
- [703] M. Aaboud (ATLAS), “Measurement of the cross section for isolated-photon plus jet production in  $pp$  collisions at  $\sqrt{s} = 13$  TeV using the ATLAS detector”, Phys. Lett. B **780**, 578–602 (2018).
- [704] M. Aaboud (ATLAS), “Measurement of the cross-section for producing a  $W$  boson in association with a single top quark in pp collisions at  $\sqrt{s} = 13$  TeV with ATLAS”, JHEP **01**, 063 (2018).
- [705] M. Aaboud (ATLAS), “Measurement of the exclusive  $\gamma\gamma \rightarrow \mu^+\mu^-$  process in proton-proton collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, Phys. Lett. B **777**, 303–323 (2018).
- [706] M. Aaboud (ATLAS), “Measurement of the Higgs boson coupling properties in the  $H \rightarrow ZZ^* \rightarrow 4\ell$  decay channel at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, JHEP **03**, 095 (2018).
- [707] M. Aaboud (ATLAS), “Measurement of the Higgs boson mass in the  $H \rightarrow ZZ^* \rightarrow 4\ell$  and  $H \rightarrow \gamma\gamma$  channels with  $\sqrt{s} = 13$  TeV  $pp$  collisions using the ATLAS detector”, Phys. Lett. B **784**, 345–366 (2018).
- [708] M. Aaboud (ATLAS), “Measurement of the inclusive and fiducial  $t\bar{t}$  production cross-sections in the lepton+jets channel in  $pp$  collisions at  $\sqrt{s} = 8$  TeV with the ATLAS detector”, Eur. Phys. J. C **78**, 487 (2018).

- [709] M. Aaboud (ATLAS), “Measurement of the production cross section of three isolated photons in  $pp$  collisions at  $\sqrt{s} = 8$  TeV using the ATLAS detector”, Phys. Lett. B **781**, 55–76 (2018).
- [710] M. Aaboud (ATLAS), “Measurement of the Soft-Drop Jet Mass in  $pp$  Collisions at  $\sqrt{s} = 13$  TeV with the ATLAS Detector”, Phys. Rev. Lett. **121**, 092001 (2018).
- [711] M. Aaboud (ATLAS), “Measurement of the suppression and azimuthal anisotropy of muons from heavy-flavor decays in Pb+Pb collisions at  $\sqrt{s_{NN}} = 2.76$  TeV with the ATLAS detector”, Phys. Rev. C **98**, 044905 (2018).
- [712] M. Aaboud (ATLAS), “Measurements of  $t\bar{t}$  differential cross-sections of highly boosted top quarks decaying to all-hadronic final states in  $pp$  collisions at  $\sqrt{s} = 13$  TeV using the ATLAS detector”, Phys. Rev. D **98**, 012003 (2018).
- [713] M. Aaboud (ATLAS), “Measurements of b-jet tagging efficiency with the ATLAS detector using  $t\bar{t}$  events at  $\sqrt{s} = 13$  TeV”, JHEP **08**, 089 (2018).
- [714] M. Aaboud (ATLAS), “Measurements of differential cross sections of top quark pair production in association with jets in  $pp$  collisions at  $\sqrt{s} = 13$  TeV using the ATLAS detector”, JHEP **10**, 159 (2018).
- [715] M. Aaboud (ATLAS), “Measurements of Higgs boson properties in the diphoton decay channel with 36 fb<sup>-1</sup> of  $pp$  collision data at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, Phys. Rev. D **98**, 052005 (2018).
- [716] M. Aaboud (ATLAS), “Observation of  $H \rightarrow b\bar{b}$  decays and  $VH$  production with the ATLAS detector”, Phys. Lett. B **786**, 59–86 (2018).
- [717] M. Aaboud (ATLAS), “Observation of centrality-dependent acoplanarity for muon pairs produced via two-photon scattering in Pb+Pb collisions at  $\sqrt{s_{NN}} = 5.02$  TeV with the ATLAS detector”, Phys. Rev. Lett. **121**, 212301 (2018).
- [718] M. Aaboud (ATLAS), “Operation and performance of the ATLAS Tile Calorimeter in Run 1”, Eur. Phys. J. C **78**, 987 (2018).
- [719] M. Aaboud (ATLAS), “Performance of missing transverse momentum reconstruction with the ATLAS detector using proton-proton collisions at  $\sqrt{s} = 13$  TeV”, Eur. Phys. J. C **78**, 903 (2018).
- [720] M. Aaboud (ATLAS), “Probing the quantum interference between singly and doubly resonant top-quark production in  $pp$  collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, Phys. Rev. Lett. **121**, 152002 (2018).
- [721] M. Aaboud (ATLAS), “Prompt and non-prompt  $J/\psi$  and  $\psi(2S)$  suppression at high transverse momentum in 5.02 TeV Pb+Pb collisions with the ATLAS experiment”, Eur. Phys. J. C **78**, 762 (2018).
- [722] M. Aaboud (ATLAS), “Prompt and non-prompt  $J/\psi$  elliptic flow in Pb+Pb collisions at  $\sqrt{s_{NN}} = 5.02$  TeV with the ATLAS detector”, Eur. Phys. J. C **78**, 784 (2018).
- [723] M. Aaboud (ATLAS), “Search for  $W' \rightarrow tb$  decays in the hadronic final state using  $pp$  collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, Phys. Lett. B **781**, 327–348 (2018).
- [724] M. Aaboud (ATLAS), “Search for  $WW/WZ$  resonance production in  $\ell\nu qq$  final states in  $pp$  collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, JHEP **03**, 042 (2018).
- [725] M. Aaboud (ATLAS), “Search for a heavy Higgs boson decaying into a  $Z$  boson and another heavy Higgs boson in the  $\ell\ell b\bar{b}$  final state in  $pp$  collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, Phys. Lett. B **783**, 392–414 (2018).
- [726] M. Aaboud (ATLAS), “Search for a new heavy gauge boson resonance decaying into a lepton and missing transverse momentum in 36 fb<sup>-1</sup> of  $pp$  collisions at  $\sqrt{s} = 13$  TeV with the ATLAS experiment”, Eur. Phys. J. C **78**, 401 (2018).
- [727] M. Aaboud (ATLAS), “Search for additional heavy neutral Higgs and gauge bosons in the ditau final state produced in 36 fb<sup>-1</sup> of  $pp$  collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, JHEP **01**, 055 (2018).
- [728] M. Aaboud (ATLAS), “Search for B-L R -parity-violating top squarks in  $\sqrt{s} = 13$  TeV  $pp$  collisions with the ATLAS experiment”, Phys. Rev. D **97**, 032003 (2018).
- [729] M. Aaboud (ATLAS), “Search for charged Higgs bosons decaying into top and bottom quarks at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, JHEP **11**, 085 (2018).
- [730] M. Aaboud (ATLAS), “Search for charged Higgs bosons decaying via  $H^\pm \rightarrow \tau^\pm \nu_\tau$  in the  $\tau$ +jets and  $\tau$ +lepton final states with 36 fb<sup>-1</sup> of  $pp$  collision data recorded at  $\sqrt{s} = 13$  TeV with the ATLAS experiment”, JHEP **09**, 139 (2018).
- [731] M. Aaboud (ATLAS), “Search for chargino-neutralino production using recursive jigsaw reconstruction in final states with two or three charged leptons in proton-proton collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, Phys. Rev. D **98**, 092012 (2018).

- [732] M. Aaboud (ATLAS), “Search for dark matter and other new phenomena in events with an energetic jet and large missing transverse momentum using the ATLAS detector”, JHEP **01**, 126 (2018).
- [733] M. Aaboud (ATLAS), “Search for dark matter produced in association with bottom or top quarks in  $\sqrt{s} = 13$  TeV pp collisions with the ATLAS detector”, Eur. Phys. J. C **78**, 18 (2018).
- [734] M. Aaboud (ATLAS), “Search for diboson resonances with boson-tagged jets in  $pp$  collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, Phys. Lett. B **777**, 91–113 (2018).
- [735] M. Aaboud (ATLAS), “Search for doubly charged Higgs boson production in multi-lepton final states with the ATLAS detector using proton–proton collisions at  $\sqrt{s} = 13$  TeV”, Eur. Phys. J. C **78**, 199 (2018).
- [736] M. Aaboud (ATLAS), “Search for electroweak production of supersymmetric states in scenarios with compressed mass spectra at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, Phys. Rev. D **97**, 052010 (2018).
- [737] M. Aaboud (ATLAS), “Search for exclusive Higgs and  $Z$  boson decays to  $\phi\gamma$  and  $\rho\gamma$  with the ATLAS detector”, JHEP **07**, 127 (2018).
- [738] M. Aaboud (ATLAS), “Search for flavor-changing neutral currents in top quark decays  $t \rightarrow Hc$  and  $t \rightarrow Hu$  in multilepton final states in proton-proton collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, Phys. Rev. D **98**, 032002 (2018).
- [739] M. Aaboud (ATLAS), “Search for heavy particles decaying into top-quark pairs using lepton-plus-jets events in proton–proton collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, Eur. Phys. J. C **78**, 565 (2018).
- [740] M. Aaboud (ATLAS), “Search for heavy resonances decaying into  $WW$  in the  $e\nu\mu\nu$  final state in  $pp$  collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, Eur. Phys. J. C **78**, 24 (2018).
- [741] M. Aaboud (ATLAS), “Search for heavy resonances decaying into a  $W$  or  $Z$  boson and a Higgs boson in final states with leptons and  $b$ -jets in 36 fb $^{-1}$  of  $\sqrt{s} = 13$  TeV  $pp$  collisions with the ATLAS detector”, JHEP **03**, [Erratum: JHEP 11, 051 (2018)], 174 (2018).
- [742] M. Aaboud (ATLAS), “Search for heavy resonances decaying to a photon and a hadronically decaying  $Z/W/H$  boson in  $pp$  collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, Phys. Rev. D **98**, 032015 (2018).
- [743] M. Aaboud (ATLAS), “Search for Higgs boson decays into pairs of light (pseudo)scalar particles in the  $\gamma\gamma jj$  final state in  $pp$  collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, Phys. Lett. B **782**, 750–767 (2018).
- [744] M. Aaboud (ATLAS), “Search for Higgs boson decays to beyond-the-Standard-Model light bosons in four-lepton events with the ATLAS detector at  $\sqrt{s} = 13$  TeV”, JHEP **06**, 166 (2018).
- [745] M. Aaboud (ATLAS), “Search for Higgs boson pair production in the  $\gamma\gamma WW^*$  channel using  $pp$  collision data recorded at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, Eur. Phys. J. C **78**, 1007 (2018).
- [746] M. Aaboud (ATLAS), “Search for Higgs bosons produced via vector-boson fusion and decaying into bottom quark pairs in  $\sqrt{s} = 13$  TeV  $pp$  collisions with the ATLAS detector”, Phys. Rev. D **98**, 052003 (2018).
- [747] M. Aaboud (ATLAS), “Search for High-Mass Resonances Decaying to  $\tau\nu$  in pp Collisions at  $\sqrt{s}=13$  TeV with the ATLAS Detector”, Phys. Rev. Lett. **120**, 161802 (2018).
- [748] M. Aaboud (ATLAS), “Search for lepton-flavor violation in different-flavor, high-mass final states in  $pp$  collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, Phys. Rev. D **98**, 092008 (2018).
- [749] M. Aaboud (ATLAS), “Search for long-lived charginos based on a disappearing-track signature in pp collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, JHEP **06**, 022 (2018).
- [750] M. Aaboud (ATLAS), “Search for long-lived, massive particles in events with displaced vertices and missing transverse momentum in  $\sqrt{s} = 13$  TeV  $pp$  collisions with the ATLAS detector”, Phys. Rev. D **97**, 052012 (2018).
- [751] M. Aaboud (ATLAS), “Search for new phenomena in events with same-charge leptons and  $b$ -jets in  $pp$  collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, JHEP **12**, 039 (2018).
- [752] M. Aaboud (ATLAS), “Search for new phenomena in high-mass final states with a photon and a jet from  $pp$  collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, Eur. Phys. J. C **78**, 102 (2018).
- [753] M. Aaboud (ATLAS), “Search for new phenomena using the invariant mass distribution of same-flavour opposite-sign dilepton pairs in events with missing transverse momentum in  $\sqrt{s} = 13$  TeV  $pp$  collisions with the ATLAS detector”, Eur. Phys. J. C **78**, 625 (2018).
- [754] M. Aaboud (ATLAS), “Search for pair production of heavy vector-like quarks decaying into high- $p_T$   $W$  bosons and top quarks in the lepton-plus-jets final state in  $pp$  collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, JHEP **08**, 048 (2018).

- [755] M. Aaboud (ATLAS), “Search for pair production of up-type vector-like quarks and for four-top-quark events in final states with multiple  $b$ -jets with the ATLAS detector”, JHEP **07**, 089 (2018).
- [756] M. Aaboud (ATLAS), “Search for pair- and single-production of vector-like quarks in final states with at least one  $Z$  boson decaying into a pair of electrons or muons in  $pp$  collision data collected with the ATLAS detector at  $\sqrt{s} = 13$  TeV”, Phys. Rev. D **98**, 112010 (2018).
- [757] M. Aaboud (ATLAS), “Search for photonic signatures of gauge-mediated supersymmetry in 13 TeV  $pp$  collisions with the ATLAS detector”, Phys. Rev. D **97**, 092006 (2018).
- [758] M. Aaboud (ATLAS), “Search for R-parity-violating supersymmetric particles in multi-jet final states produced in  $p$ - $p$  collisions at  $\sqrt{s} = 13$  TeV using the ATLAS detector at the LHC”, Phys. Lett. B **785**, 136–158 (2018).
- [759] M. Aaboud (ATLAS), “Search for resonances in the mass distribution of jet pairs with one or two jets identified as  $b$ -jets in proton-proton collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, Phys. Rev. D **98**, 032016 (2018).
- [760] M. Aaboud (ATLAS), “Search for resonant and non-resonant Higgs boson pair production in the  $b\bar{b}\tau^+\tau^-$  decay channel in  $pp$  collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, Phys. Rev. Lett. **121**, [Erratum: Phys.Rev.Lett. 122, 089901 (2019)], 191801 (2018).
- [761] M. Aaboud (ATLAS), “Search for squarks and gluinos in final states with jets and missing transverse momentum using 36 fb<sup>-1</sup> of  $\sqrt{s} = 13$  TeV  $pp$  collision data with the ATLAS detector”, Phys. Rev. D **97**, 112001 (2018).
- [762] M. Aaboud (ATLAS), “Search for supersymmetry in events with four or more leptons in  $\sqrt{s} = 13$  TeV  $pp$  collisions with ATLAS”, Phys. Rev. D **98**, 032009 (2018).
- [763] M. Aaboud (ATLAS), “Search for supersymmetry in final states with charm jets and missing transverse momentum in 13 TeV  $pp$  collisions with the ATLAS detector”, JHEP **09**, 050 (2018).
- [764] M. Aaboud (ATLAS), “Search for supersymmetry in final states with missing transverse momentum and multiple  $b$ -jets in proton-proton collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, JHEP **06**, 107 (2018).
- [765] M. Aaboud (ATLAS), “Search for the direct production of charginos and neutralinos in final states with tau leptons in  $\sqrt{s} = 13$  TeV  $pp$  collisions with the ATLAS detector”, Eur. Phys. J. C **78**, 154 (2018).
- [766] M. Aaboud (ATLAS), “Search for the standard model Higgs boson produced in association with top quarks and decaying into a  $b\bar{b}$  pair in  $pp$  collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, Phys. Rev. D **97**, 072016 (2018).
- [767] M. Aaboud (ATLAS), “Search for top squarks decaying to tau sleptons in  $pp$  collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, Phys. Rev. D **98**, 032008 (2018).
- [768] M. Aaboud (ATLAS), “Search for top-squark pair production in final states with one lepton, jets, and missing transverse momentum using 36 fb<sup>-1</sup> of  $\sqrt{s} = 13$  TeV  $pp$  collision data with the ATLAS detector”, JHEP **06**, 108 (2018).
- [769] M. Aaboud (ATLAS), “Searches for exclusive Higgs and  $Z$  boson decays into  $J/\psi\gamma$ ,  $\psi(2S)\gamma$ , and  $\Upsilon(nS)\gamma$  at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, Phys. Lett. B **786**, 134–155 (2018).
- [770] M. Aaboud (ATLAS), “Searches for heavy  $ZZ$  and  $ZW$  resonances in the  $\ell\ell qq$  and  $\nu\nu qq$  final states in  $pp$  collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, JHEP **03**, 009 (2018).
- [771] K. Albertsson, “Machine Learning in High Energy Physics Community White Paper”, J. Phys. Conf. Ser. **1085**, 022008 (2018).
- [772] L. Bauerdick (HEP Software Foundation), “HEP Software Foundation Community White Paper Working Group - Data Analysis and Interpretation”, edited by M. S. Neubauer (2018).
- [773] M. Bellis, “HEP Software Foundation Community White Paper Working Group – Visualization”, (2018).
- [774] D. Berzano (HEP Software Foundation), “HEP Software Foundation Community White Paper Working Group - Training, Staffing and Careers”, (2018).
- [775] M. D. Hildreth, “HEP Software Foundation Community White Paper Working Group - Data and Software Preservation to Enable Reuse”, (2018).
- [776] M. Aaboud (ATLAS), “Evidence for the  $H \rightarrow b\bar{b}$  decay with the ATLAS detector”, JHEP **12**, 024 (2017).
- [777] M. Aaboud (ATLAS), “Jet energy scale measurements and their systematic uncertainties in proton-proton collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, Phys. Rev. D **96**, 072002 (2017).



- [778] M. Aaboud (ATLAS), “Measurement of  $b$ -hadron pair production with the ATLAS detector in proton-proton collisions at  $\sqrt{s} = 8$  TeV”, JHEP **11**, 062 (2017).
- [779] M. Aaboud (ATLAS), “Measurement of lepton differential distributions and the top quark mass in  $t\bar{t}$  production in  $pp$  collisions at  $\sqrt{s} = 8$  TeV with the ATLAS detector”, Eur. Phys. J. C **77**, 804 (2017).
- [780] M. Aaboud (ATLAS), “Measurement of the cross-section for electroweak production of dijets in association with a Z boson in pp collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, Phys. Lett. B **775**, 206–228 (2017).
- [781] M. Aaboud (ATLAS), “Measurement of the Drell-Yan triple-differential cross section in  $pp$  collisions at  $\sqrt{s} = 8$  TeV”, JHEP **12**, 059 (2017).
- [782] M. Aaboud (ATLAS), “Measurements of top-quark pair differential cross-sections in the lepton+jets channel in  $pp$  collisions at  $\sqrt{s} = 13$  TeV using the ATLAS detector”, JHEP **11**, 191 (2017).
- [783] M. Aaboud (ATLAS), “Performance of the ATLAS Track Reconstruction Algorithms in Dense Environments in LHC Run 2”, Eur. Phys. J. C **77**, 673 (2017).
- [784] M. Aaboud (ATLAS), “Search for direct top squark pair production in final states with two leptons in  $\sqrt{s} = 13$  TeV  $pp$  collisions with the ATLAS detector”, Eur. Phys. J. C **77**, 898 (2017).
- [785] M. Aaboud (ATLAS), “Search for pair production of heavy vector-like quarks decaying to high- $p_T$  W bosons and b quarks in the lepton-plus-jets final state in pp collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, JHEP **10**, 141 (2017).
- [786] M. Aaboud (ATLAS), “Searches for the  $Z\gamma$  decay mode of the Higgs boson and for new high-mass resonances in  $pp$  collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, JHEP **10**, 112 (2017).
- [787] M. Aaboud (ATLAS), “Study of  $WW\gamma$  and  $WZ\gamma$  production in  $pp$  collisions at  $\sqrt{s} = 8$  TeV and search for anomalous quartic gauge couplings with the ATLAS experiment”, Eur. Phys. J. C **77**, 646 (2017).
- [788] M. Aaboud (ATLAS), “Study of ordered hadron chains with the ATLAS detector”, Phys. Rev. D **96**, 092008 (2017).
- [789] M. Aaboud (ATLAS), “A measurement of the calorimeter response to single hadrons and determination of the jet energy scale uncertainty using LHC Run-1  $pp$ -collision data with the ATLAS detector”, Eur. Phys. J. C **77**, 26 (2017).
- [790] M. Aaboud (ATLAS), “Analysis of the  $Wtb$  vertex from the measurement of triple-differential angular decay rates of single top quarks produced in the  $t$ -channel at  $\sqrt{s} = 8$  TeV with the ATLAS detector”, JHEP **12**, 017 (2017).
- [791] M. Aaboud (ATLAS), “Determination of the strong coupling constant  $\alpha_s$  from transverse energy–energy correlations in multijet events at  $\sqrt{s} = 8$  TeV using the ATLAS detector”, Eur. Phys. J. C **77**, 872 (2017).
- [792] M. Aaboud (ATLAS), “Electron efficiency measurements with the ATLAS detector using 2012 LHC proton–proton collision data”, Eur. Phys. J. C **77**, 195 (2017).
- [793] M. Aaboud (ATLAS), “Evidence for light-by-light scattering in heavy-ion collisions with the ATLAS detector at the LHC”, Nature Phys. **13**, 852–858 (2017).
- [794] M. Aaboud (ATLAS), “Femtoscopia with identified charged pions in proton-lead collisions at  $\sqrt{s_{NN}} = 5.02$  TeV with ATLAS”, Phys. Rev. C **96**, 064908 (2017).
- [795] M. Aaboud (ATLAS), “Fiducial, total and differential cross-section measurements of  $t$ -channel single top-quark production in  $pp$  collisions at 8 TeV using data collected by the ATLAS detector”, Eur. Phys. J. C **77**, 531 (2017).
- [796] M. Aaboud (ATLAS), “High- $E_T$  isolated-photon plus jets production in  $pp$  collisions at  $\sqrt{s} = 8$  TeV with the ATLAS detector”, Nucl. Phys. B **918**, 257–316 (2017).
- [797] M. Aaboud (ATLAS), “Identification and rejection of pile-up jets at high pseudorapidity with the ATLAS detector”, Eur. Phys. J. C **77**, [Erratum: Eur.Phys.J.C 77, 712 (2017)], 580 (2017).
- [798] M. Aaboud (ATLAS), “Jet reconstruction and performance using particle flow with the ATLAS Detector”, Eur. Phys. J. C **77**, 466 (2017).
- [799] M. Aaboud (ATLAS), “Measurement of  $W^\pm W^\pm$  vector-boson scattering and limits on anomalous quartic gauge couplings with the ATLAS detector”, Phys. Rev. D **96**, 012007 (2017).
- [800] M. Aaboud (ATLAS), “Measurement of W boson angular distributions in events with high transverse momentum jets at  $\sqrt{s} = 8$  TeV using the ATLAS detector”, Phys. Lett. B **765**, 132–153 (2017).
- [801] M. Aaboud (ATLAS), “Measurement of  $WW/WZ \rightarrow \ell\nu qq'$  production with the hadronically decaying boson reconstructed as one or two jets in  $pp$  collisions at  $\sqrt{s} = 8$  TeV with ATLAS, and constraints on anomalous gauge couplings”, Eur. Phys. J. C **77**, 563 (2017).

- [802] M. Aaboud (ATLAS), “Measurement of charged-particle distributions sensitive to the underlying event in  $\sqrt{s} = 13$  TeV proton-proton collisions with the ATLAS detector at the LHC”, JHEP **03**, 157 (2017).
- [803] M. Aaboud (ATLAS), “Measurement of detector-corrected observables sensitive to the anomalous production of events with jets and large missing transverse momentum in  $pp$  collisions at  $\sqrt{s} = 13$  TeV using the ATLAS detector”, Eur. Phys. J. C **77**, 765 (2017).
- [804] M. Aaboud (ATLAS), “Measurement of forward-backward multiplicity correlations in lead-lead, proton-lead, and proton-proton collisions with the ATLAS detector”, Phys. Rev. C **95**, 064914 (2017).
- [805] M. Aaboud (ATLAS), “Measurement of inclusive and differential cross sections in the  $H \rightarrow ZZ^* \rightarrow 4\ell$  decay channel in  $pp$  collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, JHEP **10**, 132 (2017).
- [806] M. Aaboud (ATLAS), “Measurement of jet  $p_T$  correlations in Pb+Pb and  $pp$  collisions at  $\sqrt{s_{NN}} = 2.76$  TeV with the ATLAS detector”, Phys. Lett. B **774**, 379–402 (2017).
- [807] M. Aaboud (ATLAS), “Measurement of jet activity produced in top-quark events with an electron, a muon and two  $b$ -tagged jets in the final state in  $pp$  collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, Eur. Phys. J. C **77**, 220 (2017).
- [808] M. Aaboud (ATLAS), “Measurement of jet fragmentation in Pb+Pb and  $pp$  collisions at  $\sqrt{s_{NN}} = 2.76$  TeV with the ATLAS detector at the LHC”, Eur. Phys. J. C **77**, 379 (2017).
- [809] M. Aaboud (ATLAS), “Measurement of multi-particle azimuthal correlations in  $pp$ ,  $p$ +Pb and low-multiplicity Pb+Pb collisions with the ATLAS detector”, Eur. Phys. J. C **77**, 428 (2017).
- [810] M. Aaboud (ATLAS), “Measurement of the  $t\bar{t}\gamma$  production cross section in proton-proton collisions at  $\sqrt{s} = 8$  TeV with the ATLAS detector”, JHEP **11**, 086 (2017).
- [811] M. Aaboud (ATLAS), “Measurement of the  $k_t$  splitting scales in  $Z \rightarrow \ell\ell$  events in  $pp$  collisions at  $\sqrt{s} = 8$  TeV with the ATLAS detector”, JHEP **08**, 026 (2017).
- [812] M. Aaboud (ATLAS), “Measurement of the  $t\bar{t}$  production cross section in the  $\tau + \text{jets}$  final state in  $pp$  collisions at  $\sqrt{s} = 8$  TeV using the ATLAS detector”, Phys. Rev. D **95**, 072003 (2017).
- [813] M. Aaboud (ATLAS), “Measurement of the  $t\bar{t}Z$  and  $t\bar{t}W$  production cross sections in multilepton final states using  $3.2 \text{ fb}^{-1}$  of  $pp$  collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, Eur. Phys. J. C **77**, 40 (2017).
- [814] M. Aaboud (ATLAS), “Measurement of the  $W^+W^-$  production cross section in  $pp$  collisions at a centre-of-mass energy of  $\sqrt{s} = 13$  TeV with the ATLAS experiment”, Phys. Lett. B **773**, 354–374 (2017).
- [815] M. Aaboud (ATLAS), “Measurement of the  $ZZ$  production cross section in proton-proton collisions at  $\sqrt{s} = 8$  TeV using the  $ZZ \rightarrow \ell^-\ell^+\ell'^-\ell'^+$  and  $ZZ \rightarrow \ell^-\ell^+\nu\bar{\nu}$  channels with the ATLAS detector”, JHEP **01**, 099 (2017).
- [816] M. Aaboud (ATLAS), “Measurement of the cross section for inclusive isolated-photon production in  $pp$  collisions at  $\sqrt{s} = 13$  TeV using the ATLAS detector”, Phys. Lett. B **770**, 473–493 (2017).
- [817] M. Aaboud (ATLAS), “Measurement of the inclusive cross-sections of single top-quark and top-antiquark  $t$ -channel production in  $pp$  collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, JHEP **04**, 086 (2017).
- [818] M. Aaboud (ATLAS), “Measurement of the inclusive jet cross-sections in proton-proton collisions at  $\sqrt{s} = 8$  TeV with the ATLAS detector”, JHEP **09**, 020 (2017).
- [819] M. Aaboud (ATLAS), “Measurement of the prompt  $J/\psi$  pair production cross-section in  $pp$  collisions at  $\sqrt{s} = 8$  TeV with the ATLAS detector”, Eur. Phys. J. C **77**, 76 (2017).
- [820] M. Aaboud (ATLAS), “Measurement of the  $W$  boson polarisation in  $t\bar{t}$  events from  $pp$  collisions at  $\sqrt{s} = 8$  TeV in the lepton + jets channel with ATLAS”, Eur. Phys. J. C **77**, [Erratum: Eur.Phys.J.C 79, 19 (2019)], 264 (2017).
- [821] M. Aaboud (ATLAS), “Measurements of  $\psi(2S)$  and  $X(3872) \rightarrow J/\psi\pi^+\pi^-$  production in  $pp$  collisions at  $\sqrt{s} = 8$  TeV with the ATLAS detector”, JHEP **01**, 117 (2017).
- [822] M. Aaboud (ATLAS), “Measurements of charge and CP asymmetries in  $b$ -hadron decays using top-quark events collected by the ATLAS detector in  $pp$  collisions at  $\sqrt{s} = 8$  TeV”, JHEP **02**, 071 (2017).
- [823] M. Aaboud (ATLAS), “Measurements of electroweak  $Wjj$  production and constraints on anomalous gauge couplings with the ATLAS detector”, Eur. Phys. J. C **77**, 474 (2017).
- [824] M. Aaboud (ATLAS), “Measurements of integrated and differential cross sections for isolated photon pair production in  $pp$  collisions at  $\sqrt{s} = 8$  TeV with the ATLAS detector”, Phys. Rev. D **95**, 112005 (2017).

- [825] M. Aaboud (ATLAS), “Measurements of long-range azimuthal anisotropies and associated Fourier coefficients for  $pp$  collisions at  $\sqrt{s} = 5.02$  and 13 TeV and  $p$ +Pb collisions at  $\sqrt{s_{NN}} = 5.02$  TeV with the ATLAS detector”, Phys. Rev. C **96**, 024908 (2017).
- [826] M. Aaboud (ATLAS), “Measurements of the production cross section of a  $Z$  boson in association with jets in  $pp$  collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, Eur. Phys. J. C **77**, 361 (2017).
- [827] M. Aaboud (ATLAS), “Measurements of top quark spin observables in  $t\bar{t}$  events using dilepton final states in  $\sqrt{s} = 8$  TeV  $pp$  collisions with the ATLAS detector”, JHEP **03**, 113 (2017).
- [828] M. Aaboud (ATLAS), “Measurements of top-quark pair differential cross-sections in the  $e\mu$  channel in  $pp$  collisions at  $\sqrt{s} = 13$  TeV using the ATLAS detector”, Eur. Phys. J. C **77**, 292 (2017).
- [829] M. Aaboud (ATLAS), “Measurements of top-quark pair to  $Z$ -boson cross-section ratios at  $\sqrt{s} = 13, 8, 7$  TeV with the ATLAS detector”, JHEP **02**, 117 (2017).
- [830] M. Aaboud (ATLAS), “Performance of the ATLAS Transition Radiation Tracker in Run 1 of the LHC: tracker properties”, JINST **12**, P05002 (2017).
- [831] M. Aaboud (ATLAS), “Performance of the ATLAS Trigger System in 2015”, Eur. Phys. J. C **77**, 317 (2017).
- [832] M. Aaboud (ATLAS), “Precision measurement and interpretation of inclusive  $W^+$ ,  $W^-$  and  $Z/\gamma^*$  production cross sections with the ATLAS detector”, Eur. Phys. J. C **77**, 367 (2017).
- [833] M. Aaboud (ATLAS), “Probing the  $W$   $tb$  vertex structure in  $t$ -channel single-top-quark production and decay in  $pp$  collisions at  $\sqrt{s} = 8$  TeV with the ATLAS detector”, JHEP **04**, 124 (2017).
- [834] M. Aaboud (ATLAS), “Reconstruction of primary vertices at the ATLAS experiment in Run 1 proton–proton collisions at the LHC”, Eur. Phys. J. C **77**, 332 (2017).
- [835] M. Aaboud (ATLAS), “Search for a scalar partner of the top quark in the jets plus missing transverse momentum final state at  $\sqrt{s}=13$  TeV with the ATLAS detector”, JHEP **12**, 085 (2017).
- [836] M. Aaboud (ATLAS), “Search for anomalous electroweak production of  $WW/WZ$  in association with a high-mass dijet system in  $pp$  collisions at  $\sqrt{s} = 8$  TeV with the ATLAS detector”, Phys. Rev. D **95**, 032001 (2017).
- [837] M. Aaboud (ATLAS), “Search for dark matter at  $\sqrt{s} = 13$  TeV in final states containing an energetic photon and large missing transverse momentum with the ATLAS detector”, Eur. Phys. J. C **77**, 393 (2017).
- [838] M. Aaboud (ATLAS), “Search for dark matter in association with a Higgs boson decaying to  $b$ -quarks in  $pp$  collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, Phys. Lett. B **765**, 11–31 (2017).
- [839] M. Aaboud (ATLAS), “Search for dark matter in association with a Higgs boson decaying to two photons at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, Phys. Rev. D **96**, 112004 (2017).
- [840] M. Aaboud (ATLAS), “Search for Dark Matter Produced in Association with a Higgs Boson Decaying to  $b\bar{b}$  using 36 fb $^{-1}$  of  $pp$  collisions at  $\sqrt{s} = 13$  TeV with the ATLAS Detector”, Phys. Rev. Lett. **119**, 181804 (2017).
- [841] M. Aaboud (ATLAS), “Search for direct top squark pair production in events with a Higgs or  $Z$  boson, and missing transverse momentum in  $\sqrt{s} = 13$  TeV  $pp$  collisions with the ATLAS detector”, JHEP **08**, 006 (2017).
- [842] M. Aaboud (ATLAS), “Search for Heavy Higgs Bosons  $A/H$  Decaying to a Top Quark Pair in  $pp$  Collisions at  $\sqrt{s} = 8$  TeV with the ATLAS Detector”, Phys. Rev. Lett. **119**, 191803 (2017).
- [843] M. Aaboud (ATLAS), “Search for heavy resonances decaying to a  $W$  or  $Z$  boson and a Higgs boson in the  $q\bar{q}^{(\prime)}b\bar{b}$  final state in  $pp$  collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, Phys. Lett. B **774**, 494–515 (2017).
- [844] M. Aaboud (ATLAS), “Search for heavy resonances decaying to a  $Z$  boson and a photon in  $pp$  collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, Phys. Lett. B **764**, 11–30 (2017).
- [845] M. Aaboud (ATLAS), “Search for new high-mass phenomena in the dilepton final state using 36 fb $^{-1}$  of proton-proton collision data at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, JHEP **10**, 182 (2017).
- [846] M. Aaboud (ATLAS), “Search for new phenomena in a lepton plus high jet multiplicity final state with the ATLAS experiment using  $\sqrt{s} = 13$  TeV proton-proton collision data”, JHEP **09**, 088 (2017).
- [847] M. Aaboud (ATLAS), “Search for new phenomena in dijet events using 37 fb $^{-1}$  of  $pp$  collision data collected at  $\sqrt{s}=13$  TeV with the ATLAS detector”, Phys. Rev. D **96**, 052004 (2017).
- [848] M. Aaboud (ATLAS), “Search for new phenomena in events containing a same-flavour opposite-sign dilepton pair, jets, and large missing transverse momentum in  $\sqrt{s} = 13$   $pp$  collisions with the ATLAS detector”, Eur. Phys. J. C **77**, 144 (2017).

- [849] M. Aaboud (ATLAS), “Search for new phenomena in high-mass diphoton final states using  $37\text{ fb}^{-1}$  of proton–proton collisions collected at  $\sqrt{s} = 13\text{ TeV}$  with the ATLAS detector”, *Phys. Lett. B* **775**, 105–125 (2017).
- [850] M. Aaboud (ATLAS), “Search for new phenomena with large jet multiplicities and missing transverse momentum using large-radius jets and flavour-tagging at ATLAS in  $13\text{ TeV } pp$  collisions”, *JHEP* **12**, 034 (2017).
- [851] M. Aaboud (ATLAS), “Search for new resonances decaying to a  $W$  or  $Z$  boson and a Higgs boson in the  $\ell^+\ell^-b\bar{b}$ ,  $\ell\nu b\bar{b}$ , and  $\nu\bar{\nu}b\bar{b}$  channels with  $pp$  collisions at  $\sqrt{s} = 13\text{ TeV}$  with the ATLAS detector”, *Phys. Lett. B* **765**, 32–52 (2017).
- [852] M. Aaboud (ATLAS), “Search for pair production of vector-like top quarks in events with one lepton, jets, and missing transverse momentum in  $\sqrt{s} = 13\text{ TeV } pp$  collisions with the ATLAS detector”, *JHEP* **08**, 052 (2017).
- [853] M. Aaboud (ATLAS), “Search for squarks and gluinos in events with an isolated lepton, jets, and missing transverse momentum at  $\sqrt{s} = 13\text{ TeV}$  with the ATLAS detector”, *Phys. Rev. D* **96**, 112010 (2017).
- [854] M. Aaboud (ATLAS), “Search for supersymmetry in events with  $b$ -tagged jets and missing transverse momentum in  $pp$  collisions at  $\sqrt{s} = 13\text{ TeV}$  with the ATLAS detector”, *JHEP* **11**, 195 (2017).
- [855] M. Aaboud (ATLAS), “Search for supersymmetry in final states with two same-sign or three leptons and jets using  $36\text{ fb}^{-1}$  of  $\sqrt{s} = 13\text{ TeV } pp$  collision data with the ATLAS detector”, *JHEP* **09**, [Erratum: *JHEP* 08, 121 (2019)], 084 (2017).
- [856] M. Aaboud (ATLAS), “Search for the dimuon decay of the Higgs boson in  $pp$  collisions at  $\sqrt{s} = 13\text{ TeV}$  with the ATLAS detector”, *Phys. Rev. Lett.* **119**, 051802 (2017).
- [857] M. Aaboud (ATLAS), “Search for top quark decays  $t \rightarrow qH$ , with  $H \rightarrow \gamma\gamma$ , in  $\sqrt{s} = 13\text{ TeV } pp$  collisions using the ATLAS detector”, *JHEP* **10**, 129 (2017).
- [858] M. Aaboud (ATLAS), “Search for triboson  $W^\pm W^\pm W^\mp$  production in  $pp$  collisions at  $\sqrt{s} = 8\text{ TeV}$  with the ATLAS detector”, *Eur. Phys. J. C* **77**, 141 (2017).
- [859] M. Aaboud (ATLAS), “Studies of  $Z\gamma$  production in association with a high-mass dijet system in  $pp$  collisions at  $\sqrt{s} = 8\text{ TeV}$  with the ATLAS detector”, *JHEP* **07**, 107 (2017).
- [860] M. Aaboud (ATLAS), “Study of the material of the ATLAS inner detector for Run 2 of the LHC”, *JINST* **12**, P12009 (2017).
- [861] M. Aaboud (ATLAS), “Top-quark mass measurement in the all-hadronic  $t\bar{t}$  decay channel at  $\sqrt{s} = 8\text{ TeV}$  with the ATLAS detector”, *JHEP* **09**, 118 (2017).
- [862] G. Aad (ATLAS), “Performance of algorithms that reconstruct missing transverse momentum in  $\sqrt{s} = 8\text{ TeV}$  proton-proton collisions in the ATLAS detector”, *Eur. Phys. J. C* **77**, 241 (2017).
- [863] G. Aad (ATLAS), “Search for lepton-flavour-violating decays of the Higgs and  $Z$  bosons with the ATLAS detector”, *Eur. Phys. J. C* **77**, 70 (2017).
- [864] G. Aad (ATLAS), “Topological cell clustering in the ATLAS calorimeters and its performance in LHC Run 1”, *Eur. Phys. J. C* **77**, 490 (2017).
- [865] T. Aaltonen (CDF), “Observation of the  $Y(4140)$  Structure in the  $J/\psi\phi$  Mass Spectrum in  $B^\pm \rightarrow J/\psi\phi K^\pm$  Decays”, *Mod. Phys. Lett. A* **32**, 1750139 (2017).
- [866] P. Elmer, **M. Neubauer**, M. D. Sokoloff, “Strategic Plan for a Scientific Software Innovation Institute (S2I2) for High Energy Physics”, (2017).
- [867] M. Aaboud (ATLAS), “Measurement of the Inelastic Proton-Proton Cross Section at  $\sqrt{s} = 13\text{ TeV}$  with the ATLAS Detector at the LHC”, *Phys. Rev. Lett.* **117**, 182002 (2016).
- [868] M. Aaboud (ATLAS), “A measurement of material in the ATLAS tracker using secondary hadronic interactions in  $7\text{ TeV } pp$  collisions”, *JINST* **11**, P11020 (2016).
- [869] M. Aaboud (ATLAS), “Charged-particle distributions at low transverse momentum in  $\sqrt{s} = 13\text{ TeV } pp$  interactions measured with the ATLAS detector at the LHC”, *Eur. Phys. J. C* **76**, 502 (2016).
- [870] M. Aaboud (ATLAS), “Dark matter interpretations of ATLAS searches for the electroweak production of supersymmetric particles in  $\sqrt{s} = 8\text{ TeV}$  proton-proton collisions”, *JHEP* **09**, 175 (2016).
- [871] M. Aaboud (ATLAS), “Luminosity determination in  $pp$  collisions at  $\sqrt{s} = 8\text{ TeV}$  using the ATLAS detector at the LHC”, *Eur. Phys. J. C* **76**, 653 (2016).
- [872] M. Aaboud (ATLAS), “Measurement of  $W^+W^-$  production in association with one jet in proton–proton collisions at  $\sqrt{s} = 8\text{ TeV}$  with the ATLAS detector”, *Phys. Lett. B* **763**, 114–133 (2016).

- [873] M. Aaboud (ATLAS), “Measurement of exclusive  $\gamma\gamma \rightarrow W^+W^-$  production and search for exclusive Higgs boson production in  $pp$  collisions at  $\sqrt{s} = 8$  TeV using the ATLAS detector”, Phys. Rev. D **94**, 032011 (2016).
- [874] M. Aaboud (ATLAS), “Measurement of jet activity in top quark events using the  $e\mu$  final state with two  $b$ -tagged jets in  $pp$  collisions at  $\sqrt{s} = 8$  TeV with the ATLAS detector”, JHEP **09**, 074 (2016).
- [875] M. Aaboud (ATLAS), “Measurement of the  $b\bar{b}$  dijet cross section in  $pp$  collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector”, Eur. Phys. J. C **76**, 670 (2016).
- [876] M. Aaboud (ATLAS), “Measurement of the  $t\bar{t}$  production cross-section using  $e\mu$  events with  $b$ -tagged jets in  $pp$  collisions at  $\sqrt{s}=13$  TeV with the ATLAS detector”, Phys. Lett. B **761**, [Erratum: Phys.Lett.B 772, 879–879 (2017)], 136–157 (2016).
- [877] M. Aaboud (ATLAS), “Measurement of the  $W^\pm Z$  boson pair-production cross section in  $pp$  collisions at  $\sqrt{s} = 13$  TeV with the ATLAS Detector”, Phys. Lett. B **762**, 1–22 (2016).
- [878] M. Aaboud (ATLAS), “Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run-1 data”, Eur. Phys. J. C **76**, 666 (2016).
- [879] M. Aaboud (ATLAS), “Measurement of the relative width difference of the  $B^0\text{--}\bar{B}^0$  system with the ATLAS detector”, JHEP **06**, 081 (2016).
- [880] M. Aaboud (ATLAS), “Measurement of the top quark mass in the  $t\bar{t} \rightarrow$  dilepton channel from  $\sqrt{s} = 8$  TeV ATLAS data”, Phys. Lett. B **761**, 350–371 (2016).
- [881] M. Aaboud (ATLAS), “Measurement of the total cross section from elastic scattering in  $pp$  collisions at  $\sqrt{s} = 8$  TeV with the ATLAS detector”, Phys. Lett. B **761**, 158–178 (2016).
- [882] M. Aaboud (ATLAS), “Measurement of top quark pair differential cross-sections in the dilepton channel in  $pp$  collisions at  $\sqrt{s} = 7$  and 8 TeV with ATLAS”, Phys. Rev. D **94**, [Addendum: Phys.Rev.D 101, 119901 (2020)], 092003 (2016).
- [883] M. Aaboud (ATLAS), “Search for bottom squark pair production in proton–proton collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, Eur. Phys. J. C **76**, 547 (2016).
- [884] M. Aaboud (ATLAS), “Search for charged Higgs bosons produced in association with a top quark and decaying via  $H^\pm \rightarrow \tau\nu$  using  $pp$  collision data recorded at  $\sqrt{s} = 13$  TeV by the ATLAS detector”, Phys. Lett. B **759**, 555–574 (2016).
- [885] M. Aaboud (ATLAS), “Search for dark matter produced in association with a hadronically decaying vector boson in  $pp$  collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, Phys. Lett. B **763**, 251–268 (2016).
- [886] M. Aaboud (ATLAS), “Search for heavy long-lived charged  $R$ -hadrons with the ATLAS detector in 3.2 fb $^{-1}$  of proton–proton collision data at  $\sqrt{s} = 13$  TeV”, Phys. Lett. B **760**, 647–665 (2016).
- [887] M. Aaboud (ATLAS), “Search for Higgs and  $Z$  Boson Decays to  $\phi\gamma$  with the ATLAS Detector”, Phys. Rev. Lett. **117**, 111802 (2016).
- [888] M. Aaboud (ATLAS), “Search for high-mass new phenomena in the dilepton final state using proton-proton collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, Phys. Lett. B **761**, 372–392 (2016).
- [889] M. Aaboud (ATLAS), “Search for metastable heavy charged particles with large ionization energy loss in  $pp$  collisions at  $\sqrt{s} = 13$  TeV using the ATLAS experiment”, Phys. Rev. D **93**, 112015 (2016).
- [890] M. Aaboud (ATLAS), “Search for Minimal Supersymmetric Standard Model Higgs bosons  $H/A$  and for a  $Z'$  boson in the  $\tau\tau$  final state produced in  $pp$  collisions at  $\sqrt{s} = 13$  TeV with the ATLAS Detector”, Eur. Phys. J. C **76**, 585 (2016).
- [891] M. Aaboud (ATLAS), “Search for new phenomena in different-flavour high-mass dilepton final states in  $pp$  collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, Eur. Phys. J. C **76**, 541 (2016).
- [892] M. Aaboud (ATLAS), “Search for new phenomena in events with a photon and missing transverse momentum in  $pp$  collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, JHEP **06**, 059 (2016).
- [893] M. Aaboud (ATLAS), “Search for new phenomena in final states with an energetic jet and large missing transverse momentum in  $pp$  collisions at  $\sqrt{s} = 13$  TeV using the ATLAS detector”, Phys. Rev. D **94**, 032005 (2016).
- [894] M. Aaboud (ATLAS), “Search for new resonances in events with one lepton and missing transverse momentum in  $pp$  collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, Phys. Lett. B **762**, 334–352 (2016).
- [895] M. Aaboud (ATLAS), “Search for pair production of Higgs bosons in the  $b\bar{b}b\bar{b}$  final state using proton–proton collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, Phys. Rev. D **94**, 052002 (2016).

- [896] M. Aaboud (ATLAS), “Search for resonances in diphoton events at  $\sqrt{s}=13$  TeV with the ATLAS detector”, JHEP **09**, 001 (2016).
- [897] M. Aaboud (ATLAS), “Search for resonances in the mass distribution of jet pairs with one or two jets identified as  $b$ -jets in proton–proton collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, Phys. Lett. B **759**, 229–246 (2016).
- [898] M. Aaboud (ATLAS), “Search for scalar leptoquarks in pp collisions at  $\sqrt{s} = 13$  TeV with the ATLAS experiment”, New J. Phys. **18**, 093016 (2016).
- [899] M. Aaboud (ATLAS), “Search for squarks and gluinos in events with hadronically decaying tau leptons, jets and missing transverse momentum in proton–proton collisions at  $\sqrt{s} = 13$  TeV recorded with the ATLAS detector”, Eur. Phys. J. C **76**, 683 (2016).
- [900] M. Aaboud (ATLAS), “Search for squarks and gluinos in final states with jets and missing transverse momentum at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, Eur. Phys. J. C **76**, 392 (2016).
- [901] M. Aaboud (ATLAS), “Search for supersymmetry in a final state containing two photons and missing transverse momentum in  $\sqrt{s} = 13$  TeV  $pp$  collisions at the LHC using the ATLAS detector”, Eur. Phys. J. C **76**, 517 (2016).
- [902] M. Aaboud (ATLAS), “Search for TeV-scale gravity signatures in high-mass final states with leptons and jets with the ATLAS detector at  $\sqrt{s} = 13$  TeV”, Phys. Lett. B **760**, 520–537 (2016).
- [903] M. Aaboud (ATLAS), “Search for the Higgs boson produced in association with a  $W$  boson and decaying to four  $b$ -quarks via two spin-zero particles in  $pp$  collisions at 13 TeV with the ATLAS detector”, Eur. Phys. J. C **76**, 605 (2016).
- [904] M. Aaboud (ATLAS), “Search for the Standard Model Higgs boson produced by vector-boson fusion and decaying to bottom quarks in  $\sqrt{s} = 8$  TeV  $pp$  collisions with the ATLAS detector”, JHEP **11**, 112 (2016).
- [905] M. Aaboud (ATLAS), “Search for top squarks in final states with one isolated lepton, jets, and missing transverse momentum in  $\sqrt{s} = 13$  TeV  $pp$  collisions with the ATLAS detector”, Phys. Rev. D **94**, 052009 (2016).
- [906] M. Aaboud (ATLAS), “Searches for heavy diboson resonances in  $pp$  collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, JHEP **09**, 173 (2016).
- [907] M. Aaboud (ATLAS), “Study of hard double-parton scattering in four-jet events in pp collisions at  $\sqrt{s} = 7$  TeV with the ATLAS experiment”, JHEP **11**, 110 (2016).
- [908] M. Aaboud (ATLAS), “Study of the rare decays of  $B_s^0$  and  $B^0$  into muon pairs from data collected during the LHC Run 1 with the ATLAS detector”, Eur. Phys. J. C **76**, 513 (2016).
- [909] G. Aad (ATLAS), “A new method to distinguish hadronically decaying boosted  $Z$  bosons from  $W$  bosons using the ATLAS detector”, Eur. Phys. J. C **76**, 238 (2016).
- [910] G. Aad (ATLAS), “A search for an excited muon decaying to a muon and two jets in  $pp$  collisions at  $\sqrt{s} = 8$  TeV with the ATLAS detector”, New J. Phys. **18**, [Erratum: New J.Phys. 21, 109501 (2019)], 073021 (2016).
- [911] G. Aad (ATLAS), “A search for prompt lepton-jets in  $pp$  collisions at  $\sqrt{s} = 8$  TeV with the ATLAS detector”, JHEP **02**, 062 (2016).
- [912] G. Aad (ATLAS), “A search for top squarks with R-parity-violating decays to all-hadronic final states with the ATLAS detector in  $\sqrt{s} = 8$  TeV proton-proton collisions”, JHEP **06**, 067 (2016).
- [913] G. Aad (ATLAS), “Beam-induced and cosmic-ray backgrounds observed in the ATLAS detector during the LHC 2012 proton-proton running period”, JINST **11**, P05013 (2016).
- [914] G. Aad (ATLAS), “Centrality, rapidity and transverse momentum dependence of isolated prompt photon production in lead-lead collisions at  $\sqrt{s_{NN}} = 2.76$  TeV measured with the ATLAS detector”, Phys. Rev. C **93**, 034914 (2016).
- [915] G. Aad (ATLAS), “Charged-particle distributions in  $pp$  interactions at  $\sqrt{s} = 8$  TeV measured with the ATLAS detector”, Eur. Phys. J. C **76**, 403 (2016).
- [916] G. Aad (ATLAS), “Charged-particle distributions in  $\sqrt{s} = 13$  TeV  $pp$  interactions measured with the ATLAS detector at the LHC”, Phys. Lett. B **758**, 67–88 (2016).
- [917] G. Aad (ATLAS), “Combination of searches for  $WW$ ,  $WZ$ , and  $ZZ$  resonances in  $pp$  collisions at  $\sqrt{s} = 8$  TeV with the ATLAS detector”, Phys. Lett. B **755**, 285–305 (2016).
- [918] G. Aad (ATLAS), “Constraints on non-Standard Model Higgs boson interactions in an effective Lagrangian using differential cross sections measured in the  $H \rightarrow \gamma\gamma$  decay channel at  $\sqrt{s} = 8$  TeV with the ATLAS detector”, Phys. Lett. B **753**, 69–85 (2016).

- [919] G. Aad (ATLAS), “Dijet production in  $\sqrt{s} = 7$  TeV  $pp$  collisions with large rapidity gaps at the ATLAS experiment”, Phys. Lett. B **754**, 214–234 (2016).
- [920] G. Aad (ATLAS), “Evidence for single top-quark production in the  $s$ -channel in proton-proton collisions at  $\sqrt{s} = 8$  TeV with the ATLAS detector using the Matrix Element Method”, Phys. Lett. B **756**, 228–246 (2016).
- [921] G. Aad (ATLAS), “Identification of boosted, hadronically decaying  $W$  bosons and comparisons with ATLAS data taken at  $\sqrt{s} = 8$  TeV”, Eur. Phys. J. C **76**, 154 (2016).
- [922] G. Aad (ATLAS), “Identification of high transverse momentum top quarks in  $pp$  collisions at  $\sqrt{s} = 8$  TeV with the ATLAS detector”, JHEP **06**, 093 (2016).
- [923] G. Aad (ATLAS), “Measurement of  $D^{*\pm}$ ,  $D^\pm$  and  $D_s^\pm$  meson production cross sections in  $pp$  collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector”, Nucl. Phys. B **907**, 717–763 (2016).
- [924] G. Aad (ATLAS), “Measurement of  $W^\pm$  and  $Z$ -boson production cross sections in  $pp$  collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, Phys. Lett. B **759**, 601–621 (2016).
- [925] G. Aad (ATLAS), “Measurement of event-shape observables in  $Z \rightarrow \ell^+ \ell^-$  events in  $pp$  collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector at the LHC”, Eur. Phys. J. C **76**, 375 (2016).
- [926] G. Aad (ATLAS), “Measurement of fiducial differential cross sections of gluon-fusion production of Higgs bosons decaying to  $WW \rightarrow e\nu\mu\nu$  with the ATLAS detector at  $\sqrt{s} = 8$  TeV”, JHEP **08**, 104 (2016).
- [927] G. Aad (ATLAS), “Measurement of jet charge in dijet events from  $\sqrt{s} = 8$  TeV  $pp$  collisions with the ATLAS detector”, Phys. Rev. D **93**, 052003 (2016).
- [928] G. Aad (ATLAS), “Measurement of the  $ZZ$  Production Cross Section in  $pp$  Collisions at  $\sqrt{s} = 13$  TeV with the ATLAS Detector”, Phys. Rev. Lett. **116**, 101801 (2016).
- [929] G. Aad (ATLAS), “Measurement of the angular coefficients in  $Z$ -boson events using electron and muon pairs from data taken at  $\sqrt{s} = 8$  TeV with the ATLAS detector”, JHEP **08**, 159 (2016).
- [930] G. Aad (ATLAS), “Measurement of the centrality dependence of the charged-particle pseudorapidity distribution in proton–lead collisions at  $\sqrt{s_{NN}} = 5.02$  TeV with the ATLAS detector”, Eur. Phys. J. C **76**, 199 (2016).
- [931] G. Aad (ATLAS), “Measurement of the charge asymmetry in highly boosted top-quark pair production in  $\sqrt{s} = 8$  TeV  $pp$  collision data collected by the ATLAS experiment”, Phys. Lett. B **756**, 52–71 (2016).
- [932] G. Aad (ATLAS), “Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in  $pp$  collision data at  $\sqrt{s} = 8$  TeV with the ATLAS detector”, Eur. Phys. J. C **76**, [Erratum: Eur.Phys.J.C 77, 564 (2017)], 87 (2016).
- [933] G. Aad (ATLAS), “Measurement of the charged-particle multiplicity inside jets from  $\sqrt{s} = 8$  TeV  $pp$  collisions with the ATLAS detector”, Eur. Phys. J. C **76**, 322 (2016).
- [934] G. Aad (ATLAS), “Measurement of the correlations between the polar angles of leptons from top quark decays in the helicity basis at  $\sqrt{s} = 7$  TeV using the ATLAS detector”, Phys. Rev. D **93**, 012002 (2016).
- [935] G. Aad (ATLAS), “Measurement of the CP-violating phase  $\phi_s$  and the  $B_s^0$  meson decay width difference with  $B_s^0 \rightarrow J/\psi\phi$  decays in ATLAS”, JHEP **08**, 147 (2016).
- [936] G. Aad (ATLAS), “Measurement of the dependence of transverse energy production at large pseudorapidity on the hard-scattering kinematics of proton-proton collisions at  $\sqrt{s} = 2.76$  TeV with ATLAS”, Phys. Lett. B **756**, 10–28 (2016).
- [937] G. Aad (ATLAS), “Measurement of the differential cross-section of highly boosted top quarks as a function of their transverse momentum in  $\sqrt{s} = 8$  TeV proton-proton collisions using the ATLAS detector”, Phys. Rev. D **93**, 032009 (2016).
- [938] G. Aad (ATLAS), “Measurement of the differential cross-sections of prompt and non-prompt production of  $J/\psi$  and  $\psi(2S)$  in  $pp$  collisions at  $\sqrt{s} = 7$  and 8 TeV with the ATLAS detector”, Eur. Phys. J. C **76**, 283 (2016).
- [939] G. Aad (ATLAS), “Measurement of the double-differential high-mass Drell-Yan cross section in  $pp$  collisions at  $\sqrt{s} = 8$  TeV with the ATLAS detector”, JHEP **08**, 009 (2016).
- [940] G. Aad (ATLAS), “Measurement of the inclusive isolated prompt photon cross section in  $pp$  collisions at  $\sqrt{s} = 8$  TeV with the ATLAS detector”, JHEP **08**, 005 (2016).
- [941] G. Aad (ATLAS), “Measurement of the production cross-section of a single top quark in association with a  $W$  boson at 8 TeV with the ATLAS experiment”, JHEP **01**, 064 (2016).
- [942] G. Aad (ATLAS), “Measurement of the transverse momentum and  $\phi_\eta^*$  distributions of Drell–Yan lepton pairs in proton–proton collisions at  $\sqrt{s} = 8$  TeV with the ATLAS detector”, Eur. Phys. J. C **76**, 291 (2016).

- [943] G. Aad (ATLAS), “Measurement of total and differential  $W^+W^-$  production cross sections in proton-proton collisions at  $\sqrt{s} = 8$  TeV with the ATLAS detector and limits on anomalous triple-gauge-boson couplings”, JHEP **09**, 029 (2016).
- [944] G. Aad (ATLAS), “Measurements of  $W^\pm Z$  production cross sections in  $pp$  collisions at  $\sqrt{s} = 8$  TeV with the ATLAS detector and limits on anomalous gauge boson self-couplings”, Phys. Rev. D **93**, 092004 (2016).
- [945] G. Aad (ATLAS), “Measurements of  $Z\gamma$  and  $Z\gamma\gamma$  production in  $pp$  collisions at  $\sqrt{s} = 8$  TeV with the ATLAS detector”, Phys. Rev. D **93**, 112002 (2016).
- [946] G. Aad (ATLAS), “Measurements of fiducial cross-sections for  $t\bar{t}$  production with one or two additional b-jets in  $pp$  collisions at  $\sqrt{s} = 8$  TeV using the ATLAS detector”, Eur. Phys. J. C **76**, 11 (2016).
- [947] G. Aad (ATLAS), “Measurements of four-lepton production in  $pp$  collisions at  $\sqrt{s} = 8$  TeV with the ATLAS detector”, Phys. Lett. B **753**, 552–572 (2016).
- [948] G. Aad (ATLAS), “Measurements of the charge asymmetry in top-quark pair production in the dilepton final state at  $\sqrt{s} = 8$  TeV with the ATLAS detector”, Phys. Rev. D **94**, 032006 (2016).
- [949] G. Aad (ATLAS, CMS), “Measurements of the Higgs boson production and decay rates and constraints on its couplings from a combined ATLAS and CMS analysis of the LHC  $pp$  collision data at  $\sqrt{s} = 7$  and 8 TeV”, JHEP **08**, 045 (2016).
- [950] G. Aad (ATLAS), “Measurements of the Higgs boson production and decay rates and coupling strengths using  $pp$  collision data at  $\sqrt{s} = 7$  and 8 TeV in the ATLAS experiment”, Eur. Phys. J. C **76**, 6 (2016).
- [951] G. Aad (ATLAS), “Measurements of top-quark pair differential cross-sections in the lepton+jets channel in  $pp$  collisions at  $\sqrt{s} = 8$  TeV using the ATLAS detector”, Eur. Phys. J. C **76**, 538 (2016).
- [952] G. Aad (ATLAS), “Muon reconstruction performance of the ATLAS detector in proton–proton collision data at  $\sqrt{s} = 13$  TeV”, Eur. Phys. J. C **76**, 292 (2016).
- [953] G. Aad (ATLAS), “Observation of Long-Range Elliptic Azimuthal Anisotropies in  $\sqrt{s} = 13$  and 2.76 TeV  $pp$  Collisions with the ATLAS Detector”, Phys. Rev. Lett. **116**, 172301 (2016).
- [954] G. Aad (ATLAS), “Performance of  $b$ -Jet Identification in the ATLAS Experiment”, JINST **11**, P04008 (2016).
- [955] G. Aad (ATLAS), “Performance of pile-up mitigation techniques for jets in  $pp$  collisions at  $\sqrt{s} = 8$  TeV using the ATLAS detector”, Eur. Phys. J. C **76**, 581 (2016).
- [956] G. Aad (ATLAS), “Probing lepton flavour violation via neutrinoless  $\tau \rightarrow 3\mu$  decays with the ATLAS detector”, Eur. Phys. J. C **76**, 232 (2016).
- [957] G. Aad (ATLAS), “Reconstruction of hadronic decay products of tau leptons with the ATLAS experiment”, Eur. Phys. J. C **76**, 295 (2016).
- [958] G. Aad (ATLAS), “Search for a high-mass Higgs boson decaying to a  $W$  boson pair in  $pp$  collisions at  $\sqrt{s} = 8$  TeV with the ATLAS detector”, JHEP **01**, 032 (2016).
- [959] G. Aad (ATLAS), “Search for an additional, heavy Higgs boson in the  $H \rightarrow ZZ$  decay channel at  $\sqrt{s} = 8$  TeV in  $pp$  collision data with the ATLAS detector”, Eur. Phys. J. C **76**, 45 (2016).
- [960] G. Aad (ATLAS), “Search for anomalous couplings in the  $Wtb$  vertex from the measurement of double differential angular decay rates of single top quarks produced in the  $t$ -channel with the ATLAS detector”, JHEP **04**, 023 (2016).
- [961] G. Aad (ATLAS), “Search for charged Higgs bosons in the  $H^\pm \rightarrow tb$  decay channel in  $pp$  collisions at  $\sqrt{s} = 8$  TeV using the ATLAS detector”, JHEP **03**, 127 (2016).
- [962] G. Aad (ATLAS), “Search for dark matter produced in association with a Higgs boson decaying to two bottom quarks in  $pp$  collisions at  $\sqrt{s} = 8$  TeV with the ATLAS detector”, Phys. Rev. D **93**, 072007 (2016).
- [963] G. Aad (ATLAS), “Search for direct top squark pair production in final states with two tau leptons in  $pp$  collisions at  $\sqrt{s} = 8$  TeV with the ATLAS detector”, Eur. Phys. J. C **76**, 81 (2016).
- [964] G. Aad (ATLAS), “Search for flavour-changing neutral current top-quark decays to  $qZ$  in  $pp$  collision data collected with the ATLAS detector at  $\sqrt{s} = 8$  TeV”, Eur. Phys. J. C **76**, 12 (2016).
- [965] G. Aad (ATLAS), “Search for gluinos in events with an isolated lepton, jets and missing transverse momentum at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, Eur. Phys. J. C **76**, 565 (2016).
- [966] G. Aad (ATLAS), “Search for invisible decays of a Higgs boson using vector-boson fusion in  $pp$  collisions at  $\sqrt{s} = 8$  TeV with the ATLAS detector”, JHEP **01**, 172 (2016).
- [967] G. Aad (ATLAS), “Search for magnetic monopoles and stable particles with high electric charges in 8 TeV  $pp$  collisions with the ATLAS detector”, Phys. Rev. D **93**, 052009 (2016).



- [968] G. Aad (ATLAS), “Search for new phenomena in dijet mass and angular distributions from  $pp$  collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, Phys. Lett. B **754**, 302–322 (2016).
- [969] G. Aad (ATLAS), “Search for new phenomena in events with at least three photons collected in  $pp$  collisions at  $\sqrt{s} = 8$  TeV with the ATLAS detector”, Eur. Phys. J. C **76**, 210 (2016).
- [970] G. Aad (ATLAS), “Search for new phenomena in final states with large jet multiplicities and missing transverse momentum with ATLAS using  $\sqrt{s} = 13$  TeV proton-proton collisions”, Phys. Lett. B **757**, 334–355 (2016).
- [971] G. Aad (ATLAS), “Search for new phenomena with photon+jet events in proton-proton collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, JHEP **03**, 041 (2016).
- [972] G. Aad (ATLAS), “Search for pair production of gluinos decaying via stop and sbottom in events with  $b$ -jets and large missing transverse momentum in  $pp$  collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector”, Phys. Rev. D **94**, 032003 (2016).
- [973] G. Aad (ATLAS), “Search for single production of a vector-like quark via a heavy gluon in the  $4b$  final state with the ATLAS detector in  $pp$  collisions at  $\sqrt{s} = 8$  TeV”, Phys. Lett. B **758**, 249–268 (2016).
- [974] G. Aad (ATLAS), “Search for single production of vector-like quarks decaying into  $Wb$  in  $pp$  collisions at  $\sqrt{s} = 8$  TeV with the ATLAS detector”, Eur. Phys. J. C **76**, 442 (2016).
- [975] G. Aad (ATLAS), “Search for single top-quark production via flavour-changing neutral currents at 8 TeV with the ATLAS detector”, Eur. Phys. J. C **76**, [Erratum: Eur.Phys.J.C 82, 70 (2022)], 55 (2016).
- [976] G. Aad (ATLAS), “Search for strong gravity in multijet final states produced in  $pp$  collisions at  $\sqrt{s} = 13$  TeV using the ATLAS detector at the LHC”, JHEP **03**, 026 (2016).
- [977] G. Aad (ATLAS), “Search for supersymmetry at  $\sqrt{s} = 13$  TeV in final states with jets and two same-sign leptons or three leptons with the ATLAS detector”, Eur. Phys. J. C **76**, 259 (2016).
- [978] G. Aad (ATLAS), “Search for the electroweak production of supersymmetric particles in  $\sqrt{s}=8$  TeV  $pp$  collisions with the ATLAS detector”, Phys. Rev. D **93**, 052002 (2016).
- [979] G. Aad (ATLAS), “Search for the production of single vector-like and excited quarks in the  $Wt$  final state in  $pp$  collisions at  $\sqrt{s} = 8$  TeV with the ATLAS detector”, JHEP **02**, 110 (2016).
- [980] G. Aad (ATLAS), “Search for the Standard Model Higgs boson decaying into  $b\bar{b}$  produced in association with top quarks decaying hadronically in  $pp$  collisions at  $\sqrt{s} = 8$  TeV with the ATLAS detector”, JHEP **05**, 160 (2016).
- [981] G. Aad (ATLAS), “Search for the Standard Model Higgs boson produced in association with a vector boson and decaying into a tau pair in  $pp$  collisions at  $\sqrt{s} = 8$  TeV with the ATLAS detector”, Phys. Rev. D **93**, 092005 (2016).
- [982] G. Aad (ATLAS), “Searches for scalar leptoquarks in  $pp$  collisions at  $\sqrt{s} = 8$  TeV with the ATLAS detector”, Eur. Phys. J. C **76**, 5 (2016).
- [983] G. Aad (ATLAS), “Study of the  $B_c^+ \rightarrow J/\psi D_s^+$  and  $B_c^+ \rightarrow J/\psi D_s^{*+}$  decays with the ATLAS detector”, Eur. Phys. J. C **76**, 4 (2016).
- [984] G. Aad (ATLAS), “Test of CP Invariance in vector-boson fusion production of the Higgs boson using the Optimal Observable method in the ditau decay channel with the ATLAS detector”, Eur. Phys. J. C **76**, 658 (2016).
- [985] G. Aad (ATLAS), “The performance of the jet trigger for the ATLAS detector during 2011 data taking”, Eur. Phys. J. C **76**, 526 (2016).
- [986] G. Aad (ATLAS), “Transverse momentum, rapidity, and centrality dependence of inclusive charged-particle production in  $\sqrt{s_{NN}} = 5.02$  TeV  $p + \text{Pb}$  collisions measured by the ATLAS experiment”, Phys. Lett. B **763**, 313–336 (2016).
- [987] M. Abolins (ATLAS TDAQ), “The ATLAS Data Acquisition and High Level Trigger system”, JINST **11**, P06008 (2016).
- [988] G. Aad (ATLAS), “ $Z$  boson production in  $p+\text{Pb}$  collisions at  $\sqrt{s_{NN}} = 5.02$  TeV measured with the ATLAS detector”, Phys. Rev. C **92**, 044915 (2015).
- [989] G. Aad (ATLAS), “A search for  $t\bar{t}$  resonances using lepton-plus-jets events in proton-proton collisions at  $\sqrt{s} = 8$  TeV with the ATLAS detector”, JHEP **08**, 148 (2015).
- [990] G. Aad (ATLAS), “A search for high-mass resonances decaying to  $\tau^+\tau^-$  in  $pp$  collisions at  $\sqrt{s} = 8$  TeV with the ATLAS detector”, JHEP **07**, 157 (2015).
- [991] G. Aad (ATLAS), “Analysis of events with  $b$ -jets and a pair of leptons of the same charge in  $pp$  collisions at  $\sqrt{s} = 8$  TeV with the ATLAS detector”, JHEP **10**, 150 (2015).
- [992] G. Aad (ATLAS), “ATLAS Run 1 searches for direct pair production of third-generation squarks at the Large Hadron Collider”, Eur. Phys. J. C **75**, [Erratum: Eur.Phys.J.C 76, 153 (2016)], 510 (2015).

- [993] G. Aad (ATLAS), “Centrality and rapidity dependence of inclusive jet production in  $\sqrt{s_{NN}} = 5.02$  TeV proton-lead collisions with the ATLAS detector”, Phys. Lett. B **748**, 392–413 (2015).
- [994] G. Aad (ATLAS, CMS), “Combined Measurement of the Higgs Boson Mass in  $pp$  Collisions at  $\sqrt{s} = 7$  and 8 TeV with the ATLAS and CMS Experiments”, Phys. Rev. Lett. **114**, 191803 (2015).
- [995] G. Aad (ATLAS), “Constraints on new phenomena via Higgs boson couplings and invisible decays with the ATLAS detector”, JHEP **11**, 206 (2015).
- [996] G. Aad (ATLAS), “Constraints on the off-shell Higgs boson signal strength in the high-mass  $ZZ$  and  $WW$  final states with the ATLAS detector”, Eur. Phys. J. C **75**, 335 (2015).
- [997] G. Aad (ATLAS), “Determination of spin and parity of the Higgs boson in the  $WW^* \rightarrow e\nu\mu\nu$  decay channel with the ATLAS detector”, Eur. Phys. J. C **75**, 231 (2015).
- [998] G. Aad (ATLAS), “Determination of the ratio of  $b$ -quark fragmentation fractions  $f_s/f_d$  in  $pp$  collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector”, Phys. Rev. Lett. **115**, 262001 (2015).
- [999] G. Aad (ATLAS), “Determination of the top-quark pole mass using  $t\bar{t} + 1$ -jet events collected with the ATLAS experiment in 7 TeV  $pp$  collisions”, JHEP **10**, 121 (2015).
- [1000] G. Aad (ATLAS), “Differential top-antitop cross-section measurements as a function of observables constructed from final-state particles using  $pp$  collisions at  $\sqrt{s} = 7$  TeV in the ATLAS detector”, JHEP **06**, 100 (2015).
- [1001] G. Aad (ATLAS), “Evidence for the Higgs-boson Yukawa coupling to tau leptons with the ATLAS detector”, JHEP **04**, 117 (2015).
- [1002] G. Aad (ATLAS), “Evidence of  $W\gamma\gamma$  Production in  $pp$  Collisions at  $s=8$  TeV and Limits on Anomalous Quartic Gauge Couplings with the ATLAS Detector”, Phys. Rev. Lett. **115**, 031802 (2015).
- [1003] G. Aad (ATLAS), “Identification and energy calibration of hadronically decaying tau leptons with the ATLAS experiment in  $pp$  collisions at  $\sqrt{s}=8$  TeV”, Eur. Phys. J. C **75**, 303 (2015).
- [1004] G. Aad (ATLAS), “Jet energy measurement and its systematic uncertainty in proton-proton collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector”, Eur. Phys. J. C **75**, 17 (2015).
- [1005] G. Aad (ATLAS), “Measurement of charged-particle spectra in Pb+Pb collisions at  $\sqrt{s_{NN}} = 2.76$  TeV with the ATLAS detector at the LHC”, JHEP **09**, 050 (2015).
- [1006] G. Aad (ATLAS), “Measurement of colour flow with the jet pull angle in  $t\bar{t}$  events using the ATLAS detector at  $\sqrt{s} = 8$  TeV”, Phys. Lett. B **750**, 475–493 (2015).
- [1007] G. Aad (ATLAS), “Measurement of differential  $J/\psi$  production cross sections and forward-backward ratios in  $p + Pb$  collisions with the ATLAS detector”, Phys. Rev. C **92**, 034904 (2015).
- [1008] G. Aad (ATLAS), “Measurement of exclusive  $\gamma\gamma \rightarrow \ell^+\ell^-$  production in proton-proton collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector”, Phys. Lett. B **749**, 242–261 (2015).
- [1009] G. Aad (ATLAS), “Measurement of four-jet differential cross sections in  $\sqrt{s} = 8$  TeV proton-proton collisions using the ATLAS detector”, JHEP **12**, 105 (2015).
- [1010] G. Aad (ATLAS), “Measurement of Spin Correlation in Top-Antitop Quark Events and Search for Top Squark Pair Production in  $pp$  Collisions at  $\sqrt{s} = 8$  TeV Using the ATLAS Detector”, Phys. Rev. Lett. **114**, 142001 (2015).
- [1011] G. Aad (ATLAS), “Measurement of the  $t\bar{t}$  production cross-section as a function of jet multiplicity and jet transverse momentum in 7 TeV proton-proton collisions with the ATLAS detector”, JHEP **01**, 020 (2015).
- [1012] G. Aad (ATLAS), “Measurement of the  $t\bar{t}W$  and  $t\bar{t}Z$  production cross sections in  $pp$  collisions at  $\sqrt{s} = 8$  TeV with the ATLAS detector”, JHEP **11**, 172 (2015).
- [1013] G. Aad (ATLAS), “Measurement of the  $WW + WZ$  cross section and limits on anomalous triple gauge couplings using final states with one lepton, missing transverse momentum, and two jets with the ATLAS detector at  $\sqrt{s} = 7$  TeV”, JHEP **01**, 049 (2015).
- [1014] G. Aad (ATLAS), “Measurement of the branching ratio  $\Gamma(\Lambda_b^0 \rightarrow \psi(2S)\Lambda^0)/\Gamma(\Lambda_b^0 \rightarrow J/\psi\Lambda^0)$  with the ATLAS detector”, Phys. Lett. B **751**, 63–80 (2015).
- [1015] G. Aad (ATLAS), “Measurement of the charge asymmetry in dileptonic decays of top quark pairs in  $pp$  collisions at  $\sqrt{s} = 7$  TeV using the ATLAS detector”, JHEP **05**, 061 (2015).
- [1016] G. Aad (ATLAS), “Measurement of the correlation between flow harmonics of different order in lead-lead collisions at  $\sqrt{s_{NN}}=2.76$  TeV with the ATLAS detector”, Phys. Rev. C **92**, 034903 (2015).
- [1017] G. Aad (ATLAS), “Measurement of the forward-backward asymmetry of electron and muon pair-production in  $pp$  collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector”, JHEP **09**, 049 (2015).

- [1018] G. Aad (ATLAS), “Measurement of the inclusive jet cross-section in proton-proton collisions at  $\sqrt{s} = 7$  TeV using 4.5 fb<sup>1</sup> of data with the ATLAS detector”, JHEP **02**, [Erratum: JHEP 09, 141 (2015)], 153 (2015).
- [1019] G. Aad (ATLAS), “Measurement of the production and lepton charge asymmetry of  $W$  bosons in Pb+Pb collisions at  $\sqrt{s_{NN}} = 2.76$  TeV with the ATLAS detector”, Eur. Phys. J. C **75**, 23 (2015).
- [1020] G. Aad (ATLAS), “Measurement of the production of neighbouring jets in lead–lead collisions at  $\sqrt{s_{NN}} = 2.76$  TeV with the ATLAS detector”, Phys. Lett. B **751**, 376–395 (2015).
- [1021] G. Aad (ATLAS), “Measurement of the top pair production cross section in 8 TeV proton-proton collisions using kinematic information in the lepton+jets final state with ATLAS”, Phys. Rev. D **91**, 112013 (2015).
- [1022] G. Aad (ATLAS), “Measurement of the top quark mass in the  $t\bar{t} \rightarrow$  lepton+jets and  $t\bar{t} \rightarrow$  dilepton channels using  $\sqrt{s} = 7$  TeV ATLAS data”, Eur. Phys. J. C **75**, 330 (2015).
- [1023] G. Aad (ATLAS), “Measurement of the top-quark mass in the fully hadronic decay channel from ATLAS data at  $\sqrt{s} = 7$  TeV”, Eur. Phys. J. C **75**, 158 (2015).
- [1024] G. Aad (ATLAS), “Measurement of the transverse polarization of  $\Lambda$  and  $\bar{\Lambda}$  hyperons produced in proton-proton collisions at  $\sqrt{s} = 7$  TeV using the ATLAS detector”, Phys. Rev. D **91**, 032004 (2015).
- [1025] G. Aad (ATLAS), “Measurement of three-jet production cross-sections in  $pp$  collisions at 7 TeV centre-of-mass energy using the ATLAS detector”, Eur. Phys. J. C **75**, 228 (2015).
- [1026] G. Aad (ATLAS), “Measurement of transverse energy-energy correlations in multi-jet events in  $pp$  collisions at  $\sqrt{s} = 7$  TeV using the ATLAS detector and determination of the strong coupling constant  $\alpha_s(m_Z)$ ”, Phys. Lett. B **750**, 427–447 (2015).
- [1027] G. Aad (ATLAS), “Measurements of Higgs boson production and couplings in the four-lepton channel in pp collisions at center-of-mass energies of 7 and 8 TeV with the ATLAS detector”, Phys. Rev. D **91**, 012006 (2015).
- [1028] G. Aad (ATLAS), “Measurements of the Nuclear Modification Factor for Jets in Pb+Pb Collisions at  $\sqrt{s_{NN}} = 2.76$  TeV with the ATLAS Detector”, Phys. Rev. Lett. **114**, 072302 (2015).
- [1029] G. Aad (ATLAS), “Measurements of the top quark branching ratios into channels with leptons and quarks with the ATLAS detector”, Phys. Rev. D **92**, 072005 (2015).
- [1030] G. Aad (ATLAS), “Measurements of the Total and Differential Higgs Boson Production Cross Sections Combining the  $H \rightarrow \gamma\gamma$  and  $H \rightarrow ZZ^* \rightarrow 4\ell$  Decay Channels at  $\sqrt{s} = 8$  TeV with the ATLAS Detector”, Phys. Rev. Lett. **115**, 091801 (2015).
- [1031] G. Aad (ATLAS), “Measurements of the  $W$  production cross sections in association with jets with the ATLAS detector”, Eur. Phys. J. C **75**, 82 (2015).
- [1032] G. Aad (ATLAS), “Modelling  $Z \rightarrow \tau\tau$  processes in ATLAS with  $\tau$ -embedded  $Z \rightarrow \mu\mu$  data”, JINST **10**, P09018 (2015).
- [1033] G. Aad (ATLAS), “Observation and measurement of Higgs boson decays to  $WW^*$  with the ATLAS detector”, Phys. Rev. D **92**, 012006 (2015).
- [1034] G. Aad (ATLAS), “Observation and measurements of the production of prompt and non-prompt  $J/\psi$  mesons in association with a  $Z$  boson in  $pp$  collisions at  $\sqrt{s} = 8$  TeV with the ATLAS detector”, Eur. Phys. J. C **75**, 229 (2015).
- [1035] G. Aad (ATLAS), “Observation of top-quark pair production in association with a photon and measurement of the  $t\bar{t}\gamma$  production cross section in pp collisions at  $\sqrt{s} = 7$  TeV using the ATLAS detector”, Phys. Rev. D **91**, 072007 (2015).
- [1036] G. Aad (ATLAS), “Performance of the ATLAS muon trigger in pp collisions at  $\sqrt{s} = 8$  TeV”, Eur. Phys. J. C **75**, 120 (2015).
- [1037] G. Aad (ATLAS), “Search for  $H \rightarrow \gamma\gamma$  produced in association with top quarks and constraints on the Yukawa coupling between the top quark and the Higgs boson using data taken at 7 TeV and 8 TeV with the ATLAS detector”, Phys. Lett. B **740**, 222–242 (2015).
- [1038] G. Aad (ATLAS), “Search for  $s$ -channel single top-quark production in proton–proton collisions at  $\sqrt{s} = 8$  TeV with the ATLAS detector”, Phys. Lett. B **740**, 118–136 (2015).
- [1039] G. Aad (ATLAS), “Search for  $W' \rightarrow t\bar{b} \rightarrow q\bar{q}b\bar{b}$  decays in  $pp$  collisions at  $\sqrt{s} = 8$  TeV with the ATLAS detector”, Eur. Phys. J. C **75**, 165 (2015).
- [1040] G. Aad (ATLAS), “Search for  $W' \rightarrow t\bar{b}$  in the lepton plus jets final state in proton-proton collisions at a centre-of-mass energy of  $\sqrt{s} = 8$  TeV with the ATLAS detector”, Phys. Lett. B **743**, 235–255 (2015).

- [1041] G. Aad (ATLAS), “Search for a Charged Higgs Boson Produced in the Vector-Boson Fusion Mode with Decay  $H^\pm \rightarrow W^\pm Z$  using  $pp$  Collisions at  $\sqrt{s} = 8$  TeV with the ATLAS Experiment”, Phys. Rev. Lett. **114**, 231801 (2015).
- [1042] G. Aad (ATLAS), “Search for a CP-odd Higgs boson decaying to  $Zh$  in  $pp$  collisions at  $\sqrt{s} = 8$  TeV with the ATLAS detector”, Phys. Lett. B **744**, 163–183 (2015).
- [1043] G. Aad (ATLAS), “Search for a Heavy Neutral Particle Decaying to  $e\mu$ ,  $e\tau$ , or  $\mu\tau$  in  $pp$  Collisions at  $\sqrt{s} = 8$  TeV with the ATLAS Detector”, Phys. Rev. Lett. **115**, 031801 (2015).
- [1044] G. Aad (ATLAS), “Search for a new resonance decaying to a  $W$  or  $Z$  boson and a Higgs boson in the  $\ell\ell/\ell\nu/\nu\nu + b\bar{b}$  final states with the ATLAS detector”, Eur. Phys. J. C **75**, 263 (2015).
- [1045] G. Aad (ATLAS), “Search for anomalous production of prompt same-sign lepton pairs and pair-produced doubly charged Higgs bosons with  $\sqrt{s} = 8$  TeV  $pp$  collisions using the ATLAS detector”, JHEP **03**, 041 (2015).
- [1046] G. Aad (ATLAS), “Search for charged Higgs bosons decaying via  $H^\pm \rightarrow \tau^\pm \nu$  in fully hadronic final states using  $pp$  collision data at  $\sqrt{s} = 8$  TeV with the ATLAS detector”, JHEP **03**, 088 (2015).
- [1047] G. Aad (ATLAS), “Search for dark matter in events with heavy quarks and missing transverse momentum in  $pp$  collisions with the ATLAS detector”, Eur. Phys. J. C **75**, 92 (2015).
- [1048] G. Aad (ATLAS), “Search for Dark Matter in Events with Missing Transverse Momentum and a Higgs Boson Decaying to Two Photons in  $pp$  Collisions at  $\sqrt{s} = 8$  TeV with the ATLAS Detector”, Phys. Rev. Lett. **115**, 131801 (2015).
- [1049] G. Aad (ATLAS), “Search for direct pair production of a chargino and a neutralino decaying to the 125 GeV Higgs boson in  $\sqrt{s} = 8$  TeV  $pp$  collisions with the ATLAS detector”, Eur. Phys. J. C **75**, 208 (2015).
- [1050] G. Aad (ATLAS), “Search for flavour-changing neutral current top quark decays  $t \rightarrow Hq$  in  $pp$  collisions at  $\sqrt{s} = 8$  TeV with the ATLAS detector”, JHEP **12**, 061 (2015).
- [1051] G. Aad (ATLAS), “Search for heavy lepton resonances decaying to a  $Z$  boson and a lepton in  $pp$  collisions at  $\sqrt{s} = 8$  TeV with the ATLAS detector”, JHEP **09**, 108 (2015).
- [1052] G. Aad (ATLAS), “Search for heavy long-lived multi-charged particles in  $pp$  collisions at  $\sqrt{s} = 8$  TeV using the ATLAS detector”, Eur. Phys. J. C **75**, 362 (2015).
- [1053] G. Aad (ATLAS), “Search for heavy Majorana neutrinos with the ATLAS detector in  $pp$  collisions at  $\sqrt{s} = 8$  TeV”, JHEP **07**, 162 (2015).
- [1054] G. Aad (ATLAS), “Search for Higgs and  $Z$  Boson Decays to  $J/\psi\gamma$  and  $\Upsilon(nS)\gamma$  with the ATLAS Detector”, Phys. Rev. Lett. **114**, 121801 (2015).
- [1055] G. Aad (ATLAS), “Search For Higgs Boson Pair Production in the  $\gamma\gamma b\bar{b}$  Final State using  $pp$  Collision Data at  $\sqrt{s} = 8$  TeV from the ATLAS Detector”, Phys. Rev. Lett. **114**, 081802 (2015).
- [1056] G. Aad (ATLAS), “Search for Higgs boson pair production in the  $b\bar{b}b\bar{b}$  final state from  $pp$  collisions at  $\sqrt{s} = 8$  TeV with the ATLAS detector”, Eur. Phys. J. C **75**, 412 (2015).
- [1057] G. Aad (ATLAS), “Search for Higgs bosons decaying to  $aa$  in the  $\mu\mu\tau\tau$  final state in  $pp$  collisions at  $\sqrt{s} = 8$  TeV with the ATLAS experiment”, Phys. Rev. D **92**, 052002 (2015).
- [1058] G. Aad (ATLAS), “Search for high-mass diboson resonances with boson-tagged jets in proton-proton collisions at  $\sqrt{s} = 8$  TeV with the ATLAS detector”, JHEP **12**, 055 (2015).
- [1059] G. Aad (ATLAS), “Search for high-mass diphoton resonances in  $pp$  collisions at  $\sqrt{s} = 8$  TeV with the ATLAS detector”, Phys. Rev. D **92**, 032004 (2015).
- [1060] G. Aad (ATLAS), “Search for invisible decays of the Higgs boson produced in association with a hadronically decaying vector boson in  $pp$  collisions at  $\sqrt{s} = 8$  TeV with the ATLAS detector”, Eur. Phys. J. C **75**, 337 (2015).
- [1061] G. Aad (ATLAS), “Search for invisible particles produced in association with single-top-quarks in proton-proton collisions at  $\sqrt{s} = 8$  TeV with the ATLAS detector”, Eur. Phys. J. C **75**, 79 (2015).
- [1062] G. Aad (ATLAS), “Search for lepton-flavour-violating  $H \rightarrow \mu\tau$  decays of the Higgs boson with the ATLAS detector”, JHEP **11**, 211 (2015).
- [1063] G. Aad (ATLAS), “Search for long-lived, weakly interacting particles that decay to displaced hadronic jets in proton-proton collisions at  $\sqrt{s} = 8$  TeV with the ATLAS detector”, Phys. Rev. D **92**, 012010 (2015).
- [1064] G. Aad (ATLAS), “Search for low-scale gravity signatures in multi-jet final states with the ATLAS detector at  $\sqrt{s} = 8$  TeV”, JHEP **07**, 032 (2015).

- [1065] G. Aad (ATLAS), “Search for massive supersymmetric particles decaying to many jets using the ATLAS detector in  $pp$  collisions at  $\sqrt{s} = 8$  TeV”, Phys. Rev. D **91**, [Erratum: Phys.Rev.D 93, 039901 (2016)], 112016 (2015).
- [1066] G. Aad (ATLAS), “Search for massive, long-lived particles using multitrack displaced vertices or displaced lepton pairs in  $pp$  collisions at  $\sqrt{s} = 8$  TeV with the ATLAS detector”, Phys. Rev. D **92**, 072004 (2015).
- [1067] G. Aad (ATLAS), “Search for metastable heavy charged particles with large ionisation energy loss in  $pp$  collisions at  $\sqrt{s} = 8$  TeV using the ATLAS experiment”, Eur. Phys. J. C **75**, 407 (2015).
- [1068] G. Aad (ATLAS), “Search for new light gauge bosons in Higgs boson decays to four-lepton final states in  $pp$  collisions at  $\sqrt{s} = 8$  TeV with the ATLAS detector at the LHC”, Phys. Rev. D **92**, 092001 (2015).
- [1069] G. Aad (ATLAS), “Search for New Phenomena in Dijet Angular Distributions in Proton-Proton Collisions at  $\sqrt{s} = 8$  TeV Measured with the ATLAS Detector”, Phys. Rev. Lett. **114**, 221802 (2015).
- [1070] G. Aad (ATLAS), “Search for new phenomena in events with a photon and missing transverse momentum in  $pp$  collisions at  $\sqrt{s} = 8$  TeV with the ATLAS detector”, Phys. Rev. D **91**, [Erratum: Phys.Rev.D 92, 059903 (2015)], 012008 (2015).
- [1071] G. Aad (ATLAS), “Search for new phenomena in events with three or more charged leptons in  $pp$  collisions at  $\sqrt{s} = 8$  TeV with the ATLAS detector”, JHEP **08**, 138 (2015).
- [1072] G. Aad (ATLAS), “Search for new phenomena in final states with an energetic jet and large missing transverse momentum in  $pp$  collisions at  $\sqrt{s} = 8$  TeV with the ATLAS detector”, Eur. Phys. J. C **75**, [Erratum: Eur.Phys.J.C 75, 408 (2015)], 299 (2015).
- [1073] G. Aad (ATLAS), “Search for new phenomena in the dijet mass distribution using  $p - p$  collision data at  $\sqrt{s} = 8$  TeV with the ATLAS detector”, Phys. Rev. D **91**, 052007 (2015).
- [1074] G. Aad (ATLAS), “Search for pair production of a new heavy quark that decays into a  $W$  boson and a light quark in  $pp$  collisions at  $\sqrt{s} = 8$  TeV with the ATLAS detector”, Phys. Rev. D **92**, 112007 (2015).
- [1075] G. Aad (ATLAS), “Search for pair-produced long-lived neutral particles decaying in the ATLAS hadronic calorimeter in  $pp$  collisions at  $\sqrt{s} = 8$  TeV”, Phys. Lett. B **743**, 15–34 (2015).
- [1076] G. Aad (ATLAS), “Search for photonic signatures of gauge-mediated supersymmetry in 8 TeV  $pp$  collisions with the ATLAS detector”, Phys. Rev. D **92**, 072001 (2015).
- [1077] G. Aad (ATLAS), “Search for production of  $WW/WZ$  resonances decaying to a lepton, neutrino and jets in  $pp$  collisions at  $\sqrt{s} = 8$  TeV with the ATLAS detector”, Eur. Phys. J. C **75**, [Erratum: Eur.Phys.J.C 75, 370 (2015)], 209 (2015).
- [1078] G. Aad (ATLAS), “Search for production of vector-like quark pairs and of four top quarks in the lepton-plus-jets final state in  $pp$  collisions at  $\sqrt{s} = 8$  TeV with the ATLAS detector”, JHEP **08**, 105 (2015).
- [1079] G. Aad (ATLAS), “Search for resonant diboson production in the  $\ell\ell q\bar{q}$  final state in  $pp$  collisions at  $\sqrt{s} = 8$  TeV with the ATLAS detector”, Eur. Phys. J. C **75**, 69 (2015).
- [1080] G. Aad (ATLAS), “Search for Scalar Charm Quark Pair Production in  $pp$  Collisions at  $\sqrt{s} = 8$  TeV with the ATLAS Detector”, Phys. Rev. Lett. **114**, 161801 (2015).
- [1081] G. Aad (ATLAS), “Search for squarks and gluinos in events with isolated leptons, jets and missing transverse momentum at  $\sqrt{s} = 8$  TeV with the ATLAS detector”, JHEP **04**, 116 (2015).
- [1082] G. Aad (ATLAS), “Search for supersymmetry in events containing a same-flavour opposite-sign dilepton pair, jets, and large missing transverse momentum in  $\sqrt{s} = 8$  TeV  $pp$  collisions with the ATLAS detector”, Eur. Phys. J. C **75**, [Erratum: Eur.Phys.J.C 75, 463 (2015)], 318 (2015).
- [1083] G. Aad (ATLAS), “Search for the  $b\bar{b}$  decay of the Standard Model Higgs boson in associated  $(W/Z)H$  production with the ATLAS detector”, JHEP **01**, 069 (2015).
- [1084] G. Aad (ATLAS), “Search for the  $X_b$  and other hidden-beauty states in the  $\pi^+\pi^-\Upsilon(1S)$  channel at ATLAS”, Phys. Lett. B **740**, 199–217 (2015).
- [1085] G. Aad (ATLAS), “Search for the associated production of the Higgs boson with a top quark pair in multilepton final states with the ATLAS detector”, Phys. Lett. B **749**, 519–541 (2015).
- [1086] G. Aad (ATLAS), “Search for the Standard Model Higgs boson produced in association with top quarks and decaying into  $b\bar{b}$  in  $pp$  collisions at  $\sqrt{s} = 8$  TeV with the ATLAS detector”, Eur. Phys. J. C **75**, 349 (2015).
- [1087] G. Aad (ATLAS), “Search for type-III Seesaw heavy leptons in  $pp$  collisions at  $\sqrt{s} = 8$  TeV with the ATLAS Detector”, Phys. Rev. D **92**, 032001 (2015).

- [1088] G. Aad (ATLAS), “Search for vector-like  $B$  quarks in events with one isolated lepton, missing transverse momentum and jets at  $\sqrt{s} = 8$  TeV with the ATLAS detector”, Phys. Rev. D **91**, 112011 (2015).
- [1089] G. Aad (ATLAS), “Searches for heavy long-lived charged particles with the ATLAS detector in proton-proton collisions at  $\sqrt{s} = 8$  TeV”, JHEP **01**, 068 (2015).
- [1090] G. Aad (ATLAS), “Searches for Higgs boson pair production in the  $hh \rightarrow b\bar{b}\tau\tau, \gamma\gamma WW^*, \gamma\gamma b\bar{b}, b\bar{b}b\bar{b}$  channels with the ATLAS detector”, Phys. Rev. D **92**, 092004 (2015).
- [1091] G. Aad (ATLAS), “Simultaneous measurements of the  $t\bar{t}$ ,  $W^+W^-$ , and  $Z/\gamma^* \rightarrow \tau\tau$  production cross-sections in  $pp$  collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector”, Phys. Rev. D **91**, 052005 (2015).
- [1092] G. Aad (ATLAS), “Study of (W/Z)H production and Higgs boson couplings using  $H \rightarrow WW^*$  decays with the ATLAS detector”, JHEP **08**, 137 (2015).
- [1093] G. Aad (ATLAS), “Study of the spin and parity of the Higgs boson in diboson decays with the ATLAS detector”, Eur. Phys. J. C **75**, [Erratum: Eur.Phys.J.C 76, 152 (2016)], 476 (2015).
- [1094] G. Aad (ATLAS), “Summary of the ATLAS experiment’s sensitivity to supersymmetry after LHC Run 1 — interpreted in the phenomenological MSSM”, JHEP **10**, 134 (2015).
- [1095] G. Aad (ATLAS), “Summary of the searches for squarks and gluinos using  $\sqrt{s} = 8$  TeV pp collisions with the ATLAS experiment at the LHC”, JHEP **10**, 054 (2015).
- [1096] G. Aad (ATLAS), “Two-particle Bose–Einstein correlations in pp collisions at  $\sqrt{s} = 0.9$  and 7 TeV measured with the ATLAS detector”, Eur. Phys. J. C **75**, 466 (2015).
- [1097] G. Volpi, “The ATLAS fast tracker processor design”, PoS **VERTEX2015**, 040 (2015).
- [1098] G. Aad (ATLAS), “A measurement of the ratio of the production cross sections for  $W$  and  $Z$  bosons in association with jets with the ATLAS detector”, Eur. Phys. J. C **74**, 3168 (2014).
- [1099] G. Aad (ATLAS), “A neural network clustering algorithm for the ATLAS silicon pixel detector”, JINST **9**, P09009 (2014).
- [1100] G. Aad (ATLAS), “Comprehensive measurements of  $t$ -channel single top-quark production cross sections at  $\sqrt{s} = 7$  TeV with the ATLAS detector”, Phys. Rev. D **90**, 112006 (2014).
- [1101] G. Aad (ATLAS), “Electron and photon energy calibration with the ATLAS detector using LHC Run 1 data”, Eur. Phys. J. C **74**, 3071 (2014).
- [1102] G. Aad (ATLAS), “Electron reconstruction and identification efficiency measurements with the ATLAS detector using the 2011 LHC proton-proton collision data”, Eur. Phys. J. C **74**, 2941 (2014).
- [1103] G. Aad (ATLAS), “Evidence for Electroweak Production of  $W^\pm W^\pm jj$  in  $pp$  Collisions at  $\sqrt{s} = 8$  TeV with the ATLAS Detector”, Phys. Rev. Lett. **113**, 141803 (2014).
- [1104] G. Aad (ATLAS), “Fiducial and differential cross sections of Higgs boson production measured in the four-lepton decay channel in  $pp$  collisions at  $\sqrt{s}=8$  TeV with the ATLAS detector”, Phys. Lett. B **738**, 234–253 (2014).
- [1105] G. Aad (ATLAS), “Flavor tagged time-dependent angular analysis of the  $B_s \rightarrow J/\psi\phi$  decay and extraction of  $\Delta\Gamma$ s and the weak phase  $\phi_s$  in ATLAS”, Phys. Rev. D **90**, 052007 (2014).
- [1106] G. Aad (ATLAS), “Light-quark and gluon jet discrimination in  $pp$  collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector”, Eur. Phys. J. C **74**, 3023 (2014).
- [1107] G. Aad (ATLAS), “Measurement of  $\chi_{c1}$  and  $\chi_{c2}$  production with  $\sqrt{s} = 7$  TeV  $pp$  collisions at ATLAS”, JHEP **07**, 154 (2014).
- [1108] G. Aad (ATLAS), “Measurement of differential production cross-sections for a  $Z$  boson in association with  $b$ -jets in 7 TeV proton-proton collisions with the ATLAS detector”, JHEP **10**, 141 (2014).
- [1109] G. Aad (ATLAS), “Measurement of dijet cross sections in  $pp$  collisions at 7 TeV centre-of-mass energy using the ATLAS detector”, JHEP **05**, 059 (2014).
- [1110] G. Aad (ATLAS), “Measurement of distributions sensitive to the underlying event in inclusive Z-boson production in  $pp$  collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector”, Eur. Phys. J. C **74**, 3195 (2014).
- [1111] G. Aad (ATLAS), “Measurement of event-plane correlations in  $\sqrt{s_{NN}} = 2.76$  TeV lead-lead collisions with the ATLAS detector”, Phys. Rev. C **90**, 024905 (2014).
- [1112] G. Aad (ATLAS), “Measurement of flow harmonics with multi-particle cumulants in Pb+Pb collisions at  $\sqrt{s_{NN}} = 2.76$  TeV with the ATLAS detector”, Eur. Phys. J. C **74**, 3157 (2014).
- [1113] G. Aad (ATLAS), “Measurement of Higgs boson production in the diphoton decay channel in pp collisions at center-of-mass energies of 7 and 8 TeV with the ATLAS detector”, Phys. Rev. D **90**, 112015 (2014).

- [1114] G. Aad (ATLAS), “Measurement of inclusive jet charged-particle fragmentation functions in Pb+Pb collisions at  $\sqrt{s_{NN}} = 2.76$  TeV with the ATLAS detector”, Phys. Lett. B **739**, 320–342 (2014).
- [1115] G. Aad (ATLAS), “Measurement of long-range pseudorapidity correlations and azimuthal harmonics in  $\sqrt{s_{NN}} = 5.02$  TeV proton-lead collisions with the ATLAS detector”, Phys. Rev. C **90**, 044906 (2014).
- [1116] G. Aad (ATLAS), “Measurement of the  $t\bar{t}$  production cross-section using  $e\mu$  events with b-tagged jets in pp collisions at  $\sqrt{s} = 7$  and 8 TeV with the ATLAS detector”, Eur. Phys. J. C **74**, [Addendum: Eur.Phys.J.C 76, 642 (2016)], 3109 (2014).
- [1117] G. Aad (ATLAS), “Measurement of the  $Z/\gamma^*$  boson transverse momentum distribution in  $pp$  collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector”, JHEP **09**, 145 (2014).
- [1118] G. Aad (ATLAS), “Measurement of the centrality and pseudorapidity dependence of the integrated elliptic flow in lead-lead collisions at  $\sqrt{s_{NN}} = 2.76$  TeV with the ATLAS detector”, Eur. Phys. J. C **74**, 2982 (2014).
- [1119] G. Aad (ATLAS), “Measurement of the cross section of high transverse momentum  $Z \rightarrow b\bar{b}$  production in proton–proton collisions at  $\sqrt{s} = 8$  TeV with the ATLAS Detector”, Phys. Lett. B **738**, 25–43 (2014).
- [1120] G. Aad (ATLAS), “Measurement of the cross-section of high transverse momentum vector bosons reconstructed as single jets and studies of jet substructure in  $pp$  collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector”, New J. Phys. **16**, 113013 (2014).
- [1121] G. Aad (ATLAS), “Measurement of the electroweak production of dijets in association with a Z-boson and distributions sensitive to vector boson fusion in proton-proton collisions at  $\sqrt{s} = 8$  TeV using the ATLAS detector”, JHEP **04**, 031 (2014).
- [1122] G. Aad (ATLAS), “Measurement of the Higgs boson mass from the  $H \rightarrow \gamma\gamma$  and  $H \rightarrow ZZ^* \rightarrow 4\ell$  channels with the ATLAS detector using 25 fb $^{-1}$  of  $pp$  collision data”, Phys. Rev. D **90**, 052004 (2014).
- [1123] G. Aad (ATLAS), “Measurement of the inclusive isolated prompt photons cross section in pp collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector using 4.6 fb $^{-1}$ ”, Phys. Rev. D **89**, 052004 (2014).
- [1124] G. Aad (ATLAS), “Measurement of the low-mass Drell-Yan differential cross section at  $\sqrt{s} = 7$  TeV using the ATLAS detector”, JHEP **06**, 112 (2014).
- [1125] G. Aad (ATLAS), “Measurement of the mass difference between top and anti-top quarks in pp collisions at  $\sqrt{s} = 7$  TeV using the ATLAS detector”, Phys. Lett. B **728**, 363–379 (2014).
- [1126] G. Aad (ATLAS), “Measurement of the muon reconstruction performance of the ATLAS detector using 2011 and 2012 LHC proton–proton collision data”, Eur. Phys. J. C **74**, 3130 (2014).
- [1127] G. Aad (ATLAS), “Measurement of the parity-violating asymmetry parameter  $\alpha_b$  and the helicity amplitudes for the decay  $\Lambda_b^0 \rightarrow J/\psi + \Lambda^0$  with the ATLAS detector”, Phys. Rev. D **89**, 092009 (2014).
- [1128] G. Aad (ATLAS), “Measurement of the production cross section of prompt  $J/\psi$  mesons in association with a  $W^\pm$  boson in  $pp$  collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector”, JHEP **04**, 172 (2014).
- [1129] G. Aad (ATLAS), “Measurement of the production cross-section of  $\psi(2S) \rightarrow J/\psi(\rightarrow \mu^+\mu^-)\pi^+\pi^-$  in pp collisions at  $\sqrt{s} = 7$  TeV at ATLAS”, JHEP **09**, 079 (2014).
- [1130] G. Aad (ATLAS), “Measurement of the production of a  $W$  boson in association with a charm quark in  $pp$  collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector”, JHEP **05**, 068 (2014).
- [1131] G. Aad (ATLAS), “Measurement of the top quark pair production charge asymmetry in proton-proton collisions at  $\sqrt{s} = 7$  TeV using the ATLAS detector”, JHEP **02**, 107 (2014).
- [1132] G. Aad (ATLAS), “Measurement of the total cross section from elastic scattering in pp collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector”, Nucl. Phys. B **889**, 486–548 (2014).
- [1133] G. Aad (ATLAS), “Measurement of the underlying event in jet events from 7 TeV proton-proton collisions with the ATLAS detector”, Eur. Phys. J. C **74**, 2965 (2014).
- [1134] G. Aad (ATLAS), “Measurements of fiducial and differential cross sections for Higgs boson production in the diphoton decay channel at  $\sqrt{s} = 8$  TeV with ATLAS”, JHEP **09**, 112 (2014).
- [1135] G. Aad (ATLAS), “Measurements of Four-Lepton Production at the Z Resonance in pp Collisions at  $\sqrt{s} = 7$  and 8 TeV with ATLAS”, Phys. Rev. Lett. **112**, 231806 (2014).
- [1136] G. Aad (ATLAS), “Measurements of jet vetoes and azimuthal decorrelations in dijet events produced in  $pp$  collisions at  $\sqrt{s} = 7$  TeV using the ATLAS detector”, Eur. Phys. J. C **74**, 3117 (2014).
- [1137] G. Aad (ATLAS), “Measurements of normalized differential cross sections for  $t\bar{t}$  production in pp collisions at  $\sqrt{s} = 7$  TeV using the ATLAS detector”, Phys. Rev. D **90**, 072004 (2014).
- [1138] G. Aad (ATLAS), “Measurements of spin correlation in top-antitop quark events from proton-proton collisions at  $\sqrt{s} = 7$  TeV using the ATLAS detector”, Phys. Rev. D **90**, 112016 (2014).
- [1139] G. Aad (ATLAS), “Monitoring and data quality assessment of the ATLAS liquid argon calorimeter”, JINST **9**, P07024 (2014).

- [1140] G. Aad (ATLAS), “Muon reconstruction efficiency and momentum resolution of the ATLAS experiment in proton-proton collisions at  $\sqrt{s} = 7$  TeV in 2010”, *Eur. Phys. J. C* **74**, 3034 (2014).
- [1141] G. Aad (ATLAS), “Observation of an Excited  $B_c^\pm$  Meson State with the ATLAS Detector”, *Phys. Rev. Lett.* **113**, 212004 (2014).
- [1142] G. Aad (ATLAS), “Operation and performance of the ATLAS semiconductor tracker”, *JINST* **9**, P08009 (2014).
- [1143] G. Aad (ATLAS), “Search for a multi-Higgs-boson cascade in  $W^+W^b\bar{b}$  events with the ATLAS detector in pp collisions at  $\sqrt{s} = 8$  TeV”, *Phys. Rev. D* **89**, 032002 (2014).
- [1144] G. Aad (ATLAS), “Search for contact interactions and large extra dimensions in the dilepton channel using proton-proton collisions at  $\sqrt{s} = 8$  TeV with the ATLAS detector”, *Eur. Phys. J. C* **74**, 3134 (2014).
- [1145] G. Aad (ATLAS), “Search for dark matter in events with a hadronically decaying W or Z boson and missing transverse momentum in  $pp$  collisions at  $\sqrt{s} = 8$  TeV with the ATLAS detector”, *Phys. Rev. Lett.* **112**, 041802 (2014).
- [1146] G. Aad (ATLAS), “Search for dark matter in events with a Z boson and missing transverse momentum in pp collisions at  $\sqrt{s}=8$  TeV with the ATLAS detector”, *Phys. Rev. D* **90**, 012004 (2014).
- [1147] G. Aad (ATLAS), “Search for direct pair production of the top squark in all-hadronic final states in proton-proton collisions at  $\sqrt{s} = 8$  TeV with the ATLAS detector”, *JHEP* **09**, 015 (2014).
- [1148] G. Aad (ATLAS), “Search for direct production of charginos and neutralinos in events with three leptons and missing transverse momentum in  $\sqrt{s} = 8$ TeV  $pp$  collisions with the ATLAS detector”, *JHEP* **04**, 169 (2014).
- [1149] G. Aad (ATLAS), “Search for direct production of charginos, neutralinos and sleptons in final states with two leptons and missing transverse momentum in  $pp$  collisions at  $\sqrt{s} = 8$  TeV with the ATLAS detector”, *JHEP* **05**, 071 (2014).
- [1150] G. Aad (ATLAS), “Search for direct top squark pair production in events with a Z boson, b-jets and missing transverse momentum in sqrt(s)=8 TeV pp collisions with the ATLAS detector”, *Eur. Phys. J. C* **74**, 2883 (2014).
- [1151] G. Aad (ATLAS), “Search for direct top-squark pair production in final states with two leptons in pp collisions at  $\sqrt{s} = 8$ TeV with the ATLAS detector”, *JHEP* **06**, 124 (2014).
- [1152] G. Aad (ATLAS), “Search for Higgs boson decays to a photon and a Z boson in pp collisions at  $\sqrt{s}=7$  and 8 TeV with the ATLAS detector”, *Phys. Lett. B* **732**, 8–27 (2014).
- [1153] G. Aad (ATLAS), “Search for high-mass dilepton resonances in pp collisions at  $\sqrt{s} = 8$  TeV with the ATLAS detector”, *Phys. Rev. D* **90**, 052005 (2014).
- [1154] G. Aad (ATLAS), “Search for Invisible Decays of a Higgs Boson Produced in Association with a Z Boson in ATLAS”, *Phys. Rev. Lett.* **112**, 201802 (2014).
- [1155] G. Aad (ATLAS), “Search for long-lived neutral particles decaying into lepton jets in proton-proton collisions at  $\sqrt{s} = 8$  TeV with the ATLAS detector”, *JHEP* **11**, 088 (2014).
- [1156] G. Aad (ATLAS), “Search for microscopic black holes and string balls in final states with leptons and jets with the ATLAS detector at sqrt(s) = 8 TeV”, *JHEP* **08**, 103 (2014).
- [1157] G. Aad (ATLAS), “Search for neutral Higgs bosons of the minimal supersymmetric standard model in pp collisions at  $\sqrt{s} = 8$  TeV with the ATLAS detector”, *JHEP* **11**, 056 (2014).
- [1158] G. Aad (ATLAS), “Search for new particles in events with one lepton and missing transverse momentum in  $pp$  collisions at  $\sqrt{s} = 8$  TeV with the ATLAS detector”, *JHEP* **09**, 037 (2014).
- [1159] G. Aad (ATLAS), “Search for new phenomena in photon+jet events collected in proton–proton collisions at sqrt(s) = 8 TeV with the ATLAS detector”, *Phys. Lett. B* **728**, 562–578 (2014).
- [1160] G. Aad (ATLAS), “Search for new resonances in  $W\gamma$  and  $Z\gamma$  final states in  $pp$  collisions at  $\sqrt{s} = 8$  TeV with the ATLAS detector”, *Phys. Lett. B* **738**, 428–447 (2014).
- [1161] G. Aad (ATLAS), “Search for nonpointing and delayed photons in the diphoton and missing transverse momentum final state in 8 TeV  $pp$  collisions at the LHC using the ATLAS detector”, *Phys. Rev. D* **90**, 112005 (2014).
- [1162] G. Aad (ATLAS), “Search for pair and single production of new heavy quarks that decay to a Z boson and a third-generation quark in  $pp$  collisions at  $\sqrt{s} = 8$  TeV with the ATLAS detector”, *JHEP* **11**, 104 (2014).
- [1163] G. Aad (ATLAS), “Search for pair-produced third-generation squarks decaying via charm quarks or in compressed supersymmetric scenarios in  $pp$  collisions at  $\sqrt{s} = 8$  TeV with the ATLAS detector”, *Phys. Rev. D* **90**, 052008 (2014).



- [1164] G. Aad (ATLAS), “Search for Quantum Black Hole Production in High-Invariant-Mass Lepton+Jet Final States Using  $pp$  Collisions at  $\sqrt{s} = 8$  TeV and the ATLAS Detector”, Phys. Rev. Lett. **112**, 091804 (2014).
- [1165] G. Aad (ATLAS), “Search for Scalar Diphoton Resonances in the Mass Range 65 – 600 GeV with the ATLAS Detector in  $pp$  Collision Data at  $\sqrt{s} = 8$  TeV”, Phys. Rev. Lett. **113**, 171801 (2014).
- [1166] G. Aad (ATLAS), “Search for squarks and gluinos with the ATLAS detector in final states with jets and missing transverse momentum using  $\sqrt{s} = 8$  TeV proton–proton collision data”, JHEP **09**, 176 (2014).
- [1167] G. Aad (ATLAS), “Search for strong production of supersymmetric particles in final states with missing transverse momentum and at least three  $b$ -jets at  $\sqrt{s} = 8$  TeV proton-proton collisions with the ATLAS detector”, JHEP **10**, 024 (2014).
- [1168] G. Aad (ATLAS), “Search for supersymmetry at  $\sqrt{s} = 8$  TeV in final states with jets and two same-sign leptons or three leptons with the ATLAS detector”, JHEP **06**, 035 (2014).
- [1169] G. Aad (ATLAS), “Search for supersymmetry in events with four or more leptons in  $\sqrt{s} = 8$  TeV  $pp$  collisions with the ATLAS detector”, Phys. Rev. D **90**, 052001 (2014).
- [1170] G. Aad (ATLAS), “Search for supersymmetry in events with large missing transverse momentum, jets, and at least one tau lepton in 20 fb<sup>-1</sup> of  $\sqrt{s} = 8$  TeV proton-proton collision data with the ATLAS detector”, JHEP **09**, 103 (2014).
- [1171] G. Aad (ATLAS), “Search for the direct production of charginos, neutralinos and staus in final states with at least two hadronically decaying taus and missing transverse momentum in  $pp$  collisions at  $\sqrt{s} = 8$  TeV with the ATLAS detector”, JHEP **10**, 096 (2014).
- [1172] G. Aad (ATLAS), “Search for the lepton flavor violating decay  $Z \rightarrow e\mu$  in  $pp$  collisions at  $\sqrt{s}$  TeV with the ATLAS detector”, Phys. Rev. D **90**, 072010 (2014).
- [1173] G. Aad (ATLAS), “Search for the Standard Model Higgs boson decay to  $\mu^+\mu^-$  with the ATLAS detector”, Phys. Lett. B **738**, 68–86 (2014).
- [1174] G. Aad (ATLAS), “Search for top quark decays  $t \rightarrow qH$  with  $H \rightarrow \gamma\gamma$  using the ATLAS detector”, JHEP **06**, 008 (2014).
- [1175] G. Aad (ATLAS), “Search for top squark pair production in final states with one isolated lepton, jets, and missing transverse momentum in  $\sqrt{s} = 8$  TeV  $pp$  collisions with the ATLAS detector”, JHEP **11**, 118 (2014).
- [1176] G. Aad (ATLAS), “Search for WZ resonances in the fully leptonic channel using  $pp$  collisions at  $\sqrt{s} = 8$  TeV with the ATLAS detector”, Phys. Lett. B **737**, 223–243 (2014).
- [1177] G. Aad (ATLAS), “Standalone vertex finding in the ATLAS muon spectrometer”, JINST **9**, P02001 (2014).
- [1178] G. Aad (ATLAS), “Study of heavy-flavor quarks produced in association with top-quark pairs at  $\sqrt{s} = 7$  TeV using the ATLAS detector”, Phys. Rev. D **89**, 072012 (2014).
- [1179] G. Aad (ATLAS), “The differential production cross section of the  $\phi$  (1020) meson in  $\sqrt{s} = 7$  TeV  $pp$  collisions measured with the ATLAS detector”, Eur. Phys. J. C **74**, 2895 (2014).
- [1180] G. Aad (ATLAS), “A search for high-mass resonances decaying to  $\tau^+\tau^-$  in  $pp$  collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector”, Phys. Lett. B **719**, 242–260 (2013).
- [1181] G. Aad (ATLAS), “A search for prompt lepton-jets in  $pp$  collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector”, Phys. Lett. B **719**, 299–317 (2013).
- [1182] G. Aad (ATLAS), “ATLAS search for new phenomena in dijet mass and angular distributions using  $pp$  collisions at  $\sqrt{s} = 7$  TeV”, JHEP **01**, 029 (2013).
- [1183] G. Aad (ATLAS), “Characterisation and mitigation of beam-induced backgrounds observed in the ATLAS detector during the 2011 proton-proton run”, JINST **8**, P07004 (2013).
- [1184] G. Aad (ATLAS), “Dynamics of isolated-photon plus jet production in  $pp$  collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector”, Nucl. Phys. B **875**, 483–535 (2013).
- [1185] G. Aad (ATLAS), “Evidence for the spin-0 nature of the Higgs boson using ATLAS data”, Phys. Lett. B **726**, 120–144 (2013).
- [1186] G. Aad (ATLAS), “Improved luminosity determination in  $pp$  collisions at  $\sqrt{s} = 7$  TeV using the ATLAS detector at the LHC”, Eur. Phys. J. C **73**, 2518 (2013).
- [1187] G. Aad (ATLAS), “Jet energy measurement with the ATLAS detector in proton-proton collisions at  $\sqrt{s} = 7$  TeV”, Eur. Phys. J. C **73**, 2304 (2013).
- [1188] G. Aad (ATLAS), “Jet energy resolution in proton-proton collisions at  $\sqrt{s} = 7$  TeV recorded in 2010 with the ATLAS detector”, Eur. Phys. J. C **73**, 2306 (2013).

- [1189] G. Aad (ATLAS), “Measurement of  $W^+W^-$  production in pp collisions at  $\sqrt{s}=7$  TeV with the ATLAS detector and limits on anomalous WWZ and  $WW\gamma$  couplings”, Phys. Rev. D **87**, [Erratum: Phys.Rev.D 88, 079906 (2013)], 112001 (2013).
- [1190] G. Aad (ATLAS), “Measurement of Z boson Production in Pb+Pb Collisions at  $\sqrt{s_{NN}} = 2.76$  TeV with the ATLAS Detector”, Phys. Rev. Lett. **110**, 022301 (2013).
- [1191] G. Aad (ATLAS), “Measurement of ZZ production in pp collisions at  $\sqrt{s} = 7$  TeV and limits on anomalous ZZZ and  $ZZ\gamma$  couplings with the ATLAS detector”, JHEP **03**, 128 (2013).
- [1192] G. Aad (ATLAS), “Measurement of angular correlations in Drell-Yan lepton pairs to probe Z/gamma\* boson transverse momentum at sqrt(s)=7 TeV with the ATLAS detector”, Phys. Lett. B **720**, 32–51 (2013).
- [1193] G. Aad (ATLAS), “Measurement of charged-particle event shape variables in  $\sqrt{s} = 7$  TeV proton-proton interactions with the ATLAS detector”, Phys. Rev. D **88**, 032004 (2013).
- [1194] G. Aad (ATLAS), “Measurement of hard double-parton interactions in  $W(\rightarrow l\nu)+2$  jet events at  $\sqrt{s}=7$  TeV with the ATLAS detector”, New J. Phys. **15**, 033038 (2013).
- [1195] G. Aad (ATLAS), “Measurement of isolated-photon pair production in pp collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector”, JHEP **01**, 086 (2013).
- [1196] G. Aad (ATLAS), “Measurement of jet shapes in top-quark pair events at  $\sqrt{s} = 7$  TeV using the ATLAS detector”, Eur. Phys. J. C **73**, 2676 (2013).
- [1197] G. Aad (ATLAS), “Measurement of kT splitting scales in  $W\rightarrow l\nu$  events at sqrt(s)=7 TeV with the ATLAS detector”, Eur. Phys. J. C **73**, 2432 (2013).
- [1198] G. Aad (ATLAS), “Measurement of the  $\Lambda_b^0$  lifetime and mass in the ATLAS experiment”, Phys. Rev. D **87**, 032002 (2013).
- [1199] G. Aad (ATLAS), “Measurement of the Azimuthal Angle Dependence of Inclusive Jet Yields in Pb+Pb Collisions at  $\sqrt{s_{NN}} = 2.76$  TeV with the ATLAS detector”, Phys. Rev. Lett. **111**, 152301 (2013).
- [1200] G. Aad (ATLAS), “Measurement of the cross-section for W boson production in association with b-jets in pp collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector”, JHEP **06**, 084 (2013).
- [1201] G. Aad (ATLAS), “Measurement of the differential cross-section of  $B^+$  meson production in pp collisions at  $\sqrt{s} = 7$  TeV at ATLAS”, JHEP **10**, 042 (2013).
- [1202] G. Aad (ATLAS), “Measurement of the distributions of event-by-event flow harmonics in lead-lead collisions at  $\sqrt{s} = 2.76$  TeV with the ATLAS detector at the LHC”, JHEP **11**, 183 (2013).
- [1203] G. Aad (ATLAS), “Measurement of the flavour composition of dijet events in pp collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector”, Eur. Phys. J. C **73**, 2301 (2013).
- [1204] G. Aad (ATLAS), “Measurement of the high-mass Drell–Yan differential cross-section in pp collisions at sqrt(s)=7 TeV with the ATLAS detector”, Phys. Lett. B **725**, 223–242 (2013).
- [1205] G. Aad (ATLAS), “Measurement of the inclusive jet cross section in pp collisions at sqrt(s)=2.76 TeV and comparison to the inclusive jet cross section at sqrt(s)=7 TeV using the ATLAS detector”, Eur. Phys. J. C **73**, 2509 (2013).
- [1206] G. Aad (ATLAS), “Measurement of the jet radius and transverse momentum dependence of inclusive jet suppression in lead-lead collisions at  $\sqrt{s_{NN}} = 2.76$  TeV with the ATLAS detector”, Phys. Lett. B **719**, 220–241 (2013).
- [1207] G. Aad (ATLAS), “Measurement of the production cross section of jets in association with a Z boson in pp collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector”, JHEP **07**, 032 (2013).
- [1208] G. Aad (ATLAS), “Measurement of the top quark charge in pp collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector”, JHEP **11**, 031 (2013).
- [1209] G. Aad (ATLAS), “Measurement of the ttbar production cross section in the tau+jets channel using the ATLAS detector”, Eur. Phys. J. C **73**, 2328 (2013).
- [1210] G. Aad (ATLAS), “Measurement of Top Quark Polarization in Top-Antitop Events from Proton-Proton Collisions at  $\sqrt{s} = 7$  TeV Using the ATLAS Detector”, Phys. Rev. Lett. **111**, 232002 (2013).
- [1211] G. Aad (ATLAS), “Measurement of Upsilon production in 7 TeV pp collisions at ATLAS”, Phys. Rev. D **87**, 052004 (2013).
- [1212] G. Aad (ATLAS), “Measurement with the ATLAS detector of multi-particle azimuthal correlations in p+Pb collisions at  $\sqrt{s_{NN}} = 5.02$  TeV”, Phys. Lett. B **725**, 60–78 (2013).
- [1213] G. Aad (ATLAS), “Measurements of  $W\gamma$  and  $Z\gamma$  production in pp collisions at  $\sqrt{s}=7$  TeV with the ATLAS detector at the LHC”, Phys. Rev. D **87**, [Erratum: Phys.Rev.D 91, 119901 (2015)], 112003 (2013).

- [1214] G. Aad (ATLAS), “Measurements of Higgs boson production and couplings in diboson final states with the ATLAS detector at the LHC”, Phys. Lett. B **726**, [Erratum: Phys.Lett.B 734, 406–406 (2014)], 88–119 (2013).
- [1215] G. Aad (ATLAS), “Measurements of top quark pair relative differential cross-sections with ATLAS in  $pp$  collisions at  $\sqrt{s} = 7$  TeV”, Eur. Phys. J. C **73**, 2261 (2013).
- [1216] G. Aad (ATLAS), “Multi-channel search for squarks and gluinos in  $\sqrt{s} = 7$  TeV  $pp$  collisions with the ATLAS detector”, Eur. Phys. J. C **73**, 2362 (2013).
- [1217] G. Aad (ATLAS), “Observation of Associated Near-Side and Away-Side Long-Range Correlations in  $\sqrt{s_{NN}}=5.02$  TeV Proton-Lead Collisions with the ATLAS Detector”, Phys. Rev. Lett. **110**, 182302 (2013).
- [1218] G. Aad (ATLAS), “Performance of jet substructure techniques for large- $R$  jets in proton-proton collisions at  $\sqrt{s} = 7$  TeV using the ATLAS detector”, JHEP **09**, 076 (2013).
- [1219] G. Aad (ATLAS), “Search for  $t\bar{t}$  resonances in the lepton plus jets final state with ATLAS using  $4.7 \text{ fb}^{-1}$  of  $pp$  collisions at  $\sqrt{s} = 7$  TeV”, Phys. Rev. D **88**, 012004 (2013).
- [1220] G. Aad (ATLAS), “Search for a heavy narrow resonance decaying to  $e\mu$ ,  $e\tau$ , or  $\mu\tau$  with the ATLAS detector in  $\sqrt{s} = 7$  TeV  $pp$  collisions at the LHC”, Phys. Lett. B **723**, 15–32 (2013).
- [1221] G. Aad (ATLAS), “Search for a light charged Higgs boson in the decay channel  $H^+ \rightarrow c\bar{s}$  in  $t\bar{t}$  events using  $pp$  collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector”, Eur. Phys. J. C **73**, 2465 (2013).
- [1222] G. Aad (ATLAS), “Search for charged Higgs bosons through the violation of lepton universality in  $t\bar{t}$  events using  $pp$  collision data at  $\sqrt{s} = 7$  TeV with the ATLAS experiment”, JHEP **03**, 076 (2013).
- [1223] G. Aad (ATLAS), “Search for charginos nearly mass degenerate with the lightest neutralino based on a disappearing-track signature in  $pp$  collisions at  $\sqrt{s}=8$  TeV with the ATLAS detector”, Phys. Rev. D **88**, 112006 (2013).
- [1224] G. Aad (ATLAS), “Search for contact interactions and large extra dimensions in dilepton events from  $pp$  collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector”, Phys. Rev. D **87**, 015010 (2013).
- [1225] G. Aad (ATLAS), “Search for dark matter candidates and large extra dimensions in events with a jet and missing transverse momentum with the ATLAS detector”, JHEP **04**, 075 (2013).
- [1226] G. Aad (ATLAS), “Search for dark matter candidates and large extra dimensions in events with a photon and missing transverse momentum in  $pp$  collision data at  $\sqrt{s} = 7$  TeV with the ATLAS detector”, Phys. Rev. Lett. **110**, 011802 (2013).
- [1227] G. Aad (ATLAS), “Search for direct chargino production in anomaly-mediated supersymmetry breaking models based on a disappearing-track signature in  $pp$  collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector”, JHEP **01**, 131 (2013).
- [1228] G. Aad (ATLAS), “Search for direct production of charginos and neutralinos in events with three leptons and missing transverse momentum in  $\sqrt{s} = 7$  TeV  $pp$  collisions with the ATLAS detector”, Phys. Lett. B **718**, 841–859 (2013).
- [1229] G. Aad (ATLAS), “Search for direct slepton and gaugino production in final states with two leptons and missing transverse momentum with the ATLAS detector in  $pp$  collisions at  $\sqrt{s} = 7$  TeV”, Phys. Lett. B **718**, 879–901 (2013).
- [1230] G. Aad (ATLAS), “Search for direct third-generation squark pair production in final states with missing transverse momentum and two  $b$ -jets in  $\sqrt{s} = 8$  TeV  $pp$  collisions with the ATLAS detector”, JHEP **10**, 189 (2013).
- [1231] G. Aad (ATLAS), “Search for displaced muonic lepton jets from light Higgs boson decay in proton-proton collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector”, Phys. Lett. B **721**, 32–50 (2013).
- [1232] G. Aad (ATLAS), “Search for excited electrons and muons in  $\sqrt{s}=8$  TeV proton-proton collisions with the ATLAS detector”, New J. Phys. **15**, 093011 (2013).
- [1233] G. Aad (ATLAS), “Search for Extra Dimensions in diphoton events using proton-proton collisions recorded at  $\sqrt{s} = 7$  TeV with the ATLAS detector at the LHC”, New J. Phys. **15**, 043007 (2013).
- [1234] G. Aad (ATLAS), “Search for light top squark pair production in final states with leptons and  $b^-$  jets with the ATLAS detector in  $\sqrt{s} = 7$  TeV proton-proton collisions”, Phys. Lett. B **720**, 13–31 (2013).
- [1235] G. Aad (ATLAS), “Search for long-lived stopped R-hadrons decaying out-of-time with  $pp$  collisions using the ATLAS detector”, Phys. Rev. D **88**, 112003 (2013).
- [1236] G. Aad (ATLAS), “Search for long-lived, heavy particles in final states with a muon and multi-track displaced vertex in proton-proton collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector”, Phys. Lett. B **719**, 280–298 (2013).

- [1237] G. Aad (ATLAS), “Search for long-lived, multi-charged particles in pp collisions at  $\sqrt{s}=7$  TeV using the ATLAS detector”, Phys. Lett. B **722**, 305–323 (2013).
- [1238] G. Aad (ATLAS), “Search for microscopic black holes in a like-sign dimuon final state using large track multiplicity with the ATLAS detector”, Phys. Rev. D **88**, 072001 (2013).
- [1239] G. Aad (ATLAS), “Search for new phenomena in events with three charged leptons at  $\sqrt{s}=7$  TeV with the ATLAS detector”, Phys. Rev. D **87**, 052002 (2013).
- [1240] G. Aad (ATLAS), “Search for new phenomena in final states with large jet multiplicities and missing transverse momentum at  $\sqrt{s}=8$  TeV proton-proton collisions using the ATLAS experiment”, JHEP **10**, [Erratum: JHEP 01, 109 (2014)], 130 (2013).
- [1241] G. Aad (ATLAS), “Search for new phenomena in the  $WW$  to  $\ell\nu\ell'\nu'$  final state in  $pp$  collisions at  $\sqrt{s}=7$  TeV with the ATLAS detector”, Phys. Lett. B **718**, 860–878 (2013).
- [1242] G. Aad (ATLAS), “Search for nonpointing photons in the diphoton and  $E_T^{miss}$  final state in  $\sqrt{s}=7$  TeV proton-proton collisions using the ATLAS detector”, Phys. Rev. D **88**, 012001 (2013).
- [1243] G. Aad (ATLAS), “Search for pair production of heavy top-like quarks decaying to a high-pT  $W$  boson and a  $b$  quark in the lepton plus jets final state at  $\sqrt{s}=7$  TeV with the ATLAS detector”, Phys. Lett. B **718**, 1284–1302 (2013).
- [1244] G. Aad (ATLAS), “Search for pair-produced massive coloured scalars in four-jet final states with the ATLAS detector in proton-proton collisions at  $\sqrt{s}=7$  TeV”, Eur. Phys. J. C **73**, 2263 (2013).
- [1245] G. Aad (ATLAS), “Search for resonances decaying into top-quark pairs using fully hadronic decays in  $pp$  collisions with ATLAS at  $\sqrt{s}=7$  TeV”, JHEP **01**, 116 (2013).
- [1246] G. Aad (ATLAS), “Search for resonant diboson production in the  $WW/WZ\rightarrow\ell\nu jj$  decay channels with the ATLAS detector at  $\sqrt{s}=7$  TeV”, Phys. Rev. D **87**, 112006 (2013).
- [1247] G. Aad (ATLAS), “Search for single  $b^*$ -quark production with the ATLAS detector at  $\sqrt{s}=7$  TeV”, Phys. Lett. B **721**, 171–189 (2013).
- [1248] G. Aad (ATLAS), “Search for squarks and gluinos with the ATLAS detector in final states with jets and missing transverse momentum using 4.7 fb $^{-1}$  of  $\sqrt{s}=7$  TeV proton-proton collision data”, Phys. Rev. D **87**, 012008 (2013).
- [1249] G. Aad (ATLAS), “Search for supersymmetry in events with photons, bottom quarks, and missing transverse momentum in proton-proton collisions at a centre-of-mass energy of 7 TeV with the ATLAS detector”, Phys. Lett. B **719**, 261–279 (2013).
- [1250] G. Aad (ATLAS), “Search for the neutral Higgs bosons of the Minimal Supersymmetric Standard Model in  $pp$  collisions at  $\sqrt{s}=7$  TeV with the ATLAS detector”, JHEP **02**, 095 (2013).
- [1251] G. Aad (ATLAS), “Search for third generation scalar leptoquarks in pp collisions at  $\sqrt{s}=7$  TeV with the ATLAS detector”, JHEP **06**, 033 (2013).
- [1252] G. Aad (ATLAS), “Search for WH production with a light Higgs boson decaying to prompt electron-jets in proton-proton collisions at  $\sqrt{s}=7$  TeV with the ATLAS detector”, New J. Phys. **15**, 043009 (2013).
- [1253] G. Aad (ATLAS), “Searches for heavy long-lived sleptons and R-Hadrons with the ATLAS detector in  $pp$  collisions at  $\sqrt{s}=7$  TeV”, Phys. Lett. B **720**, 277–308 (2013).
- [1254] G. Aad (ATLAS), “Single hadron response measurement and calorimeter jet energy scale uncertainty with the ATLAS detector at the LHC”, Eur. Phys. J. C **73**, 2305 (2013).
- [1255] G. Aad (ATLAS), “Technical Design Report for the Phase-I Upgrade of the ATLAS TDAQ System”, (2013).
- [1256] G. Aad (ATLAS), “Triggers for displaced decays of long-lived neutral particles in the ATLAS detector”, JINST **8**, P07015 (2013).
- [1257] T. Aaltonen (CDF), “ $W$  boson polarization measurement in the  $t\bar{t}$  dilepton channel using the CDF II Detector”, Phys. Lett. B **722**, 48–54 (2013).
- [1258] T. Aaltonen (CDF), “Measurement of the  $B_c^-$  Meson Lifetime in the Decay  $B_c^- \rightarrow J/\psi \pi^-$ ”, Phys. Rev. D **87**, 011101 (2013).
- [1259] T. Aaltonen (CDF), “Measurement of the Mass Difference between Top and Anti-top Quarks”, Phys. Rev. D **87**, 052013 (2013).
- [1260] T. Aaltonen (CDF), “Observation of the Production of a W Boson in Association with a Single Charm Quark”, Phys. Rev. Lett. **110**, 071801 (2013).
- [1261] T. Aaltonen (CDF), “Production of  $K_S^0$ ,  $K^{*\pm}(892)$  and  $\phi^0(1020)$  in Minimum Bias Events and  $K_S^0$  and  $\Lambda^0$  in Jets in  $p\bar{p}$  Collisions at  $\sqrt{s}=1.96$  TeV”, Phys. Rev. D **88**, 092005 (2013).

- [1262] T. Aaltonen (CDF), “Search for a Two-Higgs-Boson Doublet Using a Simplified Model in  $p\bar{p}$  Collisions at  $\sqrt{s} = 1.96$  TeV”, Phys. Rev. Lett. **110**, 121801 (2013).
- [1263] T. Aaltonen (CDF), “Search for the Higgs Boson in the All-Hadronic Final State using the Full CDF Data Set”, JHEP **02**, 004 (2013).
- [1264] T. Aaltonen (CDF), “Searches for the Higgs Boson Decaying to  $W^+W^- \rightarrow \ell^+\nu\ell^-\bar{\nu}$  with the CDF II Detector”, Phys. Rev. D **88**, 052012 (2013).
- [1265] J. Anderson, “A fast hardware tracker for the ATLAS trigger system”, Nucl. Instrum. Meth. A **718**, edited by F. Cervelli, G. Chiarelli, F. Forti, M. Grassi, and A. Scribano, 258–259 (2013).
- [1266] G. Aad (ATLAS), “A measurement of the ratio of the  $W$  and  $Z$  cross sections with exactly one associated jet in  $pp$  collisions at  $\sqrt{s} = 7$  TeV with ATLAS”, Phys. Lett. B **708**, 221–240 (2012).
- [1267] G. Aad (ATLAS), “A particle consistent with the Higgs Boson observed with the ATLAS Detector at the Large Hadron Collider”, Science **338**, 1576–1582 (2012).
- [1268] G. Aad (ATLAS), “A search for  $t\bar{t}$  resonances in lepton+jets events with highly boosted top quarks collected in  $pp$  collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector”, JHEP **09**, 041 (2012).
- [1269] G. Aad (ATLAS), “A search for  $t\bar{t}$  resonances with the ATLAS detector in  $2.05 \text{ fb}^{-1}$  of proton-proton collisions at  $\sqrt{s} = 7$  TeV”, Eur. Phys. J. C **72**, 2083 (2012).
- [1270] G. Aad (ATLAS), “A search for flavour changing neutral currents in top-quark decays in  $pp$  collision data collected with the ATLAS detector at  $\sqrt{s} = 7$  TeV”, JHEP **09**, 139 (2012).
- [1271] G. Aad (ATLAS), “A study of the material in the ATLAS inner detector using secondary hadronic interactions”, JINST **7**, P01013 (2012).
- [1272] G. Aad (ATLAS), “ATLAS Measurements of the Properties of Jets for Boosted Particle Searches”, Phys. Rev. D **86**, 072006 (2012).
- [1273] G. Aad (ATLAS), “ATLAS search for a heavy gauge boson decaying to a charged lepton and a neutrino in  $pp$  collisions at  $\sqrt{s} = 7$  TeV”, Eur. Phys. J. C **72**, 2241 (2012).
- [1274] G. Aad (ATLAS), “Combined search for the Standard Model Higgs boson in  $pp$  collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector”, Phys. Rev. D **86**, 032003 (2012).
- [1275] G. Aad (ATLAS), “Combined search for the Standard Model Higgs boson using up to  $4.9 \text{ fb}^{-1}$  of  $pp$  collision data at  $\sqrt{s} = 7$  TeV with the ATLAS detector at the LHC”, Phys. Lett. B **710**, 49–66 (2012).
- [1276] G. Aad (ATLAS), “Determination of the strange quark density of the proton from ATLAS measurements of the  $W \rightarrow \ell\nu$  and  $Z \rightarrow \ell\ell$  cross sections”, Phys. Rev. Lett. **109**, 012001 (2012).
- [1277] G. Aad (ATLAS), “Electron performance measurements with the ATLAS detector using the 2010 LHC proton-proton collision data”, Eur. Phys. J. C **72**, 1909 (2012).
- [1278] G. Aad (ATLAS), “Evidence for the associated production of a  $W$  boson and a top quark in ATLAS at  $\sqrt{s} = 7$  TeV”, Phys. Lett. B **716**, 142–159 (2012).
- [1279] G. Aad (ATLAS), “Forward-backward correlations and charged-particle azimuthal distributions in  $pp$  interactions using the ATLAS detector”, JHEP **07**, 019 (2012).
- [1280] G. Aad (ATLAS), “Further search for supersymmetry at  $\sqrt{s} = 7$  TeV in final states with jets, missing transverse momentum and isolated leptons with the ATLAS detector”, Phys. Rev. D **86**, 092002 (2012).
- [1281] G. Aad (ATLAS), “Hunt for new phenomena using large jet multiplicities and missing transverse momentum with ATLAS in  $4.7 \text{ fb}^{-1}$  of  $\sqrt{s} = 7$  TeV proton-proton collisions”, JHEP **07**, 167 (2012).
- [1282] G. Aad (ATLAS), “Jet mass and substructure of inclusive jets in  $\sqrt{s} = 7$  TeV  $pp$  collisions with the ATLAS experiment”, JHEP **05**, 128 (2012).
- [1283] G. Aad (ATLAS), “K-short and  $\Lambda$  production in  $pp$  interactions at  $\sqrt{s} = 0.9$  and 7 TeV measured with the ATLAS detector at the LHC”, Phys. Rev. D **85**, 012001 (2012).
- [1284] G. Aad (ATLAS), “Measurement of  $\tau$  polarization in  $W^- \rightarrow \tau\nu$  decays with the ATLAS detector in  $pp$  collisions at  $\sqrt{s} = 7$  TeV”, Eur. Phys. J. C **72**, 2062 (2012).
- [1285] G. Aad (ATLAS), “Measurement of  $D^{*+/-}$  meson production in jets from  $pp$  collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector”, Phys. Rev. D **85**, 052005 (2012).
- [1286] G. Aad (ATLAS), “Measurement of  $t\bar{t}$  production with a veto on additional central jet activity in  $pp$  collisions at  $\sqrt{s} = 7$  TeV using the ATLAS detector”, Eur. Phys. J. C **72**, 2043 (2012).
- [1287] G. Aad (ATLAS), “Measurement of  $W\gamma$  and  $Z\gamma$  production cross sections in  $pp$  collisions at  $\sqrt{s} = 7$  TeV and limits on anomalous triple gauge couplings with the ATLAS detector”, Phys. Lett. B **717**, 49–69 (2012).
- [1288] G. Aad (ATLAS), “Measurement of  $WZ$  production in proton-proton collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector”, Eur. Phys. J. C **72**, 2173 (2012).

- [1289] G. Aad (ATLAS), “Measurement of event shapes at large momentum transfer with the ATLAS detector in  $pp$  collisions at  $\sqrt{s} = 7$  TeV”, Eur. Phys. J. C **72**, 2211 (2012).
- [1290] G. Aad (ATLAS), “Measurement of inclusive jet and dijet production in  $pp$  collisions at  $\sqrt{s} = 7$  TeV using the ATLAS detector”, Phys. Rev. D **86**, 014022 (2012).
- [1291] G. Aad (ATLAS), “Measurement of inclusive two-particle angular correlations in  $pp$  collisions with the ATLAS detector at the LHC”, JHEP **05**, 157 (2012).
- [1292] G. Aad (ATLAS), “Measurement of the  $t$ -channel single top-quark production cross section in  $pp$  collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector”, Phys. Lett. B **717**, 330–350 (2012).
- [1293] G. Aad (ATLAS), “Measurement of the  $W \rightarrow \tau \nu_\tau$  cross section in  $pp$  collisions at  $\sqrt{s} = 7$  TeV with the ATLAS experiment”, Phys. Lett. B **706**, 276–294 (2012).
- [1294] G. Aad (ATLAS), “Measurement of the  $WW$  cross section in  $\sqrt{s} = 7$  TeV  $pp$  collisions with the ATLAS detector and limits on anomalous gauge couplings”, Phys. Lett. B **712**, 289–308 (2012).
- [1295] G. Aad (ATLAS), “Measurement of the  $W^\pm Z$  production cross section and limits on anomalous triple gauge couplings in proton-proton collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector”, Phys. Lett. B **709**, 341–357 (2012).
- [1296] G. Aad (ATLAS), “Measurement of the  $ZZ$  production cross section and limits on anomalous neutral triple gauge couplings in proton-proton collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector”, Phys. Rev. Lett. **108**, 041804 (2012).
- [1297] G. Aad (ATLAS), “Measurement of the azimuthal anisotropy for charged particle production in  $\sqrt{s_{NN}} = 2.76$  TeV lead-lead collisions with the ATLAS detector”, Phys. Rev. C **86**, 014907 (2012).
- [1298] G. Aad (ATLAS), “Measurement of the azimuthal ordering of charged hadrons with the ATLAS detector”, Phys. Rev. D **86**, 052005 (2012).
- [1299] G. Aad (ATLAS), “Measurement of the b-hadron production cross section using decays to  $D^* \mu^- X$  final states in  $pp$  collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector”, Nucl. Phys. B **864**, 341–381 (2012).
- [1300] G. Aad (ATLAS), “Measurement of the centrality dependence of the charged particle pseudorapidity distribution in lead-lead collisions at  $\sqrt{s_{NN}} = 2.76$  TeV with the ATLAS detector”, Phys. Lett. B **710**, 363–382 (2012).
- [1301] G. Aad (ATLAS), “Measurement of the charge asymmetry in top quark pair production in  $pp$  collisions at  $\sqrt{s} = 7$  TeV using the ATLAS detector”, Eur. Phys. J. C **72**, 2039 (2012).
- [1302] G. Aad (ATLAS), “Measurement of the cross section for the production of a  $W$  boson in association with  $b^-$  jets in  $pp$  collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector”, Phys. Lett. B **707**, 418–437 (2012).
- [1303] G. Aad (ATLAS), “Measurement of the cross section for top-quark pair production in  $pp$  collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector using final states with two high-pt leptons”, JHEP **05**, 059 (2012).
- [1304] G. Aad (ATLAS), “Measurement of the cross-section for  $b$ -jets produced in association with a  $Z$  boson at  $\sqrt{s} = 7$  TeV with the ATLAS detector”, Phys. Lett. B **706**, 295–313 (2012).
- [1305] G. Aad (ATLAS), “Measurement of the inclusive  $W^\pm$  and  $Z/\gamma$  cross sections in the electron and muon decay channels in  $pp$  collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector”, Phys. Rev. D **85**, 072004 (2012).
- [1306] G. Aad (ATLAS), “Measurement of the isolated di-photon cross-section in  $pp$  collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector”, Phys. Rev. D **85**, 012003 (2012).
- [1307] G. Aad (ATLAS), “Measurement of the polarisation of  $W$  bosons produced with large transverse momentum in  $pp$  collisions at  $\sqrt{s} = 7$  TeV with the ATLAS experiment”, Eur. Phys. J. C **72**, 2001 (2012).
- [1308] G. Aad (ATLAS), “Measurement of the production cross section for  $Z/\gamma^*$  in association with jets in  $pp$  collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector”, Phys. Rev. D **85**, 032009 (2012).
- [1309] G. Aad (ATLAS), “Measurement of the production cross section of an isolated photon associated with jets in proton-proton collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector”, Phys. Rev. D **85**, 092014 (2012).
- [1310] G. Aad (ATLAS), “Measurement of the pseudorapidity and transverse momentum dependence of the elliptic flow of charged particles in lead-lead collisions at  $\sqrt{s_{NN}} = 2.76$  TeV with the ATLAS detector”, Phys. Lett. B **707**, 330–348 (2012).
- [1311] G. Aad (ATLAS), “Measurement of the top quark mass with the template method in the  $t\bar{t} \rightarrow$  lepton + jets channel using ATLAS data”, Eur. Phys. J. C **72**, 2046 (2012).

- [1312] G. Aad (ATLAS), “Measurement of the top quark pair cross section with ATLAS in  $pp$  collisions at  $\sqrt{s} = 7$  TeV using final states with an electron or a muon and a hadronically decaying  $\tau$  lepton”, Phys. Lett. B **717**, 89–108 (2012).
- [1313] G. Aad (ATLAS), “Measurement of the top quark pair production cross section in  $pp$  collisions at  $\sqrt{s} = 7$  TeV in dilepton final states with ATLAS”, Phys. Lett. B **707**, 459–477 (2012).
- [1314] G. Aad (ATLAS), “Measurement of the top quark pair production cross-section with ATLAS in the single lepton channel”, Phys. Lett. B **711**, 244–263 (2012).
- [1315] G. Aad (ATLAS), “Measurement of the Transverse Momentum Distribution of  $W$  Bosons in  $pp$  Collisions at  $\sqrt{s} = 7$  TeV with the ATLAS Detector”, Phys. Rev. D **85**, 012005 (2012).
- [1316] G. Aad (ATLAS), “Measurement of the  $W$  boson polarization in top quark decays with the ATLAS detector”, JHEP **06**, 088 (2012).
- [1317] G. Aad (ATLAS), “Measurements of the electron and muon inclusive cross-sections in proton-proton collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector”, Phys. Lett. B **707**, 438–458 (2012).
- [1318] G. Aad (ATLAS), “Measurements of the pseudorapidity dependence of the total transverse energy in proton-proton collisions at  $\sqrt{s} = 7$  TeV with ATLAS”, JHEP **11**, 033 (2012).
- [1319] G. Aad (ATLAS), “Observation of a new  $\chi_b$  state in radiative transitions to  $\Upsilon(1S)$  and  $\Upsilon(2S)$  at ATLAS”, Phys. Rev. Lett. **108**, 152001 (2012).
- [1320] G. Aad (ATLAS), “Observation of a new particle in the search for the Standard Model Higgs boson with the ATLAS detector at the LHC”, Phys. Lett. B **716**, 1–29 (2012).
- [1321] G. Aad (ATLAS), “Observation of spin correlation in  $t\bar{t}$  events from  $pp$  collisions at  $\sqrt{s} = 7$  TeV using the ATLAS detector”, Phys. Rev. Lett. **108**, 212001 (2012).
- [1322] G. Aad (ATLAS), “Performance of Missing Transverse Momentum Reconstruction in Proton-Proton Collisions at 7 TeV with ATLAS”, Eur. Phys. J. C **72**, 1844 (2012).
- [1323] G. Aad (ATLAS), “Performance of the ATLAS Trigger System in 2010”, Eur. Phys. J. C **72**, 1849 (2012).
- [1324] G. Aad (ATLAS), “Rapidity gap cross sections measured with the ATLAS detector in  $pp$  collisions at  $\sqrt{s} = 7$  TeV”, Eur. Phys. J. C **72**, 1926 (2012).
- [1325] G. Aad (ATLAS), “Search for a fermiophobic Higgs boson in the diphoton decay channel with the ATLAS detector”, Eur. Phys. J. C **72**, 2157 (2012).
- [1326] G. Aad (ATLAS), “Search for a heavy Standard Model Higgs boson in the channel  $H \rightarrow ZZ \rightarrow \ell^+ \ell^- q \bar{q}$  using the ATLAS detector”, Phys. Lett. B **707**, 27–45 (2012).
- [1327] G. Aad (ATLAS), “Search for a heavy top-quark partner in final states with two leptons with the ATLAS detector at the LHC”, JHEP **11**, 094 (2012).
- [1328] G. Aad (ATLAS), “Search for a light Higgs boson decaying to long-lived weakly-interacting particles in proton-proton collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector”, Phys. Rev. Lett. **108**, 251801 (2012).
- [1329] G. Aad (ATLAS), “Search for a standard model Higgs boson in the mass range 200–600 GeV in the  $H \rightarrow ZZ \rightarrow \ell^+ \ell^- q \bar{q}$  decay channel with the ATLAS detector”, Phys. Lett. B **717**, 70–88 (2012).
- [1330] G. Aad (ATLAS), “Search for a standard model Higgs boson in the  $H \rightarrow ZZ \rightarrow \ell^+ \ell^- \nu \bar{\nu}$  decay channel using 4.7 fb $^{-1}$  of  $\sqrt{s} = 7$  TeV data with the ATLAS detector”, Phys. Lett. B **717**, 29–48 (2012).
- [1331] G. Aad (ATLAS), “Search for a supersymmetric partner to the top quark in final states with jets and missing transverse momentum at  $\sqrt{s} = 7$  TeV with the ATLAS detector”, Phys. Rev. Lett. **109**, 211802 (2012).
- [1332] G. Aad (ATLAS), “Search for anomalous production of prompt like-sign lepton pairs at  $\sqrt{s} = 7$  TeV with the ATLAS detector”, JHEP **12**, 007 (2012).
- [1333] G. Aad (ATLAS), “Search for anomalous production of prompt like-sign muon pairs and constraints on physics beyond the Standard Model with the ATLAS detector”, Phys. Rev. D **85**, 032004 (2012).
- [1334] G. Aad (ATLAS), “Search for anomaly-mediated supersymmetry breaking with the ATLAS detector based on a disappearing-track signature in  $pp$  collisions at  $\sqrt{s} = 7$  TeV”, Eur. Phys. J. C **72**, 1993 (2012).
- [1335] G. Aad (ATLAS), “Search for charged Higgs bosons decaying via  $H^\pm \rightarrow \tau \nu$  in top quark pair events using  $pp$  collision data at  $\sqrt{s} = 7$  TeV with the ATLAS detector”, JHEP **06**, 039 (2012).
- [1336] G. Aad (ATLAS), “Search for contact interactions in dilepton events from  $pp$  collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector”, Phys. Lett. B **712**, 40–58 (2012).
- [1337] G. Aad (ATLAS), “Search for decays of stopped, long-lived particles from 7 TeV  $pp$  collisions with the ATLAS detector”, Eur. Phys. J. C **72**, 1965 (2012).

- [1338] G. Aad (ATLAS), “Search for diphoton events with large missing transverse momentum in 7 TeV proton-proton collision data with the ATLAS detector”, Phys. Lett. B **718**, 411–430 (2012).
- [1339] G. Aad (ATLAS), “Search for diphoton events with large missing transverse momentum in  $\text{fb}^{-1}$  of 7 TeV proton-proton collision data with the ATLAS detector”, Phys. Lett. B **710**, 519–537 (2012).
- [1340] G. Aad (ATLAS), “Search for direct top squark pair production in final states with one isolated lepton, jets, and missing transverse momentum in  $\sqrt{s} = 7$  TeV  $pp$  collisions using  $4.7 \text{ fb}^{-1}$  of ATLAS data”, Phys. Rev. Lett. **109**, 211803 (2012).
- [1341] G. Aad (ATLAS), “Search for displaced vertices arising from decays of new heavy particles in 7 TeV  $pp$  collisions at ATLAS”, Phys. Lett. B **707**, 478–496 (2012).
- [1342] G. Aad (ATLAS), “Search for doubly-charged Higgs bosons in like-sign dilepton final states at  $\sqrt{s} = 7$  TeV with the ATLAS detector”, Eur. Phys. J. C **72**, 2244 (2012).
- [1343] G. Aad (ATLAS), “Search for down-type fourth generation quarks with the ATLAS detector in events with one lepton and hadronically decaying  $W$  bosons”, Phys. Rev. Lett. **109**, 032001 (2012).
- [1344] G. Aad (ATLAS), “Search for events with large missing transverse momentum, jets, and at least two tau leptons in 7 TeV proton-proton collision data with the ATLAS detector”, Phys. Lett. B **714**, 180–196 (2012).
- [1345] G. Aad (ATLAS), “Search for excited leptons in proton-proton collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector”, Phys. Rev. D **85**, 072003 (2012).
- [1346] G. Aad (ATLAS), “Search for extra dimensions using diphoton events in 7 TeV proton-proton collisions with the ATLAS detector”, Phys. Lett. B **710**, 538–556 (2012).
- [1347] G. Aad (ATLAS), “Search for FCNC single top-quark production at  $\sqrt{s} = 7$  TeV with the ATLAS detector”, Phys. Lett. B **712**, 351–369 (2012).
- [1348] G. Aad (ATLAS), “Search for first generation scalar leptoquarks in  $pp$  collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector”, Phys. Lett. B **709**, [Erratum: Phys.Lett.B 711, 442–455 (2012)], 158–176 (2012).
- [1349] G. Aad (ATLAS), “Search for gluinos in events with two same-sign leptons, jets and missing transverse momentum with the ATLAS detector in  $pp$  collisions at  $\sqrt{s} = 7$  TeV”, Phys. Rev. Lett. **108**, 241802 (2012).
- [1350] G. Aad (ATLAS), “Search for heavy neutrinos and right-handed  $W$  bosons in events with two leptons and jets in  $pp$  collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector”, Eur. Phys. J. C **72**, 2056 (2012).
- [1351] G. Aad (ATLAS), “Search for heavy vector-like quarks coupling to light quarks in proton-proton collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector”, Phys. Lett. B **712**, 22–39 (2012).
- [1352] G. Aad (ATLAS), “Search for high-mass resonances decaying to dilepton final states in  $pp$  collisions at  $\sqrt{s} = 7$ -TeV with the ATLAS detector”, JHEP **11**, 138 (2012).
- [1353] G. Aad (ATLAS), “Search for lepton flavour violation in the  $e\mu$  continuum with the ATLAS detector in  $\sqrt{s} = 7$  TeV  $pp$  collisions at the LHC”, Eur. Phys. J. C **72**, 2040 (2012).
- [1354] G. Aad (ATLAS), “Search for light scalar top quark pair production in final states with two leptons with the ATLAS detector in  $\sqrt{s} = 7$  TeV proton-proton collisions”, Eur. Phys. J. C **72**, 2237 (2012).
- [1355] G. Aad (ATLAS), “Search for magnetic monopoles in  $\sqrt{s} = 7$  TeV  $pp$  collisions with the ATLAS detector”, Phys. Rev. Lett. **109**, 261803 (2012).
- [1356] G. Aad (ATLAS), “Search for new particles decaying to  $ZZ$  using final states with leptons and jets with the ATLAS detector in  $\sqrt{s} = 7$  TeV proton-proton collisions”, Phys. Lett. B **712**, 331–350 (2012).
- [1357] G. Aad (ATLAS), “Search for New Phenomena in  $t\bar{t}$  Events With Large Missing Transverse Momentum in Proton-Proton Collisions at  $\sqrt{s} = 7$  TeV with the ATLAS Detector”, Phys. Rev. Lett. **108**, 041805 (2012).
- [1358] G. Aad (ATLAS), “Search for New Physics in the Dijet Mass Distribution using  $1 \text{ fb}^{-1}$  of  $pp$  Collision Data at  $\sqrt{s} = 7$  TeV collected by the ATLAS Detector”, Phys. Lett. B **708**, 37–54 (2012).
- [1359] G. Aad (ATLAS), “Search for pair production of a heavy up-type quark decaying to a  $W$  boson and a  $b$  quark in the lepton+jets channel with the ATLAS detector”, Phys. Rev. Lett. **108**, 261802 (2012).
- [1360] G. Aad (ATLAS), “Search for pair production of a new quark that decays to a  $Z$  boson and a bottom quark with the ATLAS detector”, Phys. Rev. Lett. **109**, 071801 (2012).
- [1361] G. Aad (ATLAS), “Search for pair production of massive particles decaying into three quarks with the ATLAS detector in  $\sqrt{s} = 7$  TeV  $pp$  collisions at the LHC”, JHEP **12**, 086 (2012).
- [1362] G. Aad (ATLAS), “Search for pair-produced heavy quarks decaying to  $Wq$  in the two-lepton channel at  $\sqrt{s} = 7$  TeV with the ATLAS detector”, Phys. Rev. D **86**, 012007 (2012).
- [1363] G. Aad (ATLAS), “Search for production of resonant states in the photon-jet mass distribution using  $pp$  collisions at  $\sqrt{s} = 7$  TeV collected by the ATLAS detector”, Phys. Rev. Lett. **108**, 211802 (2012).



- [1364] G. Aad (ATLAS), “Search for R-parity-violating supersymmetry in events with four or more leptons in  $\sqrt{s} = 7$  TeV  $pp$  collisions with the ATLAS detector”, JHEP **12**, 124 (2012).
- [1365] G. Aad (ATLAS), “Search for resonant  $WZ$  production in the  $WZ \rightarrow \ell\nu\ell'\ell'$  channel in  $\sqrt{s} = 7$  TeV  $pp$  collisions with the ATLAS detector”, Phys. Rev. D **85**, 112012 (2012).
- [1366] G. Aad (ATLAS), “Search for resonant top plus jet production in  $t\bar{t} + \text{jets}$  events with the ATLAS detector in  $pp$  collisions at  $\sqrt{s} = 7$  TeV”, Phys. Rev. D **86**, 091103 (2012).
- [1367] G. Aad (ATLAS), “Search for same-sign top-quark production and fourth-generation down-type quarks in  $pp$  collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector”, JHEP **04**, 069 (2012).
- [1368] G. Aad (ATLAS), “Search for scalar bottom quark pair production with the ATLAS detector in  $pp$  Collisions at  $\sqrt{s} = 7$  TeV”, Phys. Rev. Lett. **108**, 181802 (2012).
- [1369] G. Aad (ATLAS), “Search for scalar top quark pair production in natural gauge mediated supersymmetry models with the ATLAS detector in  $pp$  collisions at  $\sqrt{s} = 7$  TeV”, Phys. Lett. B **715**, 44–60 (2012).
- [1370] G. Aad (ATLAS), “Search for second generation scalar leptoquarks in  $pp$  collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector”, Eur. Phys. J. C **72**, 2151 (2012).
- [1371] G. Aad (ATLAS), “Search for squarks and gluinos using final states with jets and missing transverse momentum with the ATLAS detector in  $\sqrt{s} = 7$  TeV proton-proton collisions”, Phys. Lett. B **710**, 67–85 (2012).
- [1372] G. Aad (ATLAS), “Search for strong gravity signatures in same-sign dimuon final states using the ATLAS detector at the LHC”, Phys. Lett. B **709**, 322–340 (2012).
- [1373] G. Aad (ATLAS), “Search for supersymmetry in  $pp$  collisions at  $\sqrt{s} = 7$  TeV in final states with missing transverse momentum and  $b^-$  jets with the ATLAS detector”, Phys. Rev. D **85**, 112006 (2012).
- [1374] G. Aad (ATLAS), “Search for Supersymmetry in Events with Large Missing Transverse Momentum, Jets, and at Least One Tau Lepton in 7 TeV Proton-Proton Collision Data with the ATLAS Detector”, Eur. Phys. J. C **72**, 2215 (2012).
- [1375] G. Aad (ATLAS), “Search for supersymmetry in events with three leptons and missing transverse momentum in  $\sqrt{s} = 7$  TeV  $pp$  collisions with the ATLAS detector”, Phys. Rev. Lett. **108**, 261804 (2012).
- [1376] G. Aad (ATLAS), “Search for supersymmetry in final states with jets, missing transverse momentum and one isolated lepton in  $\sqrt{s} = 7$  TeV  $pp$  collisions using 1  $fb^{-1}$  of ATLAS data”, Phys. Rev. D **85**, [Erratum: Phys.Rev.D 87, 099903 (2013)], 012006 (2012).
- [1377] G. Aad (ATLAS), “Search for supersymmetry with jets, missing transverse momentum and at least one hadronically decaying  $\tau$  lepton in proton-proton collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector”, Phys. Lett. B **714**, 197–214 (2012).
- [1378] G. Aad (ATLAS), “Search for  $t\bar{b}$  resonances in proton-proton collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector”, Phys. Rev. Lett. **109**, 081801 (2012).
- [1379] G. Aad (ATLAS), “Search for TeV-scale gravity signatures in final states with leptons and jets with the ATLAS detector at  $\sqrt{s} = 7$  TeV”, Phys. Lett. B **716**, 122–141 (2012).
- [1380] G. Aad (ATLAS), “Search for the decay  $B_s^0 \rightarrow \mu\mu$  with the ATLAS detector”, Phys. Lett. B **713**, 387–407 (2012).
- [1381] G. Aad (ATLAS), “Search for the Higgs boson in the  $H \rightarrow WW^{(*)} \rightarrow \ell_\nu\ell_\nu$  decay channel in  $pp$  collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector”, Phys. Rev. Lett. **108**, 111802 (2012).
- [1382] G. Aad (ATLAS), “Search for the Higgs boson in the  $H \rightarrow WW \rightarrow l\nu jj$  decay channel at  $\sqrt{s} = 7$  TeV with the ATLAS detector”, Phys. Lett. B **718**, 391–410 (2012).
- [1383] G. Aad (ATLAS), “Search for the Standard Model Higgs boson in the  $H \rightarrow WW^{(*)} \rightarrow \ell\nu\ell\nu$  decay mode with 4.7 /fb of ATLAS data at  $\sqrt{s} = 7$  TeV”, Phys. Lett. B **716**, 62–81 (2012).
- [1384] G. Aad (ATLAS), “Search for the Standard Model Higgs boson in the  $H$  to  $\tau^+\tau^-$  decay mode in  $\sqrt{s} = 7$  TeV  $pp$  collisions with ATLAS”, JHEP **09**, 070 (2012).
- [1385] G. Aad (ATLAS), “Search for the Standard Model Higgs boson in the decay channel  $H \rightarrow ZZ^{(*)} \rightarrow 4\ell$  with 4.8  $fb^{-1}$  of  $pp$  collision data at  $\sqrt{s} = 7$  TeV with ATLAS”, Phys. Lett. B **710**, 383–402 (2012).
- [1386] G. Aad (ATLAS), “Search for the Standard Model Higgs boson in the diphoton decay channel with 4.9  $fb^{-1}$  of  $pp$  collisions at  $\sqrt{s} = 7$  TeV with ATLAS”, Phys. Rev. Lett. **108**, 111803 (2012).
- [1387] G. Aad (ATLAS), “Search for the Standard Model Higgs boson produced in association with a vector boson and decaying to a  $b$ -quark pair with the ATLAS detector”, Phys. Lett. B **718**, 369–390 (2012).

- [1388] G. Aad (ATLAS), “Search for top and bottom squarks from gluino pair production in final states with missing transverse energy and at least three b-jets with the ATLAS detector”, *Eur. Phys. J. C* **72**, 2174 (2012).
- [1389] G. Aad (ATLAS), “Searches for supersymmetry with the ATLAS detector using final states with two leptons and missing transverse momentum in  $\sqrt{s} = 7$  TeV proton-proton collisions”, *Phys. Lett. B* **709**, 137–157 (2012).
- [1390] G. Aad (ATLAS), “Study of jets produced in association with a  $W$  boson in  $pp$  collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector”, *Phys. Rev. D* **85**, 092002 (2012).
- [1391] G. Aad (ATLAS), “Time-dependent angular analysis of the decay  $B_s^0 \rightarrow J/\psi\phi$  and extraction of  $\Delta\Gamma_s$  and the CP-violating weak phase  $\phi_s$  by ATLAS”, *JHEP* **12**, 072 (2012).
- [1392] G. Aad (ATLAS), “Underlying event characteristics and their dependence on jet size of charged-particle jet events in  $pp$  collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector”, *Phys. Rev. D* **86**, 072004 (2012).
- [1393] T. Aaltonen (CDF), “A Search for dark matter in events with one jet and missing transverse energy in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV”, *Phys. Rev. Lett.* **108**, 211804 (2012).
- [1394] T. Aaltonen (CDF), “An additional study of multi-muon events produced in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV”, *Phys. Lett. B* **710**, 278–283 (2012).
- [1395] T. Aaltonen (CDF, D0), “Combination of CDF and D0 measurements of the  $W$  boson helicity in top quark decays”, *Phys. Rev. D* **85**, 071106 (2012).
- [1396] T. Aaltonen (CDF, D0), “Combination of the top-quark mass measurements from the Tevatron collider”, *Phys. Rev. D* **86**, 092003 (2012).
- [1397] T. Aaltonen (CDF), “Combined search for the standard model Higgs boson decaying to a  $b\bar{b}$  pair using the full CDF data set”, *Phys. Rev. Lett.* **109**, 111802 (2012).
- [1398] T. Aaltonen (CDF), “Diffractive Dijet Production in  $p\bar{p}$  Collisions at  $\sqrt{s} = 1.96$  TeV”, *Phys. Rev. D* **86**, 032009 (2012).
- [1399] T. Aaltonen (CDF, D0), “Evidence for a particle produced in association with weak bosons and decaying to a bottom-antibottom quark pair in Higgs boson searches at the Tevatron”, *Phys. Rev. Lett.* **109**, 071804 (2012).
- [1400] T. Aaltonen (CDF), “Evidence for the charmless annihilation decay mode  $B_s^0 \rightarrow \pi^+\pi^-$ ”, *Phys. Rev. Lett.* **108**, 211803 (2012).
- [1401] T. Aaltonen (CDF), “Measurement of  $B_s^0 \rightarrow D_s^{(*)+}D_s^{(*)-}$  Branching Ratios”, *Phys. Rev. Lett.* **108**, 201801 (2012).
- [1402] T. Aaltonen (CDF), “Measurement of  $ZZ$  production in leptonic final states at  $\sqrt{s}$  of 1.96 TeV at CDF”, *Phys. Rev. Lett.* **108**, 101801 (2012).
- [1403] T. Aaltonen (CDF), “Measurement of CP-violating asymmetries in  $D^0 \rightarrow \pi^+\pi^-$  and  $D^0 \rightarrow K^+K^-$  decays at CDF”, *Phys. Rev. D* **85**, 012009 (2012).
- [1404] T. Aaltonen (CDF), “Measurement of CP-violation asymmetries in  $D^0 \rightarrow K_S\pi^+\pi^-$ ”, *Phys. Rev. D* **86**, 032007 (2012).
- [1405] T. Aaltonen (CDF), “Measurement of the  $WZ$  Cross Section and Triple Gauge Couplings in  $p\bar{p}$  Collisions at  $\sqrt{s} = 1.96$  TeV”, *Phys. Rev. D* **86**, 031104 (2012).
- [1406] T. Aaltonen (CDF), “Measurement of the Bottom-Strange Meson Mixing Phase in the Full CDF Data Set”, *Phys. Rev. Lett.* **109**, 171802 (2012).
- [1407] T. Aaltonen (CDF), “Measurement of the branching fraction  $\mathcal{B}(\Lambda_b^0 \rightarrow \Lambda_c^+\pi^-\pi^+\pi^-)$  at CDF”, *Phys. Rev. D* **85**, 032003 (2012).
- [1408] T. Aaltonen (CDF), “Measurement of the CP-Violating Phase  $\beta_s^{J/\psi\phi}$  in  $B_s^0 \rightarrow J/\psi\phi$  Decays with the CDF II Detector”, *Phys. Rev. D* **85**, 072002 (2012).
- [1409] T. Aaltonen (CDF), “Measurement of the difference of CP-violating asymmetries in  $D^0 \rightarrow K^+K^-$  and  $D^0 \rightarrow \pi^+\pi^-$  decays at CDF”, *Phys. Rev. Lett.* **109**, 111801 (2012).
- [1410] T. Aaltonen (CDF), “Measurement of the masses and widths of the bottom baryons  $\Sigma_b^{+-}$  and  $\Sigma_b^{*+-}$ ”, *Phys. Rev. D* **85**, 092011 (2012).
- [1411] T. Aaltonen (CDF), “Measurement of the Top Quark Mass in the All-Hadronic Mode at CDF”, *Phys. Lett. B* **714**, 24–31 (2012).
- [1412] T. Aaltonen (CDF), “Measurements of Angular Distributions of Muons From  $\Upsilon$  Meson Decays in  $p\bar{p}$  Collisions at  $\sqrt{s} = 1.96$  TeV”, *Phys. Rev. Lett.* **108**, 151802 (2012).
- [1413] T. Aaltonen (CDF), “Measurements of the Angular Distributions in the Decays  $B \rightarrow K^{(*)}\mu^+\mu^-$  at CDF”, *Phys. Rev. Lett.* **108**, 081807 (2012).

- [1414] T. Aaltonen (CDF), “Measurements of the Top-Quark Mass and the  $t\bar{t}$  Cross Section in the Hadronic  $\tau + \text{Jets}$  Decay Channel at  $\sqrt{s} = 1.96$  TeV”, Phys. Rev. Lett. **109**, 192001 (2012).
- [1415] T. Aaltonen (CDF), “Novel inclusive search for the Higgs boson in the four-lepton final state at CDF”, Phys. Rev. D **86**, 072012 (2012).
- [1416] T. Aaltonen (CDF), “Observation of Exclusive Gamma Gamma Production in  $p\bar{p}$  Collisions at  $\sqrt{s} = 1.96$  TeV”, Phys. Rev. Lett. **108**, 081801 (2012).
- [1417] T. Aaltonen (CDF), “Precise measurement of the  $W$ -boson mass with the CDF II detector”, Phys. Rev. Lett. **108**, 151803 (2012).
- [1418] T. Aaltonen (CDF), “Precision Top-Quark Mass Measurements at CDF”, Phys. Rev. Lett. **109**, 152003 (2012).
- [1419] T. Aaltonen (CDF), “Production of  $\Lambda$ ,  $\bar{\Lambda}^0$ ,  $\Xi^\pm$  and  $\Omega^\pm$  Hyperons in  $p\bar{p}$  Collisions at  $\sqrt{s} = 1.96$  TeV”, Phys. Rev. D **86**, 012002 (2012).
- [1420] T. Aaltonen (CDF), “Search for  $WZ + ZZ$  production with MET + jets with  $b$  enhancement at  $\sqrt{s} = 1.96$  TeV”, Phys. Rev. D **85**, 012002 (2012).
- [1421] T. Aaltonen (CDF), “Search for a dark matter candidate produced in association with a single top quark in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV”, Phys. Rev. Lett. **108**, 201802 (2012).
- [1422] T. Aaltonen (CDF), “Search for a heavy particle decaying to a top quark and a light quark in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV”, Phys. Rev. Lett. **108**, 211805 (2012).
- [1423] T. Aaltonen (CDF), “Search for a Heavy Vector Boson Decaying to Two Gluons in  $p\bar{p}$  Collisions at  $\sqrt{s} = 1.96$  TeV”, Phys. Rev. D **86**, 112002 (2012).
- [1424] T. Aaltonen (CDF), “Search for a Higgs Boson in the Diphoton Final State in  $p\bar{p}$  Collisions at  $\sqrt{s} = 1.96$  TeV”, Phys. Rev. Lett. **108**, 011801 (2012).
- [1425] T. Aaltonen (CDF), “Search for a Higgs boson in the diphoton final state using the full CDF data set from  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV”, Phys. Lett. B **717**, 173–181 (2012).
- [1426] T. Aaltonen (CDF), “Search for a low mass Standard Model Higgs boson in the  $\tau - \tau$  decay channel in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV”, Phys. Rev. Lett. **108**, 181804 (2012).
- [1427] T. Aaltonen (CDF), “Search for anomalous production of multiple leptons in association with  $W$  and  $Z$  bosons at CDF”, Phys. Rev. D **85**, 092001 (2012).
- [1428] T. Aaltonen (CDF), “Search for heavy metastable particles decaying to jet pairs in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV”, Phys. Rev. D **85**, 012007 (2012).
- [1429] T. Aaltonen (CDF), “Search for Higgs Bosons Produced in Association with  $b$ -quarks”, Phys. Rev. D **85**, 032005 (2012).
- [1430] T. Aaltonen (CDF), “Search for high-mass resonances decaying into  $ZZ$  in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV”, Phys. Rev. D **85**, 012008 (2012).
- [1431] T. Aaltonen (CDF, D0), “Search for Neutral Higgs Bosons in Events with Multiple Bottom Quarks at the Tevatron”, Phys. Rev. D **86**, 091101 (2012).
- [1432] T. Aaltonen (CDF), “Search for new phenomena in events with two  $Z$  bosons and missing transverse momentum in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV”, Phys. Rev. D **85**, 011104 (2012).
- [1433] T. Aaltonen (CDF), “Search for Scalar Top Quark Production in  $p\bar{p}$  Collisions at  $\sqrt{s} = 1.96$  TeV”, JHEP **10**, 158 (2012).
- [1434] T. Aaltonen (CDF), “Search for Standard Model Higgs Boson Production in Association with a  $W$  Boson at CDF”, Phys. Rev. D **85**, 052002 (2012).
- [1435] T. Aaltonen (CDF), “Search for Standard Model Higgs Boson Production in Association with a  $W$  Boson Using a Matrix Element Technique at CDF in  $p\bar{p}$  Collisions at  $\sqrt{s} = 1.96$  TeV”, Phys. Rev. D **85**, 072001 (2012).
- [1436] T. Aaltonen (CDF), “Search for the Rare Radiative Decay:  $W \rightarrow \pi\gamma$  in  $p\bar{p}$  Collisions at  $\sqrt{s} = 1.96$  TeV”, Phys. Rev. D **85**, 032001 (2012).
- [1437] T. Aaltonen (CDF), “Search for the standard model Higgs boson decaying to a  $b\bar{b}$  pair in events with no charged leptons and large missing transverse energy using the full CDF data set”, Phys. Rev. Lett. **109**, 111805 (2012).
- [1438] T. Aaltonen (CDF), “Search for the standard model Higgs boson decaying to a  $b\bar{b}$  pair in events with one charged lepton and large missing transverse energy using the full CDF data set”, Phys. Rev. Lett. **109**, 111804 (2012).
- [1439] T. Aaltonen (CDF), “Search for the standard model Higgs boson decaying to a  $b\bar{b}$  pair in events with two oppositely-charged leptons using the full CDF data set”, Phys. Rev. Lett. **109**, 111803 (2012).

- [1440] T. Aaltonen (CDF), “Search for the standard model Higgs boson produced in association with a  $W^\pm$  boson with  $7.5 \text{ fb}^{-1}$  integrated luminosity at CDF”, *Phys. Rev. D* **86**, 032011 (2012).
- [1441] T. Aaltonen (CDF), “Search for the standard model Higgs boson produced in association with a  $Z$  Boson in  $7.9 \text{ fb}^{-1}$  of  $p$  anti- $p$  collisions at  $\sqrt{s} = 1.96 \text{ TeV}$  using the CDF II detector”, *Phys. Lett. B* **715**, 98–104 (2012).
- [1442] T. Aaltonen (CDF), “Search for the standard model Higgs boson produced in association with top quarks using the full CDF data set”, *Phys. Rev. Lett.* **109**, 181802 (2012).
- [1443] T. Aaltonen (CDF), “Study of Substructure of High Transverse Momentum Jets Produced in Proton-Antiproton Collisions at  $\sqrt{s} = 1.96 \text{ TeV}$ ”, *Phys. Rev. D* **85**, 091101 (2012).
- [1444] T. Aaltonen (CDF), “Transverse momentum cross section of  $e^+e^-$  pairs in the  $Z$ -boson region from  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96 \text{ TeV}$ ”, *Phys. Rev. D* **86**, 052010 (2012).
- [1445] J. Anderson, “FTK: A Fast Track Trigger for ATLAS”, *JINST* **7**, edited by F. Palla, C10002 (2012).
- [1446] A. Andreani, “The Fast Tracker real time processor and its impact on muon isolation, tau and b-Jet online selections at ATLAS”, *IEEE Trans. Nucl. Sci.* **59**, 348–357 (2012).
- [1447] J. D. Hobbs, **M. S. Neubauer**, S. Willenbrock, “Tests of the Standard Electroweak Model at the Energy Frontier”, *Rev. Mod. Phys.* **84**, 1477–1526 (2012).
- [1448] G. Aad (ATLAS), “Charged-particle multiplicities in  $pp$  interactions measured with the ATLAS detector at the LHC”, *New J. Phys.* **13**, 053033 (2011).
- [1449] G. Aad (ATLAS), “Measurement of Inclusive Jet and Dijet Cross Sections in Proton-Proton Collisions at 7 TeV Centre-of-Mass Energy with the ATLAS Detector”, *Eur. Phys. J. C* **71**, 1512 (2011).
- [1450] G. Aad (ATLAS), “Measurement of the centrality dependence of  $J/\psi$  yields and observation of  $Z$  production in lead–lead collisions with the ATLAS detector at the LHC”, *Phys. Lett. B* **697**, 294–312 (2011).
- [1451] G. Aad (ATLAS), “Measurement of the inclusive isolated prompt photon cross section in  $pp$  collisions at  $\sqrt{s} = 7 \text{ TeV}$  with the ATLAS detector”, *Phys. Rev. D* **83**, 052005 (2011).
- [1452] G. Aad (ATLAS), “Search for Quark Contact Interactions in Dijet Angular Distributions in  $pp$  Collisions at  $\sqrt{s} = 7 \text{ TeV}$  Measured with the ATLAS Detector”, *Phys. Lett. B* **694**, 327–345 (2011).
- [1453] G. Aad (ATLAS), “Studies of the performance of the ATLAS detector using cosmic-ray muons”, *Eur. Phys. J. C* **71**, 1593 (2011).
- [1454] G. Aad (ATLAS), “Study of Jet Shapes in Inclusive Jet Production in  $pp$  Collisions at  $\sqrt{s} = 7 \text{ TeV}$  using the ATLAS Detector”, *Phys. Rev. D* **83**, 052003 (2011).
- [1455] G. Aad (ATLAS), “Inclusive search for same-sign dilepton signatures in  $pp$  collisions at  $\sqrt{s} = 7 \text{ TeV}$  with the ATLAS detector”, *JHEP* **10**, 107 (2011).
- [1456] G. Aad (ATLAS), “Limits on the production of the Standard Model Higgs Boson in  $pp$  collisions at  $\sqrt{s} = 7 \text{ TeV}$  with the ATLAS detector”, *Eur. Phys. J. C* **71**, 1728 (2011).
- [1457] G. Aad (ATLAS), “Luminosity Determination in  $pp$  Collisions at  $\sqrt{s} = 7 \text{ TeV}$  Using the ATLAS Detector at the LHC”, *Eur. Phys. J. C* **71**, 1630 (2011).
- [1458] G. Aad (ATLAS), “Measurement of Dijet Azimuthal Decorrelations in  $pp$  Collisions at  $\sqrt{s} = 7 \text{ TeV}$ ”, *Phys. Rev. Lett.* **106**, 172002 (2011).
- [1459] G. Aad (ATLAS), “Measurement of dijet production with a veto on additional central jet activity in  $pp$  collisions at  $\sqrt{s} = 7 \text{ TeV}$  using the ATLAS detector”, *JHEP* **09**, 053 (2011).
- [1460] G. Aad (ATLAS), “Measurement of multi-jet cross sections in proton-proton collisions at a 7 TeV center-of-mass energy”, *Eur. Phys. J. C* **71**, 1763 (2011).
- [1461] G. Aad (ATLAS), “Measurement of the  $\Upsilon(1S)$  production cross-section in  $pp$  collisions at  $\sqrt{s} = 7 \text{ TeV}$  in ATLAS”, *Phys. Lett. B* **705**, 9–27 (2011).
- [1462] G. Aad (ATLAS), “Measurement of the  $WW$  cross section in  $\sqrt{s} = 7 \text{ TeV}$   $pp$  collisions with ATLAS”, *Phys. Rev. Lett.* **107**, 041802 (2011).
- [1463] G. Aad (ATLAS), “Measurement of the  $W$  charge asymmetry in the  $W \rightarrow \mu\nu$  decay mode in  $pp$  collisions at  $\sqrt{s} = 7 \text{ TeV}$  with the ATLAS detector”, *Phys. Lett. B* **701**, 31–49 (2011).
- [1464] G. Aad (ATLAS), “Measurement of the differential cross-sections of inclusive, prompt and non-prompt  $J/\psi$  production in proton-proton collisions at  $\sqrt{s} = 7 \text{ TeV}$ ”, *Nucl. Phys. B* **850**, 387–444 (2011).
- [1465] G. Aad (ATLAS), “Measurement of the inclusive and dijet cross-sections of  $b^-$  jets in  $pp$  collisions at  $\sqrt{s} = 7 \text{ TeV}$  with the ATLAS detector”, *Eur. Phys. J. C* **71**, 1846 (2011).
- [1466] G. Aad (ATLAS), “Measurement of the inclusive isolated prompt photon cross-section in  $pp$  collisions at  $\sqrt{s} = 7 \text{ TeV}$  using  $35 \text{ pb}^{-1}$  of ATLAS data”, *Phys. Lett. B* **706**, 150–167 (2011).

- [1467] G. Aad (ATLAS), “Measurement of the Inelastic Proton-Proton Cross-Section at  $\sqrt{s} = 7$  TeV with the ATLAS Detector”, *Nature Commun.* **2**, 463 (2011).
- [1468] G. Aad (ATLAS), “Measurement of the jet fragmentation function and transverse profile in proton-proton collisions at a center-of-mass energy of 7 TeV with the ATLAS detector”, *Eur. Phys. J. C* **71**, 1795 (2011).
- [1469] G. Aad (ATLAS), “Measurement of the production cross section for W-bosons in association with jets in  $pp$  collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector”, *Phys. Lett. B* **698**, 325–345 (2011).
- [1470] G. Aad (ATLAS), “Measurement of the top quark-pair production cross section with ATLAS in  $pp$  collisions at  $\sqrt{s} = 7$  TeV”, *Eur. Phys. J. C* **71**, 1577 (2011).
- [1471] G. Aad (ATLAS), “Measurement of the transverse momentum distribution of  $Z/\gamma^*$  bosons in proton-proton collisions at  $\sqrt{s}=7$  TeV with the ATLAS detector”, *Phys. Lett. B* **705**, 415–434 (2011).
- [1472] G. Aad (ATLAS), “Measurement of the Z to tau tau Cross Section with the ATLAS Detector”, *Phys. Rev. D* **84**, 112006 (2011).
- [1473] G. Aad (ATLAS), “Measurement of underlying event characteristics using charged particles in  $pp$  collisions at  $\sqrt{s} = 900\text{GeV}$  and 7 TeV with the ATLAS detector”, *Phys. Rev. D* **83**, 112001 (2011).
- [1474] G. Aad (ATLAS), “Measurement of Wgamma and Zgamma production in proton-proton collisions at  $\sqrt{s} = 7$  TeV with the ATLAS Detector”, *JHEP* **09**, 072 (2011).
- [1475] G. Aad (ATLAS), “Measurements of underlying-event properties using neutral and charged particles in  $pp$  collisions at 900 GeV and 7 TeV with the ATLAS detector at the LHC”, *Eur. Phys. J. C* **71**, 1636 (2011).
- [1476] G. Aad (ATLAS), “Properties of jets measured from tracks in proton-proton collisions at center-of-mass energy  $\sqrt{s} = 7$  TeV with the ATLAS detector”, *Phys. Rev. D* **84**, 054001 (2011).
- [1477] G. Aad (ATLAS), “Search for a heavy gauge boson decaying to a charged lepton and a neutrino in 1  $\text{fb}^{-1}$  of  $pp$  collisions at  $\sqrt{s} = 7$  TeV using the ATLAS detector”, *Phys. Lett. B* **705**, 28–46 (2011).
- [1478] G. Aad (ATLAS), “Search for a heavy neutral particle decaying into an electron and a muon using 1  $\text{fb}^{-1}$  of ATLAS data”, *Eur. Phys. J. C* **71**, 1809 (2011).
- [1479] G. Aad (ATLAS), “Search for a heavy particle decaying into an electron and a muon with the ATLAS detector in  $\sqrt{s} = 7$  TeV  $pp$  collisions at the LHC”, *Phys. Rev. Lett.* **106**, 251801 (2011).
- [1480] G. Aad (ATLAS), “Search for a Standard Model Higgs boson in the  $H \rightarrow ZZ \rightarrow l^+l^- \nu \nu$  decay channel with the ATLAS detector”, *Phys. Rev. Lett.* **107**, 221802 (2011).
- [1481] G. Aad (ATLAS), “Search for an excess of events with an identical flavour lepton pair and significant missing transverse momentum in  $\sqrt{s} = 7$  TeV proton-proton collisions with the ATLAS detector”, *Eur. Phys. J. C* **71**, 1647 (2011).
- [1482] G. Aad (ATLAS), “Search for Contact Interactions in Dimuon Events from  $pp$  Collisions at  $\sqrt{s} = 7$  TeV with the ATLAS Detector”, *Phys. Rev. D* **84**, 011101 (2011).
- [1483] G. Aad (ATLAS), “Search for dilepton resonances in  $pp$  collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector”, *Phys. Rev. Lett.* **107**, 272002 (2011).
- [1484] G. Aad (ATLAS), “Search for Diphoton Events with Large Missing Transverse Energy in 7 TeV Proton-Proton Collisions with the ATLAS Detector”, *Phys. Rev. Lett.* **106**, 121803 (2011).
- [1485] G. Aad (ATLAS), “Search for Diphoton Events with Large Missing Transverse Energy with 36  $\text{pb}^{-1}$  of 7 TeV Proton-Proton Collision Data with the ATLAS Detector”, *Eur. Phys. J. C* **71**, 1744 (2011).
- [1486] G. Aad (ATLAS), “Search for heavy long-lived charged particles with the ATLAS detector in  $pp$  collisions at  $\sqrt{s} = 7$  TeV”, *Phys. Lett. B* **703**, 428–446 (2011).
- [1487] G. Aad (ATLAS), “Search for high mass dilepton resonances in  $pp$  collisions at  $\sqrt{s} = 7$  TeV with the ATLAS experiment”, *Phys. Lett. B* **700**, 163–180 (2011).
- [1488] G. Aad (ATLAS), “Search for high-mass states with one lepton plus missing transverse momentum in proton-proton collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector”, *Phys. Lett. B* **701**, 50–69 (2011).
- [1489] G. Aad (ATLAS), “Search for Massive Colored Scalars in Four-Jet Final States in  $\sqrt{s} = 7$  TeV proton-proton collisions with the ATLAS Detector”, *Eur. Phys. J. C* **71**, 1828 (2011).
- [1490] G. Aad (ATLAS), “Search for Massive Long-lived Highly Ionising Particles with the ATLAS Detector at the LHC”, *Phys. Lett. B* **698**, 353–370 (2011).
- [1491] G. Aad (ATLAS), “Search for neutral MSSM Higgs bosons decaying to  $\tau^+\tau^-$  pairs in proton-proton collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector”, *Phys. Lett. B* **705**, 174–192 (2011).
- [1492] G. Aad (ATLAS), “Search for new phenomena in final states with large jet multiplicities and missing transverse momentum using  $\sqrt{s} = 7$  TeV  $pp$  collisions with the ATLAS detector”, *JHEP* **11**, 099 (2011).

- [1493] G. Aad (ATLAS), “Search for new phenomena with the monojet and missing transverse momentum signature using the ATLAS detector in  $\sqrt{s} = 7$  TeV proton-proton collisions”, Phys. Lett. B **705**, 294–312 (2011).
- [1494] G. Aad (ATLAS), “Search for New Physics in Dijet Mass and Angular Distributions in pp Collisions at  $\sqrt{s} = 7$  TeV Measured with the ATLAS Detector”, New J. Phys. **13**, 053044 (2011).
- [1495] G. Aad (ATLAS), “Search for pair production of first or second generation leptoquarks in proton-proton collisions at  $\sqrt{s} = 7$  TeV using the ATLAS detector at the LHC”, Phys. Rev. D **83**, 112006 (2011).
- [1496] G. Aad (ATLAS), “Search for squarks and gluinos using final states with jets and missing transverse momentum with the ATLAS detector in  $\sqrt{s} = 7$  TeV proton-proton collisions”, Phys. Lett. B **701**, 186–203 (2011).
- [1497] G. Aad (ATLAS), “Search for stable hadronising squarks and gluinos with the ATLAS experiment at the LHC”, Phys. Lett. B **701**, 1–19 (2011).
- [1498] G. Aad (ATLAS), “Search for supersymmetric particles in events with lepton pairs and large missing transverse momentum in  $\sqrt{s} = 7$  TeV proton-proton collisions with the ATLAS experiment”, Eur. Phys. J. C **71**, 1682 (2011).
- [1499] G. Aad (ATLAS), “Search for supersymmetry in  $pp$  collisions at  $\sqrt{s} = 7$  TeV in final states with missing transverse momentum and  $b$ -jets”, Phys. Lett. B **701**, 398–416 (2011).
- [1500] G. Aad (ATLAS), “Search for supersymmetry using final states with one lepton, jets, and missing transverse momentum with the ATLAS detector in  $\sqrt{s} = 7$  TeV  $pp$ ”, Phys. Rev. Lett. **106**, 131802 (2011).
- [1501] G. Aad (ATLAS), “Search for the Higgs boson in the  $H \rightarrow WW \rightarrow l\nu jj$  decay channel in pp collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector”, Phys. Rev. Lett. **107**, 231801 (2011).
- [1502] G. Aad (ATLAS), “Search for the Standard Model Higgs boson in the decay channel  $H \rightarrow ZZ^{(*)} \rightarrow 4\ell$  with the ATLAS detector”, Phys. Lett. B **705**, 435–451 (2011).
- [1503] G. Aad (ATLAS), “Search for the Standard Model Higgs boson in the two photon decay channel with the ATLAS detector at the LHC”, Phys. Lett. B **705**, 452–470 (2011).
- [1504] T. Aaltonen (CDF), “A Search for resonant production of  $t\bar{t}$  pairs in  $4.8 \text{ fb}^{-1}$  of integrated luminosity of  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV”, Phys. Rev. D **84**, 072004 (2011).
- [1505] T. Aaltonen (CDF), “Evidence for  $t\bar{t}\gamma$  Production and Measurement of  $\sigma_{t\bar{t}\gamma}/\sigma_{t\bar{t}}$ ”, Phys. Rev. D **84**, 031104 (2011).
- [1506] T. Aaltonen (CDF), “Evidence for a Mass Dependent Forward-Backward Asymmetry in Top Quark Pair Production”, Phys. Rev. D **83**, 112003 (2011).
- [1507] T. Aaltonen (CDF), “First Measurement of the Angular Coefficients of Drell-Yan  $e^+e^-$  pairs in the Z Mass Region from  $p\bar{p}$  Collisions at  $\sqrt{s} = 1.96$  TeV”, Phys. Rev. Lett. **106**, 241801 (2011).
- [1508] T. Aaltonen (CDF), “First Search for Multijet Resonances in  $\sqrt{s} = 1.96$  TeV  $p\bar{p}$  Collisions”, Phys. Rev. Lett. **107**, 042001 (2011).
- [1509] T. Aaltonen (CDF), “Improved determination of the sample composition of dimuon events produced in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV”, Eur. Phys. J. C **71**, 1720 (2011).
- [1510] T. Aaltonen (CDF), “Invariant Mass Distribution of Jet Pairs Produced in Association with a  $W$  boson in  $p\bar{p}$  Collisions at  $\sqrt{s} = 1.96$  TeV”, Phys. Rev. Lett. **106**, 171801 (2011).
- [1511] T. Aaltonen (CDF), “Limits on Anomalous Trilinear Gauge Couplings in  $Z\gamma$  Events from  $p\bar{p}$  Collisions at  $\sqrt{s} = 1.96$  TeV”, Phys. Rev. Lett. **107**, 051802 (2011).
- [1512] T. Aaltonen (CDF), “Measurement of  $b$  Hadron Lifetimes in Exclusive Decays Containing a  $J/\psi$  in  $p^-p$  Collisions at  $\sqrt{s} = 1.96$  TeV”, Phys. Rev. Lett. **106**, 121804 (2011).
- [1513] T. Aaltonen (CDF), “Measurement of  $t\bar{t}$  Spin Correlation in  $p\bar{p}$  Collisions Using the CDF II Detector at the Tevatron”, Phys. Rev. D **83**, 031104 (2011).
- [1514] T. Aaltonen (CDF), “Measurement of branching ratio and  $B_s^0$  lifetime in the decay  $B_s^0 \rightarrow J/\psi f_0(980)$  at CDF”, Phys. Rev. D **84**, 052012 (2011).
- [1515] T. Aaltonen (CDF), “Measurement of Event Shapes in Proton-Antiproton Collisions at Center-of-Mass Energy 1.96 TeV”, Phys. Rev. D **83**, 112007 (2011).
- [1516] T. Aaltonen (CDF), “Measurement of Polarization and Search for CP-Violation in  $B_s^0 \rightarrow \phi\phi$  Decays”, Phys. Rev. Lett. **107**, 261802 (2011).
- [1517] T. Aaltonen (CDF), “Measurement of the  $B_s$  Lifetime in Fully and Partially Reconstructed  $B_s \rightarrow D_s^-(\phi\pi^-)X$  Decays in  $\bar{p}-p$  Collisions at  $\sqrt{s} = 1.96$  TeV”, Phys. Rev. Lett. **107**, 272001 (2011).

- [1518] T. Aaltonen (CDF), “Measurement of the  $B^-$  Lifetime using a Simulation Free Approach for Trigger Bias Correction”, Phys. Rev. D **83**, 032008 (2011).
- [1519] T. Aaltonen (CDF), “Measurement of the  $t\bar{t}$  production cross section in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV using events with large Missing  $E_T$  and jets”, Phys. Rev. D **84**, 032003 (2011).
- [1520] T. Aaltonen (CDF), “Measurement of the  $t\bar{t}$  Production Cross Section with an *in situ* Calibration of  $b$ -jet Identification Efficiency”, Phys. Rev. D **83**, 071102 (2011).
- [1521] T. Aaltonen (CDF), “Measurement of the Cross Section for Prompt Isolated Diphoton Production in  $p\bar{p}$  Collisions at  $\sqrt{s} = 1.96$  TeV”, Phys. Rev. D **84**, 052006 (2011).
- [1522] T. Aaltonen (CDF), “Measurement of the Cross Section for Prompt Isolated Diphoton Production in  $p\bar{p}$  Collisions at  $\sqrt{s} = 1.96$  TeV”, Phys. Rev. Lett. **107**, 102003 (2011).
- [1523] T. Aaltonen (CDF), “Measurement of the Forward-Backward Asymmetry in the  $B \rightarrow K^{(*)}\mu^+\mu^-$  Decay and First Observation of the  $B_s^0 \rightarrow \phi\mu^+\mu^-$  Decay”, Phys. Rev. Lett. **106**, 161801 (2011).
- [1524] T. Aaltonen (CDF), “Measurement of the Mass Difference between  $t$  and  $\bar{t}$  Quarks”, Phys. Rev. Lett. **106**, 152001 (2011).
- [1525] T. Aaltonen (CDF), “Measurement of the Top Pair Production Cross Section in the Lepton + Jets Channel Using a Jet Flavor Discriminant”, Phys. Rev. D **84**, 031101 (2011).
- [1526] T. Aaltonen (CDF), “Measurement of the Top Quark Mass in the Lepton+Jets Channel Using the Lepton Transverse Momentum”, Phys. Lett. B **698**, 371–379 (2011).
- [1527] T. Aaltonen (CDF), “Measurement of the top-quark mass in the lepton+jets channel using a matrix element technique with the CDF II detector”, Phys. Rev. D **84**, 071105 (2011).
- [1528] T. Aaltonen (CDF), “Measurements of branching fraction ratios and CP-asymmetries in suppressed  $B^- \rightarrow D(\rightarrow K^+\pi^-)K^-$  and  $B^- \rightarrow D(\rightarrow K^+\pi^-)\pi^-$  decays”, Phys. Rev. D **84**, 091504 (2011).
- [1529] T. Aaltonen (CDF), “Measurements of Direct CP Violating Asymmetries in Charmless Decays of Strange Bottom Mesons and Bottom Baryons”, Phys. Rev. Lett. **106**, 181802 (2011).
- [1530] T. Aaltonen (CDF), “Measurements of the properties of  $\Lambda_c(2595)$ ,  $\Lambda_c(2625)$ ,  $\Sigma_c(2455)$ , and  $\Sigma_c(2520)$  baryons”, Phys. Rev. D **84**, 012003 (2011).
- [1531] T. Aaltonen (CDF), “Observation of  $B_s^0 \rightarrow J/\psi K^{*0}(892)$  and  $B_s^0 \rightarrow J/\psi K_S^0$  Decays”, Phys. Rev. D **83**, 052012 (2011).
- [1532] T. Aaltonen (CDF), “Observation of the  $\Xi_b^0$  Baryon”, Phys. Rev. Lett. **107**, 102001 (2011).
- [1533] T. Aaltonen (CDF), “Observation of the Baryonic Flavor-Changing Neutral Current Decay  $\Lambda_b \rightarrow \Lambda\mu^+\mu^-$ ”, Phys. Rev. Lett. **107**, 201802 (2011).
- [1534] T. Aaltonen (CDF), “Search for  $B_s^0 \rightarrow \mu^+\mu^-$  and  $B^0 \rightarrow \mu^+\mu^-$  Decays with CDF II”, Phys. Rev. Lett. **107**, [Addendum: Phys.Rev.Lett. 107, 239903 (2011)], 191801 (2011).
- [1535] T. Aaltonen (CDF), “Search for a Heavy Top-Like Quark in  $p\bar{p}$  Collisions at  $\sqrt{s} = 1.96$  TeV”, Phys. Rev. Lett. **107**, 261801 (2011).
- [1536] T. Aaltonen (CDF), “Search for a New Heavy Gauge Boson  $W'$  with Electron + Missing  $E_T$  Event Signature in  $p\bar{p}$  Collisions at  $\sqrt{s} = 1.96$  TeV”, Phys. Rev. D **83**, 031102 (2011).
- [1537] T. Aaltonen (CDF), “Search for a Very Light CP-Odd Higgs Boson in Top Quark Decays from  $p\bar{p}$  Collisions at 1.96 TeV”, Phys. Rev. Lett. **107**, 031801 (2011).
- [1538] T. Aaltonen (CDF), “Search for Heavy Bottom-Like Quarks Decaying to an Electron or Muon and Jets in  $p\bar{p}$  Collisions at  $\sqrt{s} = 1.96$  TeV”, Phys. Rev. Lett. **106**, 141803 (2011).
- [1539] T. Aaltonen (CDF), “Search for High Mass Resonances Decaying to Muon Pairs in  $\sqrt{s} = 1.96$  TeV  $p\bar{p}$  Collisions”, Phys. Rev. Lett. **106**, 121801 (2011).
- [1540] T. Aaltonen (CDF), “Search for New  $T'$  Particles in Final States with Large Jet Multiplicities and Missing Transverse Energy in  $p\bar{p}$  Collisions at  $\sqrt{s} = 1.96$  TeV”, Phys. Rev. Lett. **107**, 191803 (2011).
- [1541] T. Aaltonen (CDF), “Search for New Dielectron Resonances and Randall-Sundrum Gravitons at the Collider Detector at Fermilab”, Phys. Rev. Lett. **107**, 051801 (2011).
- [1542] T. Aaltonen (CDF), “Search for New Heavy Particles Decaying to  $ZZ \rightarrow \ell\ell\ell\ell$ ,  $\ell\ell jj$  in  $p\bar{p}$  Collisions at  $\sqrt{s} = 1.96$  TeV”, Phys. Rev. D **83**, 112008 (2011).
- [1543] T. Aaltonen (CDF), “Search for new physics in high  $p_T$  like-sign dilepton events at CDF-II”, Phys. Rev. Lett. **107**, 181801 (2011).
- [1544] T. Aaltonen (CDF), “Search for Production of Heavy Particles Decaying to Top Quarks and Invisible Particles in  $p\bar{p}$  Collisions at  $\sqrt{s} = 1.96$  TeV”, Phys. Rev. Lett. **106**, 191801 (2011).
- [1545] T. Aaltonen (CDF), “Search for Randall-Sundrum Gravitons in the Diphoton Channel at CDF”, Phys. Rev. D **83**, 011102 (2011).

- [1546] T. Aaltonen (CDF), “Search for resonant production of  $t\bar{t}$  decaying to jets in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV”, Phys. Rev. D **84**, 072003 (2011).
- [1547] T. Aaltonen (CDF), “Search for the Higgs Boson in the All-Hadronic Final State using the CDF II Detector”, Phys. Rev. D **84**, 052010 (2011).
- [1548] T. Aaltonen (CDF), “Top quark mass measurement using the template method at CDF”, Phys. Rev. D **83**, 111101 (2011).
- [1549] T. Aaltonen (CDF), “Top-quark mass measurement using events with missing transverse energy and jets at CDF”, Phys. Rev. Lett. **107**, 232002 (2011).
- [1550] S. Amerio, “ATLAS FTK: Fast track trigger”, PoS **VERTEX2011**, 040 (2011).
- [1551] **M. S. Neubauer**, “Diboson production at colliders”, Ann. Rev. Nucl. Part. Sci. **61**, 223–250 (2011).
- [1552] **M. S. Neubauer** (ATLAS), “Search for the Standard Model Higgs Boson in the Lepton + Missing Transverse Energy + Jets Final State in ATLAS”, (2011).
- [1553] G. Aad (ATLAS), “Charged-particle multiplicities in  $pp$  interactions at  $\sqrt{s} = 900$  GeV measured with the ATLAS detector at the LHC”, Phys. Lett. B **688**, 21–42 (2010).
- [1554] G. Aad (ATLAS), “Commissioning of the ATLAS Muon Spectrometer with Cosmic Rays”, Eur. Phys. J. C **70**, 875–916 (2010).
- [1555] G. Aad (ATLAS), “Drift Time Measurement in the ATLAS Liquid Argon Electromagnetic Calorimeter using Cosmic Muons”, Eur. Phys. J. C **70**, 755–785 (2010).
- [1556] G. Aad (ATLAS), “Measurement of the  $W \rightarrow \ell\nu$  and  $Z/\gamma^* \rightarrow \ell\ell$  Production Cross Sections in Proton-Proton Collisions at  $\sqrt{s} = 7$  TeV with the ATLAS Detector”, JHEP **12**, 060 (2010).
- [1557] G. Aad (ATLAS), “Performance of the ATLAS Detector using First Collision Data”, JHEP **09**, 056 (2010).
- [1558] G. Aad (ATLAS), “Readiness of the ATLAS Liquid Argon Calorimeter for LHC Collisions”, Eur. Phys. J. C **70**, 723–753 (2010).
- [1559] G. Aad (ATLAS), “Readiness of the ATLAS Tile Calorimeter for LHC collisions”, Eur. Phys. J. C **70**, 1193–1236 (2010).
- [1560] G. Aad (ATLAS), “Search for New Particles in Two-Jet Final States in 7 TeV Proton-Proton Collisions with the ATLAS Detector at the LHC”, Phys. Rev. Lett. **105**, 161801 (2010).
- [1561] G. Aad (ATLAS), “The ATLAS Inner Detector commissioning and calibration”, Eur. Phys. J. C **70**, 787–821 (2010).
- [1562] G. Aad (ATLAS), “The ATLAS Simulation Infrastructure”, Eur. Phys. J. C **70**, 823–874 (2010).
- [1563] G. Aad (ATLAS), “Observation of a Centrality-Dependent Dijet Asymmetry in Lead-Lead Collisions at  $\sqrt{s_{NN}} = 2.77$  TeV with the ATLAS Detector at the LHC”, Phys. Rev. Lett. **105**, 252303 (2010).
- [1564] T. Aaltonen (CDF), “A Search for the Higgs Boson Using Neural Networks in Events with Missing Energy and b-quark Jets in p anti-p Collisions at  $s^{*(1/2)} = 1.96$ -TeV”, Phys. Rev. Lett. **104**, 141801 (2010).
- [1565] T. Aaltonen (CDF), “A Study of the associated production of photons and b-quark jets in p p-bar collisions at  $s^{*(1/2)} = 1.96$ -TeV”, Phys. Rev. D **81**, 052006 (2010).
- [1566] T. Aaltonen (CDF, D0), “Combination of Tevatron Searches for the Standard Model Higgs Boson in the  $W^+W^-$  Decay Mode”, Phys. Rev. Lett. **104**, 061802 (2010).
- [1567] T. Aaltonen (CDF, D0), “Combined Tevatron Upper Limit on  $gg \rightarrow H \rightarrow W^+W^-$  and Constraints on the Higgs Boson Mass in Fourth-Generation Fermion Models”, Phys. Rev. D **82**, 011102 (2010).
- [1568] T. Aaltonen (CDF), “Diffractive W and Z Production at the Fermilab Tevatron”, Phys. Rev. D **82**, 112004 (2010).
- [1569] T. Aaltonen (CDF), “Direct Top-Quark Width Measurement CDF”, Phys. Rev. Lett. **105**, 232003 (2010).
- [1570] T. Aaltonen (CDF), “Exclusion of an Exotic Top Quark with -4/3 Electric Charge Using Soft Lepton Tagging”, Phys. Rev. Lett. **105**, 101801 (2010).
- [1571] T. Aaltonen (CDF), “First Measurement of the b-jet Cross Section in Events with a W Boson in p anti-p Collisions at  $s^{*(1/2)} = 1.96$ -TeV”, Phys. Rev. Lett. **104**, 131801 (2010).
- [1572] T. Aaltonen (CDF), “First Measurement of the Ratio  $\sigma(t\bar{t})/\sigma(Z/\gamma^* \rightarrow \ell\ell)$  and Precise Extraction of the  $t\bar{t}$  Cross Section”, Phys. Rev. Lett. **105**, 012001 (2010).
- [1573] T. Aaltonen (CDF), “Improved Search for a Higgs Boson Produced in Association with  $Z \rightarrow \ell^+\ell^-$  in  $p\bar{p}$  Collisions at  $\sqrt{s} = 1.96$  TeV”, Phys. Rev. Lett. **105**, 251802 (2010).
- [1574] T. Aaltonen (CDF), “Inclusive Search for Standard Model Higgs Boson Production in the WW Decay Channel using the CDF II Detector”, Phys. Rev. Lett. **104**, 061803 (2010).



- [1575] T. Aaltonen (CDF), “Measurement of the  $\Lambda_b$  Lifetime in  $\Lambda_b \rightarrow \Lambda_c^+ \pi^-$  Decays in  $p\bar{p}$  Collisions at  $\sqrt{s} = 1.96$  TeV”, Phys. Rev. Lett. **104**, 102002 (2010).
- [1576] T. Aaltonen (CDF), “Measurement of the  $t\bar{t}$  Production Cross Section in  $p\bar{p}$  Collisions at  $\sqrt{s}=1.96$  TeV using Soft Electron b-Tagging”, Phys. Rev. D **81**, 092002 (2010).
- [1577] T. Aaltonen (CDF), “Measurement of the  $W^+W^-$  Production Cross Section and Search for Anomalous  $WW\gamma$  and  $WWZ$  Couplings in  $p\bar{p}$  Collisions at  $\sqrt{s} = 1.96$  TeV”, Phys. Rev. Lett. **104**, 201801 (2010).
- [1578] T. Aaltonen (CDF), “Measurement of the  $WW + WZ$  Production Cross Section Using a Matrix Element Technique in Lepton + Jets Events”, Phys. Rev. D **82**, 112001 (2010).
- [1579] T. Aaltonen (CDF), “Measurement of the Top Pair Production Cross Section in the Dilepton Decay Channel in  $p\bar{p}$  Collisions at  $\sqrt{s} = 1.96$  TeV”, Phys. Rev. D **82**, 052002 (2010).
- [1580] T. Aaltonen (CDF), “Measurement of the Top Quark Mass and  $p\bar{p} \rightarrow t\bar{t}$  Cross Section in the All-Hadronic Mode with the CDFII Detector”, Phys. Rev. D **81**, 052011 (2010).
- [1581] T. Aaltonen (CDF), “Measurement of the Top Quark Mass in the Dilepton Channel Using  $m_{T2}$  at CDF”, Phys. Rev. D **81**, 031102 (2010).
- [1582] T. Aaltonen (CDF), “Measurement of the  $WW+WZ$  Production Cross Section Using the Lepton+Jets Final State at CDF II”, Phys. Rev. Lett. **104**, 101801 (2010).
- [1583] T. Aaltonen (CDF), “Measurement of W-Boson Polarization in Top-quark Decay in  $p\bar{p}$  Collisions at  $\sqrt{s} = 1.96$  TeV”, Phys. Rev. Lett. **105**, 042002 (2010).
- [1584] T. Aaltonen (CDF), “Measurement of Z gamma Production in  $p\bar{p}$  Collisions at  $\sqrt{s} = 1.96$  TeV”, Phys. Rev. D **82**, 031103 (2010).
- [1585] T. Aaltonen (CDF), “Measurements of Branching Fraction Ratios and CP Asymmetries in  $B^\pm \rightarrow D_{CP} K^\pm$  Decays in Hadron Collisions”, Phys. Rev. D **81**, 031105 (2010).
- [1586] T. Aaltonen (CDF), “Measurements of the top-quark mass using charged particle tracking”, Phys. Rev. D **81**, 032002 (2010).
- [1587] T. Aaltonen (CDF), “Observation of Single Top Quark Production and Measurement of  $|V_{tb}|$  with CDF”, Phys. Rev. D **82**, 112005 (2010).
- [1588] T. Aaltonen (CDF), “Search for  $WW$  and  $WZ$  Resonances Decaying to Electron, Missing  $E_T$ , and Two Jets in  $p\bar{p}$  Collisions at  $\sqrt{s} = 1.96$  TeV”, Phys. Rev. Lett. **104**, 241801 (2010).
- [1589] T. Aaltonen (CDF), “Search for Anomalous Production of Events with Two Photons and Additional Energetic Objects at CDF”, Phys. Rev. D **82**, 052005 (2010).
- [1590] T. Aaltonen (CDF), “Search for New Bottomlike Quark Pair Decays  $Q\bar{Q} \rightarrow (tW)(\bar{t}W)$  in Same-Charge Dilepton Events”, Phys. Rev. Lett. **104**, 091801 (2010).
- [1591] T. Aaltonen (CDF), “Search for New Color-Octet Vector Particle Decaying to t anti-t in p anti-p Collisions at  $\sqrt{s} = 1.96$  TeV”, Phys. Lett. B **691**, 183–190 (2010).
- [1592] T. Aaltonen (CDF), “Search for New Physics with a Dijet plus Missing Transverse Energy Signature in  $p\bar{p}$  Collisions at  $\sqrt{s} = 1.96$  TeV”, Phys. Rev. Lett. **105**, 131801 (2010).
- [1593] T. Aaltonen (CDF), “Search for Pair Production of Supersymmetric Top Quarks in Dilepton Events from p anti-p Collisions at  $\sqrt{s} = 1.96$  TeV”, Phys. Rev. Lett. **104**, 251801 (2010).
- [1594] T. Aaltonen (CDF), “Search for R-parity Violating Decays of  $\tau$  Sneutrinos to  $e\mu$ ,  $\mu\tau$ , and  $e\tau$  Pairs in  $p\bar{p}$  Collisions at  $\sqrt{s} = 1.96$  TeV”, Phys. Rev. Lett. **105**, 191801 (2010).
- [1595] T. Aaltonen (CDF), “Search for Single Top Quark Production in  $p\bar{p}$  Collisions at  $\sqrt{s} = 1.96$  TeV in the Missing Transverse Energy Plus Jets Topology”, Phys. Rev. D **81**, 072003 (2010).
- [1596] T. Aaltonen (CDF), “Search for Supersymmetry with Gauge-Mediated Breaking in Diphoton Events with Missing Transverse Energy at CDF II”, Phys. Rev. Lett. **104**, 011801 (2010).
- [1597] T. Aaltonen (CDF), “Search for Technicolor Particles Produced in Association with a W Boson at CDF”, Phys. Rev. Lett. **104**, 111802 (2010).
- [1598] T. Aaltonen (CDF), “Search for the Production of Scalar Bottom Quarks in  $p\bar{p}$  Collisions at  $\sqrt{s} = 1.96$  TeV”, Phys. Rev. Lett. **105**, 081802 (2010).
- [1599] T. Aaltonen (CDF), “Search for the Supersymmetric Partner of the Top Quark in  $p\bar{p}$  Collisions at  $\sqrt{s} = 1.96$  TeV”, Phys. Rev. D **82**, 092001 (2010).
- [1600] T. Aaltonen (CDF), “Studying the Underlying Event in Drell-Yan and High Transverse Momentum Jet Production at the Tevatron”, Phys. Rev. D **82**, 034001 (2010).
- [1601] T. Aaltonen (CDF), “Top Quark Mass Measurement in the Lepton + Jets Channel Using a Matrix Element Method and  $\text{in situ}$  Jet Energy Calibration”, Phys. Rev. Lett. **105**, 252001 (2010).
- [1602] T. Aaltonen (CDF), “Updated Search for the Flavor-Changing Neutral-Current Decay  $D^0 \rightarrow \mu^+ \mu^-$ ”, Phys. Rev. D **82**, 091105 (2010).

- [1603] T. A. Aaltonen (CDF), “Measurement of  $d\sigma/dy$  of Drell-Yan  $e^+e^-$  pairs in the  $Z$  Mass Region from  $p\bar{p}$  Collisions at  $\sqrt{s} = 1.96$  TeV”, Phys. Lett. B **692**, 232–239 (2010).
- [1604] M. Abolins (ATLAS), “The ATLAS Trigger/DAQ Authorlist, version 4.0”, (2010).
- [1605] A. Andreani, “Enhancement of the ATLAS Trigger System with a Hardware Tracker Finder FTK”, JINST **5**, C12037 (2010).
- [1606] T. Ciodaro (ATLAS TDAQ), “Muon Detection Based on a Hadronic Calorimeter”, edited by R. Keyser, 772–776 (2010).
- [1607] G. Aad (ATLAS), “Expected Performance of the ATLAS Experiment - Detector, Trigger and Physics”, (2009).
- [1608] G. Aad (ATLAS), “Triggering on Long-Lived Neutral Particles in the ATLAS Detector”, (2009).
- [1609] T. Aaltonen (CDF), “A Measurement of the  $t$  anti- $t$  Cross Section in  $p$  anti- $p$  Collisions at  $s^{*(1/2)} = 1.96$ -TeV using Dilepton Events with a Lepton plus Track Selection”, Phys. Rev. D **79**, 112007 (2009).
- [1610] T. Aaltonen (CDF), “A Search for high-mass resonances decaying to dimuons at CDF”, Phys. Rev. Lett. **102**, 091805 (2009).
- [1611] T. Aaltonen (CDF), “A Search for the Associated Production of the Standard-Model Higgs Boson in the All-Hadronic Channel”, Phys. Rev. Lett. **103**, 221801 (2009).
- [1612] T. Aaltonen (CDF), “A Search for the Higgs Boson Produced in Association with  $Z \rightarrow \ell^+\ell^-$  Using the Matrix Element Method at CDF II”, Phys. Rev. D **80**, 071101 (2009).
- [1613] T. Aaltonen (CDF), “Direct Measurement of the  $W$  Production Charge Asymmetry in  $p\bar{p}$  Collisions at  $\sqrt{s} = 1.96$  TeV”, Phys. Rev. Lett. **102**, 181801 (2009).
- [1614] T. Aaltonen (CDF), “Evidence for a Narrow Near-Threshold Structure in the  $J/\psi\phi$  Mass Spectrum in  $B^+ \rightarrow J/\psi\phi K^+$  Decays”, Phys. Rev. Lett. **102**, 242002 (2009).
- [1615] T. Aaltonen (CDF), “First Direct Bound on the Total Width of the Top Quark in  $p\bar{p}$  Collisions at  $\sqrt{s} = 1.96$ -TeV”, Phys. Rev. Lett. **102**, 042001 (2009).
- [1616] T. Aaltonen (CDF), “First Measurement of the Ratio of Branching Fractions  $B(\Lambda_b^0 \rightarrow \Lambda_c^+ \mu^- \bar{\nu}_\mu) / B(\Lambda_b^0 \rightarrow \Lambda_c^+ \pi^-)$ ”, Phys. Rev. D **79**, 032001 (2009).
- [1617] T. Aaltonen (CDF), “First Measurement of the  $t$  anti- $t$  Differential Cross Section  $d\sigma/dM(t \text{ anti-}t)$  in  $p$  anti- $p$  Collisions at  $s^{*(1/2)} = 1.96$ -TeV”, Phys. Rev. Lett. **102**, 222003 (2009).
- [1618] T. Aaltonen (CDF), “First observation of  $\bar{B}_s^0 \rightarrow D_s^\pm K^\mp$  and measurement of the ratio of branching fractions  $B(\bar{B}_s^0 \rightarrow D_s^\pm K^\mp) / B(\bar{B}_s^0 \rightarrow D_s^\pm \pi^-)$ ”, Phys. Rev. Lett. **103**, 191802 (2009).
- [1619] T. Aaltonen (CDF), “First Observation of Electroweak Single Top Quark Production”, Phys. Rev. Lett. **103**, 092002 (2009).
- [1620] T. Aaltonen (CDF), “First Observation of Vector Boson Pairs in a Hadronic Final State at the Tevatron Collider”, Phys. Rev. Lett. **103**, 091803 (2009).
- [1621] T. Aaltonen (CDF), “First simultaneous measurement of the top quark mass in the lepton + jets and dilepton channels at CDF”, Phys. Rev. D **79**, 092005 (2009).
- [1622] T. Aaltonen (CDF), “Global Search for New Physics with  $2.0 \text{ fb}^{-1}$  at CDF”, Phys. Rev. D **79**, 011101 (2009).
- [1623] T. Aaltonen (CDF), “Inclusive Search for Squark and Gluino Production in  $p\bar{p}$  Collisions at  $\sqrt{s} = 1.96$ -TeV”, Phys. Rev. Lett. **102**, 121801 (2009).
- [1624] T. Aaltonen (CDF), “Measurement of Cross Sections for  $b$  Jet Production in Events with a  $Z$  Boson in  $p^-$  anti- $p$  Collisions at  $\sqrt{s} = 1.96$ -TeV”, Phys. Rev. D **79**, 052008 (2009).
- [1625] T. Aaltonen (CDF), “Measurement of Particle Production and Inclusive Differential Cross Sections in  $p\bar{p}$  Collisions at  $\sqrt{s} = 1.96$ -TeV”, Phys. Rev. D **79**, [Erratum: Phys.Rev.D 82, 119903 (2010)], 112005 (2009).
- [1626] T. Aaltonen (CDF), “Measurement of Resonance Parameters of Orbitally Excited Narrow  $B^0$  Mesons”, Phys. Rev. Lett. **102**, 102003 (2009).
- [1627] T. Aaltonen (CDF), “Measurement of the  $k_T$  Distribution of Particles in Jets Produced in  $p\bar{p}$  Collisions at  $\sqrt{s} = 1.96$ -TeV”, Phys. Rev. Lett. **102**, 232002 (2009).
- [1628] T. Aaltonen (CDF), “Measurement of the  $t\bar{t}$  Production Cross Section in  $2 \text{ fb}^{-1}$  of  $p\bar{p}$  Collisions at  $\sqrt{s} = 1.96$  TeV Using Lepton Plus Jets Events with Soft Muon  $b$ -Tagging”, Phys. Rev. D **79**, 052007 (2009).
- [1629] T. Aaltonen (CDF), “Measurement of the  $b$ -Hadron Production Cross Section Using Decays to  $MU$ - $d0$  X Final States in  $p$  anti- $p$  Collisions at  $s^{*(1/2)} = 1.96$ -TeV”, Phys. Rev. D **79**, 092003 (2009).
- [1630] T. Aaltonen (CDF), “Measurement of the fraction of  $t\bar{t}$  production via gluon-gluon fusion in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$ -TeV”, Phys. Rev. D **79**, 031101 (2009).

- [1631] T. Aaltonen (CDF), “Measurement of the Inclusive Isolated Prompt Photon Cross Section in  $p\bar{p}$  Collisions at  $\sqrt{s} = 1.96$  TeV using the CDF Detector”, Phys. Rev. D **80**, 111106 (2009).
- [1632] T. Aaltonen (CDF), “Measurement of the top quark mass at CDF using the ‘neutrino  $\phi$  weighting’ template method on a lepton plus isolated track sample”, Phys. Rev. D **79**, 072005 (2009).
- [1633] T. Aaltonen (CDF), “Measurement of the Top Quark Mass Using the Invariant Mass of Lepton Pairs in Soft Muon b-tagged Events”, Phys. Rev. D **80**, 051104 (2009).
- [1634] T. Aaltonen (CDF), “Measurement of the top quark mass with dilepton events selected using neuroevolution at CDF”, Phys. Rev. Lett. **102**, 152001 (2009).
- [1635] T. Aaltonen (CDF), “Measurement of W-Boson Helicity Fractions in Top-Quark Decays Using  $\cos\theta^*$ ”, Phys. Lett. B **674**, 160–167 (2009).
- [1636] T. Aaltonen (CDF), “Observation of exclusive charmonium production and  $\gamma + \gamma$  to  $\mu^+\mu^-$  in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV”, Phys. Rev. Lett. **102**, 242001 (2009).
- [1637] T. Aaltonen (CDF), “Observation of New Charmless Decays of Bottom Hadrons”, Phys. Rev. Lett. **103**, 031801 (2009).
- [1638] T. Aaltonen (CDF), “Observation of the  $\Omega_b^-$  and Measurement of the Properties of the  $\Xi_b^-$  and  $\Omega_b^-$ ”, Phys. Rev. D **80**, 072003 (2009).
- [1639] T. Aaltonen (CDF), “Precision Measurement of the  $X(3872)$  Mass in  $J/\psi\pi^+\pi^-$  Decays”, Phys. Rev. Lett. **103**, 152001 (2009).
- [1640] T. Aaltonen (CDF), “Production of  $\psi(2S)$  Mesons in p anti-p Collisions at 1.96-TeV”, Phys. Rev. D **80**, 031103 (2009).
- [1641] T. Aaltonen (CDF), “Search for a Fermiophobic Higgs Boson Decaying into Diphotons in p anti-p Collisions at  $\sqrt{s} = 1.96$  TeV”, Phys. Rev. Lett. **103**, 061803 (2009).
- [1642] T. Aaltonen (CDF), “Search for a Higgs Boson Decaying to Two W Bosons at CDF”, Phys. Rev. Lett. **102**, 021802 (2009).
- [1643] T. Aaltonen (CDF), “Search for a Higgs Boson in  $WH \rightarrow \ell\nu b\bar{b}$  in  $p\bar{p}$  Collisions at  $\sqrt{s} = 1.96$  TeV”, Phys. Rev. Lett. **103**, 101802 (2009).
- [1644] T. Aaltonen (CDF), “Search for Anomalous Production of Events with a Photon, Jet, b-quark Jet, and Missing Transverse Energy”, Phys. Rev. D **80**, 052003 (2009).
- [1645] T. Aaltonen (CDF), “Search for charged Higgs bosons in decays of top quarks in p anti-p collisions at  $\sqrt{s} = 1.96$  TeV”, Phys. Rev. Lett. **103**, 101803 (2009).
- [1646] T. Aaltonen (CDF), “Search for exclusive Z boson production and observation of high mass  $p\bar{p} \rightarrow \gamma\gamma \rightarrow p + \ell\ell + \bar{p}$  events in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV”, Phys. Rev. Lett. **102**, 222002 (2009).
- [1647] T. Aaltonen (CDF), “Search for Gluino-Mediated Sbottom Production in p anti-p Collisions at  $\sqrt{s} = 1.96$  TeV”, Phys. Rev. Lett. **102**, 221801 (2009).
- [1648] T. Aaltonen (CDF), “Search for Hadronic Decays of W and Z Bosons in Photon Events in  $p\bar{p}$  Collisions at  $\sqrt{s} = 1.96$  GeV”, Phys. Rev. D **80**, 052011 (2009).
- [1649] T. Aaltonen (CDF), “Search for Higgs bosons predicted in two-Higgs-doublet models via decays to tau lepton pairs in 1.96-TeV p anti-p collisions”, Phys. Rev. Lett. **103**, 201801 (2009).
- [1650] T. Aaltonen (CDF), “Search for High-Mass  $e^+e^-$  Resonances in  $p\bar{p}$  Collisions at  $\sqrt{s} = 1.96$  TeV”, Phys. Rev. Lett. **102**, 031801 (2009).
- [1651] T. Aaltonen (CDF), “Search for Long-Lived Massive Charged Particles in 1.96 TeV  $p\bar{p}$  Collisions”, Phys. Rev. Lett. **103**, 021802 (2009).
- [1652] T. Aaltonen (CDF), “Search for Maximal Flavor Violating Scalars in Same-Charge Lepton Pairs in  $p\bar{p}$  Collisions at  $\sqrt{s} = 1.96$  TeV”, Phys. Rev. Lett. **102**, 041801 (2009).
- [1653] T. Aaltonen (CDF), “Search for narrow resonances lighter than  $\Upsilon$  mesons”, Eur. Phys. J. C **62**, 319–326 (2009).
- [1654] T. Aaltonen (CDF), “Search for new particles decaying into dijets in proton-antiproton collisions at  $\sqrt{s} = 1.96$  TeV”, Phys. Rev. D **79**, 112002 (2009).
- [1655] T. Aaltonen (CDF), “Search for new physics in the  $\mu\mu + e/\mu + \cancel{E}_T$  channel with a low- $p_T$  lepton threshold at the Collider Detector at Fermilab”, Phys. Rev. D **79**, 052004 (2009).
- [1656] T. Aaltonen (CDF), “Search for Standard Model Higgs Boson Production in Association with a W Boson using a Neural Network Discriminant at CDF”, Phys. Rev. D **80**, 012002 (2009).
- [1657] T. Aaltonen (CDF), “Search for the Decays  $B_s^0 \rightarrow e^+\mu^-$  and  $B_s^0 \rightarrow e^+e^-$  in CDF Run II”, Phys. Rev. Lett. **102**, 201801 (2009).
- [1658] T. Aaltonen (CDF), “Search for the Neutral Current Top Quark Decay  $t \rightarrow Zc$  Using Ratio of Z-Boson + 4 Jets to W-Boson + 4 Jets Production”, Phys. Rev. D **80**, 052001 (2009).

- [1659] T. Aaltonen (CDF), “Search for the Production of Narrow  $t$  anti- $b$  Resonances in 1.9 fb<sup>-1</sup> of  $p$  anti- $p$  Collisions at  $\sqrt{s} = 1.96$ -TeV”, Phys. Rev. Lett. **103**, 041801 (2009).
- [1660] T. Aaltonen (CDF), “Search for the Rare Decays  $B^+ \rightarrow \mu^+ \mu^- K^+$ ,  $B^0 \rightarrow \mu^+ \mu^- K^{*0}(892)$ , and  $B_s^0 \rightarrow \mu^+ \mu^- \phi$  at CDF”, Phys. Rev. D **79**, 011104 (2009).
- [1661] T. Aaltonen (CDF), “Search for top-quark production via flavor-changing neutral currents in W+1 jet events at CDF”, Phys. Rev. Lett. **102**, 151801 (2009).
- [1662] T. Aaltonen (CDF), “Search for WW and WZ Production in Lepton Plus Jets Final State at CDF”, Phys. Rev. D **79**, 112011 (2009).
- [1663] T. Aaltonen (CDF), “Searching the Inclusive Lepton + Photon + Missing E(T) +  $b$ -quark Signature for Radiative Top Quark Decay and Non-Standard-Model Processes”, Phys. Rev. D **80**, 011102 (2009).
- [1664] T. Aaltonen (CDF), “Top Quark Mass Measurement in the  $t\bar{t}$  All Hadronic Channel using a Matrix Element Technique in  $p\bar{p}$  Collisions at  $\sqrt{s} = 1.96$ -TeV”, Phys. Rev. D **79**, 072010 (2009).
- [1665] T. Aaltonen (CDF), “Top Quark Mass Measurement in the Lepton plus Jets Channel Using a Modified Matrix Element Method”, Phys. Rev. D **79**, 072001 (2009).
- [1666] M. Abolins (ATLAS), “The ATLAS Trigger/DAQ Authorlist, version 3.0”, (2009).
- [1667] M. Abolins (ATLAS), “The ATLAS Trigger/DAQ Authorlist, version 3.1”, (2009).
- [1668] A. Abulencia (CDF), “Measurement of the Ratio of Branching Fractions  $B(B^+ \rightarrow J/\psi \pi^+)/B(B^+ \rightarrow J/\psi K^+)$ ”, Phys. Rev. D **79**, 112003 (2009).
- [1669] A. Annovi, “Development of FTK architecture: a fast hardware track trigger for the ATLAS detector”, (2009).
- [1670] A. Annovi, “The fast tracker architecture for the LHC baseline luminosity”, PoS **EPS-HEP2009**, 136 (2009).
- [1671] **M. Neubauer**, “A Fast Hardware Tracker for the ATLAS Trigger System”, (2009).
- [1672] T. Aaltonen (CDF), “A Direct measurement of the  $W$  boson width in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$ -TeV”, Phys. Rev. Lett. **100**, 071801 (2008).
- [1673] T. Aaltonen (CDF), “Cross-section constrained top quark mass measurement from dilepton events at the Tevatron”, Phys. Rev. Lett. **100**, 062005 (2008).
- [1674] T. Aaltonen (CDF), “Evidence for  $D^0 - \bar{D}^0$  mixing using the CDF II Detector”, Phys. Rev. Lett. **100**, 121802 (2008).
- [1675] T. Aaltonen (CDF), “First Flavor-Tagged Determination of Bounds on Mixing-Induced CP Violation in  $B_s^0 \rightarrow J/\psi \phi$  Decays”, Phys. Rev. Lett. **100**, 161802 (2008).
- [1676] T. Aaltonen (CDF), “First Measurement of  $ZZ$  Production in  $p$  anti- $p$  Collisions at  $\sqrt{s} = 1.96$ -TeV”, Phys. Rev. Lett. **100**, 201801 (2008).
- [1677] T. Aaltonen (CDF), “First measurement of the fraction of top quark pair production through gluon-gluon fusion”, Phys. Rev. D **78**, 111101 (2008).
- [1678] T. Aaltonen (CDF), “First measurement of the production of a  $W$  boson in association with a single charm quark in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$ -TeV”, Phys. Rev. Lett. **100**, 091803 (2008).
- [1679] T. Aaltonen (CDF), “First Observation of the Decay  $B_s^0 \rightarrow D_s^- D_s^+$  and Measurement of Its Branching Ratio”, Phys. Rev. Lett. **100**, 021803 (2008).
- [1680] T. Aaltonen (CDF), “First Run II Measurement of the  $W$  Boson Mass”, Phys. Rev. D **77**, 112001 (2008).
- [1681] T. Aaltonen (CDF), “Forward-Backward Asymmetry in Top Quark Production in  $p\bar{p}$  Collisions at  $\sqrt{s} = 1.96$  TeV”, Phys. Rev. Lett. **101**, 202001 (2008).
- [1682] T. Aaltonen (CDF), “Limits on the production of narrow  $t\bar{t}$  resonances in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$ -TeV”, Phys. Rev. D **77**, 051102 (2008).
- [1683] T. Aaltonen (CDF), “Measurement of  $b$ -jet Shapes in Inclusive Jet Production in  $p\bar{p}$  Collisions at  $\sqrt{s} = 1.96$ -TeV”, Phys. Rev. D **78**, 072005 (2008).
- [1684] T. Aaltonen (CDF), “Measurement of correlated  $b^-\bar{b}$  production in  $p^- \bar{p}$  collisions at  $\sqrt{s} = 1960$  GeV”, Phys. Rev. D **77**, 072004 (2008).
- [1685] T. Aaltonen (CDF), “Measurement of inclusive jet cross-sections in  $Z/\gamma^* \rightarrow e^+e^- + \text{jets}$  production in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$ -TeV”, Phys. Rev. Lett. **100**, 102001 (2008).
- [1686] T. Aaltonen (CDF), “Measurement of lifetime and decay-width difference in  $B_s^0 \rightarrow J/\psi \phi$  decays”, Phys. Rev. Lett. **100**, 121803 (2008).
- [1687] T. Aaltonen (CDF), “Measurement of Ratios of Fragmentation Fractions for Bottom Hadrons in  $p\bar{p}$  Collisions at  $\sqrt{s} = 1.96$ -TeV”, Phys. Rev. D **77**, 072003 (2008).

- [1688] T. Aaltonen (CDF), “Measurement of the cross section for  $W^-$  boson production in association with jets in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96\text{-TeV}$ ”, Phys. Rev. D **77**, 011108 (2008).
- [1689] T. Aaltonen (CDF), “Measurement of the Inclusive Jet Cross Section at the Fermilab Tevatron p anti-p Collider Using a Cone-Based Jet Algorithm”, Phys. Rev. D **78**, [Erratum: Phys.Rev.D 79, 119902 (2009)], 052006 (2008).
- [1690] T. Aaltonen (CDF), “Measurement of the Single Top Quark Production Cross Section at CDF”, Phys. Rev. Lett. **101**, 252001 (2008).
- [1691] T. Aaltonen (CDF), “Model-Independent and Quasi-Model-Independent Search for New Physics at CDF”, Phys. Rev. D **78**, 012002 (2008).
- [1692] T. Aaltonen (CDF), “Observation of Exclusive Dijet Production at the Fermilab Tevatron  $p^- \bar{p}$  Collider”, Phys. Rev. D **77**, 052004 (2008).
- [1693] T. Aaltonen (CDF), “Observation of orbitally excited  $B_s$  mesons”, Phys. Rev. Lett. **100**, 082001 (2008).
- [1694] T. Aaltonen (CDF), “Observation of the Decay  $B^+ - (c) \rightarrow J/\psi \pi^\pm$  and Measurement of the  $B^+ - (c)$  Mass”, Phys. Rev. Lett. **100**, 182002 (2008).
- [1695] T. Aaltonen (CDF), “Search for  $B_s^0 \rightarrow \mu^+ \mu^-$  and  $B_d^0 \rightarrow \mu^+ \mu^-$  decays with  $2fb^{-1}$  of  $p\bar{p}$  collisions”, Phys. Rev. Lett. **100**, 101802 (2008).
- [1696] T. Aaltonen (CDF), “Search for chargino-neutralino production in  $p\bar{p}$  collisions at 1.96-TeV with high-p( $T$ ) leptons”, Phys. Rev. D **77**, 052002 (2008).
- [1697] T. Aaltonen (CDF), “Search for Doubly Charged Higgs Bosons with Lepton-Flavor-Violating Decays involving Tau Leptons”, Phys. Rev. Lett. **101**, 121801 (2008).
- [1698] T. Aaltonen (CDF), “Search for Heavy Top-like Quarks Using Lepton Plus Jets Events in 1.96-TeV  $p\bar{p}$  Collisions”, Phys. Rev. Lett. **100**, 161803 (2008).
- [1699] T. Aaltonen (CDF), “Search for Heavy, Long-Lived Neutralinos that Decay to Photons at CDF II Using Photon Timing”, Phys. Rev. D **78**, 032015 (2008).
- [1700] T. Aaltonen (CDF), “Search for large extra dimensions in final states containing one photon or jet and large missing transverse energy produced in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96\text{-TeV}$ ”, Phys. Rev. Lett. **101**, 181602 (2008).
- [1701] T. Aaltonen (CDF), “Search for New Heavy Particles Decaying to  $Z^0 Z^0 \rightarrow eeee$  in  $p - \bar{p}$  Collisions at  $\sqrt{s} = 1.96\text{-TeV}$ ”, Phys. Rev. D **78**, 012008 (2008).
- [1702] T. Aaltonen (CDF), “Search for Pair Production of Scalar Top Quarks Decaying to a  $\tau$  Lepton and a  $b$  Quark in  $p\bar{p}$  Collisions at  $\sqrt{s}=1.96\text{ TeV}$ ”, Phys. Rev. Lett. **101**, 071802 (2008).
- [1703] T. Aaltonen (CDF), “Search for resonant  $t\bar{t}$  production in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96\text{-TeV}$ ”, Phys. Rev. Lett. **100**, 231801 (2008).
- [1704] T. Aaltonen (CDF), “Search for Standard Model Higgs Boson Production in Association with a  $W$  Boson at CDF”, Phys. Rev. D **78**, 032008 (2008).
- [1705] T. Aaltonen (CDF), “Search for Standard Model Higgs Bosons Produced in Association with  $W$  Bosons”, Phys. Rev. Lett. **100**, 041801 (2008).
- [1706] T. Aaltonen (CDF), “Search for Supersymmetry in  $p\bar{p}$  Collisions at  $\sqrt{s} = 1.96\text{-TeV}$  Using the Trilepton Signature of Chargino-Neutralino Production”, Phys. Rev. Lett. **101**, 251801 (2008).
- [1707] T. Aaltonen (CDF), “Search for the Flavor Changing Neutral Current Decay  $t \rightarrow Zq$  in  $p\bar{p}$  Collisions at  $\sqrt{s} = 1.96\text{ TeV}$ ”, Phys. Rev. Lett. **101**, 192002 (2008).
- [1708] T. Aaltonen (CDF), “Search for the Higgs boson in events with missing transverse energy and  $b$  quark jets produced in proton-antiproton collisions at  $\sqrt{s} = 1.96\text{ TeV}$ ”, Phys. Rev. Lett. **100**, 211801 (2008).
- [1709] T. Aaltonen (CDF), “Search for the Higgs boson produced with  $Z \rightarrow \ell^+ \ell^-$  in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96\text{ TeV}$ ”, Phys. Rev. Lett. **101**, 251803 (2008).
- [1710] T. Aaltonen (CDF), “Search for Third Generation Vector Leptoquarks in  $p\bar{p}$  Collisions at  $\sqrt{s} = 1.96\text{-TeV}$ ”, Phys. Rev. D **77**, 091105 (2008).
- [1711] T. Aaltonen (CDF), “Two-Particle Momentum Correlations in Jets Produced in  $p\bar{p}$  Collisions at  $\sqrt{s} = 1.96\text{-TeV}$ ”, Phys. Rev. D **77**, 092001 (2008).
- [1712] A. Abulencia (CDF), “Cross Section Measurements of High-p( $T$ ) Dilepton Final-State Processes Using a Global Fitting Method”, Phys. Rev. D **78**, 012003 (2008).
- [1713] A. Annovi, “A hardware track finder for the ATLAS trigger”, Nuovo Cim. B **123**, edited by M. Caffo, P. Capiluppi, U. Marconi, E. Remiddi, V. Vagnoni, and A. Zoccoli, 981–983 (2008).
- [1714] T. Aaltonen (CDF), “First measurement of the  $W$  boson mass in Run II of the Tevatron”, Phys. Rev. Lett. **99**, 151801 (2007).

- [1715] T. Aaltonen (CDF), “First observation of heavy baryons  $\Sigma_b$  and  $\Sigma_b^*$ ”, Phys. Rev. Lett. **99**, 202001 (2007).
- [1716] T. Aaltonen (CDF), “Limits on Anomalous Triple Gauge Couplings in  $p\bar{p}$  Collisions at  $\sqrt{s} = 1.96$ -TeV”, Phys. Rev. D **76**, 111103 (2007).
- [1717] T. Aaltonen (CDF), “Measurement of the  $p\bar{p} \rightarrow t\bar{t}$  production cross-section and the top quark mass at  $\sqrt{s} = 1.96$ -TeV in the all-hadronic decay mode”, Phys. Rev. D **76**, 072009 (2007).
- [1718] T. Aaltonen (CDF), “Measurement of the top-quark mass in all-hadronic decays in p anti-p collisions at CDF II”, Phys. Rev. Lett. **98**, 142001 (2007).
- [1719] T. Aaltonen (CDF), “Measurement of the top-quark mass using missing  $E_T$  + jets events with secondary vertex  $b$ -tagging at CDF II”, Phys. Rev. D **75**, 111103 (2007).
- [1720] T. Aaltonen (CDF), “Model-Independent Global Search for New High-p(T) Physics at CDF”, 10.2172/922303 (2007).
- [1721] T. Aaltonen (CDF), “Observation and mass measurement of the baryon  $Xi_b^-$ ”, Phys. Rev. Lett. **99**, 052002 (2007).
- [1722] T. Aaltonen (CDF), “Search for a high-mass diphoton state and limits on Randall-Sundrum gravitons at CDF”, Phys. Rev. Lett. **99**, 171801 (2007).
- [1723] T. Aaltonen (CDF), “Search for chargino-neutralino production in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$ -TeV”, Phys. Rev. Lett. **99**, 191806 (2007).
- [1724] T. Aaltonen (CDF), “Search for Direct Pair Production of Supersymmetric Top and Supersymmetric Bottom Quarks in  $p\bar{p}$  Collisions at  $\sqrt{s} = 1.96$ -TeV”, Phys. Rev. D **76**, 072010 (2007).
- [1725] T. Aaltonen (CDF), “Search for exclusive  $\gamma\gamma$  production in hadron-hadron collisions”, Phys. Rev. Lett. **99**, 242002 (2007).
- [1726] T. Aaltonen (CDF), “Search for New Particles Leading to  $Z$ + jets Final States in  $p\bar{p}$  Collisions at  $\sqrt{s} = 1.96$ -TeV”, Phys. Rev. D **76**, 072006 (2007).
- [1727] T. Aaltonen (CDF), “Search for new physics in high mass electron-positron events in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$ -TeV”, Phys. Rev. Lett. **99**, 171802 (2007).
- [1728] G. Aarons, “ILC Reference Design Report Volume 3 - Accelerator”, edited by N. Phinney, N. Toge, and N. J. Walker (2007).
- [1729] A. Abulencia (CDF), “Search for anomalous production of multi-lepton events in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$ -TeV”, Phys. Rev. Lett. **98**, 131804 (2007).
- [1730] A. Abulencia (CDF), “Analysis of the quantum numbers  $J^{PC}$  of the  $X(3872)$ ”, Phys. Rev. Lett. **98**, 132002 (2007).
- [1731] A. Abulencia (CDF), “First Measurement of the Ratio of Central-Electron to Forward-Electron W Partial Cross Sections in  $p\bar{p}$  Collisions at  $\sqrt{s} = 1.96$  TeV”, Phys. Rev. Lett. **98**, 251801 (2007).
- [1732] A. Abulencia (CDF), “Inclusive Search for New Physics with Like-Sign Dilepton Events in  $p\bar{p}$  Collisions at  $\sqrt{s} = 1.96$ -TeV”, Phys. Rev. Lett. **98**, 221803 (2007).
- [1733] A. Abulencia (CDF), “Measurement of  $\sigma_{\chi_{c2}}\mathcal{B}(\chi_{c2} \rightarrow J/\psi\gamma)/\sigma_{\chi_{c1}}\mathcal{B}(\chi_{c1} \rightarrow J/\psi\gamma)$  in  $p\bar{p}$  Collisions at  $\sqrt{s} = 1.96$ -TeV”, Phys. Rev. Lett. **98**, 232001 (2007).
- [1734] A. Abulencia (CDF), “Measurement of  $\sigma(\Lambda_b^0)/\sigma(\bar{B}^0) \times \text{BR}(\Lambda_b^0 \rightarrow \Lambda_c^+\pi^-)/\text{BR}(\bar{B}^0 \rightarrow D^+\pi^-)$  in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$ -TeV.”, Phys. Rev. Lett. **98**, 122002 (2007).
- [1735] A. Abulencia (CDF), “Measurement of  $\sigma(p\bar{p} \rightarrow Z) \cdot \text{Br}(Z \rightarrow 2\tau)$  in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV”, Phys. Rev. D **75**, 092004 (2007).
- [1736] A. Abulencia (CDF), “Measurement of the  $\Lambda_b^0$  Lifetime in  $\Lambda_b^0 \rightarrow J/\psi\Lambda^0$  in  $p\bar{p}$  Collisions at  $\sqrt{s} = 1.96$ -TeV”, Phys. Rev. Lett. **98**, 122001 (2007).
- [1737] A. Abulencia (CDF), “Measurement of the  $B^+$  production cross-section in p anti-p collisions at  $\sqrt{s} = 1.96$ -GeV”, Phys. Rev. D **75**, 012010 (2007).
- [1738] A. Abulencia (CDF), “Measurement of the Helicity Fractions of W Bosons from Top Quark Decays using Fully Reconstructed  $t\bar{t}$  Events with CDF II”, Phys. Rev. D **75**, 052001 (2007).
- [1739] A. Abulencia (CDF), “Measurement of the Inclusive Jet Cross Section using the  $k_T$  algorithm in  $p\bar{p}$  Collisions at  $\sqrt{s} = 1.96$  TeV with the CDF II Detector”, Phys. Rev. D **75**, [Erratum: Phys.Rev.D 75, 119901 (2007)], 092006 (2007).
- [1740] A. Abulencia (CDF), “Measurement of the Ratios of Branching Fractions  $B(B^0(s) \rightarrow D^-(s) \pi^+ \pi^+ \pi^-) / B(B^0 \rightarrow D^- \pi^+ \pi^+ \pi^-)$  and  $B(B^0(s) \rightarrow D^-(s) \pi^+) / B(B^0 \rightarrow D^- \pi^+)$ ”, Phys. Rev. Lett. **98**, 061802 (2007).
- [1741] A. Abulencia (CDF), “Measurement of the Top Quark Mass in  $p\bar{p}$  Collisions at  $\sqrt{s} = 1.96$  TeV using the Decay Length Technique”, Phys. Rev. D **75**, 071102 (2007).

- [1742] A. Abulencia (CDF), “Measurements of inclusive W and Z cross sections in p anti-p collisions at  $\sqrt{s} = 1.96\text{-TeV}$ ”, J. Phys. G **34**, 2457–2544 (2007).
- [1743] A. Abulencia (CDF), “Observation of  $WZ$  Production”, Phys. Rev. Lett. **98**, 161801 (2007).
- [1744] A. Abulencia (CDF), “Observation of Exclusive Electron-Positron Production in Hadron-Hadron Collisions”, Phys. Rev. Lett. **98**, 112001 (2007).
- [1745] A. Abulencia (CDF), “Polarization of  $J/\psi$  and  $\psi_{2S}$  Mesons Produced in  $p\bar{p}$  Collisions at  $\sqrt{s} = 1.96\text{-TeV}$ ”, Phys. Rev. Lett. **99**, 132001 (2007).
- [1746] A. Abulencia (CDF), “Precise Measurement of the Top Quark Mass in the Lepton + Jets Topology at CDF II”, Phys. Rev. Lett. **99**, 182002 (2007).
- [1747] A. Abulencia (CDF), “Precision measurement of the top quark mass from dilepton events at CDF II”, Phys. Rev. D **75**, 031105 (2007).
- [1748] A. Abulencia (CDF), “Search for Exotic  $S=-2$  Baryons in proton-antiproton Collisions at  $\sqrt{s} = 1.96\text{ TeV}$ ”, Phys. Rev. D **75**, 032003 (2007).
- [1749] A. Abulencia (CDF), “Search for Heavy, Long-Lived Particles that Decay to Photons at CDF II”, Phys. Rev. Lett. **99**, 121801 (2007).
- [1750] A. Abulencia (CDF), “Search for New Physics in Lepton + Photon +  $X$  Events with  $929\text{ pb}^{-1}$  of  $p\bar{p}$  Collisions at  $\sqrt{s} = 1.96\text{-TeV}$ ”, Phys. Rev. D **75**, 112001 (2007).
- [1751] A. Abulencia (CDF), “Search for V+A current in top quark decay in p anti-p collisions at  $\sqrt{s} = 1.96\text{-TeV}$ ”, Phys. Rev. Lett. **98**, 072001 (2007).
- [1752] A. Abulencia (CDF), “Search for W-prime boson decaying to electron-neutrino pairs in p anti-p collisions at  $\sqrt{s} = 1.96\text{-TeV}$ ”, Phys. Rev. D **75**, 091101 (2007).
- [1753] B. Aharmim (SNO), “Determination of the  $\nu_e$  and total  $^8\text{B}$  solar neutrino fluxes with the Sudbury neutrino observatory phase I data set”, Phys. Rev. C **75**, 045502 (2007).
- [1754] A. Abulencia (CDF), “A search for  $t \rightarrow \tau \nu q$  in  $t\bar{t}$  production.”, Phys. Lett. B **639**, 172–178 (2006).
- [1755] A. Abulencia (CDF), “A search for scalar bottom quarks from gluino decays in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96\text{-TeV}$ .”, Phys. Rev. Lett. **96**, 171802 (2006).
- [1756] A. Abulencia (CDF), “Direct search for Dirac magnetic monopoles in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96\text{ TeV}$ ”, Phys. Rev. Lett. **96**, 201801 (2006).
- [1757] A. Abulencia (CDF), “Evidence for the exclusive decay  $B_c^\pm \rightarrow J/\psi \pi^\pm$  and measurement of the mass of the  $B_c$  meson”, Phys. Rev. Lett. **96**, 082002 (2006).
- [1758] A. Abulencia (CDF), “Measurement of mass and width of the excited charmed meson states  $D_0(1)$  and  $D_0(2)$  at CDF”, Phys. Rev. D **73**, 051104 (2006).
- [1759] A. Abulencia (CDF), “Measurement of the  $B_s^0 - \bar{B}_s^0$  Oscillation Frequency”, Phys. Rev. Lett. **97**, 062003 (2006).
- [1760] A. Abulencia (CDF), “Measurement of the  $b$  jet cross-section in events with a  $Z$  boson in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96\text{-TeV}$ ”, Phys. Rev. D **74**, 032008 (2006).
- [1761] A. Abulencia (CDF), “Measurement of the  $t\bar{t}$  Production Cross Section in  $p\bar{p}$  Collisions at  $\sqrt{s} = 1.96\text{ TeV}$ ”, Phys. Rev. Lett. **97**, 082004 (2006).
- [1762] A. Abulencia (CDF), “Measurement of the  $t\bar{t}$  Production Cross Section in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96\text{-TeV}$  in the All Hadronic Decay Mode”, Phys. Rev. D **74**, 072005 (2006).
- [1763] A. Abulencia (CDF), “Measurement of the  $t\bar{t}$  Production Cross Section in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96\text{-TeV}$  using Lepton + Jets Events with Jet Probability  $b^-$  tagging”, Phys. Rev. D **74**, 072006 (2006).
- [1764] A. Abulencia (CDF), “Measurement of the  $t\bar{t}$  production cross section in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96\text{-TeV}$  using missing  $E_T$  + jets events with secondary vertex  $b$ -tagging”, Phys. Rev. Lett. **96**, 202002 (2006).
- [1765] A. Abulencia (CDF), “Measurement of the  $B(c)+$  meson lifetime using  $B(c)+ \rightarrow J/\psi e+ \nu(e)$ ”, Phys. Rev. Lett. **97**, 012002 (2006).
- [1766] A. Abulencia (CDF), “Measurement of the dipion mass spectrum in  $X(3872) \rightarrow J/\psi \pi^+ \pi^-$  decays.”, Phys. Rev. Lett. **96**, 102002 (2006).
- [1767] A. Abulencia (CDF), “Measurement of the helicity of  $W$  bosons in top-quark decays”, Phys. Rev. D **73**, 111103 (2006).
- [1768] A. Abulencia (CDF), “Measurement of the inclusive jet cross section in  $p\bar{p}$  interactions at  $\sqrt{s} = 1.96\text{-TeV}$  using a cone-based jet algorithm.”, Phys. Rev. D **74**, 071103 (2006).
- [1769] A. Abulencia (CDF), “Measurement of the inclusive jet cross section using the  $k(t)$  algorithm in p anti-p collisions at  $\sqrt{s} = 1.96\text{-TeV}$ .”, Phys. Rev. Lett. **96**, 122001 (2006).

- [1770] A. Abulencia (CDF), “Measurement of the ratio of branching fractions  $B(D0 \rightarrow K^+\pi^-) / B(D0 \rightarrow K^-\pi^+)$  using the CDF II Detector”, Phys. Rev. D **74**, 031109 (2006).
- [1771] A. Abulencia (CDF), “Measurement of the ratios of branching fractions  $B(B_s^0 \rightarrow D_s^-\pi^+)/B(B^0 \rightarrow D^-\pi^+)$  and  $B(B^+ \rightarrow \bar{D}^0\pi^+)/B(B^0 \rightarrow D^-\pi^+)$ ”, Phys. Rev. Lett. **96**, 191801 (2006).
- [1772] A. Abulencia (CDF), “Measurement of the top quark mass using template methods on dilepton events in proton antiproton collisions at  $\sqrt{s} = 1.96\text{-TeV}$ .”, Phys. Rev. D **73**, 112006 (2006).
- [1773] A. Abulencia (CDF), “Measurement of the top quark mass with the dynamical likelihood method using lepton plus jets events with b-tags in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96\text{-TeV}$ .”, Phys. Rev. D **73**, 092002 (2006).
- [1774] A. Abulencia (CDF), “Observation of  $B_s^0 \rightarrow \psi(2S)\phi$  and measurement of ratio of branching fractions  $B(B_s^0 \rightarrow \psi(2S)\phi)/B(B_s^0 \rightarrow J/\psi\phi)$ ”, Phys. Rev. Lett. **96**, 231801 (2006).
- [1775] A. Abulencia (CDF), “Observation of  $B_s^0 - \bar{B}_s^0$  Oscillations”, Phys. Rev. Lett. **97**, 242003 (2006).
- [1776] A. Abulencia (CDF), “Observation of  $B^0 (s) \rightarrow K^+K^-$  and Measurements of Branching Fractions of Charmless Two-body Decays of  $B^0$  and  $B_s^0$  Mesons in  $p\bar{p}$  Collisions at  $\sqrt{s} = 1.96\text{-TeV}$ ”, Phys. Rev. Lett. **97**, 211802 (2006).
- [1777] A. Abulencia (CDF), “Precision top quark mass measurement in the lepton + jets topology in p anti-p collisions at  $\sqrt{s} = 1.96\text{-TeV}$ .”, Phys. Rev. Lett. **96**, 022004 (2006).
- [1778] A. Abulencia (CDF), “Search for  $Z' \rightarrow e^+e^-$  using dielectron mass and angular distribution.”, Phys. Rev. Lett. **96**, 211801 (2006).
- [1779] A. Abulencia (CDF), “Search for a neutral Higgs boson decaying to a  $W$  boson pair in  $p$  antip collisions at  $\sqrt{s} = 1.96\text{-TeV}$ ”, Phys. Rev. Lett. **97**, 081802 (2006).
- [1780] A. Abulencia (CDF), “Search for anomalous semileptonic decay of heavy flavor hadrons produced in association with a  $W$  boson at CDF II”, Phys. Rev. D **73**, 051101 (2006).
- [1781] A. Abulencia (CDF), “Search for charged Higgs bosons from top quark decays in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96\text{-TeV}$ .”, Phys. Rev. Lett. **96**, 042003 (2006).
- [1782] A. Abulencia (CDF), “Search for excited and exotic muons in the  $\mu\gamma$  decay channel in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96\text{-TeV}$ ”, Phys. Rev. Lett. **97**, 191802 (2006).
- [1783] A. Abulencia (CDF), “Search for  $H$  to  $b$  anti- $b$  produced in association with  $W$  bosons in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96\text{-TeV}$ .”, Phys. Rev. Lett. **96**, 081803 (2006).
- [1784] A. Abulencia (CDF), “Search for high-mass resonances decaying to  $e$   $\mu$  in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96\text{-TeV}$ .”, Phys. Rev. Lett. **96**, 211802 (2006).
- [1785] A. Abulencia (CDF), “Search for Large Extra Dimensions in the Production of Jets and Missing Transverse Energy in p anti-p Collisions at  $\sqrt{s} = 1.96\text{ TeV}$ ”, Phys. Rev. Lett. **97**, 171802 (2006).
- [1786] A. Abulencia (CDF), “Search for neutral MSSM Higgs bosons decaying to tau pairs in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96\text{ TeV}$ ”, Phys. Rev. Lett. **96**, 011802 (2006).
- [1787] A. Abulencia (CDF), “Search for new physics in lepton + photon +  $X$  events with  $305\text{ pb}^{-1}$  of  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96\text{-TeV}$ ”, Phys. Rev. Lett. **97**, 031801 (2006).
- [1788] A. Abulencia (CDF), “Search for second-generation scalar leptoquarks in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96\text{-TeV}$ .”, Phys. Rev. D **73**, 051102 (2006).
- [1789] A. Abulencia (CDF), “Top quark mass measurement from dilepton events at CDF II”, Phys. Rev. Lett. **96**, 152002 (2006).
- [1790] A. Abulencia (CDF), “Top quark mass measurement from dilepton events at CDF II with the matrix-element method”, Phys. Rev. D **74**, 032009 (2006).
- [1791] A. Abulencia (CDF), “Top quark mass measurement using the template method in the lepton + jets channel at CDF II”, Phys. Rev. D **73**, 032003 (2006).
- [1792] D. Acosta (CDF), “Measurement of  $b$  hadron masses in exclusive  $J/\psi$  decays with the CDF detector”, Phys. Rev. Lett. **96**, 202001 (2006).
- [1793] D. Acosta (CDF), “Measurement of the azimuthal angle distribution of leptons from  $W$  boson decays as a function of the  $W$  transverse momentum in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.8\text{ TeV}$ ”, Phys. Rev. D **73**, 052002 (2006).
- [1794] D. Acosta (CDF), “Search for  $W$  and  $Z$  bosons in the reaction  $p\bar{p} \rightarrow 2\text{jets} + \gamma$  at  $\sqrt{s} = 1.8\text{ TeV}$ ”, Phys. Rev. D **73**, 012001 (2006).
- [1795] A. Abulencia (CDF), “Search for  $B_s \rightarrow \mu^+\mu^-$  and  $B_d \rightarrow \mu^+\mu^-$  decays in  $p\bar{p}$  collisions with CDF II”, Phys. Rev. Lett. **95**, [Erratum: Phys.Rev.Lett. 95, 249905 (2005)], 221805 (2005).
- [1796] A. Abulencia (CDF), “Search for new high mass particles decaying to lepton pairs in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96\text{ TeV}$ ”, Phys. Rev. Lett. **95**, 252001 (2005).



- [1797] D. Acosta (CDF), “ $K_S^0$  and  $\Lambda^0$  production studies in  $p\bar{p}$  collisions at  $\sqrt{s} = 1800\text{-GeV}$  and  $630\text{-GeV}$ ”, Phys. Rev. D **72**, 052001 (2005).
- [1798] D. Acosta (CDF), “A search for supersymmetric Higgs bosons in the di-tau decay mode in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.8\text{ TeV}$ ”, Phys. Rev. D **72**, 072004 (2005).
- [1799] D. Acosta (CDF), “Comparison of three-jet events in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.8\text{ TeV}$  to predictions from a next-to-leading order QCD calculation”, Phys. Rev. D **71**, 032002 (2005).
- [1800] D. Acosta (CDF), “First evidence for  $B_s^0 \rightarrow \phi\phi$  decay and measurements of branching ratio and  $A_{CP}$  for  $B^+ \rightarrow \phi K^+$ ”, Phys. Rev. Lett. **95**, 031801 (2005).
- [1801] D. Acosta (CDF), “First measurements of inclusive  $W$  and  $Z$  cross sections from Run II of the Tevatron collider”, Phys. Rev. Lett. **94**, 091803 (2005).
- [1802] D. Acosta (CDF), “Measurement of  $B(t \rightarrow Wb)/B(t \rightarrow Wq)$  at the Collider Detector at Fermilab”, Phys. Rev. Lett. **95**, 102002 (2005).
- [1803] D. Acosta (CDF), “Measurement of  $W\gamma$  and  $Z\gamma$  production in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96\text{ TeV}$ ”, Phys. Rev. Lett. **94**, 041803 (2005).
- [1804] D. Acosta (CDF), “Measurement of charged particle multiplicities in gluon and quark jets in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.8\text{ TeV}$ ”, Phys. Rev. Lett. **94**, 171802 (2005).
- [1805] D. Acosta (CDF), “Measurement of partial widths and search for direct CP violation in  $D^0$  meson decays to  $K^-K^+$  and  $\pi^-\pi^+$ ”, Phys. Rev. Lett. **94**, 122001 (2005).
- [1806] D. Acosta (CDF), “Measurement of the  $J/\psi$  meson and  $b$ -hadron production cross sections in  $p\bar{p}$  collisions at  $\sqrt{s} = 1960\text{ GeV}$ ”, Phys. Rev. D **71**, 032001 (2005).
- [1807] D. Acosta (CDF), “Measurement of the  $t\bar{t}$  production cross section in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96\text{ TeV}$  using kinematic fitting of  $b$ -tagged lepton + jet events”, Phys. Rev. D **71**, 072005 (2005).
- [1808] D. Acosta (CDF), “Measurement of the  $t\bar{t}$  production cross section in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96\text{ TeV}$  using lepton + jets events with secondary vertex  $b$ -tagging”, Phys. Rev. D **71**, 052003 (2005).
- [1809] D. Acosta (CDF), “Measurement of the  $t\bar{t}$  production cross section in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96\text{ TeV}$  using lepton plus jets events with semileptonic  $B$  decays to muons”, Phys. Rev. D **72**, 032002 (2005).
- [1810] D. Acosta (CDF), “Measurement of the  $W^+W^-$  production cross section in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96\text{ TeV}$  using dilepton events”, Phys. Rev. Lett. **94**, 211801 (2005).
- [1811] D. Acosta (CDF), “Measurement of the  $W$  boson polarization in top decay at CDF at  $\sqrt{s} = 1.8\text{ TeV}$ ”, Phys. Rev. D **71**, [Erratum: Phys.Rev.D 71, 059901 (2005)], 031101 (2005).
- [1812] D. Acosta (CDF), “Measurement of the cross section for  $t\bar{t}$  production in  $p\bar{p}$  collisions using the kinematics of lepton + jets events”, Phys. Rev. D **72**, 052003 (2005).
- [1813] D. Acosta (CDF), “Measurement of the cross section for prompt diphoton production in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96\text{ TeV}$ ”, Phys. Rev. Lett. **95**, 022003 (2005).
- [1814] D. Acosta (CDF), “Measurement of the forward-backward charge asymmetry from  $W \rightarrow e\nu$  production in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96\text{ TeV}$ ”, Phys. Rev. D **71**, 051104 (2005).
- [1815] D. Acosta (CDF), “Measurement of the forward-backward charge asymmetry of electron positron pairs in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96\text{ TeV}$ ”, Phys. Rev. D **71**, 052002 (2005).
- [1816] D. Acosta (CDF), “Measurement of the lifetime difference between  $B_s$  mass eigenstates”, Phys. Rev. Lett. **94**, 101803 (2005).
- [1817] D. Acosta (CDF), “Measurement of the moments of the hadronic invariant mass distribution in semileptonic  $B$  decays”, Phys. Rev. D **71**, 051103 (2005).
- [1818] D. Acosta (CDF), “Measurements of  $b\bar{b}$  azimuthal production correlations in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.8\text{ TeV}$ ”, Phys. Rev. D **71**, 092001 (2005).
- [1819] D. Acosta (CDF), “Search for  $\Lambda_b \rightarrow p\pi$  and  $\Lambda_b \rightarrow pK$  decays in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96\text{ TeV}$ ”, Phys. Rev. D **72**, 051104 (2005).
- [1820] D. Acosta (CDF), “Search for  $ZZ$  and  $ZW$  production in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96\text{ TeV}$ ”, Phys. Rev. D **71**, 091105 (2005).
- [1821] D. Acosta (CDF), “Search for anomalous kinematics in  $t\bar{t}$  dilepton events at CDF II”, Phys. Rev. Lett. **95**, 022001 (2005).
- [1822] D. Acosta (CDF), “Search for anomalous production of diphoton events with missing transverse energy at CDF and limits on gauge-mediated supersymmetry-breaking models”, Phys. Rev. D **71**, 031104 (2005).
- [1823] D. Acosta (CDF), “Search for electroweak single top quark production in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96\text{ TeV}$ ”, Phys. Rev. D **71**, 012005 (2005).

- [1824] D. Acosta (CDF), “Search for excited and exotic electrons in the  $e\gamma$  decay channel in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV”, Phys. Rev. Lett. **94**, 101802 (2005).
- [1825] D. Acosta (CDF), “Search for first-generation scalar leptoquarks in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV”, Phys. Rev. D **72**, 051107 (2005).
- [1826] D. Acosta (CDF), “Search for Higgs bosons decaying into  $b\bar{b}$  and produced in association with a vector boson in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.8$  TeV”, Phys. Rev. Lett. **95**, 051801 (2005).
- [1827] D. Acosta (CDF), “Search for long-lived doubly-charged Higgs bosons in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV”, Phys. Rev. Lett. **95**, 071801 (2005).
- [1828] D. Acosta (CDF), “Search for new physics using high mass tau pairs from 1.96 TeV  $p\bar{p}$  collisions”, Phys. Rev. Lett. **95**, 131801 (2005).
- [1829] D. Acosta (CDF), “Search for scalar leptoquark pairs decaying to  $\nu\bar{\nu}q\bar{q}$  in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV”, Phys. Rev. D **71**, [Erratum: Phys.Rev.D 71, 119901 (2005)], 112001 (2005).
- [1830] D. Acosta (CDF), “Study of jet shapes in inclusive jet production in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV”, Phys. Rev. D **71**, 112002 (2005).
- [1831] B. Aharmim (SNO), “Electron energy spectra, fluxes, and day-night asymmetries of B-8 solar neutrinos from measurements with NaCl dissolved in the heavy-water detector at the Sudbury Neutrino Observatory”, Phys. Rev. C **72**, 055502 (2005).
- [1832] M. Casarsa, S. C. Hsu, E. D. Lipeles, **M. Neubauer**, S. Sarkar, I. Sfiligoi, F. K. Wuerthwein, F. Wuerthwein, “The CDF analysis farm”, AIP Conf. Proc. **794**, edited by A. Tricomi, S. Albergo, and M. Chiorboli, 275–278 (2005).
- [1833] V. M. Abazov (CDF, D0), “Combination of CDF and D0 Results on  $W$  Boson Mass and Width”, Phys. Rev. D **70**, 092008 (2004).
- [1834] D. Acosta (CDF), “Direct photon cross section with conversions at CDF”, Phys. Rev. D **70**, 074008 (2004).
- [1835] D. Acosta (CDF), “Inclusive Double Pomeron Exchange at the Fermilab Tevatron  $p\bar{p}$  Collider”, Phys. Rev. Lett. **93**, 141601 (2004).
- [1836] D. Acosta (CDF), “Inclusive search for anomalous production of high  $p_T$  like-sign lepton pairs in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.8$  TeV”, Phys. Rev. Lett. **93**, 061802 (2004).
- [1837] D. Acosta (CDF), “Measurement of the  $t\bar{t}$  production cross section in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV using dilepton events”, Phys. Rev. Lett. **93**, 142001 (2004).
- [1838] D. Acosta (CDF), “Measurement of the Average Time-Integrated Mixing Probability of  $b$ -Flavored Hadrons Produced at the Tevatron”, Phys. Rev. D **69**, 012002 (2004).
- [1839] D. Acosta (CDF), “Measurement of the polar-angle distribution of leptons from  $W$  boson decay as a function of the  $W$  transverse momentum in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.8$  TeV”, Phys. Rev. D **70**, 032004 (2004).
- [1840] D. Acosta (CDF), “Observation of the narrow state  $X(3872) \rightarrow J/\psi\pi^+\pi^-$  in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV”, Phys. Rev. Lett. **93**, 072001 (2004).
- [1841] D. Acosta (CDF), “Optimized search for single top quark production at the Fermilab Tevatron”, Phys. Rev. D **69**, 052003 (2004).
- [1842] D. Acosta (CDF), “Search for doubly-charged Higgs bosons decaying to dileptons in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV”, Phys. Rev. Lett. **93**, 221802 (2004).
- [1843] D. Acosta (CDF), “Search for Kaluza-Klein Graviton Emission in  $p\bar{p}$  Collisions at  $\sqrt{s} = 1.8$ -TeV using the Missing Energy Signature”, Phys. Rev. Lett. **92**, 121802 (2004).
- [1844] D. Acosta (CDF), “Search for Pair Production of Scalar Top Quarks in  $R$ -Parity Violating Decay Modes in  $p\bar{p}$  Collisions at  $\sqrt{s} = 1.8$  TeV”, Phys. Rev. Lett. **92**, 051803 (2004).
- [1845] D. Acosta (CDF), “The underlying event in hard interactions at the Tevatron  $p\bar{p}$  collider”, Phys. Rev. D **70**, 072002 (2004).
- [1846] D. Acosta (CDF), “Search for  $B_s^0 \rightarrow \mu^+\mu^-$  and  $B_d^0 \rightarrow \mu^+\mu^-$  decays in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV”, Phys. Rev. Lett. **93**, 032001 (2004).
- [1847] B. Aharmim (SNO), “Electron antineutrino search at the Sudbury Neutrino Observatory”, Phys. Rev. D **70**, 093014 (2004).
- [1848] S. N. Ahmed (SNO), “Constraints on nucleon decay via ‘invisible’ modes from the Sudbury Neutrino Observatory”, Phys. Rev. Lett. **92**, 102004 (2004).
- [1849] T. H. Kim, **M. Neubauer**, I. Sfiligoi, L. Weems, F. K. Wuerthwein, “The CDF Central Analysis Farm”, IEEE Trans. Nucl. Sci. **51**, edited by J. P. Dufey, 892–896 (2004).

- [1850] D. Acosta (CDF), “Central Pseudorapidity Gaps in Events with a Leading Antiproton at the Fermilab Tevatron  $p\bar{p}$  Collider”, Phys. Rev. Lett. **91**, 011802 (2003).
- [1851] D. Acosta (CDF), “Measurement of Prompt Charm Meson Production Cross Sections in  $p\bar{p}$  Collisions at  $\sqrt{s} = 1.96$  TeV”, Phys. Rev. Lett. **91**, 241804 (2003).
- [1852] D. Acosta (CDF), “Measurement of the Mass Difference  $m(D_s^+) - m(D^+)$  at CDF II”, Phys. Rev. D **68**, 072004 (2003).
- [1853] D. Acosta (CDF), “Search for a  $W'$  Boson Decaying to a Top and Bottom Quark Pair in 1.8 TeV  $p\bar{p}$  Collisions”, Phys. Rev. Lett. **90**, 081802 (2003).
- [1854] D. Acosta (CDF), “Search for Associated Production of  $\Upsilon$  and Vector Boson in  $p\bar{p}$  Collisions at  $\sqrt{s} = 1.8$  TeV”, Phys. Rev. Lett. **90**, 221803 (2003).
- [1855] D. Acosta (CDF), “Search for Lepton Flavor Violating Decays of a Heavy Neutral Particle in  $p\bar{p}$  Collisions at  $\sqrt{s} = 1.8$  TeV”, Phys. Rev. Lett. **91**, 171602 (2003).
- [1856] D. Acosta (CDF), “Search for Long-Lived Charged Massive Particles in  $p\bar{p}$  Collisions at  $\sqrt{s} = 1.8$  TeV”, Phys. Rev. Lett. **90**, 131801 (2003).
- [1857] D. Acosta (CDF), “Search for the Flavor-Changing Neutral Current Decay  $D^0 \rightarrow \mu^+ \mu^-$  in  $p\bar{p}$  Collisions at  $\sqrt{s} = 1.96$  TeV”, Phys. Rev. D **68**, 091101 (2003).
- [1858] D. Acosta (CDF), “Search for the Supersymmetric Partner of the Top Quark in Dilepton Events from  $p\bar{p}$  Collisions at  $\sqrt{s} = 1.8$  TeV”, Phys. Rev. Lett. **90**, 251801 (2003).
- [1859] **M. S. Neubauer** (CDF), “Computing for Run II at CDF”, Nucl. Instrum. Meth. A **502**, edited by V. A. Ilyin, V. V. Korenkov, and D. Perret-Gallix, 386–390 (2003).
- [1860] D. Acosta (CDF), “Cross Section for Forward  $J/\psi$  Production in  $p\bar{p}$  Collisions at  $\sqrt{s} = 1.8$  TeV”, Phys. Rev. D **66**, 092001 (2002).
- [1861] Q. R. Ahmad (SNO), “Direct evidence for neutrino flavor transformation from neutral current interactions in the Sudbury Neutrino Observatory”, Phys. Rev. Lett. **89**, 011301 (2002).
- [1862] Q. R. Ahmad (SNO), “Measurement of day and night neutrino energy spectra at SNO and constraints on neutrino mixing parameters”, Phys. Rev. Lett. **89**, 011302 (2002).
- [1863] A. B. McDonald (SNO), “Direct evidence for neutrino flavor transformation from neutral-current interactions in SNO”, AIP Conf. Proc. **646**, edited by V. Elias, R. J. Epp, and R. C. Myers, 43–58 (2002).
- [1864] A. W. P. Poon (SNO), “Neutrino observations from the Sudbury Neutrino Observatory”, AIP Conf. Proc. **610**, edited by E. Norman, L. Schroeder, and G. Wozniak, 218–230 (2002).
- [1865] A. W. P. Poon (SNO), “Solar neutrino observations at the Sudbury Neutrino Observatory”, eConf **C020805**, edited by J. Hewett, J. Jaros, T. Kamae, and C. Prescott, TTH01 (2002).
- [1866] Q. R. Ahmad (SNO), “Measurement of the rate of  $\nu_e + d \rightarrow p + p + e^-$  interactions produced by  $^8\text{B}$  solar neutrinos at the Sudbury Neutrino Observatory”, Phys. Rev. Lett. **87**, 071301 (2001).
- [1867] A. B. McDonald (SNO), “Measurement of CC interactions produced by  $^8\text{B}$  solar neutrinos at SNO”, PoS **hep2001**, edited by D. Horváth, P. Lévai, and A. Patkós, 186 (2001).
- [1868] **M. S. Neubauer** (SNO), “First solar neutrino observations from SNO”, Int. J. Mod. Phys. A **16S1B**, edited by K. K. Gan and R. Kass, 715–717 (2001).
- [1869] J. Boger (SNO), “The Sudbury neutrino observatory”, Nucl. Instrum. Meth. A **449**, 172–207 (2000).

## Conference Proceedings

- [1870] B. Parpillon, “Smart Pixels: In-pixel AI for on-sensor data filtering”, 2024 IEEE Nuclear Science Symposium, Medical Imaging Conference, and Room-Temperature Semiconductor Detectors Symposium (June 2024).
- [1871] M. Agarwal, “Applications of Deep Learning to physics workflows”, (June 2023).
- [1872] G. Benelli, “Data Science and Machine Learning in Education”, Snowmass 2021 (July 2022).
- [1873] P. Harris, “Physics Community Needs, Tools, and Resources for Machine Learning”, Snowmass 2021 (Mar. 2022).
- [1874] **M. S. Neubauer**, A. Roy, “Explainable AI for High Energy Physics”, Snowmass 2021 (June 2022).
- [1875] S. Thais, P. Calafiura, G. Chachamis, G. DeZoort, J. Duarte, S. Ganguly, M. Kagan, D. Murnane, **M. S. Neubauer**, K. Terao, “Graph Neural Networks in Particle Physics: Implementations, Innovations, and Challenges”, Snowmass 2021 (Mar. 2022).
- [1876] **M. S. Neubauer**, “Learning from the Pandemic: the Future of Meetings in HEP and Beyond”, IRIS-HEP Blueprint Workshop (June 2021).

- [1877] T. Aarrestad (HEP Software Foundation), “HL-LHC Computing Review: Common Tools and Community Software”, Snowmass 2021, edited by P. Canal et al. (Aug. 2020).
- [1878] A. Heintz, “Accelerated Charged Particle Tracking with Graph Neural Networks on FPGAs”, 34th Conference on Neural Information Processing Systems (Nov. 2020).
- [1879] G. Allen, “Deep Learning for Multi-Messenger Astrophysics: A Gateway for Discovery in the Big Data Era”, (Feb. 2019).
- [1880] G. Kazakevich, R. Johnson, **M. Neubauer**, V. Lebedev, W. Schappert, V. Yakovlev, “Methods of phase and power control in magnetron transmitters for superconducting accelerators”, 8th International Particle Accelerator Conference (May 2017).
- [1881] T. Aaltonen (CDF, D0), “Combined CDF and D0 Upper Limits on Standard Model Higgs Boson Production with up to  $8.2 \text{ fb}^{-1}$  of Data”, 46th Rencontres de Moriond on Electroweak Interactions and Unified Theories (Mar. 2011).
- [1882] **M. S. Neubauer** (ATLAS), “A Fast Hardware Tracker for the ATLAS Trigger System”, Meeting of the APS Division of Particles and Fields (Oct. 2011).
- [1883] A. Annovi, “The Evolution of FTK, a Real-Time Tracker for Hadron Collider Experiments”, 11th ICATPP Conference on Astroparticle, Particle, Space Physics, Detectors and Medical Physics Applications (2010), pp. 653–657.
- [1884] **M. S. Neubauer** (ATLAS TDAQ), “A fast hardware tracker for the ATLAS trigger system”, 2009 IEEE Nuclear Science Symposium and Medical Imaging Conference (2009), pp. 1876–1879.
- [1885] **M. S. Neubauer** (CDF, D0), “Diboson physics at the Tevatron”, 41st Rencontres de Moriond: QCD and Hadronic Interactions (May 2006), pp. 113–116.
- [1886] A. Sill, “Globally distributed user analysis computing at CDF”, 14th International Conference on Computing in High-Energy and Nuclear Physics (2005), pp. 1139–1142.
- [1887] F. K. Wuerthwein, E. D. Lipeles, **M. Neubauer**, I. Sfiligoi, “The Condor based CDF CAF”, 14th International Conference on Computing in High-Energy and Nuclear Physics (2005), pp. 978–981.
- [1888] A. McDonald, “First results from the Sudbury Neutrino Observatory”, NO-VE International Workshop on Neutrino Oscillations in Venice (July 2001), pp. 1–16.