

Top Queries

Total Execution Time

2.270.000 ms

Total Rows Read

123.000

Total Rows Written

123.000

Count

123.000

AI Insights

```
INSERT INTO system_status (service_name, status, last_run, details)
VALUES (?, ?, ?, ?)
ON CONFLICT(service_name) DO UPDATE SET
    status = excluded.status,
    last_run = excluded.last_run,
    details = excluded.details
```

Total Execution Time

1.130.000 ms

Total Rows Read

59.900

Total Rows Written

61.000

Count

60.500

AI Insights

```
INSERT INTO espera_medica
(hash_id, unidade, paciente, chegada, espera_minutos, status, profissional, updated_at)
VALUES (?, ?, ?, ?, ?, ?, ?, ?)
ON CONFLICT(hash_id) DO UPDATE SET
    espera_minutos = excluded.espera_minutos,
    status = excluded.status,
    profissional = excluded.profissional,
    updated_at = excluded.updated_at
```

Total Execution Time

871.000 ms

Total Rows Read

0

Total Rows Written

92.500

Count

46.300

AI Insights

```
INSERT INTO clinia_group_snapshots (group_id, group_name, queue_size, avg_wait_seconds, updated_at)
VALUES (?, ?, ?, ?, datetime('now'))
```

Total Execution Time

285.000 ms

Total Rows Read

0

Total Rows Written

0

Count

9.060

AI Insights

```
COMMIT
```

Total Execution Time

277.000 ms

Total Rows Read

15.100

Total Rows Written

16.100

Count

15.600

AI Insights

```
INSERT INTO espera_medica (hash_id, unidade, paciente, chegada, espera, status, profissional, updated_at)
VALUES (?, ?, ?, ?, ?, ?, ?, ?)
ON CONFLICT(hash_id) DO UPDATE SET
    espera = excluded.espera,
    status = excluded.status,
    profissional = excluded.profissional,
    updated_at = excluded.updated_at
```

Total Execution Time
168.000 ms

Total Rows Read
0

Total Rows Written
0

Count
6.990

AI Insights

BEGIN

Total Execution Time
115.000 ms

Total Rows Read
0

Total Rows Written
46.700

Count
6.220

AI Insights

DELETE FROM clinia_group_snapshots

Total Execution Time
114.000 ms

Total Rows Read
110.000.000

Total Rows Written
0

Count
3.600

AI Insights

```
SELECT name, SUM(total) as total, SUM(qtd) as qtd FROM (
  -- Faturamento Realizado
  SELECT TRIM(grupo) as name, SUM(total_pago) as total, COUNT(*) as qtd
  FROM faturamento_analitico
  WHERE data_do_pagamento BETWEEN ? AND ?
  AND unidade IS NOT NULL AND grupo IS NOT NULL AND grupo != ''
  GROUP BY 1

  UNION ALL

  -- Agenda (Demanda) - Assumindo que a tabela existe
  SELECT TRIM(procedure_group) as name, 0 as total, COUNT(*) as qtd
  FROM feegow_appointments
  WHERE date BETWEEN ? AND ?
  AND procedure_group IS NOT NULL AND procedure_group != ''
  GROUP BY 1
) GROUP BY name ORDER BY total DESC
```

Total Execution Time
112.000 ms

Total Rows Read
6.080

Total Rows Written
6.100

Count
6.090

AI Insights

```
INSERT INTO clinia_chat_stats (date, total_conversations, total_without_response, avg_wait_seconds, updated_at)
VALUES (?, ?, ?, ?, datetime('now'))
ON CONFLICT(date) DO UPDATE SET
  total_conversations = excluded.total_conversations,
  total_without_response = excluded.total_without_response,
  avg_wait_seconds = excluded.avg_wait_seconds,
  updated_at = excluded.updated_at
```

Total Execution Time
110.000 ms

Total Rows Read
6.020

Total Rows Written
6.040

Count
6.030

AI Insights

```
INSERT INTO clinia_appointment_stats (date, total_appointments, bot_appointments, crc_appointments, updated_at)
VALUES (?, ?, ?, ?, datetime('now'))
ON CONFLICT(date) DO UPDATE SET
  total_appointments = excluded.total_appointments,
  bot_appointments = excluded.bot_appointments,
  crc_appointments = excluded.crc_appointments,
  updated_at = excluded.updated_at
```

Total Execution Time
108.000 ms

Total Rows Read
66.700.000

Total Rows Written
0

Count
3.600

AI Insights

```
SELECT
  data_do_pagamento as d,
  SUM(total_pago) as total,
  COUNT(*) as qtd
FROM faturamento_analitico
WHERE data_do_pagamento BETWEEN ? AND ? AND unidade IS NOT NULL
GROUP BY d
ORDER BY d ASC
```

Total Execution Time
108.000 ms

Total Rows Read
98.500.000

Total Rows Written
0

Count
3.600

AI Insights

```
SELECT DISTINCT procedimento as name
FROM faturamento_analitico
WHERE procedimento IS NOT NULL AND procedimento != '' AND unidade IS NOT NULL
ORDER BY name ASC
```

Total Execution Time
84.900 ms

Total Rows Read
1.030.000

Total Rows Written
1.030.000

Count
1.030.000

AI Insights

```
INSERT INTO feegow_appointments (
  appointment_id, date, status_id, value,
  specialty, professional_name, procedure_group,
  scheduled_by, unit_name, scheduled_at, updated_at
) VALUES (?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?)
ON CONFLICT(appointment_id) DO UPDATE SET
  status_id = excluded.status_id,
  value = excluded.value,
  professional_name = excluded.professional_name,
  unit_name = excluded.unit_name,
  scheduled_at = excluded.scheduled_at,
  updated_at = excluded.updated_at
```

Total Execution Time
81.000 ms

Total Rows Read
19.000.000

Total Rows Written
0

Count
1.260

AI Insights

```
SELECT
  data_do_pagamento as d,
  SUM(total_pago) as total,
  COUNT(*) as qtd
FROM faturamento_analitico
WHERE data_do_pagamento BETWEEN ? AND ? AND (unidade IS NULL OR (unidade NOT LIKE '%RESOLVECARD%' AND unidade NOT LIKE '
GROUP BY d
ORDER BY d ASC
```

Total Execution Time
80.800 ms

Total Rows Read
3.900

Total Rows Written
4.820

Count
4.360

AI Insights

```
INSERT INTO recepcao_historico (
  hash_id, id_externo, unidade_id, unidade_nome, paciente_nome,
  dt_chegada, dt_atendimento, status, dia_referencia, updated_at
) VALUES (?, ?, ?, ?, ?, ?, ?, ?, ?, ?)
ON CONFLICT(hash_id) DO UPDATE SET
  status = excluded.status,
  updated_at = excluded.updated_at
```

Total Execution Time	Total Rows Read	Total Rows Written	Count	AI Insights
72.600 ms	19.700.000	0	1.230	

```
SELECT (CASE WHEN instr(data_do_pagamento, '/') > 0 THEN substr(data_do_pagamento, 7, 4) || '-' || substr
FROM faturamento_analitico
WHERE (CASE WHEN instr(data_do_pagamento, '/') > 0 THEN substr(data_do_pagamento, 7, 4) || '-' || substr
GROUP BY d ORDER BY d
```

Total Execution Time	Total Rows Read	Total Rows Written	Count	AI Insights
51.600 ms	65.300.000	0	3.510	

```
SELECT
  substr(data_do_pagamento, 1, 7) as m,
  SUM(total_pago) as total,
  COUNT(*) as qtd
FROM faturamento_analitico
WHERE data_do_pagamento BETWEEN ? AND ? AND unidade IS NOT NULL
GROUP BY m
ORDER BY m ASC
```

Total Execution Time	Total Rows Read	Total Rows Written	Count	AI Insights
48.700 ms	27.000.000	0	1.080	

```
SELECT name, SUM(total) as total, SUM(qtd) as qtd FROM (
  -- Faturamento Realizado
  SELECT TRIM(grupo) as name, SUM(total_pago) as total, COUNT(*) as qtd
  FROM faturamento_analitico
  WHERE data_do_pagamento BETWEEN ? AND ?
  AND (unidade IS NULL OR (unidade NOT LIKE '%RESOLVECARD%' AND unidade NOT LIKE '%GESTÃO DE BENEFICOS%')) AND grupo I
  GROUP BY 1

  UNION ALL

  -- Agenda (Demanda) - Assumindo que a tabela existe
  SELECT TRIM(procedure_group) as name, 0 as total, COUNT(*) as qtd
  FROM feegow_appointments
  WHERE date BETWEEN ? AND ?
  AND procedure_group IS NOT NULL AND procedure_group != ''
  GROUP BY 1
) GROUP BY name ORDER BY total DESC
```

Total Execution Time	Total Rows Read	Total Rows Written	Count	AI Insights
48.200 ms	65.300.000	0	3.510	

```
SELECT DISTINCT TRIM(unidade) as name
FROM faturamento_analitico
WHERE data_do_pagamento BETWEEN ? AND ?
AND unidade IS NOT NULL
```

```
AND unidade IS NOT NULL AND unidade != ''
ORDER BY name ASC
```

Total Execution Time	Total Rows Read	Total Rows Written	Count
46.400 ms	25.400.000	0	78.700

AI Insights

```
UPDATE recepcao_historico
SET status = 'Finalizado (Saiu)',
    dt_atendimento = ?,
    updated_at = ?
WHERE unidade_id = ?
AND dia_referencia = ?
AND status NOT LIKE 'Finalizado%'
AND id_externo NOT IN (NULL)
```

Total Execution Time	Total Rows Read	Total Rows Written	Count
42.800 ms	2.560	2.560	2.560

AI Insights

```
INSERT INTO feegow_appointments (
    appointment_id, date, status_id, value,
    specialty, professional_name, procedure_group,
    scheduled_by, unit_name, updated_at
) VALUES (?, ?, ?, ?, ?, ?, ?, ?, ?, ?)
ON CONFLICT(appointment_id) DO UPDATE SET
    status_id = excluded.status_id,
    value = excluded.value,
    unit_name = excluded.unit_name,
    updated_at = excluded.updated_at
```

Total Execution Time	Total Rows Read	Total Rows Written	Count
39.200 ms	35.900.000	0	1.390

AI Insights

```
SELECT DISTINCT procedimento as name
FROM faturamento_analitico
WHERE procedimento IS NOT NULL AND procedimento != '' AND (unidade IS NULL OR (unidade NOT LIKE '%RESOLVECARD%' AND unic
ORDER BY name ASC
```

Total Execution Time	Total Rows Read	Total Rows Written	Count
38.900 ms	65.600.000	0	3.520

AI Insights

```
SELECT
    TRIM(unidade) as name,
    SUM(total_pago) as total,
    COUNT(*) as qtd
FROM faturamento_analitico
WHERE data_do_pagamento BETWEEN ? AND ? AND unidade IS NOT NULL
GROUP BY name
ORDER BY total DESC
```

Total Execution Time	Total Rows Read	Total Rows Written	Count
38.400 ms	1	1.090.000	547.000

AI Insights

```
INSERT INTO feegow_contracts (
  registration_number, contract_id, created_at, start_date,
  patient_name, plan_name,
  status_contract, status_financial,
  recurrence_value, membership_value,
  updated_at
) VALUES (?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, datetime('now'))
ON CONFLICT(registration_number) DO UPDATE SET
  contract_id = excluded.contract_id,
  created_at = excluded.created_at,
  start_date = excluded.start_date,
  status_contract = excluded.status_contract,
  status_financial = excluded.status_financial,
  recurrence_value = excluded.recurrence_value,
  membership_value = excluded.membership_value,
  updated_at = excluded.updated_at
```

Total Execution Time	Total Rows Read	Total Rows Written	Count
32.600 ms	15.500.000	419	59.100

AI Insights

```
UPDATE espera_medica
SET status = 'Finalizado (Saiu)', updated_at = ?
WHERE unidade = ?
AND status NOT LIKE 'Finalizado%'
AND updated_at < ?
```

Total Execution Time	Total Rows Read	Total Rows Written	Count
30.300 ms	44.900.000	0	3.050

AI Insights

```
SELECT
  SUM(total_pago) as total,
  COUNT(*) as qtd
FROM faturamento_analitico
WHERE data_do_pagamento BETWEEN ? AND ? AND unidade IS NOT NULL
```

Total Execution Time	Total Rows Read	Total Rows Written	Count
21.700 ms	5.250.000	753	20.100

AI Insights

```
DELETE FROM espera_medica WHERE updated_at < ?
```

Total Execution Time	Total Rows Read	Total Rows Written	Count
19.100 ms	1	3	20.600

AI Insights

```
CREATE TABLE IF NOT EXISTS system_status (
  service_name TEXT PRIMARY KEY, status TEXT, last_run TEXT, details TEXT
)
```

Total Execution Time	Total Rows Read	Total Rows Written	Count
17.500 ms	5.840.000	0	10.100

AI Insights

```
SELECT * FROM espera_medica ORDER BY updated_at DESC
```

Total Execution Time	Total Rows Read	Total Rows Written	Count
14.500 ms	1.910	2.140	2.020

AI Insights

```
INSERT INTO recepcao_historico (  
    hash_id, id_externo, unidade_id, unidade_nome, paciente_nome,  
    dt_chegada, dt_atendimento, status, dia_referencia, updated_at  
) VALUES (?, ?, ?, ?, ?, ?, ?, ?, ?, ?)  
ON CONFLICT(hash_id) DO UPDATE SET  
    dt_atendimento = excluded.dt_atendimento,  
    status = excluded.status,  
    updated_at = excluded.updated_at
```

Total