

Practical No 03

Problem Statement :- Design atleast 10 SQL queries for suitable database application using SQL DML statements: all types of Join, Sub-Query and View.

```
mysql> CREATE DATABASE college_db;
```

Query OK, 1 row affected (0.01 sec)

```
mysql> USE college_db; Database
```

```
changed mysql> CREATE TABLE
```

```
student (
```

```
->  student_id INT PRIMARY KEY,
```

```
->  name VARCHAR(50),
```

```
->  major VARCHAR(50),
```

```
->  cgpa DECIMAL(3,2)
```

```
-> );
```

Query OK, 0 rows affected (0.06 sec) mysql>

```
CREATE TABLE enrollment (
```

```
->  enrollment_id INT PRIMARY KEY,
```

```
->  student_id INT,
```

```
->  course VARCHAR(100),
```

```
->  grade VARCHAR(5),
```

```
->  credits INT
```

```
->
```

```
-> );
```

Query OK, 0 rows affected (0.02 sec)

```
mysql> INSERT INTO student (student_id, name, major, cgpa) VALUES
```

```
-> (1, 'Alice', 'Computer Science', 3.8),
```

```
-> (2, 'Bob', 'Mathematics', 3.2),
```

```
-> (3, 'Carol', 'Physics', 3.9),
```

```
-
```

```
> (4, 'David', 'Computer Science', 3.5),
-> (5, 'Emma', 'Mathematics', 3.7);
```

Query OK, 5 rows affected (0.05 sec)

Records: 5 Duplicates: 0 Warnings: 0

```
mysql> INSERT INTO enrollment (enrollment_id, student_id, course, grade, credits) VALUES
```

```
-> (101, 1, 'Database', 'A', 3),
-> (102, 1, 'Programming', 'B+', 4),
-> (103, 2, 'Calculus', 'A-', 4),
-> (104, 3, 'Quantum Physics', 'A', 3),
-> (105, 4, 'Data Structures', 'B', 3),
-> (106, 5, 'Statistics', 'A', 3),
-> (107, 2, 'Algebra', 'B+', 3);
```

Query OK, 7 rows affected (0.00 sec)

Records: 7 Duplicates: 0 Warnings: 0

```
mysql> SELECT s.name, e.enrollment_id, e.course, e.grade
```

```
-> FROM student s
-> INNER JOIN enrollment e ON s.student_id = e.student_id;
```

name	enrollment_id	course	grade
Alice	101	Database	A
Alice	102	Programming	B+
Bob	103	Calculus	A-
Carol	104	Quantum Physics	A
David	105	Data Structures	B
Emma	106	Statistics	A
Bob	107	Algebra	B+

7 rows in set (0.02 sec)

-

```
mysql> SELECT s.name, e.enrollment_id, e.course, e.grade
> FROM student s
-> LEFT JOIN enrollment e ON s.student_id = e.student_id;
```

name	enrollment_id	course	grade
Alice	102	Programming	B+
Alice	101	Database	A
Bob	107	Algebra	B+
Bob	103	Calculus	A-
Carol	104	Quantum Physics	A
David	105	Data Structures	B
Emma	106	Statistics	A

7 rows in set (0.03 sec)

```
mysql> SELECT s.name, e.enrollment_id, e.course, e.grade
> FROM student s
-> RIGHT JOIN enrollment e ON s.student_id = e.student_id;
```

name	enrollment_id	course	grade
Alice	101	Database	A
Alice	102	Programming	B+
Bob	103	Calculus	A-
Carol	104	Quantum Physics	A
David	105	Data Structures	B
Emma	106	Statistics	A
Bob	107	Algebra	B+

7 rows in set (0.00 sec)

```
mysql> SELECT s.student_id, s.name, e.enrollment_id, e.course, e.grade
-> FROM student s
-> LEFT JOIN enrollment e ON s.student_id = e.student_id
->
-> UNION
->
->
-> SELECT s.student_id, s.name, e.enrollment_id, e.course, e.grade
-> FROM student s
-> RIGHT JOIN enrollment e ON s.student_id = e.student_id;
```

student_id	name	enrollment_id	course	grade
1	Alice	102	Programming	B+
1	Alice	101	Database	A
2	Bob	107	Algebra	B+
2	Bob	103	Calculus	A-
3	Carol	104	Quantum Physics	A
4	David	105	Data Structures	B
5	Emma	106	Statistics	A

7 rows in set (0.03 sec)

```
mysql> SELECT
-> s.name,
-> s.major,
-> SUM(e.credits) AS total_credits,
-> ROUND(AVG(
-> CASE e.grade
-> WHEN 'A' THEN 4.0
-> WHEN 'A-' THEN 3.7
-> WHEN 'B+' THEN 3.3
->
```

```
->     WHEN 'B' THEN 3.0
->     ELSE NULL
->     END
> ), 2) AS avg_gpa
```

-

```
-> FROM student s
-> LEFT JOIN enrollment e ON s.student_id = e.student_id
-> GROUP BY s.student_id, s.name, s.major;
```

name	major	total_credits	avg_gpa
Alice	Computer Science	7	3.65
Bob	Mathematics	7	3.50
Carol	Physics	3	4.00
David	Computer Science	3	3.00
Emma	Mathematics	3	4.00

5 rows in set (0.04 sec)

```
mysql> SELECT * FROM student
-> WHERE cgpa > (
-> SELECT cgpa FROM student WHERE name = 'Bob'
-> );
```

student_id	name	major	cgpa
1	Alice	Computer Science	3.80
3	Carol	Physics	3.90
4	David	Computer Science	3.50
5	Emma	Mathematics	3.70

4 rows in set (0.04 sec)

```
mysql> SELECT course FROM enrollment
-> WHERE student_id IN (
-> SELECT student_id FROM student WHERE major = 'Computer Science'
-> );
```

|--|

```
| course      |
+-----+
| Database    |
| Programming |
| Data Structures |
+-----+
3 rows in set (0.00 sec)
```

```
mysql> SELECT * FROM enrollment
-> WHERE student_id = (
->   SELECT student_id FROM student
->   WHERE cgpa = (SELECT MAX(cgpa) FROM student)
-> );
```

enrollment_id	student_id	course	grade	credits
104	3	Quantum Physics	A	3

```
1 row in set (0.03 sec)
```

```
mysql> SELECT * FROM student
-> WHERE student_id IN (
->   SELECT student_id FROM enrollment
->   GROUP BY student_id
->   HAVING COUNT(*) > 1
-> );
```

student_id	name	major	cgpa
1	Alice	Computer Science	3.80
2	Bob	Mathematics	3.20

```
2 rows in set (0.03 sec)
```

```
mysql> SELECT * FROM student s
-> WHERE EXISTS (
    ->  SELECT 1 FROM enrollment e
    ->  WHERE e.student_id = s.student_id
    -> );
```

student_id	name	major	cgpa
1	Alice	Computer Science	3.80
2	Bob	Mathematics	3.20
3	Carol	Physics	3.90
4	David	Computer Science	3.50
5	Emma	Mathematics	3.70

5 rows in set (0.00 sec)

```
mysql> SELECT * FROM student s
-> WHERE NOT EXISTS (
    ->  SELECT 1 FROM enrollment e
    ->  WHERE e.student_id = s.student_id
    -> );
```

Empty set (0.00 sec)

```
mysql> SELECT name,
    ->  (SELECT COUNT(*) FROM enrollment e WHERE e.student_id = s.student_id) AS course_count
    -> FROM student s;
```

name	course_count
Alice	2
Bob	2
Carol	1


```
| David |      1 |
| Emma |      1 |
+-----+-----+
5 rows in set (0.00 sec)
```

```
mysql> SELECT * FROM student s
      -> WHERE cgpa > (
      ->   SELECT AVG(cgpa) FROM student
      ->   WHERE major = s.major
      -> );
+-----+-----+-----+-----+
| student_id | name | major      | cgpa |
+-----+-----+-----+-----+
|      1 | Alice | Computer Science | 3.80 |
|      5 | Emma  | Mathematics      | 3.70 |
+-----+-----+-----+-----+
2 rows in set (0.00 sec)
```

```
mysql> SELECT * FROM student s
      -> WHERE (
      ->   SELECT SUM(credits) FROM enrollment e WHERE e.student_id = s.student_id
      -> ) > (
      ->   SELECT AVG(total_credits) FROM (
      ->     SELECT student_id, SUM(credits) AS total_credits
      ->     FROM enrollment
      ->     GROUP BY student_id
      ->   ) AS credit_totals
      -> );
+-----+-----+-----+-----+
| student_id | name | major      | cgpa |
+-----+-----+-----+-----+
|      1 | Alice | Computer Science | 3.80 |
|      2 | Bob   | Mathematics      | 3.20 |
```

```
+-----+-----+-----+-----+
```

2 rows in set (0.03 sec)

```
mysql> SELECT * FROM student
```

```
-> WHERE major = 'Computer Science'
```

```
-> AND cgpa > (
```

```
->   SELECT AVG(cgpa) FROM student
```

```
-> );
```

```
+-----+-----+-----+-----+
```

```
| student_id | name | major      | cgpa |
```

```
+-----+-----+-----+-----+
```

```
|      1 | Alice | Computer Science | 3.80 |
```

```
+-----+-----+-----+-----+
```

1 row in set (0.00 sec)