

Bold **for** Marp

A Marp theme based on the Bold Design System

SECTION 01

What's in the box

- Bold color tokens (light and dark)
- IBM Plex Sans and Mono
- Light and dark variants with per-slide override
- `split` two-column layout
- CSS variable overrides for any token

Typography

Headings use IBM Plex Sans Light (300) at large sizes and Bold (700) at body scales. Inline `code` and code blocks use IBM Plex Mono.

Good design is invisible.

Julie Zhuo

Two columns

Use `<!-- _class: split -->` for a side-by-side layout.
Headings span both columns automatically.

- Bold spacing scale
- 56px slide padding
- 4px top accent rule

```
def bold(theme="light"):
    tokens = load(theme)
    return apply(tokens)

print(bold("dark"))
```

Dark mode

Set `<!-- _class: dark -->` on a slide for the Bold dark palette, or use the `bold-dark` theme for a dark deck by default.

```
type Theme = 'light' | 'dark';

const tokens: Record<Theme, TokenSet> = load();
```

Status colors

Bold ships semantic status tokens for all four states:

State	Light	Dark
Danger	#D01E29 on #FEECED	#FF888B on #790C14
Success	#217B00 on #E1F6DF	#54C241 on #0E4700
Alert	#AD5000 on #FFECE8	#FF8C54 on #642B00
Info	#0069D0 on #ECF0FF	#84AAFF on #003A79

Customizing

Override Bold tokens via the `style:` directive:

```
---
marp: true
theme: bold
style: |
  section {
    --bold-accent: #AB00E7;
    --bold-bg: #F0F0F5;
  }
---
```

Nested lists and math

1. Bold ships two themes

- `light` uses the white surface palette
- `dark` uses the dark gray surface palette


2. Each theme is a set of design tokens

3. Inline math: $E = mc^2$


$$\int_{-\infty}^{\infty} e^{-x^2} dx = \sqrt{\pi}$$

Mermaid diagrams

Architecture and flow diagrams use Bold tokens automatically. Add `<!-- _class: dark -->` and the diagram palette flips to dark tokens.



Mermaid on dark



Background images

Marp's `![bg right:40%]` syntax puts an image in a half-slide pane.

- Works with `bg left`, `bg right`, `bg cover`, `bg fit`
- Image filters (`blur`, `brightness`) pass through

Thanks