



UNIVERSITI
TEKNOLOGI
PETRONAS

**DATABASE SYSTEMS
(TFB 1023/ TEB 1103)**

**FINAL REPORT DATABASE PROJECT:
AGODA APP BASED DATABASE**

SEPTEMBER 2025 SEMESTER

**LECTURER:
TS. DR. NUR SYADHILA BT CHE LAH**

WRITTEN BY:

NAME	STUDENT ID	PROGRAM
AMIRA NADIA BINTI AMIR HAMZAH	24008792	COMPUTER SCIENCE
DHIVYA A/P ARUJANAN	24000046	COMPUTER SCIENCE
ERISSA BINTI SAIFUL AFFENDY	24007530	COMPUTER SCIENCE
HAJAR MAISARAH BINTI ASHARI	24000225	COMPUTER SCIENCE
SYAHEDA NADIA BINTI AZMAN	24000997	COMPUTER SCIENCE

TABLE OF CONTENTS

1.0 PROJECT INTRODUCTION	3
2.0 PROJECT OBJECTIVES.....	4
3.0 PROJECT BACKGROUND.....	6
4.0 ENTITY RELATIONSHIP DIAGRAM	9
5.0 RELATIONAL SCHEMA.....	10
6.0 DATA SPECIFICATION AND LAYOUT	12
7.0 SQL STATEMENTS AND OUTPUT.....	18
7.1 CREATING TABLES	18
7.1.1 CREATING STATEMENTS	18
7.1.2 CREATING OUTPUT	21
7.2 POPULATE TABLES	25
7.2.1 POPULATE STATEMENTS	25
7.2.2 POPULATE OUTPUT	34
7.3 DROPPING TABLES	38
7.3.1 DROP STATEMENTS	38
7.3.2 DROP OUTPUT	38
8.0 SQL JOIN STATEMENTS AND OUTPUT	39
8.1 JOIN TABLE (NON-PRIMARY ATTRIBUTES).....	39
8.3 JOIN TABLE (1 ATTRIBUTE, 8 JOIN TABLES IN DESC, 4 SELECTION CONSTRAINTS).....	41
8.4 JOIN TABLE (3 PRIMARY KEY ATTRIBUTES FROM 3 TABLES WITH ONE CONSTRAINT).....	42
9.0 REFERENCES.....	44

1.0 PROJECT INTRODUCTION

This report was prepared by our group for the Database Systems (TEB1103) course for the September 2025 semester. The purpose of this project is to allow us to apply the theoretical knowledge we have learned about database concepts in a real-world scenario. Our group developed a database system based on the Agoda app, which focuses on hotel and accommodation booking systems.

The system focus on efficiently organizing and managing key business data such as rooms, reviews, customers, staff, transports, travel packages, hotels, reservations, flights, and homes & apartments. Throughout this project, we learned how to design an Entity-Relationship Design (ERD), perform normalization up to the Third Normal Form (3NF), and implement the database using Structured Query Language SQL (Connolly & Begg, 2015). We also created multiple tables to ensure that the database system works efficiently and accurately in handling data relationships.

Completing this project gave us a better understanding of how database systems are used in businesses to store, manage, and retrieve data effectively. It also helped us improve our collaboration, communication, and problem-solving skills as we worked together to design and implement a functional and realistic database system from scratch.

2.0 PROJECT OBJECTIVES

- To ensure data consistency and integrity through proper use of primary keys, foreign keys, and referential constraints.

A key objective is to introduce the data integrity mechanisms that will ensure the accuracy and reliability of all the related tables. Primary keys will be used to identify records and foreign keys will be used to create clear relationships among the entities, like customers and their booking or hotels and their rooms. Referential constraints will also make sure that there are no orphan and invalid records, which will enhance consistency throughout the database system. (GeeksforGeeks, 2025a; GeeksforGeeks, 2025b).

- To facilitate efficient data retrieval and reporting by creating meaningful SQL queries, joins, and views.

The database should not just be a successful data store but also be easy and efficient to retrieve data. The development of complicated SQL queries, such as multi-table joins and aggregate functions, will be involved in this project to create valuable insights. (Oracle, 2024; Microsoft Learn, 2025). Such as occupancy rates, booking trends, and revenue summaries. Views will also be created to enable easier access to commonly used data that will enable system users to generate reports and make informed decisions.

- To provide a safe and efficient database platform to manage vast amounts of data (GeeksForGeeks,2025).

By utilizing a database system, organizations like Agoda that store thousands of customer's records in it, including customer information, flight bookings, hotel reservations, apartment listings, transportation details, and travel packages, are protected by a database system that prioritizes the security of sensitive data because the database supports encryption, which protects data both when it's stored and during transmission. This adds a layer of security, especially when dealing with confidential data (lis.academy, 2024). This implementation allows Agoda to maintain a reliable, trustworthy application that users feel confident using.

- Ensuring system reliability through the implementation of backup, recovery, and data protection strategies.

Database backups and transaction management mechanisms are crucial to ensure data durability and safeguard data against system crashes and failures (GeeksForGeeks, 2025).

Databases streamline various data management tasks, including backups, recovery, and maintenance. the automated tools help organizations to back up their data regularly, recover it quickly if there are cases of failure or crashes while working on the data without disrupting regular operations. This ensures the data is always available and safely kept, supporting business continuity. (lis.academy, 2024)

3.0 PROJECT BACKGROUND

Agoda is a global online travel platform that allows users to book hotels, apartments, flights and travel packages at the tip of users' fingers. It has provided over 6 million properties worldwide and serves in 39 languages (Agoda Engineering, 2021). This platform can be accessed through web and mobile applications which serves as an intermediary between managers and clients that aims to provide best deals for travellers. It offers 24 hours availability to compare prices and places, as well as customer reviews that allows users to easily make booking decisions flexibly. Agoda is known for providing competitive prices and instant confirmation on bookings, which supports travellers in making hassle free choices (IGMS, 2024). The main functions of this app include reservations for rooms and packages, customer management, transaction processing, transportation bookings, and many more. Users get to survey their choices that is suitable to their preferences such as in terms of budgeting, time and destination without hassle. Planning could be done in advance for an efficient and smooth experience during travelling.

Agoda employs a hybrid database system combining relational (SQL) database to manage different types of data efficiently. Relational databases are used for storing structured data in defined tables and ensuring consistency through ACID transactions which is needed for high-volume booking systems (Elmasri & Navathe, 2016). SQL is widely used for defining, manipulating and controlling relational data structures in commercial applications (Connolly & Begg, 2015). There are three categories of commands in SQL which are Data Definition Language (DDL), Data Manipulation Language (DML) and Data Control Language (DCL) used as important roles to handle data in Agoda (Connolly & Begg, 2015).

1. Data Definition Language (DDL)

AGODA APP BASED DATABASE

DDL commands are used to define, modify, or delete database structures such as tables, schemas, and indexes. The commands used under DDL include:

- **CREATE TABLE:** Creates the structure of how the Agoda App database table. When a new feature is introduced, a new table will be created for users.
- **DROP TABLE:** Removes or erases the structure of a database table from storage to recycle bin (Connolly & Begg, 2015). If Agoda starts offering “Free Breakfast” as a new filter option, they may need to add a column to the Hotels table.
- **ALTER TABLE:** Used to add, modify or drop columns. If Agoda plans to add new way for their users to review their app so the old review system will be drop.
- **TRUNCATE TABLE:** Deletes all rows from a table but keeps the table structure (Elmasri & Navathe, 2016).

2. Data Manipulation Language (DML)

DML commands are used in the Agoda app to handle all operations involving data retrieval, insertion, updating, and deletion. These commands run constantly in the background whenever users search for hotels, make bookings, update profiles, or cancel reservations by adding, modifying and quering data (Elmasi & Navathe, 2016). DML statement is executed when:

- **INSERT:** Users confirm their hotel booking, Agoda inserts in record
- **UPDATE:** Agoda update prices of rooms to meet users' needs
- **DELETE:** Agoda removes their promotion after certain period
- **SELECT:** When users search for hotel rooms in Kuala Lumpur, Agoda lists all hotel rooms available


3. Data Control Language (DCL)

AGODA APP BASED DATABASE

DCL (Data Control Language) commands are used in Agoda to control access, permissions, and security within the database (Elmasri & Navathe, 2016).

- GRANT: Allows a user, employee, or microservice to perform specific actions in the database.
- REVOKE: Removes access given to users. For example, Agoda app updates its system and permission will be removed.

4.0 ENTITY RELATIONSHIP DIAGRAM



5.0 RELATIONAL SCHEMA

- **CUSTOMER** (customer_id, first_name, last_name, email, phone_number, password, date_of_birth, country, membership_status, registration_date)
- **HOTEL** (hotel_id, hotel_name, address, phone_number, email, manager_name, num_of_rooms, status, rating, website)
- **FLIGHTS** (flight_no, flight_name, time_depart, time_arrived, date_depart, date_arrived, origin, destination, flight_status, seat_capacity)
- **APARTMENT** (apt_id, landlord_name, apt_address, unitNo, city, rent_per_month, num_of_rooms, max_guests, landlord_phone_no, utilities_included)
- **TRAVEL_PACKAGE** (package_id, hotel_id, package_name, destination_name, duration, price, Included_activities, start_date, end_date, Availability_status)
- **REVIEW** (review_id, hotel_id, customer_id, apt_id, would_recommend, review_date, cleanliness_score, service_score, value_score, overall_rating)
- **TRANSPORT** (transport_id, package_id, type, pickup_location, dropoff_location, pickup_time, dropoff_time, trip_cost, service_provider, availability_status)
- **ROOM** (room_id, hotel_id, room_type, check_in_date, check_out_date, max_guests, Price_per_night, booking_status, payment_status, availability_status)
- **FLIGHT_BOOKING** (booking_id, flight_no, customer_id, seat_no, booking_date, Fare, class, payment_status, booking_status, travel_insurance)
- **STAFF** (staff_id, hotel_id, first_name, last_name, position, email, phone_number, hire_date, employment_status, salary)
- **PACKAGE_TRANSPORT** (PackageTransport_id, package_id, transport_id, departure_date, arrival_date, departure_time, arrival_time, pickup_location, dropoff_location, price_included)

AGODA APP BASED DATABASE

- **RESERVATION** (reservation_id, customer_id, transport_id, room_id, hotel_id,
apt_id, check_in_date, check_out_date, reservation_status, total_price)

6.0 DATA SPECIFICATION AND LAYOUT

CUSTOMER

NO	ATTRIBUTE	DATA TYPE
1 PK	customer_id	NUMBER (10)
2	first_name	VARCHAR2 (50)
3	last_name	VARCHAR2 (50)
4	Email	VARCHAR2 (100)
5	phone_number	VARCHAR2 (20)
6	Password	VARCHAR2 (100)
7	date_of_birth	DATE
8	country	VARCHAR2 (50)
9	membership_status	VARCHAR2 (20)
10	registration_date	DATE

HOTEL

NO	ATTRIBUTES	DATA TYPE
1(PK)	hotel_id	NUMBER (10)
2	Hotel_name	VARCHAR2 (50)
3	Address	VARCHAR2 (500)
4	phone_number	VARCHAR2 (10)
5	Email	VARCHAR2 (200)
6	manager_name	VARCHAR2 (50)
7	num_of_rooms	NUMBER (10)
8	status	VARCHAR2 (20)
9	Rating	NUMBER (2,1)
10	Website	CLOB

AGODA APP BASED DATABASE

FLIGHTS

NO	ATTRIBUTE	DATA TYPE
1(PK)	flight_no	NUMBER (10)
2	flight_name	VARCHAR2 (50)
3	time_depart	DATE
4	time_arrived	DATE
5	date_depart	DATE
6	date_arrived	DATE
7	Origin	VARCHAR2 (50)
8	Destination	VARCHAR2 (50)
9	flight_status	VARCHAR2 (50)
10	seat_capacity	VARCHAR2 (5)

APARTMENT

NO	ATTRIBUTE	DATA TYPE
1(PK)	apt_id	NUMBER (10)
2	landlord_name	VARCHAR2 (50)
3	apt_address	VARCHAR2 (200)
4	UnitNo	NUMBER (5)
5	city	VARCHAR2 (20)
6	rent_per_month	NUMBER (6,2)
7	num_of_rooms	NUMBER (2)
8	max_guests	NUMBER (2)
9	landlord_phone_no	VARCHAR2 (20)
10	utilities_included	VARCHAR2 (20)

AGODA APP BASED DATABASE

TRAVEL_PACKAGE

NO	ATTRIBUTE	DATA TYPE
1(PK)	package_id	NUMBER (10)
2(FK)	hotel_id	NUMBER (10)
3	package_name	VARCHAR2 (20)
4	destination_name	VARCHAR2 (20)
5	Duration	NUMBER (3)
6	Price	NUMBER (6,2)
7	Included_activities	CLOB
8	Start_date	DATE
9	End_date	DATE
10	Availability_status	VARCHAR2 (20)

REVIEW

NO	ATTRIBUTE	DATA TYPE
1(PK)	review_id	NUMBER (10)
2(FK)	hotel_id	NUMBER (10)
3(FK)	customer_id	NUMBER (10)
4(FK)	apt_id	NUMBER (10)
5	would_recommend	VARCHAR2 (500)
6	review_date	DATE
7	cleanliness_score	NUMBER (2)
8	service_score	NUMBER (2)
9	value_score	NUMBER (2)
10	overall_rating	NUMBER (10)

TRANSPORT

NO	ATTRIBUTE	DATA TYPE
1(PK)	transport_id	NUMBER (10)
2(FK)	package_id	NUMBER (10)
3	Type	VARCHAR2 (20)
4	pickup_location	VARCHAR2 (20)
5	dropoff_location	VARCHAR2 (20)
6	pickup_time	TIMESTAMP
7	dropoff_time	TIMESTAMP
8	trip_cost	NUMBER (8,2)
9	service_provider	VARCHAR2 (20)
10	availability_status	VARCHAR2 (20)

ROOM

NO	ATTRIBUTE	DATA TYPE
1(PK)	room_id	NUMBER (10)
2(FK)	hotel_id	NUMBER (10)
3	room_type	VARCHAR2 (20)
4	check_in_date	DATE
5	check_out_date	DATE
6	max_guests	NUMBER (5)
7	price_per_night	NUMBER (8,2)
8	booking_status	VARCHAR2 (20)
9	payment_status	VARCHAR2 (20)
10	availability_status	VARCHAR2 (20)

AGODA APP BASED DATABASE

FLIGHT_BOOKING

NO	ATTRIBUTE	DATA TYPE
1(PK)	booking_id	VARCHAR2 (20)
2(FK)	flight_no	NUMBER (10)
3(FK)	customer_id	NUMBER (10)
4	seat_no	VARCHAR2 (10)
5	booking_date	DATE
6	Fare	NUMBER (6,2)
7	class	VARCHAR2 (20)
8	payment_status	VARCHAR2 (20)
9	booking_status	VARCHAR2 (20)
10	travel_insurance	VARCHAR2 (20)

STAFF

NO	ATTRIBUTES	DATA TYPE
1(PK)	staff_id	NUMBER (10)
2(FK)	hotel_id	NUMBER (10)
3	first_name	VARCHAR2 (50)
4	last_name	VARCHAR2 (50)
5	Position	VARCHAR2 (50)
6	email	VARCHAR2 (100)
7	phone_number	VARCHAR2 (20)
8	hire_date	DATE
9	employment_status	VARCHAR2 (20)
10	Salary	NUMBER (10,2)

PACKAGE_TRANSPORT

NO	ATTRIBUTE	DATA TYPE
1 (PK)	PackageTransport_id	NUMBER (10)
2 (FK)	package_id	NUMBER (10)
3 (FK)	transport_id	NUMBER (10)
4	departure_date	DATE
5	arrival_date	DATE
6	departure_time	TIMESTAMP
7	arrival_time	TIMESTAMP
8	pickup_location	VARCHAR2 (50)
9	dropoff_location	VARCHAR2 (50)
10	price_included	NUMBER (8,2)

RESERVATION

NO	ATTRIBUTE	DATA TYPE
1(PK)	reservation_id	NUMBER (10)
2(FK)	customer_id	NUMBER (10)
3(FK)	transport_id	NUMBER (10)
4(FK)	room_id	NUMBER (10)
5(FK)	hotel_id	NUMBER (10)
6(FK)	apt_id	NUMBER (10)
7	check_in_date	DATE
8	check_out_date	DATE
9	reservation_status	VARCHAR2 (20)
10	total_price	NUMBER (8,2)

7.0 SQL STATEMENTS AND OUTPUT

7.1 CREATING TABLES

7.1.1 CREATING STATEMENTS

```
CREATE TABLE Customer (
    customer_id      NUMBER(10) PRIMARY KEY,
    first_name       VARCHAR2(50) NOT NULL,
    last_name        VARCHAR2(50) NOT NULL,
    email            VARCHAR2(100) UNIQUE NOT NULL,
    phone_number     VARCHAR2(20),
    password         VARCHAR2(100) NOT NULL,
    date_of_birth    DATE,
    country          VARCHAR2(50),
    membership_status VARCHAR2(20) DEFAULT 'Regular'
    CHECK (membership_status IN ('Regular', 'Silver', 'Gold',
    'Platinum')),
    registration_date DATE DEFAULT SYSDATE
);

CREATE TABLE Hotel (
    hotel_id NUMBER PRIMARY KEY,
    hotel_name VARCHAR2(50) NOT NULL,
    address VARCHAR2(500) NOT NULL,
    phone_number VARCHAR2(10),
    email VARCHAR2(200) UNIQUE NOT NULL,
    manager_name VARCHAR2(50),
    num_of_rooms NUMBER,
    status VARCHAR2(20),
    rating NUMBER(2, 1),
    website CLOB
);

CREATE TABLE FLIGHTS(
    flight_no NUMBER(10) PRIMARY KEY,
    flight_name VARCHAR2(50),
    time_depart DATE ,
    time_arrived DATE,
    date_depart DATE,
    date_arrived DATE,
    origin VARCHAR2(50),
    destination VARCHAR2 (50),
    flight_status VARCHAR2(50),
    seat_capacity VARCHAR2 (5)
);

CREATE TABLE APARTMENT(
    apt_id NUMBER(10) PRIMARY KEY,
    landlord_name VARCHAR2(50),
    apt_address VARCHAR2(200),
    unitNo NUMBER(5),
    city VARCHAR2(20),
    rent_per_month NUMBER(6,2),
    num_of_rooms NUMBER(2),
    max_guests NUMBER(2),
    landlord_phone_no VARCHAR2(20),
    utilities_included VARCHAR2(20)
);

CREATE TABLE TRAVEL_PACKAGE (
    package_id      NUMBER(10) GENERATED BY DEFAULT AS IDENTITY PRIMARY KEY,
    hotel_id        NUMBER(10) NOT NULL,
    package_name    VARCHAR2(20) NOT NULL,
```

AGODA APP BASED DATABASE

```
destination_name    VARCHAR2(20),
duration            NUMBER(3),
price               NUMBER(6,2) CHECK (price >= 0) NOT NULL,
Included_activities CLOB,
Start_date          DATE,
End_date            DATE,
Availability_status VARCHAR2(20) DEFAULT 'Available'
                  CHECK (Availability_status IN ('Available', 'Full',
'Cancelled')),

CONSTRAINT fk_travel_package_hotel
FOREIGN KEY (hotel_id)
REFERENCES Hotel(hotel_id)
);

CREATE TABLE REVIEW (
review_id           NUMBER(10)          PRIMARY KEY,
hotel_id            NUMBER(10)          NOT NULL,
customer_id         NUMBER(10)          NOT NULL,
apt_id              NUMBER(10)          NOT NULL,
would_recommend     VARCHAR2(255),
review_date         DATE,
cleanliness_score   NUMBER(10),
service_score       NUMBER(10),
value_score         NUMBER(10),
overall_rating      NUMBER(10),

CONSTRAINT fk_review_customer
FOREIGN KEY (customer_id)
REFERENCES Customer(customer_id),

CONSTRAINT fk_review_apartment
FOREIGN KEY (apt_id)
REFERENCES Apartment(apt_id)
);

//child
CREATE TABLE TRANSPORT (
transport_id        NUMBER(10) PRIMARY KEY,
package_id          NUMBER(10) NOT NULL,
type                VARCHAR2(20) NOT NULL,
pickup_location     VARCHAR2(20),
dropoff_location    VARCHAR2(20),
pickup_time         TIMESTAMP,
dropoff_time        TIMESTAMP,
trip_cost           NUMBER(8,2) CHECK (trip_cost >= 0) NOT NULL,
service_provider    VARCHAR2(20),
availability_status VARCHAR2(20) DEFAULT 'On Time'
                  CHECK (availability_status IN ('On Time', 'Delayed',
'Cancelled')),
FOREIGN KEY (package_id) REFERENCES TRAVEL_PACKAGE(package_id)
);

CREATE TABLE ROOM (
room_id             NUMBER(10)          PRIMARY KEY,
hotel_id            NUMBER(10),
room_type           VARCHAR2(50),
check_in_date       DATE,
check_out_date      DATE,
max_guests          NUMBER(10),
price_per_night     NUMBER(10,2),
booking_status      VARCHAR2(30),
payment_status      VARCHAR2(30),
availability_status VARCHAR2(30),
CONSTRAINT hotel_id_fk FOREIGN KEY (hotel_id)
REFERENCES HOTEL (hotel_id)
);
```

AGODA APP BASED DATABASE

```
CREATE TABLE FLIGHT_BOOKING(
    booking_id VARCHAR2(20),
    flight_no NUMBER(10),
    customer_id NUMBER(10),
    seat_no VARCHAR2(10),
    booking_date DATE,
    Fare NUMBER(6,2),
    class VARCHAR2(20),
    payment_status VARCHAR2(20),
    booking_status VARCHAR2(20),
    travel_insurance VARCHAR2(20),
    CONSTRAINT booking_id_pk PRIMARY KEY(booking_id),
    CONSTRAINT flight_no_fk FOREIGN KEY (flight_no)
    REFERENCES FLIGHTS (flight_no),
    CONSTRAINT customer_id_fk FOREIGN KEY (customer_id)
    REFERENCES CUSTOMER (customer_id)
);

CREATE TABLE Staff (
    staff_id          NUMBER GENERATED BY DEFAULT AS IDENTITY PRIMARY KEY,
    hotel_id          NUMBER NOT NULL,
    first_name        VARCHAR2(50) NOT NULL,
    last_name         VARCHAR2(50) NOT NULL,
    position          VARCHAR2(50) NOT NULL,
    email             VARCHAR2(100) UNIQUE NOT NULL,
    phone_number      VARCHAR2(20),
    hire_date         DATE DEFAULT SYSDATE,
    employment_status VARCHAR2(20) DEFAULT 'Active'
    CHECK (employment_status IN ('Active', 'Inactive', 'On
Leave')),
    salary            NUMBER(10,2) CHECK (salary >= 0),
    CONSTRAINT fk_hotel
        FOREIGN KEY (hotel_id)
        REFERENCES Hotel(hotel_id)
        ON DELETE CASCADE
);

CREATE TABLE PACKAGE_TRANSPORT (
    PackageTransport_id    NUMBER(10) PRIMARY KEY,
    package_id             NUMBER(10) NOT NULL,
    transport_id           NUMBER(10) NOT NULL,
    departure_date         DATE,
    arrival_date          DATE,
    departure_time         TIMESTAMP,
    arrival_time           TIMESTAMP,
    pickup_location        VARCHAR2(50),
    dropoff_location       VARCHAR2(50),
    price_included         NUMBER(8,2) CHECK (price_included >= 0),
    FOREIGN KEY (package_id) REFERENCES TRAVEL_PACKAGE(package_id),
    FOREIGN KEY (transport_id) REFERENCES TRANSPORT(transport_id)
);


//cucu
CREATE TABLE Reservation (
    reservation_id NUMBER PRIMARY KEY,
    customer_id NUMBER,
    transport_id NUMBER,
    room_id NUMBER,
    hotel_id NUMBER,
    apt_id NUMBER,
    check_in_date DATE,
    check_out_date DATE,
    reservation_status VARCHAR2(20),
    total_price NUMBER(10, 2),
    CONSTRAINT fk_reservation1
        FOREIGN KEY (customer_id)
        REFERENCES Customer (customer_id) ON DELETE CASCADE,
```

AGODA APP BASED DATABASE

```
CONSTRAINT fk_reservation2
  FOREIGN KEY (transport_id)
  REFERENCES Transport (transport_id) ON DELETE CASCADE,
CONSTRAINT fk_reservation3
  FOREIGN KEY (room_id)
  REFERENCES Room (room_id) ON DELETE CASCADE,
CONSTRAINT fk_reservation4
  FOREIGN KEY (hotel_id)
  REFERENCES Hotel (hotel_id) ON DELETE CASCADE,
CONSTRAINT fk_reservation5
  FOREIGN KEY (apt_id)
  REFERENCES Apartment (apt_id) ON DELETE CASCADE
);
```

7.1.2 CREATING OUTPUT CUSTOMER

Table CUSTOMER created.




Query Result window showing the structure of the CUSTOMER table. The table has 10 columns: CUSTOMER_ID, FIRST_NAME, LAST_NAME, EMAIL, PHONE_NUMBER, PASSWORD, DATE_OF_BIRTH, COUNTRY, MEMBERSHIP_STATUS, and REGISTRATION_DATE. The status indicates 'All rows fetched: 0 in 0.030 seconds'.

CUSTOMER_ID	FIRST_NAME	LAST_NAME	EMAIL	PHONE_NUMBER	PASSWORD	DATE_OF_BIRTH	COUNTRY	MEMBERSHIP_STATUS	REGISTRATION_DATE
-------------	------------	-----------	-------	--------------	----------	---------------	---------	-------------------	-------------------

HOTEL

Table HOTEL created.




Query Result window showing the structure of the HOTEL table. The table has 10 columns: HOTEL_ID, HOTEL_NAME, ADDRESS, PHONE_NUMBER, EMAIL, MANAGER_NAME, NUM_OF_ROOMS, STATUS, RATING, and WEBSITE. The status indicates 'All rows fetched: 0 in 0.033 seconds'.

HOTEL_ID	HOTEL_NAME	ADDRESS	PHONE_NUMBER	EMAIL	MANAGER_NAME	NUM_OF_ROOMS	STATUS	RATING	WEBSITE
----------	------------	---------	--------------	-------	--------------	--------------	--------	--------	---------

FLIGHTS

Table FLIGHTS created.




Query Result window showing the structure of the FLIGHTS table. The table has 9 columns: FLIGHT_NO, FLIGHT_NAME, TIME_DEPART, TIME_ARRIVED, DATE_DEPART, DATE_ARRIVED, ORIGIN, DESTINATION, and FLIGHT_STATUS. The status indicates 'All rows fetched: 0 in 0.030 seconds'.

FLIGHT_NO	FLIGHT_NAME	TIME_DEPART	TIME_ARRIVED	DATE_DEPART	DATE_ARRIVED	ORIGIN	DESTINATION	FLIGHT_STATUS
-----------	-------------	-------------	--------------	-------------	--------------	--------	-------------	---------------

AGODA APP BASED DATABASE

APARTMENT

Table APARTMENT created.




The screenshot shows a database query result interface. At the top, there is a search bar and a navigation menu with options: PROBLEMS, OUTPUT, DEBUG CONSOLE, TERMINAL, PORTS, QUERY RESULT (selected), SCRIPT OUTPUT, SQL HISTORY, and TASK MONITOR. Below the menu, it says "All rows fetched: 0 in 0.028 seconds". The table has the following columns: APT_ID, LANDLORD_NAME, APT_ADDRESS, UNITNO, CITY, RENT_PER_MONTH, NUM_OF_ROOMS, MAX_GUESTS, LANDLORD_PHONE_NO, and UTILITIES_INCLUDED. The table body is empty.

APT_ID	LANDLORD_NAME	APT_ADDRESS	UNITNO	CITY	RENT_PER_MONTH	NUM_OF_ROOMS	MAX_GUESTS	LANDLORD_PHONE_NO	UTILITIES_INCLUDED
--------	---------------	-------------	--------	------	----------------	--------------	------------	-------------------	--------------------

PACKAGE

Table TRAVEL_PACKAGE created.




The screenshot shows a database query result interface. At the top, there is a search bar and a navigation menu with options: PROBLEMS, OUTPUT, DEBUG CONSOLE, TERMINAL, PORTS, QUERY RESULT (selected), SCRIPT OUTPUT, SQL HISTORY, and TASK MONITOR. Below the menu, it says "All rows fetched: 0 in 0.021 seconds". The table has the following columns: PACKAGE_ID, HOTEL_ID, PACKAGE_NAME, DESTINATION_NAME (highlighted), DURATION, PRICE, INCLUDED_ACTIVITI_, START_DATE, END_DATE, and AVAILABILITY_STATUS. The table body is empty.

PACKAGE_ID	HOTEL_ID	PACKAGE_NAME	DESTINATION_NAME	DURATION	PRICE	INCLUDED_ACTIVITI_	START_DATE	END_DATE	AVAILABILITY_STATUS
------------	----------	--------------	------------------	----------	-------	--------------------	------------	----------	---------------------

REVIEW

Table REVIEW created.



The screenshot shows a database query result interface. At the top, there is a search bar and a navigation menu with options: PROBLEMS, OUTPUT, DEBUG CONSOLE, TERMINAL, PORTS, QUERY RESULT (selected), SCRIPT OUTPUT, SQL HISTORY, and TASK MONITOR. Below the menu, it says "All rows fetched: 0 in 0.032 seconds". The table has the following columns: REVIEW_ID, HOTEL_ID, CUSTOMER_ID, APT_ID, WOULD_RECOMMEND, REVIEW_DATE, CLEANLINESS_SCORE, SERVICE_SCORE, VALUE_SCORE, and OVERALL_RATING. The table body is empty.

REVIEW_ID	HOTEL_ID	CUSTOMER_ID	APT_ID	WOULD_RECOMMEND	REVIEW_DATE	CLEANLINESS_SCORE	SERVICE_SCORE	VALUE_SCORE	OVERALL_RATING
-----------	----------	-------------	--------	-----------------	-------------	-------------------	---------------	-------------	----------------

AGODA APP BASED DATABASE

TRANSPORT

Table TRANSPORT created.

TRANSPORT_ID	PACKAGE_ID	TYPE	PICKUP_LOCATION	DROPOFF_LOCATION	PICKUP_TIME	DROPOFF_TIME	TRIP_COST	SERVICE_PROVIDER	AVAILABILITY_STATUS
--------------	------------	------	-----------------	------------------	-------------	--------------	-----------	------------------	---------------------

ROOM

Table ROOM created.

ROOM_ID	HOTEL_ID	ROOM_TYPE	CHECK_IN_DATE	CHECK_OUT_DATE	MAX_GUESTS	PRICE_PER_NIGHT	BOOKING_STATUS	PAYMENT_STATUS	AVAILABILITY_STATUS
---------	----------	-----------	---------------	----------------	------------	-----------------	----------------	----------------	---------------------

FLIGHT_BOOKING


Table FLIGHT_BOOKING created.

BOOKING_ID	FLIGHT_NO	CUSTOMER_ID	SEAT_NO	BOOKING_DATE	FARE	CLASS	PAYMENT_STATUS	BOOKING_STATUS	TRAVEL_INSURANCE
------------	-----------	-------------	---------	--------------	------	-------	----------------	----------------	------------------

AGODA APP BASED DATABASE

STAFF

Table STAFF created.




The screenshot shows a database query result window with the following columns: STAFF_ID, HOTEL_ID, FIRST_NAME, LAST_NAME, POSITION, EMAIL, PHONE_NUMBER, HIRE_DATE, EMPLOYMENT_STATUS, and SALARY. The window indicates that all rows were fetched in 0.030 seconds.

STAFF_ID	HOTEL_ID	FIRST_NAME	LAST_NAME	POSITION	EMAIL	PHONE_NUMBER	HIRE_DATE	EMPLOYMENT_STATUS	SALARY
----------	----------	------------	-----------	----------	-------	--------------	-----------	-------------------	--------

PACKAGE_TRANSPORT

Table PACKAGE_TRANSPORT created.




The screenshot shows a database query result window with the following columns: PACKAGETRANSPORT_ID, PACKAGE_ID, TRANSPORT_ID, DEPARTURE_DATE, ARRIVAL_DATE, DEPARTURE_TIME, ARRIVAL_TIME, PICKUP_LOCATION, DROPOFF_LOCATION, and PRICE_INCLUI. The window indicates that all rows were fetched in 0.019 seconds.

PACKAGETRANSPORT_ID	PACKAGE_ID	TRANSPORT_ID	DEPARTURE_DATE	ARRIVAL_DATE	DEPARTURE_TIME	ARRIVAL_TIME	PICKUP_LOCATION	DROPOFF_LOCATION	PRICE_INCLUI
---------------------	------------	--------------	----------------	--------------	----------------	--------------	-----------------	------------------	--------------

RESERVATION

Table RESERVATION created.



The screenshot shows a database query result window with the following columns: RESERVATION_ID, CUSTOMER_ID, TRANSPORT_ID, ROOM_ID, HOTEL_ID, APT_ID, CHECK_IN_DATE, CHECK_OUT_DATE, RESERVATION_STATUS, and TOTAL_PRICE. The window indicates that all rows were fetched in 0.035 seconds.

RESERVATION_ID	CUSTOMER_ID	TRANSPORT_ID	ROOM_ID	HOTEL_ID	APT_ID	CHECK_IN_DATE	CHECK_OUT_DATE	RESERVATION_STATUS	TOTAL_PRICE
----------------	-------------	--------------	---------	----------	--------	---------------	----------------	--------------------	-------------

7.2 POPULATE TABLES

7.2.1 POPULATE STATEMENTS

```
--CUSTOMER
INSERT INTO customer (customer_id, first_name, last_name, email, phone_number,
password, date_of_birth, country, membership_status, registration_date)
VALUES (1, 'Alice', 'Tan', 'alice@gmail.com', '0123456789', 'pass123', DATE '1995-06-
15', 'Malaysia', 'Regular', DATE '2025-11-01');
INSERT INTO customer (customer_id, first_name, last_name, email, phone_number,
password, date_of_birth, country, membership_status, registration_date)
VALUES (2, 'Bob', 'Lee', 'bob@gmail.com', '0198765432', 'pass456', DATE '1990-12-
01', 'Singapore', 'Silver', DATE '2025-11-02');
INSERT INTO customer (customer_id, first_name, last_name, email, phone_number,
password, date_of_birth, country, membership_status, registration_date)
VALUES (3, 'Charlie', 'Wong', 'charlie@gmail.com', '0112345678', 'pass789', DATE '1988-
03-22', 'Malaysia', 'Gold', DATE '2025-11-03');
INSERT INTO customer (customer_id, first_name, last_name, email, phone_number,
password, date_of_birth, country, membership_status, registration_date)
VALUES (4, 'Diana', 'Lim', 'diana@gmail.com', '0179876543', 'pass321', DATE '1992-07-
30', 'Thailand', 'Platinum', DATE '2025-11-04');
INSERT INTO customer (customer_id, first_name, last_name, email, phone_number,
password, date_of_birth, country, membership_status, registration_date)
VALUES (5, 'Ethan', 'Ng', 'ethan@gmail.com', '0161234567', 'pass654', DATE '1996-11-
05', 'Malaysia', 'Regular', DATE '2025-11-05');
INSERT INTO customer (customer_id, first_name, last_name, email, phone_number,
password, date_of_birth, country, membership_status, registration_date)
VALUES (6, 'Fiona', 'Chong', 'fiona@gmail.com', '0137654321', 'pass987', DATE '1993-01-
12', 'Singapore', 'Silver', DATE '2025-11-06');
INSERT INTO customer (customer_id, first_name, last_name, email, phone_number,
password, date_of_birth, country, membership_status, registration_date)
VALUES (7, 'George', 'Tan', 'george@gmail.com', '0141122334', 'pass147', DATE '1987-09-
19', 'Indonesia', 'Gold', DATE '2025-11-07');
INSERT INTO customer (customer_id, first_name, last_name, email, phone_number,
password, date_of_birth, country, membership_status, registration_date)
VALUES (8, 'Hannah', 'Lim', 'hannah@gmail.com', '0189988776', 'pass258', DATE '1994-04-
25', 'Malaysia', 'Platinum', DATE '2025-11-08');
INSERT INTO customer (customer_id, first_name, last_name, email, phone_number,
password, date_of_birth, country, membership_status, registration_date)
VALUES (9, 'Ian', 'Lee', 'ian@gmail.com', '0156677889', 'pass369', DATE '1991-08-
10', 'Singapore', 'Regular', DATE '2025-11-09');
INSERT INTO customer (customer_id, first_name, last_name, email, phone_number,
password, date_of_birth, country, membership_status, registration_date)
VALUES (10, 'Julia', 'Ng', 'julia@gmail.com', '0191122334', 'pass741', DATE '1997-12-
28', 'Malaysia', 'Silver', DATE '2025-11-10');

--HOTEL
INSERT INTO Hotel VALUES
(1, 'Bali Resort', 'Bali, Indonesia', '0111234567', 'contact@bali resort.com', 'Made
Santoso', 120, 'Open', 4.5, 'www.bali resort.com');
INSERT INTO Hotel VALUES
(2, 'Tokyo Hotel', 'Tokyo, Japan', '0122345678', 'info@tokyohotel.com', 'Hiroshi
Tanaka', 200, 'Open', 4.7, 'www.tokyohotel.com');
INSERT INTO Hotel VALUES
(3, 'Phuket Resort', 'Phuket, Thailand', '0133456789', 'support@phuketresort.com',
'Somchai Chaiyawan', 150, 'Open', 4.4, 'www.phuketresort.com');
INSERT INTO Hotel VALUES
```

AGODA APP BASED DATABASE

```
(4, 'Kyoto Inn', 'Kyoto, Japan', '0144567890', 'hello@kyotoinn.com', 'Yuki Nakamura', 80, 'Open', 4.6, 'www.kyotoinn.com');
INSERT INTO Hotel VALUES
(5, 'Langkawi Resort', 'Langkawi, Malaysia', '0155678901',
'contact@langkawiresort.com', 'Aminah Abdullah', 140, 'Open', 4.3,
'www.langkawiresort.com');
INSERT INTO Hotel VALUES
(6, 'Seoul Hotel', 'Seoul, Korea', '0166789012', 'info@seoulhotel.com', 'Kim Min-jun', 160, 'Open', 4.8, 'www.seoulhotel.com');
INSERT INTO Hotel VALUES
(7, 'Paris Hotel', 'Paris, France', '0177890123', 'reservations@parishotel.com', 'Julien Dupont', 180, 'Open', 4.9, 'www.parishotel.com');
INSERT INTO Hotel VALUES
(8, 'Johannesburg Lodge', 'Johannesburg, South Africa', '0188901234',
'contact@joburglodge.com', 'Thabo Mokoena', 110, 'Open', 4.2,
'www.johannesburglodge.com');
INSERT INTO Hotel VALUES
(9, 'Hokkaido Hotel', 'Hokkaido, Japan', '0199012345', 'info@hokkaidohotel.com', 'Satoshi Fujimoto', 130, 'Open', 4.7, 'www.hokkaidohotel.com');
INSERT INTO Hotel VALUES
(10, 'Maldives Resort', 'Maldives', '0100123456', 'stay@maldivesresort.com', 'Ibrahim Hassan', 90, 'Open', 5.0, 'www.maldivesresort.com');
INSERT INTO Hotel VALUES
(11, 'Rome Hotel', 'Rome, Italy', '0110234567', 'info@romehotel.com', 'Marco Romano', 170, 'Open', 4.6, 'www.romehotel.com');
INSERT INTO Hotel VALUES
(12, 'Bangkok Inn', 'Bangkok, Thailand', '0121345678', 'contact@bangkokinn.com', 'Nattaya Kittipong', 140, 'Open', 4.4, 'www.bangkokinn.com');
INSERT INTO Hotel VALUES
(13, 'Phuket Beach Villas', 'Phuket, Thailand', '0132456789',
'stay@phuketbeachvillas.com', 'Ananda Preecha', 60, 'Open', 4.5,
'www.phuketbeachvillas.com');

--FLIGHTS
INSERT INTO FLIGHTS VALUES (1001, 'Malaysia Airlines MH123',
TO_DATE('08:30', 'HH24:MI'), TO_DATE('11:45', 'HH24:MI'),
TO_DATE('2025-12-01', 'YYYY-MM-DD'), TO_DATE('2025-12-01', 'YYYY-MM-DD'),
'Kuala Lumpur', 'Tokyo', 'On Time', '250');
INSERT INTO FLIGHTS VALUES (1002, 'AirAsia AK789',
TO_DATE('14:10', 'HH24:MI'), TO_DATE('16:50', 'HH24:MI'),
TO_DATE('2025-12-02', 'YYYY-MM-DD'), TO_DATE('2025-12-02', 'YYYY-MM-DD'),
'Penang', 'Bangkok', 'Delayed', '180');
INSERT INTO FLIGHTS VALUES (1003, 'Singapore Airlines SQ456',
TO_DATE('09:00', 'HH24:MI'), TO_DATE('13:20', 'HH24:MI'),
TO_DATE('2025-12-03', 'YYYY-MM-DD'), TO_DATE('2025-12-03', 'YYYY-MM-DD'),
'Singapore', 'Seoul', 'On Time', '300');
INSERT INTO FLIGHTS VALUES (1004, 'Emirates EK343',
TO_DATE('23:50', 'HH24:MI'), TO_DATE('05:30', 'HH24:MI'),
TO_DATE('2025-12-04', 'YYYY-MM-DD'), TO_DATE('2025-12-05', 'YYYY-MM-DD'),
'Kuala Lumpur', 'Dubai', 'On Time', '350');
INSERT INTO FLIGHTS VALUES (1005, 'Qatar Airways QR847',
TO_DATE('18:15', 'HH24:MI'), TO_DATE('22:00', 'HH24:MI'),
TO_DATE('2025-12-05', 'YYYY-MM-DD'), TO_DATE('2025-12-05', 'YYYY-MM-DD'),
'Doha', 'London', 'Cancelled', '280');
INSERT INTO FLIGHTS VALUES (1006, 'Batik Air OD112',
TO_DATE('07:45', 'HH24:MI'), TO_DATE('09:30', 'HH24:MI'),
TO_DATE('2025-12-06', 'YYYY-MM-DD'), TO_DATE('2025-12-06', 'YYYY-MM-DD'),
'Kuala Lumpur', 'Singapore', 'On Time', '160');
```

AGODA APP BASED DATABASE

```
INSERT INTO FLIGHTS VALUES (1007, 'Japan Airlines JL708',
    TO_DATE('10:30', 'HH24:MI'), TO_DATE('17:00', 'HH24:MI'),
    TO_DATE('2025-12-07', 'YYYY-MM-DD'), TO_DATE('2025-12-07', 'YYYY-MM-DD'),
    'Tokyo', 'Los Angeles', 'On Time', '320');
INSERT INTO FLIGHTS VALUES (1008, 'Turkish Airlines TK061',
    TO_DATE('01:20', 'HH24:MI'), TO_DATE('07:20', 'HH24:MI'),
    TO_DATE('2025-12-08', 'YYYY-MM-DD'), TO_DATE('2025-12-08', 'YYYY-MM-DD'),
    'Istanbul', 'Kuala Lumpur', 'Delayed', '290');
INSERT INTO FLIGHTS VALUES (1009, 'AirAsia X D7210',
    TO_DATE('12:00', 'HH24:MI'), TO_DATE('20:00', 'HH24:MI'),
    TO_DATE('2025-12-09', 'YYYY-MM-DD'), TO_DATE('2025-12-09', 'YYYY-MM-DD'),
    'Kuala Lumpur', 'Sydney', 'On Time', '330');
INSERT INTO FLIGHTS VALUES (1010, 'Etihad EY411',
    TO_DATE('21:45', 'HH24:MI'), TO_DATE('03:00', 'HH24:MI'),
    TO_DATE('2025-12-10', 'YYYY-MM-DD'), TO_DATE('2025-12-11', 'YYYY-MM-DD'),
    'Abu Dhabi', 'Bangkok', 'On Time', '260');

--APARTMENT
INSERT INTO APARTMENT VALUES ( 301, 'Ahmad Zulkifli', 'Jalan Ampang 25, Menara
Harmoni', 12, 'Kuala Lumpur', 1800.00, 2, 4, '012-3456789', 'Yes');
INSERT INTO APARTMENT VALUES (302, 'Lim Wei Han', 'Residensi Damansara, Jalan Kiara
3', 8, 'Kuala Lumpur', 2500.00, 3, 6, '013-8899211', 'No');
INSERT INTO APARTMENT VALUES (303, 'Siti Nur Aina', 'Tingkat 10, Sri Pelangi
Apartment', 10, 'Johor Bahru', 1200.00, 2, 3, '017-2211988', 'Yes');
INSERT INTO APARTMENT VALUES (304, 'Raj Kumar', 'Block B, Taman Mutiara
Heights', 5, 'Penang', 1600.00, 2, 4, '019-7712334', 'Yes');
INSERT INTO APARTMENT VALUES (305, 'Faridah Omar', 'Kondo Sutera Indah, Jalan
Sutera', 15, 'Melaka', 1400.00, 1, 2, '011-56372822', 'No');
INSERT INTO APARTMENT VALUES (306, 'Nurul Shafiqah', 'Residensi Mutiara
Sejati', 3, 'Shah Alam', 1700.00, 2, 3, '014-7273833', 'Yes');
INSERT INTO APARTMENT VALUES (307, 'Jason Tan', 'BayStar Condo, Jalan
Harbour', 21, 'Penang', 2300.00, 3, 5, '012-9988776', 'No');
INSERT INTO APARTMENT VALUES (308, 'Kavitha Devi', 'Vista Impiana Block A', 9, 'Kuala
Lumpur', 2000.00, 2, 4, '016-4412299', 'Yes');
INSERT INTO APARTMENT VALUES (309, 'Hafiz Rahman', 'Lagoon Perdana
Residence', 4, 'Selangor', 1500.00, 2, 3, '018-2211199', 'Yes');
INSERT INTO APARTMENT VALUES (310, 'Cassandra Lee', 'Maple Residences Tower
B', 18, 'Cyberjaya', 1900.00, 2, 4, '010-3456622', 'No');

--TRAVEL_PACKAGE
INSERT INTO TRAVEL_PACKAGE (hotel_id, package_name, destination_name, duration,
price, included_activities, start_date, end_date, availability_status) VALUES
(1, 'Beach Bliss', 'Bali', 4, 899.00, 'Surfing, Spa, Sunset Dinner', DATE '2025-01-
05', DATE '2025-01-09', 'Available');
INSERT INTO TRAVEL_PACKAGE (hotel_id, package_name, destination_name, duration,
price, included_activities, start_date, end_date, availability_status) VALUES
(2, 'City Escape', 'Tokyo', 5, 1299.00, 'City Tour, Sushi Class', DATE '2025-02-
10', DATE '2025-02-15', 'Available');
INSERT INTO TRAVEL_PACKAGE (hotel_id, package_name, destination_name, duration,
price, included_activities, start_date, end_date, availability_status) VALUES
(3, 'Island Hopper', 'Phuket', 3, 499.00, 'Island Hopping, Snorkeling', DATE '2025-
03-02', DATE '2025-03-05', 'Full');
INSERT INTO TRAVEL_PACKAGE (hotel_id, package_name, destination_name, duration,
price, included_activities, start_date, end_date, availability_status) VALUES
(4, 'Heritage Trail', 'Kyoto', 4, 1150.00, 'Temple Visit, Tea Ceremony', DATE
'2025-04-12', DATE '2025-04-16', 'Available');
INSERT INTO TRAVEL_PACKAGE (hotel_id, package_name, destination_name, duration,
price, included_activities, start_date, end_date, availability_status) VALUES
```

AGODA APP BASED DATABASE

```
(5, 'Summer Splash', 'Langkawi', 3, 399.00, 'Cable Car, Mangrove Tour', DATE '2025-05-01', DATE '2025-05-04', 'Cancelled');
INSERT INTO TRAVEL_PACKAGE (hotel_id, package_name, destination_name, duration, price, included_activities, start_date, end_date, availability_status) VALUES
(6, 'Winter Magic', 'Seoul', 6, 1800.00, 'Skiing, Street Food Tour', DATE '2025-12-20', DATE '2025-12-26', 'Available');
INSERT INTO TRAVEL_PACKAGE (hotel_id, package_name, destination_name, duration, price, included_activities, start_date, end_date, availability_status) VALUES
(7, 'Romantic Retreat', 'Paris', 5, 2500.00, 'Eiffel Dinner, River Cruise', DATE '2025-06-01', DATE '2025-06-06', 'Available');
INSERT INTO TRAVEL_PACKAGE (hotel_id, package_name, destination_name, duration, price, included_activities, start_date, end_date, availability_status) VALUES
(8, 'Safari Adventure', 'Johannesburg', 7, 3200.00, 'Safari Drive, Cultural Tour', DATE '2025-07-10', DATE '2025-07-17', 'Available');
INSERT INTO TRAVEL_PACKAGE (hotel_id, package_name, destination_name, duration, price, included_activities, start_date, end_date, availability_status) VALUES
(9, 'Snow Escape', 'Hokkaido', 4, 1600.00, 'Snowboarding, Hot Springs', DATE '2025-01-15', DATE '2025-01-19', 'Full');
INSERT INTO TRAVEL_PACKAGE (hotel_id, package_name, destination_name, duration, price, included_activities, start_date, end_date, availability_status) VALUES
(10, 'Tropical Retreat', 'Maldives', 4, 2900.00, 'Water Villa, Snorkeling', DATE '2025-08-05', DATE '2025-08-09', 'Available');
INSERT INTO TRAVEL_PACKAGE (hotel_id, package_name, destination_name, duration, price, included_activities, start_date, end_date, availability_status) VALUES
(11, 'Historic Europe', 'Rome', 6, 2100.00, 'City Tour, Museum Pass', DATE '2025-09-10', DATE '2025-09-16', 'Available');
INSERT INTO TRAVEL_PACKAGE (hotel_id, package_name, destination_name, duration, price, included_activities, start_date, end_date, availability_status) VALUES
(12, 'Cultural Journey', 'Bangkok', 3, 550.00, 'Temple Visit, Boat Ride', DATE '2025-03-20', DATE '2025-03-23', 'Available');

--REVIEW
INSERT INTO REVIEW VALUES
(3010, 1, 1, 301, 'Yes, this place is peaceful and convenient.',
TO_DATE('2025-01-08','YYYY-MM-DD'), 9, 10, 9, 88);
INSERT INTO REVIEW VALUES
(3020, 2, 2, 302, 'No, the noise level was too high at night.',
TO_DATE('2025-01-12','YYYY-MM-DD'), 6, 7, 6, 50);
INSERT INTO REVIEW VALUES
(3030, 3, 3, 303, 'Yes, friendly staff and clean room.',
TO_DATE('2025-02-03','YYYY-MM-DD'), 8, 9, 8, 90);
INSERT INTO REVIEW VALUES
(3040, 4, 4, 304, 'No, bathroom was not well maintained.',
TO_DATE('2025-02-16','YYYY-MM-DD'), 7, 8, 7, 45);
INSERT INTO REVIEW VALUES
(3050, 5, 5, 305, 'Yes, value for money and good location.',
TO_DATE('2025-02-22','YYYY-MM-DD'), 9, 9, 9, 100);
INSERT INTO REVIEW VALUES
(3060, 6, 6, 306, 'Yes, amazing service and comfortable stay.',
TO_DATE('2025-03-04','YYYY-MM-DD'), 8, 8, 8, 78);
INSERT INTO REVIEW VALUES
(3070, 7, 7, 307, 'No, food quality could be improved.',
TO_DATE('2025-03-08','YYYY-MM-DD'), 6, 7, 6, 66);
INSERT INTO REVIEW VALUES
(3080, 8, 8, 308, 'No, the room was not clean and the staff was unhelpful.',
TO_DATE('2025-03-16','YYYY-MM-DD'), 7, 6, 7, 38);
INSERT INTO REVIEW VALUES
(3090, 9, 9, 309, 'Yes, excellent location and friendly staff.',
```

AGODA APP BASED DATABASE

```
TO_DATE('2025-04-03','YYYY-MM-DD'), 10, 10, 10, 100);
INSERT INTO REVIEW VALUES
(3100, 10, 10, 310, 'No, the amenities were lacking.',
TO_DATE('2025-04-12','YYYY-MM-DD'), 5, 5, 5, 50);

--TRANSPORT
INSERT INTO TRANSPORT (transport_id, package_id, type, pickup_location,
dropoff_location, pickup_time, dropoff_time, trip_cost, service_provider,
availability_status) VALUES
(101, 1, 'Shuttle', 'Airport', 'Hotel', TIMESTAMP '2025-01-05 10:00:00', TIMESTAMP
'2025-01-05 11:00:00', 25.00, 'GrabTravel', 'On Time');
INSERT INTO TRANSPORT (transport_id, package_id, type, pickup_location,
dropoff_location, pickup_time, dropoff_time, trip_cost, service_provider,
availability_status) VALUES
(102, 2, 'Train', 'Narita', 'Tokyo', TIMESTAMP '2025-02-10 14:00:00', TIMESTAMP
'2025-02-10 15:30:00', 40.00, 'JR Line', 'Delayed');
INSERT INTO TRANSPORT (transport_id, package_id, type, pickup_location,
dropoff_location, pickup_time, dropoff_time, trip_cost, service_provider,
availability_status) VALUES
(103, 3, 'Boat', 'Pier 1', 'Phi Phi', TIMESTAMP '2025-03-02 09:00:00', TIMESTAMP
'2025-03-02 10:00:00', 30.00, 'IslandFerry', 'On Time');
INSERT INTO TRANSPORT (transport_id, package_id, type, pickup_location,
dropoff_location, pickup_time, dropoff_time, trip_cost, service_provider,
availability_status) VALUES
(104, 4, 'Bus', 'Kyoto Station', 'Hotel', TIMESTAMP '2025-04-12 13:00:00',
TIMESTAMP '2025-04-12 14:00:00', 12.00, 'KyotoBus', 'On Time');
INSERT INTO TRANSPORT (transport_id, package_id, type, pickup_location,
dropoff_location, pickup_time, dropoff_time, trip_cost, service_provider,
availability_status) VALUES
(105, 5, 'Van', 'Airport', 'Resort', TIMESTAMP '2025-05-01 16:00:00', TIMESTAMP
'2025-05-01 17:00:00', 18.00, 'LangkawiTours', 'Cancelled');
INSERT INTO TRANSPORT (transport_id, package_id, type, pickup_location,
dropoff_location, pickup_time, dropoff_time, trip_cost, service_provider,
availability_status) VALUES
(106, 6, 'Shuttle', 'Incheon', 'Myeongdong', TIMESTAMP '2025-12-20 09:30:00',
TIMESTAMP '2025-12-20 10:30:00', 20.00, 'K-AirportBus', 'On Time');
INSERT INTO TRANSPORT (transport_id, package_id, type, pickup_location,
dropoff_location, pickup_time, dropoff_time, trip_cost, service_provider,
availability_status) VALUES
(107, 7, 'Limo', 'CDG', 'Paris Hotel', TIMESTAMP '2025-06-01 08:00:00', TIMESTAMP
'2025-06-01 09:00:00', 60.00, 'EliteRide', 'On Time');
INSERT INTO TRANSPORT (transport_id, package_id, type, pickup_location,
dropoff_location, pickup_time, dropoff_time, trip_cost, service_provider,
availability_status) VALUES
(108, 8, 'Jeep', 'Safari Camp', 'Reserve', TIMESTAMP '2025-07-10 06:00:00',
TIMESTAMP '2025-07-10 09:00:00', 120.00, 'WildAfrica', 'On Time');
INSERT INTO TRANSPORT (transport_id, package_id, type, pickup_location,
dropoff_location, pickup_time, dropoff_time, trip_cost, service_provider,
availability_status) VALUES
(109, 9, 'Snow Bus', 'Airport', 'Sapporo', TIMESTAMP '2025-01-15 12:00:00',
TIMESTAMP '2025-01-15 13:00:00', 35.00, 'HokkaidoTrans', 'Delayed');
INSERT INTO TRANSPORT (transport_id, package_id, type, pickup_location,
dropoff_location, pickup_time, dropoff_time, trip_cost, service_provider,
availability_status) VALUES
(110, 10, 'Boat', 'Resort Pier', 'Reef', TIMESTAMP '2025-08-05 10:00:00', TIMESTAMP
'2025-08-05 11:30:00', 90.00, 'BlueLagoon', 'On Time');
```

AGODA APP BASED DATABASE

```
INSERT INTO TRANSPORT (transport_id, package_id, type, pickup_location,
dropoff_location, pickup_time, dropoff_time, trip_cost, service_provider,
availability_status) VALUES
(111, 11, 'Bus', 'Hotel', 'Colosseum', TIMESTAMP '2025-09-10 09:00:00', TIMESTAMP
'2025-09-10 09:30:00', 15.00, 'RomeShuttle', 'On Time');
INSERT INTO TRANSPORT (transport_id, package_id, type, pickup_location,
dropoff_location, pickup_time, dropoff_time, trip_cost, service_provider,
availability_status) VALUES
(112, 12, 'Boat', 'River Pier', 'Temple', TIMESTAMP '2025-03-20 14:00:00',
TIMESTAMP '2025-03-20 15:00:00', 10.00, 'BangkokFerry', 'On Time');

--ROOM
INSERT INTO ROOM VALUES
(201, 1, 5001, TO_DATE('2025-01-05','YYYY-MM-DD'), TO_DATE('2025-01-08','YYYY-MM-
DD'),
2, 450.00, 'CONFIRMED', 'PAID', TO_DATE('2025-01-01','YYYY-MM-DD'));
INSERT INTO ROOM VALUES
(202, 2, 5002, TO_DATE('2025-01-10','YYYY-MM-DD'), TO_DATE('2025-01-12','YYYY-MM-
DD'),
3, 620.00, 'PENDING', 'UNPAID', TO_DATE('2025-01-05','YYYY-MM-DD'));
INSERT INTO ROOM VALUES
(203, 3, 5003, TO_DATE('2025-02-01','YYYY-MM-DD'), TO_DATE('2025-02-03','YYYY-MM-
DD'),
2, 380.00, 'CONFIRMED', 'PAID', TO_DATE('2025-01-28','YYYY-MM-DD'));
INSERT INTO ROOM VALUES
(204, 4, 5004, TO_DATE('2025-02-10','YYYY-MM-DD'), TO_DATE('2025-02-15','YYYY-MM-
DD'),
4, 950.00, 'CANCELLED', 'REFUNDED', TO_DATE('2025-02-01','YYYY-MM-DD'));
INSERT INTO ROOM VALUES
(205, 5, 5005, TO_DATE('2025-02-20','YYYY-MM-DD'), TO_DATE('2025-02-22','YYYY-MM-
DD'),
1, 240.00, 'CONFIRMED', 'PAID', TO_DATE('2025-02-10','YYYY-MM-DD'));
INSERT INTO ROOM VALUES
(206, 6, 5006, TO_DATE('2025-03-01','YYYY-MM-DD'), TO_DATE('2025-03-04','YYYY-MM-
DD'),
2, 510.00, 'CONFIRMED', 'PAID', TO_DATE('2025-02-25','YYYY-MM-DD'));
INSERT INTO ROOM VALUES
(207, 7, 5007, TO_DATE('2025-03-05','YYYY-MM-DD'), TO_DATE('2025-03-08','YYYY-MM-
DD'),
3, 730.00, 'PENDING', 'UNPAID', TO_DATE('2025-03-01','YYYY-MM-DD'));
INSERT INTO ROOM VALUES
(208, 8, 5008, TO_DATE('2025-03-15','YYYY-MM-DD'), TO_DATE('2025-03-16','YYYY-MM-
DD'),
2, 310.00, 'CONFIRMED', 'PAID', TO_DATE('2025-03-10','YYYY-MM-DD'));
INSERT INTO ROOM VALUES
(209, 9, 5009, TO_DATE('2025-04-01','YYYY-MM-DD'), TO_DATE('2025-04-03','YYYY-MM-
DD'),
2, 420.00, 'CONFIRMED', 'PAID', TO_DATE('2025-03-25','YYYY-MM-DD'));
INSERT INTO ROOM VALUES
(210, 10, 5010, TO_DATE('2025-04-10','YYYY-MM-DD'), TO_DATE('2025-04-12','YYYY-MM-
DD'),
4, 890.00, 'CANCELLED', 'UNPAID', TO_DATE('2025-04-01','YYYY-MM-DD'));

--FLIGHT_BOOKING
INSERT INTO FLIGHT_BOOKING VALUES
('101A', 1001, 1, '12A', TO_DATE('2025-01-10','YYYY-MM-DD'), 450.00, 'Economy',
'PAID', 'CONFIRMED', 'Yes');
INSERT INTO FLIGHT_BOOKING VALUES
```

AGODA APP BASED DATABASE

```
('102B', 1002, 2, '07C', TO_DATE('2025-01-12','YYYY-MM-DD'), 780.50, 'Business',
'UNPAID', 'PENDING', 'No');
INSERT INTO FLIGHT_BOOKING VALUES
('103C', 1003, 3, '09B', TO_DATE('2025-02-01','YYYY-MM-DD'), 320.00, 'Economy',
'PAID', 'CONFIRMED', 'Yes');
INSERT INTO FLIGHT_BOOKING VALUES
('104D', 1004, 4, '14D', TO_DATE('2025-02-05','YYYY-MM-DD'), 1200.00, 'First
Class', 'PAID', 'CONFIRMED', 'Yes');
INSERT INTO FLIGHT_BOOKING VALUES
('105E', 1005, 5, '18F', TO_DATE('2025-02-10','YYYY-MM-DD'), 510.00, 'Economy',
'UNPAID', 'CANCELLED', 'No');
INSERT INTO FLIGHT_BOOKING VALUES
('106F', 1006, 6, '21A', TO_DATE('2025-03-02','YYYY-MM-DD'), 650.75, 'Economy',
'PAID', 'CONFIRMED', 'No');
INSERT INTO FLIGHT_BOOKING VALUES
('107G', 1007, 7, '03E', TO_DATE('2025-03-04','YYYY-MM-DD'), 890.20, 'Business',
'PAID', 'CONFIRMED', 'Yes');
INSERT INTO FLIGHT_BOOKING VALUES
('108A', 1008, 8, '05C', TO_DATE('2025-03-15','YYYY-MM-DD'), 1500.00, 'First
Class', 'UNPAID', 'PENDING', 'Yes');
INSERT INTO FLIGHT_BOOKING VALUES
('109C', 1009, 9, '11B', TO_DATE('2025-04-01','YYYY-MM-DD'), 480.00, 'Economy',
'PAID', 'CONFIRMED', 'Yes');
INSERT INTO FLIGHT_BOOKING VALUES
('110D', 1010, 10, '06A', TO_DATE('2025-04-05','YYYY-MM-DD'), 910.35, 'Business',
'UNPAID', 'CANCELLED', 'Yes');

--STAFF
INSERT INTO staff (staff_id, hotel_id, first_name, last_name, position, email,
phone_number, hire_date, employment_status, salary)
VALUES (1, 1, 'John', 'Smith', 'Manager', 'john@hotel.com', '0122223333', DATE '2025-01-
10', 'Active', 5000);
INSERT INTO staff (staff_id, hotel_id, first_name, last_name, position, email,
phone_number, hire_date, employment_status, salary)
VALUES (2, 1, 'Mary', 'Lim', 'Receptionist', 'mary@hotel.com', '0124445555', DATE '2025-
02-12', 'Active', 3000);
INSERT INTO staff (staff_id, hotel_id, first_name, last_name, position, email,
phone_number, hire_date, employment_status, salary)
VALUES (3, 2, 'Peter', 'Tan', 'Housekeeping', 'peter@hotel.com', '0131112222', DATE
'2025-03-15', 'Active', 2800);
INSERT INTO staff (staff_id, hotel_id, first_name, last_name, position, email,
phone_number, hire_date, employment_status, salary)
VALUES (4, 2, 'Susan', 'Wong', 'Chef', 'susan@hotel.com', '0143334444', DATE '2025-04-
20', 'Active', 3200);
INSERT INTO staff (staff_id, hotel_id, first_name, last_name, position, email,
phone_number, hire_date, employment_status, salary)
VALUES (5, 3, 'David', 'Ng', 'Manager', 'david@hotel.com', '0155556666', DATE '2025-05-
18', 'Active', 5200);
INSERT INTO staff (staff_id, hotel_id, first_name, last_name, position, email,
phone_number, hire_date, employment_status, salary)
VALUES (6, 3, 'Linda', 'Chong', 'Receptionist', 'linda@hotel.com', '0167778888', DATE
'2025-06-22', 'Active', 3000);
INSERT INTO staff (staff_id, hotel_id, first_name, last_name, position, email,
phone_number, hire_date, employment_status, salary)
VALUES (7, 4, 'Kevin', 'Tan', 'Housekeeping', 'kevin@hotel.com', '0179990000', DATE
'2025-07-05', 'Active', 2800);
INSERT INTO staff (staff_id, hotel_id, first_name, last_name, position, email,
phone_number, hire_date, employment_status, salary)
```


AGODA APP BASED DATABASE

```
VALUES (8, 4, 'Angela', 'Lim', 'Chef', 'angela@hotel.com', '0181122334', DATE '2025-08-12', 'Active', 3200);
INSERT INTO staff (staff_id, hotel_id, first_name, last_name, position, email, phone_number, hire_date, employment_status, salary)
VALUES (9, 5, 'Brian', 'Lee', 'Manager', 'brian@hotel.com', '0194455667', DATE '2025-09-15', 'Active', 5100);
INSERT INTO staff (staff_id, hotel_id, first_name, last_name, position, email, phone_number, hire_date, employment_status, salary)
VALUES (10, 5, 'Catherine', 'Ng', 'Receptionist', 'catherine@hotel.com', '0112233445', DATE '2025-10-20', 'Active', 3000);

--PACKAGE_TRANSPORT
INSERT INTO PACKAGE_TRANSPORT (PackageTransport_id, package_id, transport_id, departure_date, arrival_date, departure_time, arrival_time, pickup_location, dropoff_location, price_included) VALUES
(3212, 1, 101, DATE '2025-01-05', DATE '2025-01-05', TIMESTAMP '2025-01-05 10:00:00', TIMESTAMP '2025-01-05 11:00:00', 'Airport', 'Hotel', 20.00);
INSERT INTO PACKAGE_TRANSPORT (PackageTransport_id, package_id, transport_id, departure_date, arrival_date, departure_time, arrival_time, pickup_location, dropoff_location, price_included) VALUES
(5324, 2, 102, DATE '2025-02-10', DATE '2025-02-10', TIMESTAMP '2025-02-10 14:00:00', TIMESTAMP '2025-02-10 15:30:00', 'Narita', 'Tokyo', 35.00);
INSERT INTO PACKAGE_TRANSPORT (PackageTransport_id, package_id, transport_id, departure_date, arrival_date, departure_time, arrival_time, pickup_location, dropoff_location, price_included) VALUES
(5343, 3, 103, DATE '2025-03-02', DATE '2025-03-02', TIMESTAMP '2025-03-02 09:00:00', TIMESTAMP '2025-03-02 10:00:00', 'Pier 1', 'Phi Phi', 25.00);
INSERT INTO PACKAGE_TRANSPORT (PackageTransport_id, package_id, transport_id, departure_date, arrival_date, departure_time, arrival_time, pickup_location, dropoff_location, price_included) VALUES
(8097, 4, 104, DATE '2025-04-12', DATE '2025-04-12', TIMESTAMP '2025-04-12 13:00:00', TIMESTAMP '2025-04-12 14:00:00', 'Kyoto Station', 'Hotel', 10.00);
INSERT INTO PACKAGE_TRANSPORT (PackageTransport_id, package_id, transport_id, departure_date, arrival_date, departure_time, arrival_time, pickup_location, dropoff_location, price_included) VALUES
(6756, 5, 105, DATE '2025-05-01', DATE '2025-05-01', TIMESTAMP '2025-05-01 16:00:00', TIMESTAMP '2025-05-01 17:00:00', 'Airport', 'Resort', 15.00);
INSERT INTO PACKAGE_TRANSPORT (PackageTransport_id, package_id, transport_id, departure_date, arrival_date, departure_time, arrival_time, pickup_location, dropoff_location, price_included) VALUES
(0384, 6, 106, DATE '2025-12-20', DATE '2025-12-20', TIMESTAMP '2025-12-20 09:30:00', TIMESTAMP '2025-12-20 10:30:00', 'Incheon', 'Myeongdong', 18.00);
INSERT INTO PACKAGE_TRANSPORT (PackageTransport_id, package_id, transport_id, departure_date, arrival_date, departure_time, arrival_time, pickup_location, dropoff_location, price_included) VALUES
(7648, 7, 107, DATE '2025-06-01', DATE '2025-06-01', TIMESTAMP '2025-06-01 08:00:00', TIMESTAMP '2025-06-01 09:00:00', 'CDG', 'Hotel', 50.00);
INSERT INTO PACKAGE_TRANSPORT (PackageTransport_id, package_id, transport_id, departure_date, arrival_date, departure_time, arrival_time, pickup_location, dropoff_location, price_included) VALUES
(6578, 8, 108, DATE '2025-07-10', DATE '2025-07-10', TIMESTAMP '2025-07-10 06:00:00', TIMESTAMP '2025-07-10 09:00:00', 'Safari Camp', 'Reserve', 100.00);
INSERT INTO PACKAGE_TRANSPORT (PackageTransport_id, package_id, transport_id, departure_date, arrival_date, departure_time, arrival_time, pickup_location, dropoff_location, price_included) VALUES
(2938, 9, 109, DATE '2025-01-15', DATE '2025-01-15', TIMESTAMP '2025-01-15 12:00:00', TIMESTAMP '2025-01-15 13:00:00', 'Airport', 'Sapporo', 30.00);
```


AGODA APP BASED DATABASE


```
INSERT INTO PACKAGE_TRANSPORT (PackageTransport_id,package_id, transport_id,
departure_date, arrival_date, departure_time, arrival_time, pickup_location,
dropoff_location, price_included) VALUES
(5746, 10, 110, DATE '2025-08-05', DATE '2025-08-05', TIMESTAMP '2025-08-05
10:00:00', TIMESTAMP '2025-08-05 11:30:00', 'Resort Pier', 'Reef', 75.00);

--RESERVATION
INSERT INTO Reservation VALUES
(1, 1, 101, 201, 1, 301, DATE '2025-01-05', DATE '2025-01-09', 'Confirmed',
899.00);
INSERT INTO Reservation VALUES
(2, 2, 102, 202, 2, 302, DATE '2025-01-12', DATE '2025-01-17', 'Confirmed',
1299.00);
INSERT INTO Reservation VALUES
(3, 3, 103, 203, 3, 303, DATE '2025-02-01', DATE '2025-02-04', 'Cancelled',
499.00);
INSERT INTO Reservation VALUES
(4, 4, 104, 204, 4, 304, DATE '2025-02-18', DATE '2025-02-22', 'Confirmed',
1150.00);
INSERT INTO Reservation VALUES
(5, 5, 105, 205, 5, 305, DATE '2025-03-02', DATE '2025-03-05', 'Pending', 399.00);
INSERT INTO Reservation VALUES
(6, 6, 106, 206, 6, 306, DATE '2025-03-15', DATE '2025-03-21', 'Confirmed',
1800.00);
INSERT INTO Reservation VALUES
(7, 7, 107, 207, 7, 307, DATE '2025-04-01', DATE '2025-04-06', 'Confirmed',
2500.00);
INSERT INTO Reservation VALUES
(8, 8, 108, 208, 8, 308, DATE '2025-04-10', DATE '2025-04-17', 'Confirmed',
3200.00);
INSERT INTO Reservation VALUES
(9, 9, 109, 209, 9, 309, DATE '2025-01-20', DATE '2025-01-24', 'Cancelled',
1600.00);
INSERT INTO Reservation VALUES
(10, 10, 110, 210, 10, 310, DATE '2025-02-25', DATE '2025-03-01', 'Confirmed',
2900.00);
```

AGODA APP BASED DATABASE

7.2.2 POPULATE OUTPUT


Script output sample:



```
1 row inserted.  
1 row inserted.  
1 row inserted.  
1 row inserted.  
1 row inserted.  
1 row inserted.  
1 row inserted.  
1 row inserted.  
1 row inserted.  
1 row inserted.
```

Query result outputs:


CUSTOMER



	CUSTOMER_ID	FIRST_NAME	LAST_NAME	EMAIL	PHONE_NUMBER	PASSWORD	DATE_OF_BIRTH	COUNTRY	MEMBERSHIP_STATUS	REGISTRATION_DATE
1	1	Alice	Tan	alice@gmail.com	0123456789	pass123	15/06/1995 12:00:00	Malaysia	Regular	01/11/2025 12:00:00
2	2	Bob	Lee	bob@gmail.com	0198765432	pass456	01/12/1990 12:00:00	Singapore	Silver	02/11/2025 12:00:00
3	3	Charlie	Wong	charlie@gmail.com	0112345678	pass789	22/03/1988 12:00:00	Malaysia	Gold	03/11/2025 12:00:00
4	4	Diana	Lim	diana@gmail.com	0179876543	pass321	30/07/1992 12:00:00	Thailand	Platinum	04/11/2025 12:00:00
5	5	Ethan	Ng	ethan@gmail.com	0161234567	pass654	05/11/1996 12:00:00	Malaysia	Regular	05/11/2025 12:00:00
6	6	Fiona	Chong	fiona@gmail.com	0137654321	pass987	12/01/1993 12:00:00	Singapore	Silver	06/11/2025 12:00:00
7	7	George	Tan	george@gmail.com	0141122334	pass147	19/09/1987 12:00:00	Indonesia	Gold	07/11/2025 12:00:00
8	8	Hannah	Lim	hannah@gmail.com	0189988776	pass258	25/04/1994 12:00:00	Malaysia	Platinum	08/11/2025 12:00:00
9	9	Ian	Lee	ian@gmail.com	0156677889	pass369	10/08/1991 12:00:00	Singapore	Regular	09/11/2025 12:00:00
10	10	Julia	Ng	julia@gmail.com	0191122334	pass741	28/12/1997 12:00:00	Malaysia	Silver	10/11/2025 12:00:00

AGODA APP BASED DATABASE


HOTEL



Query Result: HOTEL

	HOTEL_ID	HOTEL_NAME	ADDRESS	PHONE_NUMBER	EMAIL	MANAGER_NAME	NUM_OF_ROOMS	STATUS	RATING	WEBSITE
1	1	Bali Resort	Bali, Indonesia	0111234567	contact@baliresort.com	Made Santoso	120	Open	4.5	www.baliresort.com
2	2	Tokyo Hotel	Tokyo, Japan	0122345678	info@tokyohotel.com	Hiroshi Tanaka	200	Open	4.7	www.tokyohotel.com
3	3	Phuket Resort	Phuket, Thailand	0133456789	support@phuketresort.com	Somchai Chaiyawan	150	Open	4.4	www.phuketresort.com
4	4	Kyoto Inn	Kyoto, Japan	0144567890	hello@kyotoinn.com	Yuki Nakamura	80	Open	4.6	www.kyotoinn.com
5	5	Langkawi Resort	Langkawi, Malaysia	0155678901	contact@langkawiresort.com	Aminah Abdullah	140	Open	4.3	www.langkawiresort.com
6	6	Seoul Hotel	Seoul, Korea	0166789012	info@seoulhotel.com	Kim Min-jun	160	Open	4.8	www.seoulhotel.com
7	7	Paris Hotel	Paris, France	0177890123	reservations@parishotel.com	Julien Dupont	180	Open	4.9	www.parishotel.com
8	8	Johannesburg Lodge	Johannesburg, South Africa	0188901234	contact@joburglodge.com	Thabo Mokoena	110	Open	4.2	www.johannesburglodge.com
9	9	Hokkaido Hotel	Hokkaido, Japan	0199012345	info@hokkaidohotel.com	Satoshi Fujimoto	130	Open	4.7	www.hokkaidohotel.com
10	10	Maldives Resort	Maldives	0100123456	stay@maldivesresort.com	Ibrahim Hassan	90	Open	5	www.hokkaidohotel.com
11	11	Rome Hotel	Rome, Italy	0110234567	info@romehotel.com	Marco Romano	170	Open	4.6	www.maldivesresort.com
12	12	Bangkok Inn	Bangkok, Thailand	0121345678	contact@bangkokinn.com	Nattaya Kittipong	140	Open	4.4	www.romehotel.com
13	13	Phuket Beach Villas	Phuket, Thailand	0132456789	stay@phuketbeachvillas.com	Ananda Preecha	60	Open	4.5	www.bangkokinn.com
										www.phuketbeachvillas.com


FLIGHT



Query Result: FLIGHT

	FLIGHT_NO	FLIGHT_NAME	TIME_DEPART	TIME_ARRIVED	DATE_DEPART	DATE_ARRIVED	ORIGIN	DESTINATION	FLIGHT_STATUS	SEAT_CAPACITY
1	1001	Malaysia Airlines MH123	01/11/2025 08:30:00	01/11/2025 11:45:00	01/12/2025 12:00:00	01/12/2025 12:00:00	Kuala Lumpur	Tokyo	On Time	250
2	1002	AirAsia AK789	01/11/2025 02:10:00	01/11/2025 04:50:00	02/12/2025 12:00:00	02/12/2025 12:00:00	Penang	Bangkok	Delayed	180
3	1003	Singapore Airlines SQ456	01/11/2025 09:00:00	01/11/2025 01:20:00	03/12/2025 12:00:00	03/12/2025 12:00:00	Singapore	Seoul	On Time	300
4	1004	Emirates EK343	01/11/2025 11:50:00	01/11/2025 05:30:00	04/12/2025 12:00:00	05/12/2025 12:00:00	Kuala Lumpur	Dubai	On Time	350
5	1005	Qatar Airways QR847	01/11/2025 06:15:00	01/11/2025 10:00:00	05/12/2025 12:00:00	05/12/2025 12:00:00	Doha	London	Cancelled	280
6	1006	Batik Air 00112	01/11/2025 07:45:00	01/11/2025 09:30:00	06/12/2025 12:00:00	06/12/2025 12:00:00	Kuala Lumpur	Singapore	On Time	160
7	1007	Japan Airlines JL700	01/11/2025 10:30:00	01/11/2025 05:00:00	07/12/2025 12:00:00	07/12/2025 12:00:00	Tokyo	Los Angeles	On Time	320
8	1008	Turkish Airlines TK061	01/11/2025 01:20:00	01/11/2025 07:20:00	08/12/2025 12:00:00	08/12/2025 12:00:00	Istanbul	Kuala Lumpur	Delayed	290
9	1009	AirAsia X D7210	01/11/2025 12:00:00	01/11/2025 00:00:00	09/12/2025 12:00:00	09/12/2025 12:00:00	Kuala Lumpur	Sydney	On Time	330
10	1010	Etihad EY411	01/11/2025 09:45:00	01/11/2025 03:00:00	10/12/2025 12:00:00	11/12/2025 12:00:00	Abu Dhabi	Bangkok	On Time	260


APARTMENT



Query Result: APARTMENT

	APT_ID	LANDLORD_NAME	APT_ADDRESS	UNITNO	CITY	RENT_PER_MONTH	NUM_OF_ROOMS	MAX_GUESTS	LANDLORD_PHONE_NO	UTILITIES_INCLUDED
1	301	Ahmad Zulrifli	Jalan Ampang 25, Menara Harmoni	12	Kuala Lumpur	1800	2	4	012-3456789	Yes
2	302	Lim Wei Han	Residensi Damansara, Jalan Kiara 3	8	Kuala Lumpur	2500	3	6	013-8999211	No
3	303	Siti Nur Aina	Tingkat 10, Sri Pelangi Apartment	10	Johor Bahru	1200	2	3	017-2211988	Yes
4	304	Raj Kumar	Block B, Taman Mutiara Heights	5	Penang	1600	2	4	019-7712334	Yes
5	305	Faridah Omar	Kondo Sutera Indah, Jalan Sutera	15	Melaka	1400	1	2	011-56372022	No
6	306	Nurul Shafiqah	Residensi Mutiara Sejati	3	Shah Alam	1700	2	3	014-7273833	Yes
7	307	Jason Tan	BayStar Condo, Jalan Harbour	21	Penang	2300	3	5	012-9988776	No
8	308	Kavitha Devi	Vista Impiana Block A	9	Kuala Lumpur	2000	2	4	016-4412299	Yes
9	309	Hafiz Rahman	Lagoon Perdana Residence	4	Selangor	1500	2	3	018-2211199	Yes
10	310	Cassandra Lee	Maple Residences Tower B	18	Cyberjaya	1900	2	4	010-3456622	No

TRAVEL_PACKAGE



Query Result: TRAVEL_PACKAGE

	PACKAGE_ID	HOTEL_ID	PACKAGE_NAME	DESTINATION_NAME	DURATION	PRICE	INCLUDED_ACTIVITIES	START_DATE	END_DATE	AVAILABILITY_STATUS
1	1	1	Beach Bliss	Bali	4	899	Surfing, Spa, Sunset Dinner	05/01/2025 12:00:00	09/01/2025 12:00:00	Available
2	2	2	City Escape	Tokyo	5	1299	City Tour, Sushi Class	10/02/2025 12:00:00	15/02/2025 12:00:00	Available
3	3	3	Island Hopper	Phuket	3	499	Island Hopping, Snorkeling	02/03/2025 12:00:00	05/03/2025 12:00:00	Full
4	4	4	Heritage Trail	Kyoto	4	1150	Temple Visit, Tea Ceremony	12/04/2025 12:00:00	16/04/2025 12:00:00	Available
5	5	5	Summer Splash	Langkawi	3	399	Cable Car, Mangrove Tour	01/05/2025 12:00:00	04/05/2025 12:00:00	Cancelled
6	6	6	Winter Magic	Seoul	6	1800	Skiing, Street Food Tour	20/12/2025 12:00:00	26/12/2025 12:00:00	Available
7	7	7	Romantic Retreat	Paris	5	2500	Eliffel Dinner, River Cruise	01/06/2025 12:00:00	06/06/2025 12:00:00	Available
8	8	8	Safari Adventure	Johannesburg	7	3200	Safari Drive, Cultural Tour	10/07/2025 12:00:00	17/07/2025 12:00:00	Available
9	9	9	Snow Escape	Hokkaido	4	1600	Snowboarding, Hot Springs	15/01/2025 12:00:00	19/01/2025 12:00:00	Full
10	10	10	Tropical Retreat	Maldives	4	2900	Water Villa, Snorkeling	05/08/2025 12:00:00	09/08/2025 12:00:00	Available
11	11	11	Historic Europe	Rome	6	2100	City Tour, Museum Pass	10/09/2025 12:00:00	16/09/2025 12:00:00	Available
12	12	12	Cultural Journey	Bangkok	3	550	Temple Visit, Boat Ride	20/03/2025 12:00:00	23/03/2025 12:00:00	Available

AGODA APP BASED DATABASE

REVIEW

All rows fetched: 10 in 0.045 seconds										
REVIEW_ID	HOTEL_ID	CUSTOMER_ID	APT_ID	WOULD_RECOMMEND	REVIEW_DATE	CLEANLINESS_SCORE	SERVICE_SCORE	VALUE_SCORE	OVERALL_RATING	
1	3010	1	1	301 Yes, this place is peaceful and convenient.	06/01/2025 12:00:00	9	10	9	88	
2	3020	2	2	302 No, the noise level was too high at night.	12/01/2025 12:00:00	6	7	6	50	
3	3030	3	3	303 Yes, friendly staff and clean room.	03/02/2025 12:00:00	8	9	8	90	
4	3040	4	4	304 No, bathroom was not well maintained.	16/02/2025 12:00:00	7	8	7	45	
5	3050	5	5	305 Yes, value for money and good location.	22/02/2025 12:00:00	9	9	9	100	
6	3060	6	6	306 Yes, amazing service and comfortable stay.	04/03/2025 12:00:00	8	8	8	78	
7	3070	7	7	307 No, food quality could be improved.	08/03/2025 12:00:00	6	7	6	66	
8	3080	8	8	308 No, the room was not clean and the staff was unhelpful.	16/03/2025 12:00:00	7	6	7	38	
9	3090	9	9	309 Yes, excellent location and friendly staff.	03/04/2025 12:00:00	10	10	10	100	
10	3100	10	10	310 No, the amenities were lacking.	12/04/2025 12:00:00	5	5	5	50	

TRANSPORT

All rows fetched: 12 in 0.028 seconds										
TRANSPORT_ID	PACKAGE_ID	TYPE	PICKUP_LOCATION	DROPOFF_LOCATION	PICKUP_TIME	DROPOFF_TIME	TRIP_COST	SERVICE_PROVIDER	AVAILABILITY_STATUS	
1	101	1 Shuttle	Airport	Hotel	2025-01-05T10:00	2025-01-05T11:00	25	GrabTravel	On Time	
2	102	2 Train	Narita	Tokyo	2025-02-10T14:00	2025-02-10T15:30	40	JR Line	Delayed	
3	103	3 Boat	Pier 1	Phi Phi	2025-03-02T09:00	2025-03-02T10:00	30	IslandFerry	On Time	
4	104	4 Bus	Kyoto Station	Hotel	2025-04-12T13:00	2025-04-12T14:00	12	KyotoBus	On Time	
5	105	5 Van	Airport	Resort	2025-05-01T16:00	2025-05-01T17:00	18	LangkawiTours	Cancelled	
6	106	6 Shuttle	Incheon	Myeongdong	2025-12-20T09:30	2025-12-20T10:30	20	K-AirportBus	On Time	
7	107	7 Limo	CDG	Paris Hotel	2025-06-01T08:00	2025-06-01T09:00	60	EliteRide	On Time	
8	108	8 Jeep	Safari Camp	Reserve	2025-07-10T06:00	2025-07-10T09:00	120	WildAfrica	On Time	
9	109	9 Snow Bus	Airport	Sapporo	2025-01-15T12:00	2025-01-15T13:00	35	HokkaidoTrans	On Time	
10	110	10 Boat	Resort Pier	Reef	2025-08-05T10:00	2025-08-05T11:30	90	BlueLagoon	Delayed	
11	111	11 Bus	Hotel	Colosseum	2025-09-10T09:00	2025-09-10T09:30	15	RomeShuttle	On Time	
12	112	12 Boat	River Pier	Temple	2025-03-20T14:00	2025-03-20T15:00	10	BangkokFerry	On Time	

ROOM

All rows fetched: 10 in 0.025 seconds										
ROOM_ID	HOTEL_ID	ROOM_TYPE	CHECK_IN_DATE	CHECK_OUT_DATE	MAX_GUESTS	PRICE_PER_NIGHT	BOOKING_STATUS	PAYMENT_STATUS	AVAILABILITY_STATUS	
1	201	1 5001	05/01/2025 12:00:00	08/01/2025 12:00:00	2	450	CONFIRMED	PAID	01-JAN-25	
2	202	2 5002	10/01/2025 12:00:00	12/01/2025 12:00:00	3	620	PENDING	UNPAID	05-JAN-25	
3	203	3 5003	01/02/2025 12:00:00	03/02/2025 12:00:00	2	380	CONFIRMED	PAID	20-JAN-25	
4	204	4 5004	10/02/2025 12:00:00	15/02/2025 12:00:00	4	950	CANCELLED	REFUNDED	01-FEB-25	
5	205	5 5005	20/02/2025 12:00:00	22/02/2025 12:00:00	1	240	CONFIRMED	PAID	10-FEB-25	
6	206	6 5006	01/03/2025 12:00:00	04/03/2025 12:00:00	2	510	CONFIRMED	PAID	25-FEB-25	
7	207	7 5007	05/03/2025 12:00:00	08/03/2025 12:00:00	3	730	PENDING	UNPAID	01-MAR-25	
8	208	8 5008	15/03/2025 12:00:00	16/03/2025 12:00:00	2	310	CONFIRMED	PAID	10-MAR-25	
9	209	9 5009	01/04/2025 12:00:00	03/04/2025 12:00:00	2	420	CONFIRMED	PAID	25-MAR-25	
10	210	10 5010	10/04/2025 12:00:00	12/04/2025 12:00:00	4	890	CANCELLED	UNPAID	01-APR-25	

FLIGHT_BOOKING

All rows fetched: 10 in 0.018 seconds										
BOOKING_ID	FLIGHT_NO	CUSTOMER_ID	SEAT_NO	BOOKING_DATE	FARE	CLASS	PAYMENT_STATUS	BOOKING_STATUS	TRAVEL_INSURANCE	
1	101A	1001	1 12A	10/01/2025 12:00:00	450	Economy	PAID	CONFIRMED	Yes	
2	102B	1002	2 07C	12/01/2025 12:00:00	780.5	Business	UNPAID	PENDING	No	
3	103C	1003	3 09B	01/02/2025 12:00:00	320	Economy	PAID	CONFIRMED	Yes	
4	104D	1004	4 14D	05/02/2025 12:00:00	1200	First Class	PAID	CONFIRMED	Yes	
5	105E	1005	5 18F	10/02/2025 12:00:00	510	Economy	UNPAID	CANCELLED	No	
6	106F	1006	6 21A	02/03/2025 12:00:00	650.75	Economy	PAID	CONFIRMED	No	
7	107G	1007	7 03E	04/03/2025 12:00:00	890.2	Business	PAID	CONFIRMED	Yes	
8	108A	1008	8 05C	15/03/2025 12:00:00	1500	First Class	UNPAID	PENDING	Yes	
9	109C	1009	9 11B	01/04/2025 12:00:00	480	Economy	PAID	CONFIRMED	Yes	
10	110D	1010	10 06A	05/04/2025 12:00:00	910.35	Business	UNPAID	CANCELLED	Yes	

AGODA APP BASED DATABASE

STAFF

	STAFF_ID	HOTEL_ID	FIRST_NAME	LAST_NAME	POSITION	EMAIL	PHONE_NUMBER	HIRE_DATE	EMPLOYMENT_STATUS	SALARY
1	1	1	John	Smith	Manager	john@hotel.com	0122223333	10/01/2025 12:00:00	Active	5000
2	2	1	Mary	Lim	Receptionist	mary@hotel.com	0124445555	12/02/2025 12:00:00	Active	3000
3	3	2	Peter	Tan	Housekeeping	peter@hotel.com	0131112222	15/03/2025 12:00:00	Active	2800
4	4	2	Susan	Wong	Chef	susan@hotel.com	0143334444	20/04/2025 12:00:00	Active	3200
5	5	3	David	Ng	Manager	david@hotel.com	0155556666	18/05/2025 12:00:00	Active	5200
6	6	3	Linda	Chong	Receptionist	linda@hotel.com	0167778888	22/06/2025 12:00:00	Active	3000
7	7	4	Kevin	Tan	Housekeeping	kevin@hotel.com	0179990000	05/07/2025 12:00:00	Active	2800
8	8	4	Angela	Lim	Chef	angela@hotel.com	0181122334	12/08/2025 12:00:00	Active	3200
9	9	5	Brian	Lee	Manager	brian@hotel.com	0194455667	15/09/2025 12:00:00	Active	5100
10	10	5	Catherine	Ng	Receptionist	catherine@hotel.com	0112233445	20/10/2025 12:00:00	Active	3000

PACKAGE_TRANSPORT

	PACKAGETRANSPORT_ID	PACKAGE_ID	TRANSPORT_ID	DEPARTURE_DATE	ARRIVAL_DATE	DEPARTURE_TIME	ARRIVAL_TIME	PICKUP_LOCATI	DROPOFF_LOCATION	PRICE_INCLUDED
1	3212	1	101	05/01/2025 12:00:00	05/01/2025 12:00:00	2025-01-05T10:00	2025-01-05T11:00	Airport	Hotel	20
2	5324	2	102	10/02/2025 12:00:00	10/02/2025 12:00:00	2025-02-10T14:00	2025-02-10T15:30	Narita	Tokyo	35
3	5343	3	103	02/03/2025 12:00:00	02/03/2025 12:00:00	2025-03-02T09:00	2025-03-02T10:00	Pier 1	Phi Phi	25
4	8097	4	104	12/04/2025 12:00:00	12/04/2025 12:00:00	2025-04-12T13:00	2025-04-12T14:00	Kyoto Station	Hotel	10
5	6756	5	105	01/05/2025 12:00:00	01/05/2025 12:00:00	2025-05-01T16:00	2025-05-01T17:00	Airport	Resort	15
6	384	6	106	20/12/2025 12:00:00	20/12/2025 12:00:00	2025-12-20T09:30	2025-12-20T10:30	Incheon	Myeongdong	10
7	7648	7	107	01/06/2025 12:00:00	01/06/2025 12:00:00	2025-06-01T08:00	2025-06-01T09:00	CDG	Hotel	50
8	6578	8	108	10/07/2025 12:00:00	10/07/2025 12:00:00	2025-07-10T06:00	2025-07-10T09:00	Safari Camp	Reserve	100
9	2938	9	109	15/01/2025 12:00:00	15/01/2025 12:00:00	2025-01-15T12:00	2025-01-15T13:00	Airport	Sapporo	30
10	5746	10	110	05/08/2025 12:00:00	05/08/2025 12:00:00	2025-08-05T10:00	2025-08-05T11:30	Resort Pier	Reef	75

RESERVATION

← →

🔍 Search

🔄

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

PORTS

QUERY RESULT

SCRIPT OUTPUT

SQL HISTORY

TASK MONITOR

🔍

🔍

🔍

🔍

🔍

🔍

🔍

🔍

🔍

🔍

All rows fetched: 10 in 0.043 seconds


	RESERVATION_ID	CUSTOMER_ID	TRANSPORT_ID	ROOM_ID	HOTEL_ID	APT_ID	CHECK_IN_DATE	CHECK_OUT_DATE	RESERVATION_STATUS	TOTAL_PRICE	
1	1	1	1	101	201	1	301	05/01/2025 12:00:00	09/01/2025 12:00:00	Confirmed	899
2	2	2	2	102	202	2	302	12/01/2025 12:00:00	17/01/2025 12:00:00	Confirmed	1299
3	3	3	3	103	203	3	303	01/02/2025 12:00:00	04/02/2025 12:00:00	Cancelled	499
4	4	4	4	104	204	4	304	18/02/2025 12:00:00	22/02/2025 12:00:00	Confirmed	1150
5	5	5	5	105	205	5	305	02/03/2025 12:00:00	05/03/2025 12:00:00	Pending	399
6	6	6	6	106	206	6	306	15/03/2025 12:00:00	21/03/2025 12:00:00	Confirmed	1000
7	7	7	7	107	207	7	307	01/04/2025 12:00:00	06/04/2025 12:00:00	Confirmed	2500
8	8	8	8	108	208	8	308	10/04/2025 12:00:00	17/04/2025 12:00:00	Confirmed	3200
9	9	9	9	109	209	9	309	20/01/2025 12:00:00	24/01/2025 12:00:00	Cancelled	1600
10	10	10	10	110	210	10	310	25/02/2025 12:00:00	01/03/2025 12:00:00	Confirmed	2900

7.3 DROPPING TABLES

7.3.1 DROP STATEMENTS

```
DROP TABLE FLIGHT_BOOKING CASCADE CONSTRAINTS;  
DROP TABLE FLIGHTS CASCADE CONSTRAINTS;  
DROP TABLE APARTMENT CASCADE CONSTRAINTS;  
DROP TABLE HOTEL CASCADE CONSTRAINTS;  
DROP TABLE RESERVATION CASCADE CONSTRAINTS;  
DROP TABLE ROOM CASCADE CONSTRAINTS;  
DROP TABLE REVIEW CASCADE CONSTRAINTS;  
DROP TABLE TRAVEL_PACKAGE CASCADE CONSTRAINTS;  
DROP TABLE TRANSPORT CASCADE CONSTRAINTS;  
DROP TABLE PACKAGE_TRANSPORT CASCADE CONSTRAINTS;  
DROP TABLE staff CASCADE CONSTRAINTS;  
DROP TABLE customer CASCADE CONSTRAINTS;
```

7.3.2 DROP OUTPUT



8.0 SQL JOIN STATEMENTS AND OUTPUT

8.1 JOIN TABLE (NON-PRIMARY ATTRIBUTES)


STORYLINE:

This query connects the Apartment and Reservation tables to explore price trends across different locations. By joining apartments with their corresponding reservations, it retrieves each apartment city along with the total reservation price charged to customers. This helps management identify which cities generate higher booking revenue and analyze pricing patterns across various regions.

STATEMENT:

```
SELECT
    a.City,
    r.total_price
FROM Apartment a
JOIN Reservation r
    ON a.apartment_id = r.apartment_id;
```

OUTPUT:



The screenshot shows a database query result window titled 'Query Result x'. It displays 10 rows of data fetched in 0.746 seconds. The columns are CITY and TOTAL_PRICE. The data is as follows:

	CITY	TOTAL_PRICE
1	Kuala Lumpur	899
2	Kuala Lumpur	1299
3	Johor Bahru	499
4	Penang	1150
5	Melaka	399
6	Shah Alam	1800
7	Penang	2500
8	Kuala Lumpur	3200
9	Selangor	1600
10	Cyberjaya	2900

8.2 JOIN TABLE (GROUP BY AND DATA AGGREGATION)


STORYLINE:

This query combines the Customer, Review, Hotel, and Room tables to analyze hotel review trends. It groups the joined data by hotel and calculates the average overall rating left by customers, helping management understand which hotels receive higher guest satisfaction.

STATEMENT:

```
SELECT
    h.hotel_name,
    COUNT(rv.review_id) AS total_reviews,
    AVG(rv.overall_rating) AS average_rating
FROM hotel h
JOIN review rv
    ON h.hotel_id = rv.hotel_id
JOIN customer c
    ON rv.customer_id = c.customer_id
JOIN room r
    ON h.hotel_id = r.hotel_id
GROUP BY h.hotel_name
ORDER BY average_rating DESC;
```

OUTPUT:



HOTEL_NAME	TOTAL_REVIEWS	AVERAGE_RATING
1 Hokkaido Hotel	1	100
2 Langkawi Resort	1	100
3 Phuket Resort	1	90
4 Bali Resort	1	88
5 Seoul Hotel	1	78
6 Paris Hotel	1	66
7 Tokyo Hotel	1	50
8 Maldives Resort	1	50
9 Kyoto Inn	1	45
10 Johannesburg Lodge	1	38

8.3 JOIN TABLE (1 ATTRIBUTE, 8 JOIN TABLES IN DESC, 4 SELECTION CONSTRAINTS)

STORYLINE:

This query is designed to retrieve detailed information about customers who have made bookings on hotel and flight reservations, specifically focusing on high-quality experiences. The goal is to combine data from multiple tables to provide a complete picture of each customer's booking and review. The output shows the customer's name, reservation status, hotel, room type, apartment city, flight class, flight status, and overall rating, sorted so that the top-rated experiences appear first and can be recommended to the customers who wants a high-quality experience throughout their vacation or holidays.

STATEMENT:

```
SELECT

    C.first_name AS customer_name,

    R.reservation_status,

    H.hotel_name,

    RO.room_type,

    A.city AS apartment_city,

    FB.class AS flight_class,

    F.flight_status,

    RV.overall_rating

FROM Customer C

JOIN Reservation R ON C.customer_id = R.customer_id

JOIN Hotel H ON R.hotel_id = H.hotel_id

JOIN Room RO ON R.room_id = RO.room_id

JOIN Apartment A ON R.apartment_id = A.apartment_id

JOIN Flight_Booking FB ON C.customer_id = FB.customer_id

JOIN Flights F ON FB.flight_no = F.flight_no

JOIN Review RV ON C.customer_id = RV.customer_id
```

AGODA APP BASED DATABASE

WHERE

```
F.flight_status = 'On Time'

AND FB.payment_status = 'PAID'

AND H.rating >= 4

AND A.city = 'Kuala Lumpur'
```

ORDER BY RV.overall_rating DESC;

OUTPUT:

	CUSTOMER_NAME	RESERVATION_STA	HOTEL_NAME	ROOM_TYPE	APARTMENT_CITY	FLIGHT_CLASS	FLIGHT_STATUS	OVERALL_RATING
1	Charlie	Cancelled	Phuket Resort	5003	Kuala Lumpur	Economy	On Time	90
2	Alice	Confirmed	Bali Resort	5001	Kuala Lumpur	Economy	On Time	88
3	Bob	Confirmed	Tokyo Hotel	5002	Kuala Lumpur	Business	On Time	50

8.4 JOIN TABLE (3 PRIMARY KEY ATTRIBUTES FROM 3 TABLES WITH ONE CONSTRAINT)

STORYLINE:

This query is used to find all reservation records together with the hotel and the customer who made the booking. The Reservation table shows who booked, the Hotel table shows which hotel was chosen, and the Customer table provides the identity of the guest. We are specifically interested in customers whose reservation status is 'Confirmed', so the view only displays confirmed bookings. This allows the travel agency to quickly check which customers have confirmed stays and which hotels they will be staying in.

STATEMENT:

```
CREATE OR REPLACE VIEW View_PK_Only AS
SELECT
r.reservation_id, -- PK 1
h.hotel_id, -- PK 2
c.customer_id, -- PK 3
r.reservation_status
FROM Reservation r
JOIN Hotel h
ON r.hotel_id = h.hotel_id
JOIN Customer c
ON r.customer_id = c.customer_id
WHERE r.reservation_status = 'Confirmed';

SELECT * FROM View_PK_Only;
```

AGODA APP BASED DATABASE

OUTPUT:

	RESERVATION_ID	HOTEL_ID	CUSTOMER_ID	RESERVATION_STAT
1	1	1	1	Confirmed
2	2	2	2	Confirmed
3	4	4	4	Confirmed
4	6	6	6	Confirmed
5	7	7	7	Confirmed
6	8	8	8	Confirmed
7	10	10	10	Confirmed

9.0 REFERENCES

- Agoda Engineering. (2021). *How Agoda's multi-product booking engine powers seamless travel bookings*. Medium. <https://medium.com/agoda-engineering/how-agodas-multi-product-booking-engine-powers-seamless-travel-bookings-61fc6e746821>
- Connolly, T., & Begg, C. (2015). *Database systems: A practical approach to design, implementation, and management* (6th ed.). Pearson.
- Elmasri, R., & Navathe, S. B. (2016). *Fundamentals of database systems* (7th ed.). Pearson.
- GeeksforGeeks. (2025, 03 October). *Foreign key in DBMS*. GeeksforGeeks. <https://www.geeksforgeeks.org/foreign-key-in-dbms/>
- GeeksforGeeks. (2025, 15 November). *Primary key in DBMS*. GeeksforGeeks. <https://www.geeksforgeeks.org/primary-key-in-dbms/>
- Ghosh, D. (n.d). *Objectives of Database Management System*. Scribd. <https://www.scribd.com/document/651106496/Objectives-of-Database-Management-System>
- IGMS. (2024). Agoda: Everything you need to know. <https://www.igms.com/agoda/>
- Microsoft. (2025, November 18). *SQL joins overview*. Microsoft Learn. <https://learn.microsoft.com/en-us/sql/relational-databases/performance/joins>
- Oracle Corporation. (2025). *Joins*. In *Oracle database SQL language reference (23c)*. <https://docs.oracle.com/en/database/oracle/oracle-database/23/sqlrf/Joins.html>
- Purpose of Database System in DBMS. (2025 July 23). GeeksForGeeks. <https://www.geeksforgeeks.org/dbms/purpose-of-database-system-in-dbms/>

AGODA APP BASED DATABASE

Understanding the Core objectives and goal of Database Management Systems. (2024 February

27). Lis.academy. <https://lis.academy/ict-applications/understanding-core-objectives-database-management/>