

1. User Signup API (Supabase Auth)

- Endpoint: POST
https://bjhmrdlunzzipbxmojyv.supabase.co/auth/v1/signup
- Expected Input:
 - Headers: apikey, Content-Type: application/json
 - Body: JSON object containing email, password, and optional user metadata (username)
- Expected Output:
 - HTTP Status: 200 OK
 - Body: JSON object containing the newly created user's GUID, token info, and metadata.

Request JSON (Input)

```
JSON
{
  "email": "teststudent@northwestern.local",
  "password": "Password123!",
  "data": {
    "username": "teststudent"
  }
}
```

Response JSON (Output)

```
JSON
{
  "id": "a1b2c3d4-e5f6-7890-abcd-1234567890ab",
  "aud": "authenticated",
  "role": "authenticated",
  "email": "teststudent@northwestern.local",
  "user_metadata": {
    "username": "teststudent"
  },
  "created_at": "2026-07-21T22:00:00.000Z"
}
```

2. Fetch All Item Listings API

- Location in Code: Implicitly handled via Supabase table reads / Postman testing
- Endpoint: GET
https://bjhmrdlunzzipbxmojyv.supabase.co/rest/v1/item_listings?select=*
- Expected Input:

- Headers: apikey, Authorization: Bearer <publishable_key>
- Body: None
- Expected Output:
 - HTTP Status: 200 OK
 - Body: JSON array of listing objects matching table rows.

Request JSON (Input)

(No body required for GET requests)

Response JSON (Output)

```
JSON
[
  {
    "id": 1,
    "seller_username": "northwestern_market",
    "local_item_id": "1",
    "title": "Walnut desk with cable tray",
    "category": "Furniture",
    "price": 85,
    "condition": "Good",
    "pickup_location": "Evanston Main Campus (North/South)",
    "active": true
  }
]
```

3. Insert Item Listing API

- Location in Code: Lines 700–722 (insertListingIntoSupabase)
- Endpoint: POST
https://bjhmrdlunzziipbxmojyv.supabase.co/rest/v1/item_listings
- Expected Input:
 - Headers: apikey, Authorization: Bearer <key>, Content-Type: application/json, Prefer: return=representation
 - Body: JSON object containing listing properties (seller_username, title, price, etc.)
- Expected Output:
 - HTTP Status: 201 Created
 - Body: JSON array containing the inserted record.

Request JSON (Input)

JSON

```
{
  "seller_username": "teststudent",
  "local_item_id": "1721590000000",
  "title": "Postman Test Desk",
  "description": "Postman Test Desk",
  "category": "Furniture",
  "price": 50,
  "condition": "Like New",
  "pickup_location": "Evanston Main Campus (North/South)",
  "active": true
}
```

Response JSON (Output)

```
JSON
[
  {
    "id": 102,
    "seller_username": "teststudent",
    "local_item_id": "1721590000000",
    "title": "Postman Test Desk",
    "category": "Furniture",
    "price": 50,
    "condition": "Like New",
    "pickup_location": "Evanston Main Campus (North/South)",
    "active": true,
    "created_at": "2026-07-21T22:05:00.000Z"
  }
]
```

4. Delete Item Listing API

- Location in Code: Lines 733–746 (deleteListingFromSupabase)
- Endpoint: DELETE
https://bjhmrldunzzipbxmojyv.supabase.co/rest/v1/item_listings?local_item_id=eq.<item_id>
- Expected Input:
 - Headers: apikey, Authorization: Bearer <key>
 - URL Query Filter: ?local_item_id=eq.<ITEM_ID>
- Expected Output:
 - HTTP Status: 204 No Content (or 200 OK with deleted representation if requested)

Request JSON (Input)

(No body required for DELETE requests; targeting done via URL parameter)

Response JSON (Output)

(Empty body with HTTP Status 204 No Content)

5. Fetch Chat Conversations & Nested Messages API

- Location in Code: Lines 594–653 (refreshChatsFromSupabase)
- Endpoint: GET
https://bjhmrdlunzziipbxmojyv.supabase.co/rest/v1/chats?select=id,item_id,buyer_username,seller_username,chat_messages(id,sender_username,message_text,created_at)
- Expected Input:
 - Headers: apikey, Authorization: Bearer <key>
- Expected Output:
 - HTTP Status: 200 OK
 - Body: Array of chat objects with nested array of messages (chat_messages).

Request JSON (Input)

(No body required for GET requests)

Response JSON (Output)

```
JSON
[
  {
    "id": 12,
    "item_id": 1,
    "buyer_username": "buyer_student",
    "seller_username": "northwestern_market",
    "chat_messages": [
      {
        "id": 88,
        "sender_username": "buyer_student",
        "message_text": "Is this desk still available?",
        "created_at": "2026-07-21T21:30:00.000Z"
      }
    ]
  }
]
```