



Technical Specifications



GLOBAL AGRO CO.

OXIDIZED ASPHALT

TEST PROPERTY	RESULT
PHYSICAL & SAFETY	
Penetration @ 25°C ASTM D5	64 mm/10
Ductility @ 25°C ASTM D113	> 150 cm
Specific Gravity @ 25°C ASTM D70	1.053
Solubility in T.C.E. ASTM D2042	99.8 %
Flash Point ASTM D92	304 °C
THERMAL & RHEOLOGICAL	
Softening Point ASTM D36	48 °C
Breaking Point (Fraass) IP 80	-8 °C
Viscosity @ 135°C ASTM D4402	404 cP
Dynamic Viscosity @ 60°C ASTM D2171	1779 cP
PURITY & COMPOSITION	
Ash Content ASTM D3104	0.08 %

Water Content

ASTM D95



GLOBAL AGRO CO.

OXIDIZED ASPHALT

Nil

ABOUT GLOBAL AGRO CO.

EXPERIENCE. QUALITY. TRUST.

GLOBAL AGRO Co. Company for Oxidized Asphalt Production Ltd. is a leading manufacturer and exporter of high quality oxidized bitumen from Nineveh, Iraq, serving global markets with dedication and integrity.

[LEARN MORE ABOUT US →](#)



STATE OF THE ART
PRODUCTION



STRICT QUALITY
CONTROL



GLOBAL
STANDARDS



SUSTAINABLE
PRACTICES

MADE IN

IRAQ

INSIGHTS & RESOURCES

EVERYTHING YOU NEED



We are committed to delivering the highest quality oxidized asphalt. Our product is rigorously tested at every stage of production to ensure it meets strict international standards for performance, durability, and safety.



TECHNICAL DOCUMENTS

Download our product data sheets, safety data sheets, and certification documents.

 **TDS DOWNLOAD**

 **MSDS DOWNLOAD**



LATEST NEWS

Stay up to date with the latest announcements, industry insights, and production updates from the GLOBAL AGRO Co. team.

No recent news articles yet. Check back soon!