


From a calendar with cards to a daily training companion


Built on the existing tokens in `globals.css`, the Manrope type setup, lucide icons and the real `CalendarWorkout` data model. Everything shown is derivable from current data unless it is marked as a recommendation.

CURRENT · /CALENDAR



1 · Critique

1. **The calendar leads.** Header, week strip and legend take the first ~300px. Today's action starts below the middle of the screen.
2. **Status needs a legend.** Five icon shapes in four colors have to be decoded before the strip makes sense.
3. **Progress is a loose sentence.** "1 of 4 workouts completed" floats between strip and card, tied to neither.
4. **Tuesday appears three times:** in the strip, the Today card and the Workouts list. The list also repeats past days.
5. **Every attribute is a pill.** Status, intensity, exercise count and time share one badge style, so nothing ranks above anything else.



6. **Attention items stack as notices** (unfinished session, long break) above the Today card and compete with it.

7. **Rest day reads as empty:** a sentence and an outline button, with no mention of the next workout.

8. “Calendar” as the first tab describes a tool, while the screen is the user’s daily home.

2 · Information architecture


1 **Header** — date, greeting, one line of context derived from state. Absorbs the long-break notice.

2 **Today card** — one state, one primary action. Attention items (unfinished session, missed workout) become the card’s state instead of separate notices.

3 **This week** — count, segmented bar, compact strip, one insight. Week navigation sits quietly in its header.

4 **Up next** — up to three future workouts, grouped in one card, with a link to the full schedule.

Navigation: Today · Programs · Progress · Profile. The first tab becomes **Today** (/today, sr: “Danas”). The existing /calendar and /calendar/[date] routes stay as the full schedule, reached from “Full schedule”, day taps and week navigation. No new destinations.



3 · Today-first home

The eye goes greeting → deep-teal Today card → coral button. It is the only coral surface on the screen, so there is one obvious thing to do. Everything below supports it.

- A** **Context line** answers “what should I do today?” in words before the card does it visually.
- B** **Today card** uses the existing --color-hero surface from the welcome screen. Time and intensity sit on the eyebrow line; the title is the largest text on the page; only one fact (exercise count) sits under it.
- C** **Week card** merges the strip, the count and the insight. Segments show planned workouts only, so “1 of 4” and the bar always agree. No legend: each status has a distinct shape and the full label is in the accessible name.
- D** **Up next** lists future workouts only; today and past days are never repeated.


Recommendation, not in data yet: estimated duration. Toggle “Show duration” in Tweaks to preview it. It would need an estimate from $\text{sets} \times (\text{work} + \text{rest_seconds})$ per program day; until then it stays hidden.

6 · States

Each screen is derived from one resolved state (see priority order in 7). Every variant keeps the same four zones, so the page never looks unfinished.


Planned workout

Default. Coral Start workout is the only primary action.




Workout in progress

Live dot, started time, exercise progress. Continue workout.




Completed today

Summary becomes the action; context line says what is left this week.




Rest day

Recovery framed as part of the plan, with the next workout inside the card.




Missed workout

A past planned workout this week. Move to today or mark as skipped.




No plan this week

Program exists, week is empty.
One tap runs plan_week().




No active program

First run. Starter program via
create_starter_program().




Offline

Plan still visible from cache;
Start is disabled with the
reason stated.



Loading

Skeletons match the final
zones, so nothing jumps. Errors
reuse ErrorView with Try again.



4-5 · System

Color

Existing tokens only. One accent: coral marks the single primary action and live state.



hero
Today card
surface



accent
Primary
action, live



brand
Links,
planned,
secondary
CTA



brand-soft
Today tile,
rest, nav pill



success
Completed



warning-soft
Not logged,
offline



bg
Screen



surface
Cards



ink
Text 15.6:1 on
bg



ink-muted
Meta 5.6:1 on
bg

Typography · Manrope, tabular numerals

Greeting

30/36 · 800 · -2%

Card title

28/34 · 800

Section title

17/24 · 800

Row title · Button 16/800

16/22 · 700

Body and context

15/22 · 500

Meta line

14/20 · 500 · ink-muted

EYEBROW

13 · 700 · +6% caps

Minimum 12px (day labels, nav). All sizes map to rem so Dynamic Type / browser zoom scales them; no fixed heights on text containers, only min-heights.

Spacing, surfaces, elevation

- 4-pt grid. Screen gutter 20. Zone gap 22. Inside cards 14-18. Row padding 14/16.
- **Hero** radius 28 (`--radius-sheet`), `--shadow-raised`. One per screen.
- **Card** radius 20 (`--radius-card`), `--shadow-card`. No borders on cards.
- **Controls** radius 14 (`--radius-control`). Primary 56 tall, secondary text buttons ≥ 44 .
- **Grouping**: rows share one card and divide with a 1px surface-muted line instead of each being a card.
- Pills limited to two uses: intensity on the hero and the “Not logged” flag.

Status rules

Shape carries meaning, color reinforces it, the accessible name spells it out (“Tuesday 29 September: Full body – Strong, Planned (today)”).

	Planned	Open ring, brand. Future or today.
	Started	Filled coral with play mark. Only one at a time.
	Completed	Filled success with check. Fills a bar segment.
	Not logged	Warning with “!”. Past + still planned. Derived.
	Skipped	Skip glyph, ink-subtle. Excluded from the count.
	No workout	4px dot. Intentionally quiet.

Components

- HomeHeader – date, greeting, context.
- TodayCard – variants: planned, in_progress, completed, rest, missed, unplanned, no_program. Reuses WorkoutCta logic.
- WeekSummary – header + nav, count, WeekSegments, compact WeekStrip, optional Insight.
- UpcomingList + UpcomingRow.
- Existing: Button, Card, StatusIcon, LiveDot, Skeleton, OfflineBanner, BottomNav.

Icons & motion

- lucide, 2px stroke (2.4 when active or on small marks), 16/18/20/24 sizes. Always paired with text or an aria-label.
- Card entry: existing enter stagger (40ms). State change: hero cross-fades 240ms ease-standard.
- Progress segment fills with animate-draw when a workout completes; live dot uses animate-live.
- All motion respects the existing prefers-reduced-motion reset; nothing depends on animation to be understood.

7 · Interaction notes

Start workout	Opens <code>/workouts/[id]/start</code> (existing). Disabled offline with the reason in the banner.
Continue workout	Opens <code>/sessions/[id]</code> . Shown for any open session, even if it was planned for another day.
View summary	Opens the completed session.
View workout	Opens <code>/calendar/[date]</code> with the day detail (move, skip, remove stay there).
Move to today	<code>rescheduleWorkout(id, today)</code> . Card switches to planned with a toast “Moved to today”.
Mark as skipped	<code>setSkipped(id, true)</code> . Removed from the count; card falls through to the next state.
Plan this week	<code>plan_week()</code> via <code>PlanWeekButton</code> ; toast reuses <code>calendar.planWeekDone</code> .
Week arrows	Swap only the week card (strip, count). Today card stays. “Today” pill returns.
Day tile	Opens <code>/calendar/[date]</code> . 44×68 target, full accessible name.

8 · Why this is more useful

- The day’s answer and action sit in the first 450px, above the week, instead of below a legend.
- One coral button per screen. The action changes with state (Start → Continue → View summary) while its position stays fixed.
- Rest days show the next workout and treat recovery as part of the plan.
- Missed workouts become a decision (move or skip) instead of a silent grey dot, which keeps the weekly count honest.
- Week progress uses one number and one bar that always match; no legend to learn.
- Nothing is invented: every value comes from the current tables, and the one recommended addition (duration) is marked as such.

9 · Implementation plan

I can read the codebase but not write to it here, so this is the change list for Claude Code or your team:

- `app/(app)/today/page.tsx` — new route. Same queries as `calendar/page.tsx` plus previous week for the insight; / redirects here.

Up next row / Full
schedule

Row opens its day; Full schedule
opens /calendar.

Today-card priority

1. Open session anywhere (`getOpenSession`) → in progress
2. Today has a planned workout (`pickTodayWorkout`) → planned
3. This week has a past planned workout before today → missed (derived, no schema change)
4. Today's workout completed → completed
5. Today empty, future workouts exist → rest
6. Active program, week empty, days with `preferred_weekday` → unplanned
7. No active program → no program

- `features/today/derive.ts` – pure `deriveTodayState(workouts, today, openSession, activeProgram)` with unit tests, following the `engine.ts` pattern.
- `features/today/*.tsx` – the components listed in 4–5; `WorkoutCta` and `StatusIcon` reused; `rescheduleWorkout / setSkipped` power the missed actions.
- `bottom-nav.tsx` – first item /today, House icon, active also on /calendar/*.
- `messages/en.json + sr.json` – new `today.*` keys (greeting by time of day, context lines, “Up next”, “Full schedule”, “Not logged”). Serbian runs ~20% longer; all text wraps.
- Recommended data additions: in-session exercise progress (`count of session_exercises.status = completed`), and estimated duration.