Whitepaper - WCS - published by: wcs:root : Sat Jan 18 18:34:17 CET 2020 # World Compensation System (WCS) **Keywords**: #2020, #Blockchain, #InternetOfValue, #RSK, #DeFi, #DeFiApp, #DFApp, #wcsDFApp

 $\textbf{Classification:} \ \ \text{DeFi: EcoSystem: @rif\_os: } \textbf{Version: } 0.0.1 \ (2020\text{-}01\text{-}15)$ 

Status: in work

### Purpose

Simple. Eliminate money invisibility.

### **User-story**

I dare you to throw out all your money, all your papers and coins and individual national currencies, and start over.

Develop an international monetary system that is wide open, totally visible, immediately traceable, completely accountable. Establish a Worldwide Compensation System by which people would be given Credits for services rendered and products produced, and Debits for services used and products consumed.

Under the new Worldwide Compensation System, WCS, the transfer of Debits and Credits would be immediate and totally visible. That is, anybody and everybody could inspect the account of any other person or organization at any time. Nothing would be kept secret, nothing would be 'private'

Everything would be on the system of Credits and Debits. Returns on investments, inheritances, winnings of wagers, salaries and wages, tips and gratuities, everything. The WCS would deduct 10 percent of all earnings each year from the income of those voluntarily requesting such a deduction. Everyone in the society would be able to observe who was choosing to offer the 10 percent for the general good of all, and who was not. And everyone's records would be open to everyone else. And nothing could be purchased without Credits. There would be no other negotiable currency. ([source:#CWG, @realNealWealsh](http://ISBN))

Short-name: WCS, DeFiApp, wcsDFApp

**Disclaimer**: All quoted phrases are verbatim copies found at Conversations with God. Book Two (see Bibliography)

 $\bf Bibliography:$  - Conversations with God (c) 1997 Neale Donald Walsch. ISBN 9780340765449

### **Use-cases**

• Typical Use-cases and User-workflow

## Community

 $\bullet \quad [@WorldCompensationSystem\ (Twitter)] (https://twitter.com/WorldCompensationSystem)\\$ 

## License

Code is under the The Unlicensed. Documentation is under the Creative Commons Attribution license.

## Contributing

Please read our Contribution Guide and [Code of Conduct]

### **Donations**

BTC-Address: | 0x123..0000 |

# Whitepaper

### Table-of-contents

## Operating (Eco-)System Concept

- 1. wcsO(E)S WCS Operating Eco-System
  - 1. Platform
  - 2. Use-cases
    - 1. Notation
    - 2. Welcome home
    - 3. Help
      - 1. View description manual
    - 4. User management
    - 5. File-System (Minimum commands)
      - 1. Present working directory (pwd)
      - 2. Listing files (ls)
    - 6. Applications, Services, Commands and Tools
      - 1. Running local tool system-service

- 2. Running local command system-service
- 3. Running local user-application
- 4. Running remote user-application
- 5. Commands
- 6. Tools
- 7. Local Services
  - 1. Financial
  - 2. Asset Management
- 8. Value Operations
  - 1. Transactions
- 9. Distributed Services
- 10. Group citizenship
- 11. Work Get Idle Task (according to current citizenship)
- 12. Donate
- 13. Contribute to Nation's taxes
- 14. Value Creation (out-of-thin-air)
- 15. Credits
- 16. Value Transfer Request for service
- 17. Value Transfer Investment
  - 1. Communities
- 18. Running DApplication in debug-mode
- 19. User-management
- 3. User-Application development
  - 1. DApplication development help
- 4. Returning home
- 5. Lend User-service
- 6. Claim lend User-service
- 7. Borrow service ## (Eco-)System Application notes

homeland\$

homeland\$help

homeland\$man ver

homeland\$ver

homeland\$home

homeland\$user create user1

homeland\$pwd

homeland\$1s

homeland\$stat

homeland\$cmd1 --verbose

homeland\$app1 --verbose

homeland\$dapp1 --verbose

homeland\$commands

homeland\$tools

homeland\$apps

homeland\$wallet

homeland\$credits

homeland\$debts

```
homeland$assets
    homeland$send 2 user1
    homeland$credit tetris
    homeland$neighborhood
    homeland$discover
    homeland$connect
    homeland$1s
    homeland$1s nations
    homeland$citizen
    homeland$citizen federation1
    homeland$idle federation1
    homeland$donate -idle neighborhood
    homeland$tax 8
    homeland$offer -idle federation1
    homeland$offer 8
    homeland$offer 6
    homeland$credits
    homeland$tetris
    homeland$credits
    homeland$invest kernel.org 2
    homeland$assets --all
    homeland$1s communities
    homeland$greetings community1 me --verbose
    homeland$offers
    homeland$accept 1
    homeland$credits
    homeland$value dapp1
    homeland$dapp1 --verbose --debug
    homeland$login
    homeland$
    homeland$1s
    homeland$rate dapp1 ***
    homeland$SMS user1
    homeland$share dapp1 user1 2
    homeland$lend dapp1
    homeland$claim dapp1
    Applications
    /apps:
/app/App1 -- Local App1 executable
/app/<Domain>/App1/spec -- (external) interface specification
/app/<Domain>/App1/src -- source code
/app/<Domain>/App1/test -- test
```

 $\begin{array}{ll} \textbf{List of WCS Application(s) (status:} \textit{in-work)} & /\text{apps/:} * \text{ wcsUTelnet -} \\ \textbf{Telnet wcsPFtp - wcs:} \textbf{Protocol interpreter : File-Transfer wcsPHtpp - HTML eXchanger} \\ \end{array}$ 

**Dependencies** /lang - implementation language specific files ### Digital signatures

c2bf4fc7bf438106c12f307afd337811 ./apps/README.md

Document	MD5-Checksum
README.md	c2bf4fc7bf438106c12f307afd337811~apps/README.md

### Distributed Apps (status:in-work)

/dapps:

```
/dapp/DApp1 -- Distributed App1 executable
/dapp/<Domain>/DApp1/spec -- (external) interface specification
/dapp/<Domain>/DApp1/src -- source code
/dapp/<Domain>/DApp1/test -- test
```

## List of WCS DFApp(s) (status:in-work)

- wcsDFAppDeductor {src, dst} Deduces 10% from src monthly into dst
- wcsDFAppTemplate WCS network DFApp Template #### Digital signatures

3ca57832b861ca78e7c3abb680411fcb ./dapps/README.md

Document	MD5-Checksum
README.md	$3 ca 57832 b861 ca 78e7c3 abb 680411 fcb\ dapps/README.md$

## Commands (status:in-work)

/commands:

```
/commands/Cmd1 -- Command1 executable
/commands/Cmd1/spec
/commands/Cmd1/src
```

## List of WCS Commands(s) (status:in-work)

• wcsUStatus - Echo

## **Application Notes**

## Digital signatures

904c01d929ce8597189d60c971d93641 ./commands/README.md

Document	MD5-Checksum
README.md	$904c01d929ce8597189d60c971d93641\ commands/README.md$

# Operations

/operations: #### Digital signatures

 $88c2dd22668d96cb2232b8c136cbd982 \quad ./operations/README.md\\$ 

Document	MD5-Checksum
README.md	$88c2dd22668d96cb2232b8c136cbd982\ operations/README.md$

## Tools

/tools:

## List of off-the-shelf Admin Tool(s) (status: in-work)

- wcs UEcho - Echo #### Digital signatures

aba20cefd0503d8c5efaeac7c77680f5 ./tools/README.md

Document	MD5-Checksum
README.md	$aba 20 cefd 0503 d8c5 e fae ac7c77680 f5\ tools/README.md$

## Services

/services:

### List of wcsOS System-Service(s) (status:in-work)

• wcsServer - World Compensation System server #### Digital signatures

7c604d049c674a6ef8ff531ebcdc7191 ./services/README.md

Document	MD5-Checksum
README.md	$7c604d049c674a6ef8ff531ebcdc7191\ services/README.md$

#### Architecture

/arch:

#### Concept

Create a World Compensation Ecosystem based on Decentralised Financial Applications.

Implementation: Operation System (including fs, dfs, time-shared applications)

wcsOS – linux based distribution

Layers: 1. Distributed peer-2-peer (P2P) Network (Blockchain based) 1. Distributed File system (dfsWcs) 1. Nodes are Servers 1. Servers 1. run System- and Users-services 1. route User- and System- interactions (transactions) 1. Users are Clients 1. Clients decide to participate or not (mounting/unmounting) as service suppliers in the network 1. Clients interact with other Clients 1. Clients request services from Servers (service suppliers) 1. Via Remote Procedure Call (RPC) returning values in JSON format 1. Clients transfer value-assets to single or multiple-users or services 1. Light-Clients connect and use the network only for short-time (SMS, PPP) 1. Value-assets are represented via Addresses in the Distributed File system 1. Clients and Servers interact via read/write file operations with eachother 1. Servers providing User-services are debted certain agreed amount per-use 1. Servers providing System-services are debted an agreed amount per-use, daily, monthly or yearly on donation basis

#### Network

#### Nodes:

Full-nodes: store the complete history of command-blocks (analog to batch-files (a.k.a translight-nodes: store, validate and reconstruct environment from all nodes in local network (or

### Local File-system

```
/ - WCS root Ecosystem
/commands
/dbin/ - Decentralised System services
/users/ - connected user addresses {publickey:addresshash:alias:inbox} (analog to /mnt)
/apps
/lang - implementation language specific files
/tools - Utility tools
/dapp/ - Decentralised User or Third-Party Applications (executable -- analog to /usr/bin)
```

#### Remote (distributed) File-system

```
/arch/dfs
/dapp/DeFi/ - Decentralised Financial Apps
```

#### Realisation

TCP/IP Server :port UNIX's "Everything is a File" -> (name:Address) - Network (distributed) File-System

### **Support Tools**

- neo4j Graph Database
- jslinux Web-Browwer Linux
- 128-bit OS 128-bit RISC OS
- quickjs Embeddable Javascript engine

Refer to support tools.

### Network Startup

```
$wcsStart &
World Compensation System server (wcss) running
Listening on port:280182

$wcsStatus
Status: OK
```

#### Command, Services and Tools

- bin Local commands, services and tools
- dbin Distributed (Remote) user-commands and user-tools

### **Application Notes**

- apps Local commands, services and tools
- dapps Distributed (Remote) User-services #### Digital signatures

61c2223045284a14e903089d266c04c6 ./arch/README.md

Document	MD5-Checksum
README.md	61c2223045284a14e903089d266c04c6~arch/README.md

## 2020 (CC) Creative Common License

c5c11bb0d053c683b9c801b36b85f6e7 ./whitepaper/wcsOES.md #### Digital signatures

aba20cefd0503d8c5efaeac7c77680f5 dc2c8698da44a75bdd5c19efd0860213 d47693b9acb4e93021125f2c7a3d36f2 49a5c547537d2c6a77e17d08d62bd5e2 3582056e21f163e556a92a29f26da4bc 3ca57832b861ca78e7c3abb680411fcb ca8f6611e7334b5878a412f6908fab36 c5c11bb0d053c683b9c801b36b85f6e7 d3777eb628218cf79d50e576d5c95bbd fd2e4666c53c15fdb3c2ac5a5113979d 88c2dd22668d96cb2232b8c136cbd982 4e57eedfde6cb02c52aec8be79b015c9 94063115eb82858ccfd15ef5a3b21814 68f05ceb68281268217108fb55876082 5cd4aa50a1a9f8d1b46b0b63c9d82e27 9c060f1741bc37163838ead55b73c8ab f16bab90fe5bf837c86b04e89f7dbb86 2eaaf2bbe0e2dae25cbc17345d4ba75a 5fe7603d97b3315406ce7c051f273a3e b6a84991d4f8957e69ccfd6d3e935e02 61c2223045284a14e903089d266c04c6 c4feafee3b3e1969bc45b3fc9f2575ee 1c309bf14fbd49d5afcfac8da0635b5b 904c01d929ce8597189d60c971d93641 c2bf4fc7bf438106c12f307afd337811 a3c6c1e9fbc0dd9e6723f73f7402b08a 7c604d049c674a6ef8ff531ebcdc7191

- ./tools/README.md
- ./dbin/README.md
- ./bin/README.md
- ./networking/README.md
- ./GLOSSARY.md
- ./dapps/README.md
- ./whitepaper/platform.md
- ./whitepaper/wcsOES.md
- $./{\tt whitepaper/customer.md}$
- ./whitepaper/README.md
- ./operations/README.md
- ./README.md
- ./project/integration.md
- ./project/deployment.md
- ./project/CONTRIBUTING.md
- ./project/workproducts.md
- ./lang/README.md
- ./lang/c/README.md
- ./arch/dfs/README.md
- ./arch/dfs/dFSwcs/README.md
- ./arch/README.md
- ./arch/fs/README.md
- ./users/README.md
- ./commands/README.md
- ./apps/README.md
- ./services/wcsServer/README.md
- ./services/README.md