


Hoosick Street & Burdett Avenue Redesign

Salma Hafeez, Moiz Steenhuis, David Tacuri, Victoria Tynan



History of Troy

- Huge trading hub in 19th to 20th century
- Troy and schenectady turnpike (1802) between Schenectady in Albany
- Roads are neglected, parts may have been abandoned but the highways today stem from these routes in the past




Hoosick St

- Both a city street and a part of NY Route 7
- Zoning: Community Commercial




Objective

Make Hoosick St from 10th St to Burdett Ave a safer more accessible road for public transit and cycling




Before Change

- Hoosick St. has sidewalks on the narrower side
- A lot of congestion
- Many speeding cars making it unsafe
- Splits Troy in two




Before Change

- Burdett Avenue is a very wide road
- Not using all available space to its full capabilities
- No designated bike lane



Methodology


- CDTC Study
- GIS Traffic Data Viewer
- CDTA Bus Routes



Implementation Process

- Two way bike-lane on Burdett Ave
- Dedicated bus lane in both directions on Hoosick St
- Minimum LOS C


Implementation: Initial Findings



	AM Peak	PM Peak
Current Hoosick St	C	B
Proposed Hoosick St	C	C



Implementation: Buses

- Route 87 serves Hoosick St.
- Usually under-capacity
 - 23 riders/ revenue hr
- Potential riders
 - Live near high-frequent bus stops
 - Do not have persons in their care
 - Young Adults




Implementation: Buses

- Downtown Troy, Frear Park, The Hill, and Sycaway have potential for high bus ridership



Implementation: Buses

- Peak AM and (PM) Lane Groups




Implementation: Long-Term Results


	AM Peak	PM Peak
Current Hoosick St	C	B
Proposed Hoosick St	C	C
Proposed Hoosick St with increased ridership	B	B

After Change

- Extended Sidewalks
- Lanes Designated for Busses only




After Change Render




After Change Effects

- More Safety for Walking Pedestrians
- Less congestion



After Change


- Newly added two-way bike lane
- Small barrier between the road and bike lane will be made
 - Concrete
 - Cones
 - Very clear lane paint



After Change Effects

With these changes we hope to allow for:

- More cycling availability
- Safer cycling availability
- Full use of Burdett Avenue's width



limitations

- CDTA, bus lines on time
- Changing social culture
- Changing pedestrian signals

TABLE 2.7 – AVERAGE PEDESTRIAN DELAY AT SIGNALIZED INTERSECTIONS ON HOOSICK STREET

Intersection	Average Pedestrian Delay (seconds)	Distance to Nearest Protected North/South Crossing (feet)	
		West of Intersection	East of Intersection
Hoosick Street/6 th Avenue	31.5	675	875
Hoosick Street/8 th Street/NY Route 7 ¹	64.5	350	525
Hoosick Street/10 th Street	98	875	750
Hoosick Street/13 th Street	64.5	750	500
Hoosick Street/15 th Street	64.5	500	1,250
Average	64.6	630	780

Questions?