

IHAKiralama Api Listesi

IHAKiralama uygulamasının api listesinin açıklamasını içermektedir.

1. Kategori

1.1 CREATE:

```
url = /iha/category/

type = "POST"

payload = {
  "name": "test"
}

response_status_code = 201
```

1.2 LST

Kategori listesinin dönmelerini sağlar. sınırlara göre filtreleme yapılabilir.

```
url = /iha/category/

type = "GET"

response_body = [
  {
    "id": 1,
    "name": "test",
    "slug": "test",
    "created_at": "datetime",
    "updated_at": "datetime"
  }
]
```

1.3 RETREVE

Kategori detayını getirilmesini sağlar.

url = /iha/category/<id>

```
type = "Get"

response_body =
{
  "id": 1,
  "name": "test",
  "slug": "test",
  "created_at": "datetime",
  "updated_at": "datetime"
}
```

1.4 UPDATE

Kategori slug' otomatik olarak oluşturulmaktadır.

```
url = /iha/category/<id>

type = "PUT"

payload = {'name': 'aa', 'slug': 'aa'}

response_body =
{
```

```
        "name": "test",  
    }  
}
```

1.5 DELETE

```
url = /iha/category/<id>  
type = "DELETE"  
response_status_code = 204
```

2. MARKA

2.1 CREATE:

```
url = /iha/brand/  
type = "POST"  
payload = {  
    "name": "test",  
    "description": "test"  
}  
response_status_code = 201
```

2.2 LST

Marka listesinin dönmelerini sağlar. sınırlara göre filtreleme yapılabilir.

```
url = /iha/marka/  
type = "GET"  
response_body = [  
    {  
        "id": 1,  
        "name": "test",  
        "description": "test",  
        "created_at": "datetime",  
        "updated_at": "datetime"  
    }  
]
```

2.3 RETREVE

Marka detayını getirilmesini sağlar.

```
url = /iha/marka/<id>  
type = "Get"  
response_body =  
    {  
        "id": 1,  
        "name": "test",  
        "description": "test",  
        "created_at": "datetime",  
        "updated_at": "datetime"  
    }
```

2.4 UPDATE

```
url = /iha/marka/<id>
```

```
type = "PUT"
payload = {'name': 'aa', 'slug': 'aa'}
response_body =
{
    "name": "test",
    "description": "test"
}
```

2.5 DELETE

```
url = /iha/marka/<id>
type = "DELETE"
response_status_code = 204
```

3. IHA

3.1 CREATE:

Verilen payloaddaki bilgiler ile iha oluturulabilir. Image hariç tüm alanlar zorunludur.

```
url = /iha/brand/
type = "POST"
payload =
{
    "name": "test",
    "model_number": "test",
    "brand" : <id>,
    "category": [<id>]
    "image": binary,
    "weight": 49,
    "description": "iha"
}
response_status_code = 201
```

3.2 LST

IHA listesinin dönmesini sağlar. sme göre filtreleme yapılabilir.

```
url = /iha/
type = "GET"
response_body = [
{
    "name": "test",
    "model_number": "test",
    "brand" : object,
    "category": objects list,
    "image": binary,
    "weight": 49,
```

```

        "description": "iha"
    }
}
]

```

3.3 RETREVE

IHA detaynn getirilmesini salar.

url = /iha/<id>

```

type = "Get"
response_body =
{
    "name": "test",
    "model_number": "test",
    "brand" : <id>,
    "category": [<id>]
    "image": binary,
    "weight": 49,
    "description": "iha"
}

```

3.4 UPDATE

url = /iha/<id>

type = "PUT"

payload =

```

{
    "name": "test",
    "model_number": "test",
    "brand" : <id>,
    "category": [<id>]
    "image": binary,
    "weight": 49,
    "description": "iha"
}

```

response_body =

```

{
    "name": "test",
    "model_number": "test",
    "brand" : object,
    "category": objects list,
    "image": binary,
    "weight": 49,
    "description": "iha"
}

```

3.5 DELETE

url = /iha/<id>

type = "DELETE"

response_status_code = 204