PYTHON PROGRAMMING

LAB CYCLE

NAME:THANMAYA.MAKKUTTY
CLASS:II BCA

LAB CYCLE 1

1.Write a program to count vowels, consonants, digits, and special characters in a string given as input.

PROGRAM:


```
s = input("Enter a string: ")

vowels = consonants = digits = special = 0

for ch in s:
    if ch.lower() in "aeiou":
        vowels += 1
    elif ch.isalpha():
        consonants += 1
    elif ch.isdigit():
        digits += 1
    else:
        special += 1

print("Vowels:", vowels)
print("Consonants:", consonants)
print("Digits:", digits)
print("Special characters:", special)
```

OUTPUT:


thanmaya - Colab
colab.research.google.com/drive/1RgfeuM1-8qvUk7_hEpdRqafTbM_jvDNE
Colab is now part of Google AI Plans. Get upgraded compute power and a suite of new AI tools all in one bundle.
Explore the Plans
thanmaya
File Edit View Insert Runtime Tools Help
Share
Commands + Code + Text Run all
Connect
#1. Write a program to count a. vowels, consonants, digits, and special characters in a string given as input
s=input("Enter a string:")
vowels=consonants=digits=special=0
for ch in s:
if ch.isalpha():
if ch.lower() in "aeiou":
vowels+=1
else:
consonants+=1
elif ch.isdigit():
digits+=1
else:
special+=1
print("Vowels:",vowels)
print("Consonants:",consonants)
print("Digits:",digits)
print("Special characters:",special)
Enter a string:sandra@123
Vowels: 2
Consonants: 4
Digits: 3
Special characters: 1

2.Write a program to find the largest and second largest element in a list.


PROGRAM:

```
a = [18, 25, 55, 40, 30]

largest = max(a)
a.remove(largest)
second = max(a)

print("Largest:", largest)
print("Second largest:", second)
```

OUTPUT:




3.Write a program to count word frequency using a dictionary.

PROGRAM:

```
text=input("Enter sentence:")
frequency={}
word=""
for ch in text + " ":
    if ch!=" ":
        word+=ch
    else:
        frequency[word] = frequency.get(word, 0) + 1
        word=""

print(frequency)
```

OUTPUT:




4.Write a program to sort dictionary by keys and by values.

PROGRAM:

```
d={'blue': 12, 'yellow': 18, 'green': 30}
print("By keys:", dict(sorted(d.items())))
for k, v in sorted(d.items()):
    print(k, v)
```

OUTPUT:




5.Write a program using list comprehension to generate prime numbers.

PROGRAM:

```
def check_prime(n):
  if n<=2:
    return True
  for i in range(2,(n//2)+1):
    if n%i==0:
      return False
    else:
      return True
l1=[]
a=int(input("Enter number of elements:"))
for i in range(a):
  x=int(input("Enter a number:"))
  l1.append(x)
print("Original List=",l1)
prime_of_l1=[]
for x in l1:
  if check_prime(x):
    prime_of_l1.append(x)
print("Prime list=",prime_of_l1)
```

OUTPUT:


Firefox
Sep 28 7:50 PM
thanmaya - Colab
colab.research.google.com/drive/1RgfeuM1-8qvUk7_hEpdRqafTbM_jvDNE#scrollTo=qIcM_KpC0I6G
Colab is now part of Google AI Plans. Get upgraded compute power and a suite of new AI tools all in one bundle.
Explore the Plans
thanmaya
Save failed
File Edit View Insert Runtime Tools Help
Share
Commands + Code + Text Run all
RAM
Disk
if n<=2:
return True
for i in range(2,(n//2)+1):
if n%i==0:
return False
else:
return True
l1=[]
a=int(input("Enter number of elements:"))
for i in range(a):
x=int(input("Enter a number:"))
l1.append(x)
print("Original List=",l1)
prime_of_l1=[]
for x in l1:
if check_prime(x):
prime_of_l1.append(x)
print("Prime list=",prime_of_l1)
Enter number of elements:4
Enter a number:7
Enter a number:5
Enter a number:12
Enter a number:8
Original List= [7, 5, 12, 8]
Prime list= [7, 5]


LAB CYCLE 2

6.Write a program to generate Fibonacci series using loops.

PROGRAM:

```
n=int(input("Enter number of terms: "))
a,b= 0,1
for i in range(n):
    print(a,end=" ")
    a,b=b,a+b
```

OUTPUT:




7.Sort strings by length using lambda function.

PROGRAM:

```
strings = ["rose","lily","jasmine","hibiscus","lotus"]
sorted_strings = sorted(strings, key=lambda x: len(x))
print(sorted_strings)
```

OUTPUT:




8.Sort dictionary using multiple values and lambda function.

PROGRAM:

```
students = {
    "thanmaya":(85,20),
    "neeraja":(90,18),
    "sniya":(85,19),
    "sandra":(90,21)
}
sorted_students = dict(sorted(students.items(), key=lambda x: (x[1][0], x[1][1])))
print(sorted_students)
```

OUTPUT:



LAB CYCLE 3

9.Write a program to demonstrate Inheritance and polymorphism.

PROGRAM:

```
class Bank:
    def interest(self):
        print("Bank interest rate")


class SBI(Bank):
    def interest(self):
        print("SBI interest rate is 5%")

class HDFC(Bank):
    def interest(self):
        print("HDFC interest rate is 8.9%")

sbi = SBI()
hdfc = HDFC()

sbi.interest()
hdfc.interest()
```

OUTPUT:



10.Write a program to read and write text files .Use exceptions

PROGRAM:

```
try:
    with open("example.txt", "w") as file:
        text = input("Enter text to write to the file: ")
        file.write(text)

    with open("example.txt", "r") as file:
        content = file.read()


    print("\nContent of the file:")
    print(content)

except FileNotFoundError:
    print("Error: File not found.")

except PermissionError:
    print("Error: Permission denied.")

except Exception as e:
    print("An unexpected error occurred:", e)
```

OUTPUT:



LAB CYCLE 4


11.Write a Python program using Pandas
a. to create and analyze a student dataset containing student name, marks and grade.
b. Use the following data: data = { "Name": ["Aman", "Diya", "Rahul", "Sneha", "Arjun"], "Marks": [78, 92, 85, 67, 74], "Grade": ["B", "A", "A", "C", "B"]}
c. Perform the following operations:
i. Create a Pandas DataFrame using the given dataset.
ii. Display the complete dataset.
iii. Display the first 3 rows of the dataset.
iv. Check whether the dataset contains missing values.
v. Create a histogram showing mark distribution.
vi. Find median and standard deviation of marks.


PROGRAM:

```
import pandas as pd
import matplotlib.pyplot as plt

data = {
    "Name": ["Aman", "Diya", "Rahul", "Sneha", "Arjun"],
    "Marks": [78, 92, 85, 67, 74],
    "Grade": ["B", "A", "A", "C", "B"]
}
df = pd.DataFrame(data)
print("Complete Dataset:")
print(df)
print("\nFirst 3 Rows:")
print(df.head(3))
print("\nMissing Values:")
print(df.isnull().sum())
plt.hist(df["Marks"])
plt.xlabel("Marks")
plt.ylabel("Number of Students")
plt.title("Mark Distribution")
plt.show()
print("\nMedian:", df["Marks"].median())
print("Standard Deviation:", df["Marks"].std())
```

OUTPUT:


Firefox
Sep 28 7:59 PM
Sandra - Colab
colab.research.google.com/drive/19BHIsdDWNXWccaJHR5RNMAEvE9LU1cY9
Colab is now part of Google AI Plans. Get upgraded compute power and a suite of new AI tools all in one bundle.
Explore the Plans
thanmaya.m
File Edit View Insert Runtime Tools Help
Share
Commands + Code + Text Run all
Connect
Complete Dataset:
Name Marks Grade
0 Aman 78 B
1 Diya 92 A
2 Rahul 85 A
3 Sneha 67 C
4 Arjun 74 B
First 3 Rows:
Name Marks Grade
0 Aman 78 B
1 Diya 92 A
2 Rahul 85 A
Missing Values:
Name 0
Marks 0
Grade 0
dtype: int64


Firefox
Sep 28 8:00 PM
thanmaya.m - Colab
colab.research.google.com/drive/19BHIsdDWNXWccaJHR5RNMAEvE9LU1cY9
Colab is now part of Google AI Plans. Get upgraded compute power and a suite of new AI tools all in one bundle.
Explore the Plans
thanmaya.m
Saving...
File Edit View Insert Runtime Tools Help
Share
Commands + Code + Text Run all
Connect
Mark Distribution
Number of Students
Marks
0.0
0.2
0.4
0.6
0.8
1.0
70
75
80
85
90
Median: 78.0
Standard Deviation: 9.67987603226405

12.Create dataframe from the given
a. data = {"Name": ["Aman", "Diya", "Rahul", "Sneha", Arjun"], "Department": ["CS", "IT", "CS", "ECE", "IT"], "Marks": [78, 92, 85, 67, 74], "Attendance": [85, 90, 88, 75, 80], "Grade": ["B", "A", "A", "C", "B"]}.
b. Display Dataset Information
c. Display Statistical Summary
d. Display only student names and marks
e. Display students scoring more than 80 marks.
f. Sort students based on marks in descending order.
g. Add a new column named “Bonus” containing: 5 marks bonus for every student.

PROGRAM:

```
import pandas as pd

data={"Name": ["Aman", "Diya", "Rahul", "Sneha", "Arjun"],
      "Department": ["CS", "IT", "CS", "ECE", "IT"],
      "Marks": [78, 92, 85, 67, 74],
      "Attendance": [85, 90, 88, 75, 80],
      "Grade": ["B", "A", "A", "C", "B"]}
df = pd.DataFrame(data)
print("Dataset Information:")
print(df.info())


print("\nStatistical Summary:")
print(df.describe())


print("\nNames and Marks:")
print(df[["Name","Marks"]])

print("\nStudents scoring more than 80:")
print(df[df["Marks"]>80])

print("\nSorted by Marks:")
print(df.sort_values("Marks",ascending=False))
df["Bonus"]=5
print("\nDataset with Bonus:")
print(df)
```

OUTPUT:


Google Colab
Google Colab
thanmaya.m - Colab
colab.research.google.com/drive/19BHIsdDWNXWccaJHR5RNMAEvE9LU1cY9
Colab is now part of Google AI Plans. Get upgraded compute power and a suite of new AI tools all in one bundle.
thanmaya.m
File Edit View Insert Runtime Tools Help
Commands + Code + Text Run all
df["Bonus"] = 5
print("\nDataset with Bonus:")
print(df)
Dataset Information:
<class 'pandas.core.frame.DataFrame'>
RangeIndex: 5 entries, 0 to 4
Data columns (total 5 columns):
Column Non-Null Count Dtype
0 Name 5 non-null object
1 Department 5 non-null object
2 Marks 5 non-null int64
3 Attendance 5 non-null int64
4 Grade 5 non-null object
dtypes: int64(2), object(3)
memory usage: 332.0+ bytes
None
Statistical Summary:
Marks Attendance
count 5.000000 5.000000
mean 79.200000 83.600000
std 9.679876 6.107373
min 67.000000 75.000000
25% 74.000000 80.000000
50% 78.000000 85.000000
75% 85.000000 88.000000
max 92.000000 90.000000
Names and Marks:
Variables
Terminal


Google Colab
Google Colab
thanmaya.m - Colab
colab.research.google.com/drive/19BHIsdDWNXWccaJHR5RNMAEvE9LU1cY9
Colab is now part of Google AI Plans. Get upgraded compute power and a suite of new AI tools all in one bundle.
thanmaya.m
File Edit View Insert Runtime Tools Help
Commands + Code + Text Run all
Names and Marks:
Name Marks
0 Aman 78
1 Diya 92
2 Rahul 85
3 Sneha 67
4 Arjun 74
Students scoring more than 80:
Name Department Marks Attendance Grade
1 Diya IT 92 90 A
2 Rahul CS 85 88 A
Sorted by Marks:
Name Department Marks Attendance Grade
1 Diya IT 92 90 A
2 Rahul CS 85 88 A
0 Aman CS 78 85 B
4 Arjun IT 74 80 B
3 Sneha ECE 67 75 C
Dataset with Bonus:
Name Department Marks Attendance Grade Bonus
0 Aman CS 78 85 B 5
1 Diya IT 92 90 A 5
2 Rahul CS 85 88 A 5
3 Sneha ECE 67 75 C 5
4 Arjun IT 74 80 B 5
#labcycle4_13
import pandas as pd
Variables
Terminal

13.Using the above dataframe answer the following questions.

a. Create a new column named “Total” by adding marks and bonus.
b. Find average marks department-wise.
c. Count the number of students in each grade category.
d. Calculate: mean, median,standard deviation of student marks.
e. Display students having maximum attendance.
f. Increase marks of all students by 5.

PROGRAM:

```
import pandas as pd

data = {
    "Name": ["Aman", "Diya", "Rahul", "Sneha", "Arjun"],
    "Department": ["CS", "IT", "CS", "ECE", "IT"],
    "Marks": [78, 92, 85, 67, 74],
    "Attendance": [85, 90, 88, 75, 80],
    "Grade": ["B", "A", "A", "C", "B"]
}

df = pd.DataFrame(data)

df["Bonus"] = 5

df["Total"] = df["Marks"] + df["Bonus"]
print("Total:")
print(df[["Name", "Total"]])

print("\nAverage Marks Department-wise:")
print(df.groupby("Department")["Marks"].mean())


print("\nGrade Count:")
print(df["Grade"].value_counts())


print("\nMean:", df["Marks"].mean())
print("Median:", df["Marks"].median())
print("Standard Deviation:", df["Marks"].std())

print("\nMaximum Attendance:")
print(df[df["Attendance"] == df["Attendance"].max()])

df["Marks"] = df["Marks"] + 5
print("\nMarks after increasing by 5:")
print(df[["Name", "Marks"]])
```

OUTPUT:


Google Colab
Google Colab
thanmaya.m - Colab
colab.research.google.com/drive/19BHIsdDWNXWccaJHR5RNMAEvE9LU1cY9#scrollTo=9bVZ9rsgKrB5
Colab is now part of Google AI Plans. Get upgraded compute power and a suite of new AI tools all in one bundle.
thanmaya.m
File Edit View Insert Runtime Tools Help
Commands + Code + Text Run all
df["Marks"] = df["Marks"] + 5
print("\nMarks after increasing by 5:")
print(df[["Name", "Marks"]])
Total:
Name Total
0 Aman 83
1 Diya 97
2 Rahul 90
3 Sneha 72
4 Arjun 79
Average Marks Department-wise:
Department
CS 81.5
ECE 67.0
IT 83.0
Name: Marks, dtype: float64
Grade Count:
Grade
B 2
A 2
C 1
Name: count, dtype: int64
Mean: 79.2
Median: 78.0
Standard Deviation: 9.67987603226405
Maximum Attendance:
Name Department Marks Attendance Grade Bonus Total
Variables
Terminal


Google Colab
Google Colab
thanmaya.m - Colab
colab.research.google.com/drive/19BHIsdDWNXWccaJHR5RNMAEvE9LU1cY9#scrollTo=9bVZ9rsgKrB5
Colab is now part of Google AI Plans. Get upgraded compute power and a suite of new AI tools all in one bundle.
thanmaya.m
File Edit View Insert Runtime Tools Help
Commands + Code + Text Run all
Grade Count:
Grade
B 2
A 2
C 1
Name: count, dtype: int64
Mean: 79.2
Median: 78.0
Standard Deviation: 9.67987603226405
Maximum Attendance:
Name Department Marks Attendance Grade Bonus Total
1 Diya IT 92 90 A 5 97
Marks after increasing by 5:
Name Marks
0 Aman 83
1 Diya 97
2 Rahul 90
3 Sneha 72
4 Arjun 79

LAB CYCLE 5

15.plot simple mathematical functions[y=3x^2+4x]


PROGRAM:

```
import numpy as np
import matplotlib.pyplot as plt

x = np.linspace(-10, 10, 100)
y = 3*x**2 + 4*x

plt.plot(x, y)
plt.xlabel("x")
plt.ylabel("y")
plt.title("y = 3x² + 4x")
plt.grid()
plt.show()
```

OUTPUT:



16.Create simple login form using streamlit

PROGRAM:


```
import streamlit as st

st.title("Login Form")

username = st.text_input("Username")
password = st.text_input("Password", type="password")

if st.button("Login"):
    if username == "admin" and password == "1234":
        st.success("Login successful!")
    else:
        st.error("Invalid username or password")
```

OUTPUT:



17.Create student registration form using streamlit

PROGRAM:

```
%%writefile STUD-gui.py
import streamlit as st


st.title("Student Registration Form")


name = st.text_input("Student Name")
age = st.number_input("Age", min_value=1, max_value=100,
step=1)
gender = st.selectbox("Gender", ["Male", "Female", "Other"])
course = st.selectbox(
    "Course",
    ["BCA", "B.Sc Computer Science", "B.Tech", "MCA", "MBA"]
)
email = st.text_input("Email")
phone = st.text_input("Phone Number")
address = st.text_area("Address")

if st.button("Register"):
    if name and email and phone and address:
        st.success("Student registered successfully!")

        st.write("### Student Details")
        st.write("**Name:**", name)
        st.write("**Age:**", age)
        st.write("**Gender:**", gender)
        st.write("**Course:**", course)
        st.write("**Email:**", email)
        st.write("**Phone:**", phone)
        st.write("**Address:**", address)
    else:
        st.warning("Please fill in all required fields.")
```

OUTPUT:


Firefox
Oct 7 9:17 PM
Home Page - Se
Thanmaya-stran
Untitled - Jupyt
SANDRA LAB C
LAB CYCLE - att
ChatGPT: Chat,
Streamlit
Streamlit
http://localhost:8501
Deploy
Student Registration Form
Student Name
Thanmaya
Age
19
Gender
Female
Course
BCA
Email
thanmaya@gmail.com
Phone Number
1234567890


Firefox
Oct 7 9:17 PM
Home Page - Se
Thanmaya-stran
Untitled - Jupyt
SANDRA LAB C
LAB CYCLE - att
ChatGPT: Chat,
Streamlit
Streamlit
http://localhost:8501
Deploy
Chala,Kannur,Kerala
Register
Student registered successfully!
Student Details
Name: Thanmaya
Age: 19
Gender: Female
Course: BCA
Email: thanmaya@gmail.com
Phone: 1234567890
Address: Chala,Kannur,Kerala