

A Paramagnetic Bonding Mechanism for Diatomics in Strong Magnetic Fields

Kai K. Lange, E. I. Tellgren, M. R. Hoffmann and T. Helgaker

Science **337** (6092), 327-331.
DOI: 10.1126/science.1219703

Magnetically Bound

At the macroscopic scale associated with daily life on Earth, magnetic attraction can seem fairly strong—think of the great loads moved by magnetized cranes. Microscopically, however, the field strengths attainable by human construction act as just a small perturbation on the Coulombic forces that bind atoms into molecules. **Lange *et al.*** (p. 327; see the Perspective by **Schmelcher**) used theoretical calculations to examine atomic behavior in environments very close to certain stars, where magnetic fields exceed those attainable on Earth by factors of 10,000 or more. The results predict a distinct type of chemical bonding in which spin-parallel hydrogen atoms or ground-state helium atoms are drawn together into pairs.

ARTICLE TOOLS

<http://science.sciencemag.org/content/337/6092/327>

RELATED CONTENT

<http://science.sciencemag.org/content/sci/337/6092/302.full>

REFERENCES

This article cites 28 articles, 0 of which you can access for free
<http://science.sciencemag.org/content/337/6092/327#BIBL>

PERMISSIONS

<http://www.sciencemag.org/help/reprints-and-permissions>

Use of this article is subject to the [Terms of Service](#)

Science (print ISSN 0036-8075; online ISSN 1095-9203) is published by the American Association for the Advancement of Science, 1200 New York Avenue NW, Washington, DC 20005. The title *Science* is a registered trademark of AAAS.

Copyright © 2012, American Association for the Advancement of Science