

CapturasFelipeJorquera

Tarea 1

1. POST con campo vacío retorna error 400

The screenshot shows a REST client interface with the following details:

- Method:** POST
- URL:** http://localhost:3000/api/libros
- Status:** 400 Bad Request
- Size:** 81 Bytes
- Time:** 4 ms
- Body (Request):**

```
{  "autor": "Gabriel García Márquez",  "anio_publicacion": 1967,  "genero": "Realismo magico"}
```
- Response:**

```
{  "ok": false,  "mensaje": "Error de validación",  "error": "El titulo es obligatorio"}
```

2. Post con datos correctos

The screenshot shows a REST client interface with the following details:

- Method:** POST
- URL:** http://localhost:3000/api/libros
- Status:** 201 Created
- Size:** 203 Bytes
- Time:** 10 ms
- Body (Request):**

```
{  "titulo": "Cien años de soledad",  "autor": "Gabriel García Márquez",  "anio_publicacion": 1967,  "genero": "Realismo magico"}
```
- Response:**

```
{  "ok": true,  "mensaje": "Libro creado exitosamente",  "datos": {    "id": 6,    "titulo": "Cien años de soledad",    "autor": "Gabriel García Márquez",    "anio_publicacion": 1967,    "genero": "realismo magico",    "disponible": true  }  }
```

Tarea 2

1. Get con filtrado

GET <http://localhost:3000/api/libros?titulo=quijote> Send

Status: 200 OK Size: 229 Bytes Time: 32 ms

Query Parameters

Parameter	Value
titulo	quijote
parameter	value

Response

```
1 {
2   "ok": true,
3   "total": 1,
4   "datos": [
5     {
6       "id": 2,
7       "titulo": "El Quijote",
8       "autor": "Miguel de Cervantes",
9       "anio_publicacion": 1605,
10      "genero": "Novela",
11      "disponible": 1,
12      "created_at": "2026-05-25T16:34:44.000Z",
13      "updated_at": "2026-05-25T16:34:44.000Z"
14    }
15  ]
16 }
```

2. GET con filtrado que no existe

GET <http://localhost:3000/api/libros?titulo=textoquenoeexiste> Send

Status: 200 OK Size: 32 Bytes Time: 6 ms

Query Parameters

Parameter	Value
titulo	textoquenoeexiste
parameter	value

Response

```
1 {
2   "ok": true,
3   "total": 0,
4   "datos": []
5 }
```

3. Get con todos los libros

GET <http://localhost:3000/api/libros> Send

Status: 200 OK Size: 810 Bytes Time: 5 ms

Query Parameters

Parameter	Value
parameter	value

Response

```
1 {
2   "ok": true,
3   "total": 6,
4   "datos": [
5     {
6       "id": 4,
7       "titulo": "1984",
8       "autor": "George Orwell",
9       "anio_publicacion": 1949,
10      "genero": "Ciencia ficción",
11      "disponible": 0
12    },
13    {
14      "id": 1,
15      "titulo": "Cien años de soledad",
16      "autor": "Gabriel García Márquez",
17      "anio_publicacion": 1967,
18      "genero": "Realismo mágico",
19      "disponible": 1
20    },
21    {
22      "id": 6,
23      "titulo": "Cien años de soledad",
24      "autor": "Gabriel García Márquez",
25      "anio_publicacion": 1967,
26      "genero": "realismo magico",
27      "disponible": 1
28    },
29  ]
30 }
```

Tarea 3

1. POST SIN API KEY

The screenshot shows a Thunder Client interface for a POST request to `http://localhost:3000/api/libros`. The request body is a JSON object: `{ "titulo": "El túnel", "autor": "Ernesto Sabato", "anio_publicacion": 1948, "genero": "Existencialismo" }`. The status is **401 Unauthorized**, size is **50 Bytes**, and time is **12 ms**. The response is a JSON object: `{ "ok": false, "error": "API key inválida o ausente" }`.

2. POST CON LA API KEY CORRECTA

The screenshot shows a Thunder Client interface for a POST request to `http://localhost:3000/api/libros`. The request headers include `x-api-key: eval-s12-2026`. The status is **201 Created**, size is **182 Bytes**, and time is **10 ms**. The response is a JSON object: `{ "ok": true, "mensaje": "Libro creado exitosamente", "datos": { "id": 7, "titulo": "El túnel", "autor": "Ernesto Sabato", "anio_publicacion": 1948, "genero": "existencialismo", "disponible": true } }`.

3. GET VACIO (ES PUBLICO)

The screenshot shows a Thunder Client interface for a GET request to `http://localhost:3000/api/libros`. The status is **200 OK**, size is **810 Bytes**, and time is **5 ms**. The response is a JSON object: `{ "ok": true, "total": 6, "datos": [{ "id": 4, "titulo": "1984", "autor": "George Orwell", "anio_publicacion": 1949, "genero": "Ciencia ficción", "disponible": 0 }, { "id": 1, "titulo": "Cien años de soledad", "autor": "Gabriel García Márquez", "anio_publicacion": 1967, "genero": "Realismo mágico", "disponible": 1 }, { "id": 6, "titulo": "Cien años de soledad", "autor": "Gabriel García Márquez", "anio_publicacion": 1967, "genero": "realismo magico", "disponible": 1 }, { "id": 3, "titulo": "El túnel", "autor": "Ernesto Sabato", "anio_publicacion": 1948, "genero": "Existencialismo", "disponible": 1 }, { "id": 2, "titulo": "El túnel", "autor": "Ernesto Sabato", "anio_publicacion": 1948, "genero": "Existencialismo", "disponible": 1 }, { "id": 5, "titulo": "El túnel", "autor": "Ernesto Sabato", "anio_publicacion": 1948, "genero": "Existencialismo", "disponible": 1 }] }`.