## Part Three - Make it yours

Last meeting you got one full loop playing.  Today it becomes yours.

Start with five minutes of play-testing.  Let a neighbor play your game, and keep your hands off the keyboard.  Watching somebody else play is the fastest way to find out what's broken.

### Step 4 - Replace the placeholders

**Your turn.**  Your character, your collectibles, your hazards, your world.  Every color, every name, every shape the starter marks `CHANGE`.  Space, ocean, forest, city, a dream.  Whatever your sentence from 7.1 said.

### Step 5 - Your screens, in your words

**Your turn.**  Rewrite the win and lose screens.  *"YOU WIN!"* is the starter talking.  Make it sound like you, and like your game.

Keep the `textAlign(LEFT, BASELINE);` at the end of each one, as in Chapter 6.

### Step 6 - Tune it

**Your turn.**  Play it.  Too easy?  Faster hazards, or a higher `goal`.  Too hard?  Slower hazards, or a bigger hitbox in your `super(...)` line.

You built your game, so you're the best player it'll ever have.  That means it's probably too hard for everybody else.  Your neighbor is the one to tune it for.

## 7.5 Three coins, three `if`s

The starter has three coins and two hazards. Each one has its own variable and its own `if`. Yes, that's repetitive. It's also code you can read from top to bottom and change one piece at a time. That's a trade-off, and for a first game it's the right one.

Want a fourth coin? It goes in four places: declare `coin4`, create it in `restartGame()`, move and draw it in `playGame()`, and give it an `if`.

> **Watch out.** Copy the `coin3` block to make `coin4`, and every `coin3` in the copy has to become `coin4`. Miss the one in `moveTo()`, and touching `coin4` moves `coin3` away. `coin4` sits still under your player, scoring a point every frame, and you win the whole game in under a second. Read the copied lines out loud, name by name.


Want twenty coins? That's what Bonus D is for.

## Step 7 - One thing that's your idea

**Your turn.** Add one thing that's your idea. Some places to start:

- **Lives**, from Chapter 6, in place of instant game over.
- **Hazards that speed up** as the score climbs.
- **A special ability** on a key: a speed burst, a shield, a teleport. It goes in `keyPressed()`.
- **A custom hazard**, in its own `extends Blob` tab: a shark, a storm cloud, a meteor.
- **A title screen** before the game starts. That's a fourth mode.
- **Bouncing.** One line in `setup()`, right before `restartGame()`:

```
  Sprite.screenBehavior = ScreenBehavior.BouncyWalls;   // everything bounces
off the edges
```




*`BouncyWalls`, with `background()` switched off to show the paths. The hazards bounce off the bottom edge, behind the ground, and the coins bounce off the right.*

It changes every sprite in your game at once.  That's why the clouds bounce too.

- **A bonus chapter.**  Pictures for your character (Bonus A), sounds (Bonus B), an animated character (Bonus C), or lots of coins (Bonus D).  They're at the back of the book.

**Your turn.  Optional:** a second level.  When the player wins, rebuild the world harder, with faster hazards, a different background, and a higher goal, and keep the score.  That's `restartGame()` with a level number, and it turns a demo into a game people want to keep playing.