


Help file to use SciServer for spectral fitting

1. Go to SciServer login page


(<https://apps.sciserver.org/login-portal/Account/Login>)

Create a new account using your mail, then login into your account




The screenshot shows the SciServer login portal. At the top, there is a dark blue header with the SciServer logo and a banner image of a colorful nebula. Below the banner, the text "Welcome to SciServer" is centered, followed by the tagline "Data, Collaboration, Compute". The main content area is white and contains two login sections. On the left, "Login with SciServer" has input fields for "User name" and "Password", a green "Sign in" button, and links for "Create a new account" and "Forgot your password?". On the right, "Login with Globus" includes a brief description of Globus authentication and two buttons: "Sign in with Globus" (blue) and "Sign out of Globus" (red).

2. Click on Compute option in the SciServer Dashboard



3. In Compute, click on “Create container” option



4. User should give “**Container name**”, no need to change the “**Domain**”, in “**Compute image**” user should select HEASARCV6.36 or any HEASARC version (which have all necessary packages), in “**User volumes**”, user should select both persistence (permanent) and scratch (temporary) storage volume, then click on create option

Create a new container

Container name
HELIOS

Domain
Interactive Docker Compute Domain

Shared Intel Xeon E7 systems. All containers are limited to 100GiB of RAM. Unused containers are shut down after 3 days.

Compute Image
HEASARCV6.36

Contains Heasoft packages and software. Based on Ubuntu 22.04

User volumes ☒ All


- ☒ persistent, Storage Volume created by jrf0084
- ☒ scratch, Temporary Volume created by jrf0084

Data volumes ☐ All

- ☐ AstroPath Data Public
- ☐ GALAHDR4
- ☐ Getting Started
- ☐ HEASARC data
- ☐ HathiTrust
- ☐ Manga
- ☐ Ocean Circulation
- ☐ Poseidon
- ☐ Recount
- ☐ SDSS Associated Data
- ☐ SDSS DAS
- ☐ SDSS DR9 Imaging
- ☐ SDSS SAS
- ☐ SDSS Spectra
- ☐ Turbulence (ceph)
- ☐ Turbulence (filedb)
- ☐ Turbulence Windfarm (ceph)

Create

5. Now click on the container name (Here it is “HEL10S”)



Containers

Created At	Name	Domain	Image	Status	
2025-12-10 04:18:51.0	HEL10S	Interactive	HEASARCV6.36	running	■ ⓘ ✕

Create container


Important Information about Compute Container File Storage

File System Most of the folders in a Container's file system should not be used to store your files. Your initial container view is of `/home/ides/workspace`, which may contain volumes under the `Storage` and `Temporary` folders. Any user volumes you choose to add to the container at creation will be present within these folders. Do not store your files in `workspace`, or in any other folder except as described here. If a Compute node fails, your incorrectly stored files will be *lost permanently*.

Storage Use `Storage` volumes for long term storage of your scripts and small data files. The volumes in the `Storage` folder are backed up. These volumes are mounted according to the username of the user who created them under the path `/home/ides/workspace/Storage/username/user volume name/`. Files saved to this folder persist between your containers, even in the event that a container fails. Other files and folders cannot be placed in any intermediate paths, i.e., under the `Storage/username` or `Storage/` folders. Your `Storage` volumes are subject to size limitations described in the [SciServer Compute Data Storage Policy](#).

persistent By default, all users start with a `Storage` volume named `persistent`. The files in this volume correspond to the same `persistent` folder used in previous versions of Compute.

6. A Jupyter lab will appear, open **Storage** folder on left.



File Edit View Run Kernel Git Tabs Settings Help

Launcher

Notebook

(heasoft) (base) * (clao) (fermi) (spex) (xmmsas)

DS9 JS9

Console

(heasoft) (base) * (clao) (fermi) (spex) (xmmsas)


Other

Terminal Text File WorldWide Telescope Markdown File Python File Show Contextual Help


Jupytertext

Python - Percent Format MyST Markdown

7. Open Folder with “User name” on left (Here it is Jrf0084)



8. Open persistent folder on left (data stored in persistent folder stored permanently)



9. Upload necessary files (spectral files, notebook, response files, and models etc) using the option shown in red circle

