

BATCH

LESSON

DATE

B107 AWS-DevOps

AWS

SUBJECT: AWS-EBS

ZOOM GİRİŞLERİNİZİ LÜTFEN **LMS** SİSTEMİ ÜZERİNDEN YAPINIZ
























Simple Storage Service S3 - 2



AWS Storage

CLOUDIAN'

STORAGE TYPES

BL	00	CK	
STO	R/	٩G	E



FILE STORAGE



OBJECT STORAGE



100						
	RAI	A F out				М
	10.1	L Page	-	•	100	е.
				_	-	а.

FC or iSCSI

TCP/IP

TCP/IP

INTERFACE:

Direct Attached or SAN

NFS, SMB


HTTP, REST

USE CASE:

Low Latency Best for Structured Data Good Performance File Sharing, Global File Locking Easy Scaling with No Limits Accessible across LAN & WAN




Block Storage



- Block storage has data in blocks
- You can create, partition and format volumes
- Hard drives we use are block based storage devices



AWS Storage





What is Elastic Block Storage(EBS)?



EBS = Elastic Block Store

Amazon Elastic Block Store (Amazon EBS) provides block level storage volumes for use with EC2 instances.

✓ EBS volumes provide benefits that are not provided by instance store volumes.

Data availability

Data persistence

Data security

Data encryption

Flexibility

Snapshots



What is Elastic Block Storage(EBS)?




- EBS is like a network USB stick, it is not physically attached
- You can attach to an instance while it is running
- It can persist data after termination
- They can be attached to one instance (some iol, io2 types can be multi-attached)
- They are bound to a specific AZ
- EBS volume snapshot can be taken to use it in another AZ
- EBS volumes are automatically replicated within an AZ



EBS Instance Store Vs EBS

EC2 Instance Store

- Local to instance
- Non-persistent data store
- Data not replicated (by default)
- No snapshot support
- SSD or HDD







Elastic Block Store

- Persistent block storage volumes
- 99.999% availability
- Automatically replicated within its Availability Zone (AZ)
- Point-in-time snapshot support
- Modify volume type as needs change
- SSD or HDD
- Auto recovery







EBS Volume Types

- EBS Volumes come in 6 types
 - gp2 / gp3 (SSD): General purpose SSD volume that balances price and performance for a wide variety of workloads
 - io I / io2 (SSD): Highest-performance SSD volume for mission-critical low-latency or high-throughput workloads
 - st1 (HDD): Low cost HDD volume designed for frequently accessed, throughputintensive workloads
 - sc I (HDD): Lowest cost HDD volume designed for less frequently accessed workloads
- EBS Volumes are characterized in Size | Throughput | IOPS (I/O Ops Per Sec)
- When in doubt always consult the AWS documentation it's good!
- Only gp2/gp3 and io1/io2 can be used as boot volumes



EBS Volume Types - Solid state drives (SSD)

	General Purpose SSD		Provisioned IOPS SSD		
Volume type	gp3	gp2	io2 Block Express ‡	io2	io1
Durability	99.8% - 99.9% durability (0.1% - 0.2% annual failure rate)	99.8% - 99.9% durability (0.1% - 0.2% annual failure rate)	99.999% durability (0.001% annual failure rate)	99.999% durability (0.001% annual failure rate)	99.8% - 99.9% durability (0.1% - 0.2% annual failure rate)
Use cases	Low-latency interactive apps Development and test environments		 Workloads that require: Sub-millisecond latency Sustained IOPS performance More than 64,000 IOPS or 1,000 MiB/s of throughput 	 Workloads that require sustained IOPS performance or more than 16,000 IOP I/O-intensive database workloads 	
Volume size	1 GiB - 16 TiB		4 GiB - 64 TiB	4 GiB - 16 TiB	
Max IOPS per volume (16 KiB I/O)	16,000		256,000	64,000 †	
Max throughput per volume	1,000 MiB/s	250 MiB/s *	4,000 MiB/s	1,000 MiB/s †	
Amazon EBS Multi-attach	Not supported		Supported		
Boot volume	Supported				



EBS Volume Types - Hard disk drives (HDD)

	Throughput Optimized HDD	Cold HDD
Volume type	st1	sc1
Durability	99.8% - 99.9% durability (0.1% - 0.2% annual failure rate)	99.8% - 99.9% durability (0.1% - 0.2% annual failure rate)
Use cases	Big dataData warehousesLog processing	 Throughput-oriented storage for data that is infrequently accessed Scenarios where the lowest storage cost is important
Volume size	125 GiB - 16 TiB	125 GiB - 16 TiB
Max IOPS per volume (1 MiB I/O)	500	250
Max throughput per volume	500 MiB/s	250 MiB/s
Amazon EBS Multi-attach	Not supported	Not supported
Boot volume	Not supported	Not supported



Storage Types


	Performance	Availability and Accessibility	Access Control	Storage and File Size Limits	Cost
Amazon S3	- Supports 3500 PUT / LIST / DELETE requests per second - Scalable to 5500 GET requests per second	Usually 99.9% available If lower, returns 10-100% of cost as service credits Accessible via Internet using APIs	Access is based on IAM Uses bucket policies and user policies Public access via Block Public Access	No limit on quantity of objects Individual objects up to 5TB	- Free tier: 5GB - First 50 TB/month: \$0.023 per GB - Next 450 TB/month: \$0.022 per GB - Over 500 TB/month: \$0.021 per GB
AWS EBS	- HDD volumes: 250-500 IOPS/volume depending on volume type - SSD volumes: 16-64K IOPS/volume	- 99.99% available - Accessible via single EC2 instance	- Security groups - User-based authentication (IAM)	Max storage size of 16TB No file size limit on disk	- Free tier: 30GB - General Purpose: \$0.045 per GB/month - Provisioned SSD: \$0.125 per GB/month, \$0.065 per IOPS/month
AWS EFS	- 3GB/s baseline performance - Up to 10GB/s - Up to 7K IOPS	No publicly available SLA Up to 1,000 concurrent EC2 instances Accessible from any AZ or region	IAM user-based authentication Security groups	- 16TB per volume - 52TB maximum for individual files	- Standard storage: \$0.30-\$0.39 per GB-month depending on region - Infrequent storage: \$0.025-\$0.03 per GB-month - Provisioned throughput: \$6 per MB/s-month




Throughput (HDD) vs IOPS (SSD)

Throughput (HDD)


IOPS (SDD)







Throughput (HDD) vs IOPS (SSD)






HDD - SSD







HDD

SSD



Solution Architect Cases

- We need a high performance storage solution for our test purposes. Data losses do not matter. What is your solution?
- We have an EBS volume in us-east-1 region. We need to move it to eu-west-1. What is the best approach?
- We need an EBS storage that can support OS. What is your advice?
- You have launched an EC2 instance with two EBS volumes, Root volume type and the other EBS volume type to store the data. A month later you are planning to terminate the EC2 instance. What's the default behavior that will happen to each EBS volume?



Do you have any questions?

Send it to us! We hope you learned something new.