Elphie

Stanislav Böhm http://github.com/spirali/elphie

Elphie is a presentation framework based on *Python* and *Inkscape*

The following code ...

```
import elphie

slides = elphie.Slides()
slide = slides.new_slide("The first slide")
slide.text("Hello world!")
slides.render()
```

will produce slide.pdf

You can see the result at next slide

Hello world!



Let us continue with the demonstration ...

Text fragments

Let us continue with the demonstration ... Elphie ...

Text fragments

Let us continue with the demonstration ...

Elphie ...

... supports ...

Let us continue with the demonstration ...

Elphie ...

... supports ...

... fragments.



Image fragments







Image fragments






Fragments in svg by labelling elements or layers



Fragments in svg by labelling elements or layers



Show in the fourth step and later



Show in the fourth step and fifth step

Example of a list:

- Apple
- Orange
- Banana

```
#include <stdio.h>

/* Hello world program */

int main() {
    printf("Hello world!\n");
    return 0;
}
```

```
#include <stdio.h>

/* Hello world program */

int main() {
    printf("Hello world!\n");
    return 0;
}
```

```
#include <stdio.h>

/* Hello world program */

int main() {
    printf("Hello world!\n");
    return 0;
}
```

```
#include <stdio.h>

/* Hello world program */

int main() {
    printf("Hello world!\n");
    return 0;
}
```

```
#include <stdio.h>
/* Hello world program */
int main() {
    printf("Hello world!\n");
    return 0;
     #include <stdio.h>
     /* Hello world program */
     int main() {
         printf("Hello world!\n");
         return 0;
```

```
#include <stdio.h>
/* Hello world program */
int main() {
     printf("Hello world!\n");
     return 0;
     #include <stdio.h>
     /* Hello world program */
     int main() {
         printf("Hello world!\n");
         return 0;
```

```
#include <stdio.h>
/* Hello world program */
int main() {
    printf("Hello world!\n");
    return 0;
     #include <stdio.h>
     /* Hello world program */
     int main() {
         printf("Hello world!\n");
         return 0;
```

Columns demonstration

- First item
- Second item
- Third item

```
#include <stdio.h>"

int main() {
    printf("Hello world!\n");
    return 0;
}
```

Title of the frame

This text is in the frame!

- First bullet
- Second bullet

Header 1

Header 2

Header 3

Normal text | Type writer | emphasis | alert

Fixed size 15, ignore theme: Normal text | Type writer | emphasis | alert

```
class MyElement(elphie.Element):
    def get size request(self, ctx):
        return elphie.SizeRequest(500, 100)
    def render_body(self, ctx, rect):
        colors = ("red", "green", "blue")
        for i, color in enumerate(colors)[:ctx.step]:
            w = rect.width / 3.0
            r = elphie.Rect(rect.x + i * w, rect.y,
                            w, rect.height)
            ctx.renderer.draw rect(r, color)
```

```
class MyElement(elphie.Element):
    def get size request(self, ctx):
        return elphie.SizeRequest(500, 100)
    def render_body(self, ctx, rect):
        colors = ("red", "green", "blue")
        for i, color in enumerate(colors)[:ctx.step]:
            w = rect.width / 3.0
            r = elphie.Rect(rect.x + i * w, rect.y,
                            w, rect.height)
            ctx.renderer.draw rect(r, color)
```

```
class MyElement(elphie.Element):
    def get size request(self, ctx):
        return elphie.SizeRequest(500, 100)
    def render_body(self, ctx, rect):
        colors = ("red", "green", "blue")
        for i, color in enumerate(colors)[:ctx.step]:
            w = rect.width / 3.0
            r = elphie.Rect(rect.x + i * w, rect.y,
                            w, rect.height)
            ctx.renderer.draw_rect(r, color)
```



This slide is rendered by a different theme

Have a nice day!