Velammal College of Engineering and Technology, (Autonomous)

Department of Electronics and Communication Engineering

C Snippet – Zoho Preparation

Batch 2021 – 2025 **Date : 04.07.24**

1. Find the output for the following programs(branching and looping)

```
#include<stdio.h>
Void main()
{
int i;
for( i = 1 ; i < 4 ; i++)
{
 switch(i)
 {
 case 1 : printf("%d" , i);break;
 case 2 : printf("%d" , i);break;
 case 3 : printf("%d" , i);break;
 }
}
switch(i)
{
 case 4 : printf("%d" , i);break;
}
}
```

2. Find the output(operartor and expression)

```
void main()
{
char *s = "\12345s\n";
printf("%d" , sizeof(s));
}
```

3. Find the output(Funtions)

```
int main()
{
static int i = 3;
printf("%d" , i--);
return i>0 ? main() : 0 ;
}
```

4. Find the output(pointers)

```
int main()
{
char *s[]={ "dharmr'a","hewlett-
packard","siemens","ibm"};
char **p;
p = s ;
printf("%s" ,++*p);
printf("%s",*p++); ;
printf("%s" ,++*p);
}
```

5. Find the output(dynamic memory)

```
#include<stdio.h>
#include<malloc.h>
#include<string.h>
int main()
{
int i;
char a[]="String";
char *p = "New String";
char *temp;
temp = malloc(strlen(p) + 1);
p = malloc( strlen(temp) + 1);
strcpy(p , temp);
printf("%s" , p);
}
```

6. Find the output(algorithm)

```
int main()
{
int n = 12 , res = 1;
while( n > 3)
{
 n -= 3;
 res *= 3;
}
printf("%d" , n*res);
}
```

7. Find the output(function)

```
void fun(int [][3]);
int main()
{
int a[3][3] = {9,8,7,6,5,4,3,2,1};
fun(a);
printf("%d\n" , a[2][1]);
}
void fun(int b[][3])
{
 ++b;
 b[1][1]=5;
}
```

8. Find the output(strings)

```
void main()
{
 int i , n;
 char x[5];
 strcpy( x , "Zoho");
```

```
 n = strlen(x);
 *x = *(x+(n-1));
 printf("%s" , x);
}
```

9. Find the output(arrays)

```
void main()
{
 int c[]={5,4,3,4,5};
 int j , *q = c;
 for( j = 0 ; j<5 ; j++){
 printf("%d" , *c);
 ++q;
 }}
```

10. Find the output(branching and looping)

```
void main()
{
 int i = 1;
 for(i =0 ; i= -1 ; i=1){
 printf("%d", i);
 if(i!= 1) break;
 }}
```

11. Find the output(Arrays)

```
void main()
{
 int s[] = {1,0,5,0,10,0};
 int f[] = {2,4,6,8,10,12};
 int n = 6 , i = 0 , j = 0;
 for( j = 1 ; j < n ; j++)
 {
 if( s[j] >= f[i])
 {
 printf("%d" , i);
 i = j;
 } }}
```

12. Find the output(Functions)

```
void f(int *a , int m)
{
 int j = 0;
 for(j = 0 ; j < m ; j++)
 {
 *(a+j) = *(a+j) - 5;
 }
}
void main()
{
 int a[] = {'f' , 'g' , 'h' , 'i' , 'j'};
 int j = 0 ;
 f(a , 5);
 for(j = 0 ; j<= 4 ; j++)
 printf("%c\t" , a[j]);
}
```

13. Find the output(branching and looping)

```
void main()
{
 int i=0, j=0 , sum=0;
 for(i= 1; i < 500 ; i*=3)
 for(j=0;j<i;j++)
 sum++;
 printf("%d",sum);
}
```

14. Find the output(branching and looping)

```
void main()
{
 int n;
 for(n = 6 ; n!= 1; n--)
 printf("%d" , n--);
}
```

15. Find the output(arrays)

```
void main()
{
 int a[3][4] =
{2,4,6,5,10,12,12,10,5,6,4,2};
 int i = 0 , j , k =99;
 while(i < 3)
 {
 for(j = 0 ; j < 4 ; j= j++)
 {
 if( a[i][j] < k)
 {
 k = a[i][j];
 }
 }
 i++;
 }
printf("%d" , k);
}
```

16. Find the output(structures and union)

```
struct value{
int bit1:1;
int bit3:4;
int bit4:4;
}bit;
int main()
{
printf("%d\n", sizeof(bit));
return 0;
}
```

17. Find the output(dynamic memory)

```
struct node
{
int data;
float d;
struct node *link;
};
int main()
{
struct node *p, *q;
p = (struct node *) malloc(sizeof(struct
node));
q = (struct node *) malloc(sizeof(struct
node));
printf("%d, %d\n", sizeof(p), sizeof(q));
return 0;
}
```

18. Find the output(branching and looping)

```
void main()
{
int i = -1;
printf("i =%d +i = %d\n" , i , +1);
}
```

19. Find the output (datatypes)

```
void main()
{
char not;
not=12;
printf("%d",not);
}
```

20. Find the output(branching and looping)

```
#define FALSE -1
#define TRUE 1
#define NULL 0
void main()
{
if(NULL)
puts("NULL");
else if(FALSE)
puts("TRUE");
else
puts(" FALSE");
}
```

21. Find the output(operator and expressions)

```
void main()
{
 int k = 1;
 printf("%d==1 is"" %s" ,k, k == 1 ?
"TRUE":"FALSE");
}
```

22. Find the output(operator and expressions)

```
void main()
{
 printf("%d\n" , sizeof('7'));
 printf("%d\n" , sizeof(7));
 printf("%d\n" , sizeof(7.0));
}
```

23. Find the output(datatypes)

```
void main()
{
 int g;
 g=300000*300000/300000;
 printf("g=%d\n",g);
}
```

24. Find the output(datatypes)

```
void main()
{
 float a;
a=4/2;
printf("%f %f\n",a,4/2);
}
```

25. Find the output(operator and expression)

```
void main()
{
 int x=10,y=5,p,q;
 p=x > 9;
 q=x>3&& y!=3;
 printf("p=%d q=%d \n",p,q);
}
```