



Interview Questions

Bca(computer application) (Thiruvalluvar University)



Scan to open on Studocu

Aptitude & Technical questions asked in interviews

Name: Abdul Majith A
Company Name: ZOHO
Date:04/02/2024

Attended Round1:Aptitude

1. The cost of Type 1 rice is Rs. 15 per kg and Type 2 rice is Rs. 20 per kg. If both Type 1 and Type 2 are mixed in the ratio of 2: 3, then the price per kg of the mixed variety of rice is:
2. Find odd man out? 2763 2972 3743 4374 7334 7922
3. Narasimha and Nithin started a business investing amounts of Rs. 185000 and Rs. 225000 respectively. If Nithin share in the profit earned by them is Rs. 9000, what is the total profit earned by them together?

Program questions:

- 1.For the below C snippet, find f(5).

```
int f(int n) |
static int r=0.
if (n=0) return 1; return f(n-2)+2; 1
if (n >3) r=n:
return ((n-1)+r;
1
```

Name: Amirtha Varshini K

Company Name: ZOHO

Date:10/02/2024

- 1.number series 12 16 20 40 32 64 ?
- 2.in how many ways can committee consisting of 5 men and 6 women can be formed from 8 men and 10 women
- 3.two dice are tossed. The probability that the total score is prime number is.
- 4.a person purchased Aircraft, BMW, Audi for 68 Million. He purchased BMW more than Audi, cost of each Aircraft is 8 million, BMW is 3 million, Audi is 4million.
find how many aircraft he purchased.
- 5.how many times clock hands coincide in a day.

Company Name: ZOHO

Date:24/02/2024

1. In array shift 0 to last
Eg: Input :1030507
Output: 1357000
- 2.given string find the frequency of letter
Eg: input:occurrence
Output:o1c3u1r2e2n1

Company Name: ZOHO

Date:07/03/2024

1. String should follow the pattern (if string follow the pattern return true else false)
Eg1 input pattern=abba
Input String=dog cat cat dog
Output : true
Eg2 Input pattern=baab
Input String=cat cat dog cat
Output : false
2. Swap the vowels in a given string
Eg : Input :hello
Output : holle

Name: Aravinth S

Company: ZOHO Corporation

Round: Round-1 (Aptitude & programming)

Date: 10-Feb-2024

(Aptitude Questions)

1. Two dice are tossed. The probability that the total score is a prime number is?
2. A man completes a journey in 10 hours. He travels the first half of the journey at the rate of 21 km/hr and the second half at the rate of 24 km/hr. Find the total journey in km?
3. Excluding stoppages, the speed of a bus is 54 kmph, and including stoppages, it is 45 kmph. For how many minutes does the bus stop per hour?
4. Three pipes A, B, and C can fill a tank in 6 hours. After working at it together for 2 hours, C is closed and A and B can fill the remaining part in 7 hours. The number of hours taken by C alone to fill the tank is?
5. find the next number 14,28,20,40,34,68, __?
6. How many times do the hands of a clock coincide in a day?

(Programming Questions)

1. Find the output of below program

Input: str1 = "aA", str2 = "aAAbbbb"


class Solution

```
{  
    public int zoho(String str1, String str2)  
    {  
        int num = 0;  
        for (int i=0; i<str2.length(); i++)  
        {  
            if(str1.indexOf(str2.charAt(i)) != -1)  
                num++;  
        }  
        return num;  
    }  
}
```

Arun T

NAME : DINESH BALAJI T
COMPANY : ZOHO
ROUND : Round-1 (Aptitude + programming)
DATE : 11 Feb 2024

1) In the balanced binary tree in the below figure, how many nodes will become unbalanced when a node is inserted as a child of the node "g"?



2) Which sorting technique out of the following options uses the least number of comparisons to sort the array [12, 32, 43, 56, 65, 76, 87, 98] in ascending order?

- a. Selection sort
- b. Merge sort
- c. Quicksort using the last element as pivot
- d. Insertion sort

3) The concatenation of two lists is to be performed in $O(1)$ time. Which of the following implementations of a list should be used?

- a. singly linked list
- b. doubly linked list
- c. circular doubly linked list.
- d. array implementation of list

Name: Kaarthiga S

Company Name: ZOHO

Date: 10/02/2024

1. excluding stoppage, the speed of a bus is 54kmph, and including stoppages it is 45kmph. for how many minutes does the bus stop per hour.

2. the shopkeeper sold article A at 20% loss and the cost price of article A was ₹4500. with that amt he bought article B and sold it at profit of 30%.

what is the overall profit or loss in whole transaction.

3. The total age of A and B is 12 years more than the total age of B and C. C is how many years younger than A?

4. A man completes a journey in 10 hours. He travels the first half of the journey at the rate of 21km/hr and the second half at the rate of 24km/hr.

Find the total journey in km.

5. Three pipes A, B and C can fill a tank in 6 hrs. After working at it together for 2 hr, C is closed and A and B can fill the remaining part in 7 hrs. the number of hours taken by C alone to fill the tank is.

Name: Liyagath Ali
Company: Zoho corporation
Date: 12-Feb-2024

1.) The height of a certain flagpole is 30 feet. Grease is applied to the pole. A monkey attempts to climb the pole. It climbs 3 feet every second but slips down 2 ft in the next second. When will the monkey reach the top of the flagpole?

2) John borrowed some money at the rate of 7% per annum for the first 3yr, at the rate of 9% per annum for the next 5yr and at the rate of 12% per annum for the period beyond 8yr. If he pays a total interest of Rs. 5100 at the end of 11yr. how much money did he borrow?

3) A program P reads in 500 integers in the range [0..100] representing the scores of 500 students. It then prints the frequency of each score above 50. What would be the best way for P to store the frequencies?

Name: Manisha V
Company Name: Zoho corporation
Date: 12 feb 2024

Q1.) What is the output for the provided input in the program below?

Input:s="abca"

```
class Solution {  
    public boolean zoho(String s) {  
        int i =0;  
        int j= s.length()-1;  
        while(i <= j){  
            if(s.charAt(i) == s.charAt(j)){  
                i++;  
            }  
        }  
    }  
}
```

```

j--;
}

else return help(s, i + 1, j) || help(s, i, j-1);

}

return true;

}

public boolean help(String s, int i, int j){

while(i<=j){

if(s.charAt(i) == s.charAt(j)){

i++;

j--;

}

else return false;

}

return true;

}

}

```

Q2.) What is the output for the provided input in the program below?
Input: nums [6.5.4.8]

```

public int[] zoho(int[] nums) {
int[] temp = new int[101];
for(int i=0; i<nums.length; i++)
temp[nums [i] ]+=1;
For(int j =1 ; j <= 100; j + 1)
temp[j]+ temp[j-1];
for(int k=0; k< nums.length; k++) (
int pas =nums[k];
Nums[k]pos=0?0: temp[pos-1];
}
return nums:
}

```

Q3.) What is the output for the provided input in the program below?

Input: arr = (0,3,2,1]

```
class Solution (  
public boolean zoho(int[] arr) (  
if(arr.length <3) return false;  
int l = 0;  
int r=arr.length-1;  
while(l + 1 < arr.length 1 &&arr[l] < arr[l] <arr{l+1})l++;  
while(r-1>0 && arr[r] <arr[r-1]) r--;  
return l ==r ;  
}  
}
```

Q4.) What is the output for the provided input in the program below?

Input: nums = [1,3,5,6), target = 7

```
public int zoho(int[] A, int target) (  
int low = 0, high = A.length-1;  
while(low<=high){  
int mid = (low+high)/2;  
if(A[mid] ==target) return mid;  
else if (A[mid]> target) high =mid-1;  
else low mid-1;  
}  
return low;  
}
```

Q5.) What is the output for the provided input in the program below?

Input: arr[1,0,0,0.11, n=1

```
public class Solution (  
public boolean zoho(int[] arr, int n) (  
int count = 0;  
For(inti=0;l<arr.length;l++)  
if (arr[i]=0) (  
boolean l= (i 0) || (arr[i-1] == 0);  
Boolean r= (i== arr.length-1) || (arr[i+1] == 0);  
if (1 && r) (  
arr[i] = 1;  
count++;  
}  
}  
}  
return count >= n;
```

}

}

Mohammed Aasim M

Name : Mohammed Ameen S

Company Name : Zoho

Date : 11/02/2024

1. Excluding stoppages, the speed of a bus is 54 kmph and including stoppages, it is 45 kmph. For how many minutes does the bus stop per hour?
2. A red light flashes 3 times per minute and a green light flashes 5 times in two minutes at regular intervals. If both lights start flashing at the same time, how many times do they flash together in each hour?
3. A program P reads in 500 integers in the range [0..100] representing the scores of 500 students. It then prints the frequency of each score above 50. What would be the best way for P to store the frequencies?

NAME : Naresh R
COMPANY : ZOHO
ROUND : Round-1 (Aptitude + programming)
DATE : 9 Feb 2024

Aptitude Questions:

1. Two dice are tossed. The probability that the total score is a prime number is
2. Two numbers are in the ratio 3: 5. If 9 is subtracted from each, the new numbers are in the ratio 12:23. The smaller number is
3. A man completes a journey in 10 hours. He travels the first half of the journey at the rate of 21 km/hr and the second half at the rate of 24 km/hr. Find the total journey in km
4. Excluding stoppages, the speed of a bus is 54 kmph, and including stoppages, it is 45 kmph. For how many minutes does the bus stop per hour
5. The shopkeeper sold article A at a 20% loss and the cost price of article A was ₹4500. With that amount, he bought article B and sold it at a profit of 30%. What is the overall profit or loss in the whole transaction
6. Three pipes A, B, and C can fill a tank in 6 hours. After working at it together for 2 hours, C is closed and A and B can fill the remaining part in 7 hours. The number of hours taken by C alone to fill the tank is

7. find the next number 14,28,20,40,34,68, __ ?

8. How many times do the hands of a clock coincide in a day?

Programming Questions

1. Find the output of below program

Input: str1 = "aA", str2 = "aAAbbbb"

class Solution

```
{
    public int zoho(String str1, String str2)
    {
        int num = 0;
        for (int i=0; i<str2.length(); i++)
        {
            if(str1.indexOf(str2.charAt(i)) != -1)
                num++;
        }
        return num;
    }
}
```

2. Find the output of below program

Input: n=5

public int[] zoho(int num)

```
{
    int[] f= new int[num+ 1];
    for (int i=1; i<=num; i++) f[i]=f[i>>1]+(1&1);
    return f;
}
```

3. find the output for below program

Input: arr[1,0,0,0,1], n=1

public class Solution

```
{
    public boolean zoho (int[] arr, int n)
    {
        int count = 0;
        for (int i=0; i < arr.length; i++)
        {
            If (arr[i]==0)
            {

```

```

        boolean l=(i==0) || (arr[i-1]==0);
        boolean r = (i== arr.length-1) || (arr[i+1] == 0);
        if ( l && r)
        {
            arr[i]=1;
            count++;
        }
    }
    return count >= n;
}
}

```

Name: Parthiban D

Company Name: Zoho

Date : 04/02/2024

- 1) If 4 mat_waver waves 4 mats in 4 days.
How many mats does 8 mat_waver waves in 8 days
- 02) A train 500 meter long passes a man 63 km/hr in the same direction a man is walking 3km/hr. How many seconds wants the train to cross a man.
- 03.) Find the next series : 14,28,20,40,32,64__.
- 04) How many times does hands of a clock are coincide in a day.
- 05) Today Thursday,After 132 days what is the day will be :__.
- 06) Prime Numbers is 2,3,5,7,11,13. If a dice is tossed, what is the probability of total score.
- 07) Mahindra buy the 15 Aircraft,BMW and Audi Of 68 Million . he bought more BMW than Audi.Each Aircraft is 8 million, Each BMW is 3 million and Each Audi is 4 Million.How many Aircraft will he buy.
- 08) 5 mens and 6 women can be formed.how many ways to formed by the 8 men and 10 women
- 09) Person sold A at 20% loss the Total Amount=450,from the remaining

he bought B and sold at 30% .Find the Profit and loss and how much the Amount

10) Excluding stoppages, The speed of the bus is 54kmph,including stoppage,it is 45kmph,
Find how many minutes does the bus stop per hour

NAME : Praveen Kumar S
COMPANY : ZOHO

ROUND : Round-1 (Aptitude + programming)

DATE : 9 Feb 2024

Aptitude Questions:

Q1. Two dice are tossed. The probability that the total score is a prime number is:

Q2. The total age of A and B is 12 years more than the total age of B and C. C is how many years younger than A?

Q3. A man completes a journey in 10 hours. He travels the first half of the journey at the rate of 21 km/hr and the second half at the rate of 24 km/hr. Find the total journey in km.

Q4. In how many ways can a committee, consisting of 5 men and 6 women can be formed from 8 men and 10 women?

Q5. Three pipes A, B, and C can fill a tank in 6 hours. After working at it together for 2 hours, C is closed and A and B can fill the remaining part in 7 hours. The number of hours taken by C alone to fill the tank is:

Q6. Two numbers A and B are such that the sum of 5% of A and 4% of B is two-third of the sum of 6% of A and 8% of B. Find the ratio of A: B.

Q7. Mahendra Rajapaksa bought a total of 15 Aircraft, BMW, and Audi for ₹68 million. He bought more BMW than Audi. The cost of each Aircraft was 18 million each BMW was ₹3 million and each Audi was ₹4million. How many Aircraft did he buy?

Q8. Two numbers are in the ratio 3: 5. If 9 is subtracted from each, the new numbers are in the ratio 12: 23. The smaller number is:

Q9. The shopkeeper sold article A at a 20% loss and the cost price of article A was ₹4500. With that amount, he bought article B and sold it at a profit of 30%. What is the overall profit or loss in the whole transaction?

Q10. Excluding stoppages, the speed of a bus is 54 kmph, and including stoppages, it is 45 kmph. For how many minutes does the bus stop per hour?

Programming Questions:

Q1. What is the output for the provided input in the program below?

```
Input:s="abca"
```

```
class Solution {
```

```
public boolean zoho(String s) {
```

```

int i =0;

int j= s.length()-1;

while(i <= j){

if(s.charAt(i) == s.charAt(j)){

    i++;

    j--;

}

else return help(s, i + 1, j) || help(s, i, j-1);

}

return true;

}

public boolean help(String s, int i, int j){

while(i<=j){

if(s.charAt(i) == s.charAt(j)){

    i++;

    j--;

}

else return false;

}

return true;

}

}

```

Q2. What is the output for the provided input in the program below?

Input: nums= [6.5.4.8]

```

public int[] zoho(int[] nums) {
int[] temp = new int[101];
for(int i=0; i<nums.length; i++)
temp[nums [i] ]+=1;

```

```

For(int j =1 ; j <= 100; j + 1)
temp[j]+ temp[j-1];
for(int k=0; k< nums.length; k++) (
int pas =nums[k];
Nums[k]pos=0?0: temp[pos-1];
}
return nums;
}

```

Q3. What is the output for the provided input in the program below?

```

Input: arr = (0,3,2,1]
class Solution (
public boolean zoho(int[] arr) (
if(arr.length <3) return false;
int l = 0;
int r=arr.length-1;
while(l + 1 < arr.length 1 &&arr[l] < arr[l] <arr{l+1})l++;
while(r-1>0 && arr[r] <arr[r-1]) r--;
return l ==r ;
}
}

```

Q4. What is the output for the provided input in the program below?

```

Input: nums = [1,3,5,6), target = 7
public int zoho(int[] A, int target) (
int low = 0, high = A.length-1;
while(low<=high){
int mid = (low+high)/2;
if(A[mid] ==target) return mid;
else if (A[mid]> target) high =mid-1;
else low mid-1;
}
return low;
}

```

Q5.) What is the output for the provided input in the program below?

```

Input: arr[1,0,0,0,1,] , n=1
public class Solution (
public boolean zoho(int[] arr, int n) (
int count = 0;
For(inti=0;l<arr.length;l++)
if (arr[i]=0) (
boolean l= (i 0) || (arr[i-1] == 0);
Boolean r= (i== arr.length-1) || (arr[i+1] == 0);

```

```

if (1 && r) {
arr[i] = 1;
count++;
}
}
}
return count >= n;
}
}

```

Q6.) What is the output for the provided input in the program below?

Input: n=5

```

public int[] zoho(int num)
{
    int[] f= new int[num+ 1];
    for (int i=1; i<=num; i++) f[i]=f[i>1]+(1&1);
return f;
}

```

Q7.) What is the output for the provided input in the program below?

Input: str1 = "aA", str2 = "aAAbbbb"

```

class Solution
{
    public int zoho(String str1, String str2)
    {
        int num = 0;
        for (int i=0; i<str2.length(); i++)
        {
            if(str1.indexOf(str2.charAt(i)) != -1)
                num++;
        }
        return num;
    }
}

```

Sandhiya P

Name: Srinivasan M

Company Name: CAFS INFOTECH COMPANY

Date: 09/02/2024

1. A car is traveling at the rate of 75 kilometres per hour. How many meters to the car Traveling in one minute

2. You are given a 3-digit number. The second digit of this number is four times bigger than the third digit. The first digit of the number is 3 less than the second digit. What is the number?

3. No. of Minutes in a week?

4. Fetch "coconut" and "mango" value fetch from below array with out using any loop
Var fruits = ["apple","orange","coconut","mango"]

5. How to Test For an Empty Object in JavaScript?

6. Loop through the object given below

var myObj = { make: "Maruthi", model: "800", fuel: "Petrol", year: 2001};

7. Below array Insert "2" value between "1" and "3"

Var numbers = ["1","3","4","5"]

Company Name: Kairaa company

Date: 09/02/2024

- 1) Questions asked from my projects SQL database connectivity with the XAMPP server.
- 2) HOW we can give controls for specifically admin side to add or delete the candidate

Company Name: WORKFREAKS COMPANY

Date: 10/02/2024

Morning till afternoon

- 1) Write an email to your placement cell that ask them to conduct an placement drive for your batch

.

Supriya N S



Name: Vignesh P

Company Name: AVASOFT - Chennai

**Address: 3rd Floor, Beta Block, SSPDL - Alpha City, Navalur, Tamil Nadu
600130**

Date: 10Feb 2024

Question:

1. Write a JavaScript function to check if a given string is a palindrome (reads the same forwards and backwards).
2. Write a JavaScript program to find the largest element in a nested array.
3. Write a function that takes an array of objects and a key, and returns a new array sorted based on the values of that key in ascending order.
4. Write a JavaScript function to remove the duplicate from the given array.
5. There's an array which has 4 objects each objects have 2 set of keys and values, add 2 more keys and values to the 3 item of the array and delete all properties in 4th item. Then print the all the elements in the array.

Name: Sandhiya P

Company Name: Testpress

**Address: Door No. 1, Second floor, Block B1, 113/1, Radial Road, near Shell Petrol Bunk,
opp. to ABS thirumana mahal, Tiruthani Nagar, Chennai, Tamil Nadu 600117**

Date: 8Feb 2024

Role: FullStack Developer

Questions:

1. Difference Between DBMS and RDBMS .
2. Explain about UI/UX.
3. What is Hoisting in JS.
4. Explain Closure in JS.
5. Explain REST operator.