

Grupa	Material	Customer part no
backlite	1080550	98407450
Door	1191152	A 673 725 00 10
Doorlite	1188945	7AP109V

front door	1000168	A2027250410
Ind.vehic. Backlite	1120633	51491901VZ524
Ind.vehic. Canopy		
Ind.vehic. Destination Panel	1419221	ET0004356987

Ind.vehic. Door	1311691	A2V2278585OLD ZEW
Ind.vehic. Door Cabin Window	1317843	E5801828487

Ind.vehic. Door Window	1393392	8009848ZEW
Ind.vehic. Driver Window	1201857	F00396937
Ind.vehic. Half Windscreen	1301327	NQ1MTTVV0129
Ind.vehic. Headlite	1398759	3EGK570407A210 2GL

Ind.vehic. Interior glass	1148992	42587809
Ind.vehic. Lights	1311392	3EGK570407A210 2
Ind.vehic. Lower Backlight	1188923	84214858
Ind.vehic. Lower Door	1192182	E504102313

Ind.vehic. Lower Windshield	1198241	0.016.0004.3
Ind.vehic. Others	1158247	1910524
Ind.vehic. Roof	1197383	593C270

Ind.vehic. Side Windscreen	1249226	22-61199ZEW
Ind.vehic. Sidelite	1039789	3EVA100001-0645
Ind.vehic. Upper Door	1281291	026087101SL

Ind.vehic. Upper Sidelite	1202689	1183078
Ind.vehic. Upper Windscreen	1189531	400162020
Ind.vehic. Windscreen	1295751	40101577L1
Ind.vehic. Windscreen Zary	1381564	2439528

Interior glass	1198581	FVTV00A119PK
multi-panels 1 (front)	1096621	2213544B
multi-panels 2 (back)		
others	1276884	1700X940TSANX2 6L1

rear door	1000065	8L4 845 206
rear quarterlite	1000495	A2026700912
Roof	1191172	A6708370088
Sidelite	1189187	A9066720013


sixlite 2	1265426	53127018
Sixlite most in the back	1265538	53126734
Sixlite most in the front	1282090	53327847
sunroof	1128497	A90667601101SK

windscreen		
windscreen quarterlite	1283727	T0990-00142


Przykład nr 1

Rysunek


Material




1184464




1203131




1309894




1286444




1200618







1312601




1418307




1200914

 <p>Technical drawing of a trapezoidal frame. Dimensions include: top width 601⁰/₋₂, left height 755⁰/₋₂, right height 993⁰/₋₂, bottom width 851⁰/₋₂. Internal dimensions: 75±1, 45±1, 30±5, 25±5. Labels: 'Nadruk punktowy', 'Nadruk pełny', 'X', '4xR2', 'R25000'.</p>	<p>1456657</p>
 <p>Technical drawing of a complex frame with multiple sections labeled 'K'. Dimensions include: overall width 493.7 0/-1, overall height 748.5 0/-1, inner width 368±1, inner height 420±1, and various radii like R170 and 5xR19. Labels: 'Pole niezadrukowane', 'K', 'Pełny nadruk', '4xR5', '58±1', '74±1', '578±1', '665±1', '667±1', '48±1', '5±3', '5±3', '148±1'.</p>	<p>1307145</p>
 <p>Technical drawing of a rectangular frame. Dimensions include: top width 876,2⁰/₋₃, left height 763,5⁰/₋₃, bottom width 866,2⁰/₋₃, and side heights 50±10.</p>	<p>1407468</p>
 <p>Technical drawing of a rectangular frame with internal structure. Dimensions include: top width 453^{+0,5}/_{-1,5}, left height 233^{+0,5}/_{-1,5}, and internal width 10±1 dookota. Labels: 'X', 'nadruk pełny', '4xR14', '(3)', '(21,5)'.</p>	<p>1428906</p>


	<p>1201278</p>
	<p>1379366</p>
	<p>1268522</p>
	<p>1275304</p>




1280617




1202441




1200024







1350843










1120343







1424657


 <p>Technical drawing of a rectangular frame. The main drawing shows a rectangle with dimensions 870⁰₋₂ (width) and 790⁰₋₂ (height). The corners are marked with 4xR2. Two detail views are shown: one of a corner joint with dimensions 22±1 and 16+/-1mm, and another of a cross-section with dimensions 22±1 and 22±1. The cross-section is labeled with 'wewnętrzna' (inner) and 'zewewnętrzna' (outer) parts, with dimensions 1, 2, 3, and 4.</p>	<p>1307388</p>
 <p>Technical drawing of a rectangular frame. The main drawing shows a rectangle with dimensions 646±1 (width) and 570,5±1 (height). The corners are marked with R5. Two detail views are shown: one of a corner joint with dimensions 52±1 and 36±1, and another of a cross-section with dimensions 55±5 and 264±1. The cross-section is labeled with '2otw Ø10±1'.</p>	<p>1200769</p>
 <p>Technical drawing of a rectangular frame. The main drawing shows a rectangle with dimensions 1003±0.5 (width) and 690±0.5 (height). The corners are marked with K. Two detail views are shown: one of a corner joint with dimensions 496±0.5 and 799,5±0.5, and another of a cross-section with dimensions 27±0.5 and 690±0.5.</p>	<p>1378677</p>
 <p>Technical drawing of a rectangular frame. The main drawing shows a rectangle with dimensions 2366.7 ±0.3 (width) and 916.7 ±0.3 (height). The corners are marked with K. Two detail views are shown: one of a corner joint with dimensions 2366.7 ±0.3 and 916.7 ±0.3, and another of a cross-section with dimensions 2366.7 ±0.3 and 916.7 ±0.3.</p>	

 <p>Technical drawing of a rectangular plate. The width is dimensioned as 626±1 and the height as 526±1.</p>	<p>1266878</p>
 <p>Technical drawing of a rectangular plate with 21 numbered points (1-21) and a central crosshair (X). The points are distributed around the perimeter and center. The central crosshair is labeled 21. The points are numbered 1 through 20 around the perimeter, with 21 in the center.</p> <p>Legend:</p> <ul style="list-style-type: none">▷ BAZA□ Punkt pomiaru przyleganiaX Punkt pomiaru zwisu	
 <p>Technical drawing of a rectangular plate. The width is dimensioned as 1700⁺⁵₀ and the height as 940⁺⁵₀.</p>	<p>1285930</p>

	<p>1130649</p>
	<p>1181156</p>
	<p>1332559</p>
<p>Szyba uzbrajana w: Płyta bazowa 2 szt. STR61240011 Zawias górny 1 szt. STR61240034 Zawias dolny 1 szt. STR61240033</p> 	<p>1202604</p>




	<p>1353123</p>
	<p>1353147</p>
	<p>1353117</p>
 <p>nadruk pełny nadruk punktowy</p>	<p>1128511</p>




1371794




1361597

Przykład nr 2

Customer part no	Rysunek	nr
7E7 845 503 B	 <p>• punkt pomiaru grubości</p>	1
A 901 735 03 09	 <p>▲ Bazy</p>	2
8503954230	 <p>• Pastylki 3szt. wysokość 3mm □ Punkty pomiarowe gabarytu ○ Punkty pomiarowe przylegania</p>	3


<p>7407772.1</p>		<p>4</p>
<p>2200-000-132</p>		<p>5</p>
		<p>6</p>
<p>ET6446706006</p>		<p>7</p>

E5802234124ZEW











8

E5801435663



9

<p>28048264</p>		<p>10</p>
<p>A3127250310</p>		<p>11</p>
<p>40100173</p>		<p>12</p>
<p>72601956</p>		<p>13</p>




<p>21550122</p>	
<p>0539793</p>	
<p>2200001602</p>	
<p>E5801506975ZEW</p>	

14

15

16




17




<p>2200001647</p>	 <p>Technical drawing of a rectangular component with a cross-hatched border. The outer dimensions are 1900±1 (width) and 417±1 (height). The inner dimensions are 2166±1,5 (width) and 412±1 (height). The drawing includes labels for '4xR10' (fillets), 'nadruk pełny' (full print), and '2xR40' (fillets). Other dimensions include 37±1, 133±1, 30±5, and 30±5.</p>
<p>787-100-121-2SLZ</p>	 <p>Technical drawing of a rectangular component with a cross-hatched border. The outer dimensions are 1265,5±1 (width) and 820,5±1 (height). The inner dimensions are 96±1 (width) and 96±1 (height). The drawing includes labels for '4xR40' (fillets), 'nadruk punktowy' (point print), 'nadruk pełny' (full print), and '4xR136' (fillets). Other dimensions include 60±3 and 20±3.</p>
<p>44.22500-0000-1SL</p>	 <p>Technical drawing of a rectangular component with a cross-hatched border. The outer dimensions are 1840±1,5 (width) and 590±1 (height). The inner dimensions are 130±1 (width) and 65,5±1 (height). The drawing includes labels for '4xR5' (fillets), 'nadruk punktowy' (point print), 'nadruk pełny' (full print), and 'punkt bicia' (punch point). Other dimensions include 80±5 and 80±5.</p>

18

19

20

<p>402100002EED3PL</p> <p>X</p>	 <p>Planilux 8mm folia RB11 0,38mm Planilux 3mm Planilux 5mm</p> <p>1495⁰₋₃</p> <p>665⁰₋₂₋₃</p> <p>A</p> <p>drut stalowy</p>
<p>225457</p>	 <p>50±5</p> <p>50±5</p> <p>943⁰₋₂</p> <p>X</p> <p>607,5</p> <p>R85</p> <p>50±5</p> <p>783±5</p> <p>X</p> <p>750,5⁰₋₂</p> <p>3xR5</p> <p>(124)</p> <p>R19000</p>
<p>3TD17011R09</p>	 <p>R65</p> <p>152±1</p> <p>X</p> <p>3xR12</p> <p>Nadruk pełny</p> <p>139±1</p> <p>1223±1,5</p> <p>1025±1</p> <p>273±1</p> <p>160±1</p> <p>740,5±1</p> <p>98,5±1</p> <p>87±3</p> <p>±3</p> <p>±3</p> <p>3xR6</p> <p>50±1</p> <p>Ø75±1</p> <p>Ø75±1</p>


<p>14164MAN110</p>	
<p>A3116906650</p>	
<p>DUCATO250RVERSION</p>	

24


25

26


27




28







29



30



31

<p>84054-79J21-000</p>	 <p>Diagram showing a rectangular plate with points A, B, C, D, E, F, P1, P2, P3, P4, P5, P6, P7, Z1, and G1, G2. Thicknesses are specified: PASTYLKA 3mm and PASTYLKA 2,5mm.</p>	<p>32</p>
<p>7275385</p>	 <p>Diagram showing a curved plate with points A, B, C, D, BAZA, and a central hole $\varnothing 20+1,0/-0,5$.</p>	<p>33</p>
<p>10000441C</p>	 <p>Diagram showing a rectangular plate with dimensions: 422±1,5, 248±3, 532±1,5, and 25±3. It includes a full print (Nadruk pełny) and a partial print (Nadruk punktowy).</p>	<p>34</p>
<p>A9066732709</p>	 <p>Diagram showing a rectangular plate with dimensions: 1414 ± 1,5, 705,5 ± 1,5, 139 ± 1, 42,5 ± 1, 42 ± 1, 160 ± 5, 80 ± 1, and 52 ± 5. It includes a full print (nadruk pełny) and a partial print (nadruk punktowy).</p>	<p>35</p>

<p>53415199</p>	
<p>53414763</p>	
<p>53414758</p>	
<p>A9066760210</p>	

36

37

38

39

<p>ETT1020051541SL</p>	
<p>T099010035</p>	

40

41

Rysujący

Wojtek

Wojtek

Wojtek

Wojtek

Wojtek

Wojtek

Wojtek

Wojtek

Wojtek

Wojtek

Dominik

Dominik

Dominik

Dominik

Dominik

Dominik

Dominik

Dominik

Dominik

Dominik

Tomek

Tomek

Tomek

Tomek

Tomek

Tomek

Tomek

Tomek

Tomek

Tomek

Konrad

Konrad

Konrad

Konrad

Konrad

Konrad

Konrad

Konrad

Konrad