

Device Adapter Capabilities Report

Page 1 of 15

<u>Device Type</u>	<u>Vendor</u>	<u>Supported Models</u>	<u>Supported OS Versions</u>	<u>File Transfer Modes</u>	<u>Standard Span Actions</u>	<u>Tunneled Span Actions</u>	<u>Standard Custom Actions</u>	<u>Added Custom Actions</u>	<u>Supports Smart Merge</u>
3Com 4500 Switch	3Com	4500	3.02 and higher	FTP	Commit	Snapshot Running	Ping	None	No
				TFTP	Deploy to Stored Startup Reboot	Snapshot Startup	Traceroute		
					Snapshot Running				
					Snapshot Startup				
3Com SuperStack 3 Switch	3Com	3200, 3800, 4200, 4400, 4900	3.12 and higher	TFTP	Deploy to Active Running Reboot	None	Get System Serial Number Ping	None	No
					Snapshot Running				
3Com SuperStack Switch	3Com	1100, 3300	2.7 and higher	Tunneled	Reboot	Snapshot Running	Get System Serial Number Ping	None	No
					Snapshot Running				
3Com TippingPoint IPS	3Com	50	TippingPoint 2.2.6.6540	Tunneled	Deploy to Active Running Reboot	Deploy to Active Running Snapshot Running	Get System Serial Number Ping	None	No
					Snapshot Running		Traceroute		
A10 AX Series	A10	All AX Series Load Balancing Devices	2.7.0+	FTP	Commit	Snapshot Running	Get System Serial Number Ping	None	No
				SCP	Deploy to Active Running	Snapshot Startup			
				TFTP	Deploy to Stored Startup Reboot		Traceroute		
				Tunneled					
Alcatel ESS/SR	Alcatel	7450, 7750	ESS OS 2.0 and higher, SR OS 2.1 and higher	FTP	Commit	Deploy to Active Running Snapshot Running	Get System Serial Number Ping	None	No
				SCP	Deploy to Active Running				
				TFTP	Deploy to Stored Alcatel ESS/SR bof.cfg		Traceroute		
				Tunneled	Deploy to Stored Startup Reboot				
Alcatel OmniStack 6200 Series	Alcatel	6200	OS-LS-6212, OS-LS-TFTP 6212P, OS-LS-6224,		Scan Syntax				
					Snapshot Alcatel ESS/SR bof.cfg				
					Snapshot Running				
					Snapshot Startup				
Alcatel OmniStack 6200 Series	Alcatel	6200	OS-LS-6212, OS-LS-TFTP 6212P, OS-LS-6224,		Commit	None	Get System Serial Number	None	No

<u>Device Type</u>	<u>Vendor</u>	<u>Supported Models</u>	<u>Supported OS Versions</u>	<u>File Transfer Modes</u>	<u>Standard Span Actions</u>	<u>Tunneled Span Actions</u>	<u>Standard Custom Actions</u>	<u>Added Custom Actions</u>	<u>Supports Smart Merge</u>
Alcatel OmniSwitch 6600/7700/7800/8800	Alcatel	6600, 7700, 7800, 8800 Series	OS-LS-6224P, OS-LS-6224U OS-LS-6248, OS-LS-6248P, 1.7	FTP	Deploy to Active Running Deploy to Stored Startup Reboot		Ping Traceroute		
					Scan Syntax Snapshot Running Snapshot Startup				
					Commit	Snapshot Running	Get System Serial Number Ping	None	No
Allied Telesis AT-8000S Switch Series	Allied Telesis	AT-8000 Series	3.0.0.35 and higher	TFTP Tunneled	Deploy to Active Running Deploy to Stored Startup Reboot		Traceroute		
					Scan Syntax Snapshot Running Snapshot Startup				
					Commit	Deploy to Active Running Snapshot Running	Get System Serial Number Ping	None	Yes
Alteon Application Switch	Radware	2208, 2216, 2424, 2424-SSL, 3408, 4408, 4416, 5224, 5224 XL, 5412, 5412 XL	Alteon OS 22.0.3 and higher. Support for vADC mode.	FTP SCP TFTP Tunneled	Deploy to Active Running Deploy to Stored Startup Reboot	Snapshot Startup			
					Scan Syntax Snapshot OS Image Snapshot Running Snapshot Startup				
					Commit	Deploy to Active Running Snapshot Running	Get System Serial Number Ping	None	No
Arista Networks EOS Arista Switch Series	Arista	7048/7050/7100/7150/7500	4.11 and higher	FTP SCP TFTP Tunneled	Deploy to Active Running Reboot		Traceroute		
					Snapshot Running Snapshot Startup				
					Commit	Snapshot Running	Get System Serial Number Ping	None	No
Aruba Wireless Controller	Aruba	Mobility Controllers 7000, 3000, 600 series and 6000	ArubaOS 6.2 and higher	SCP TFTP Tunneled	Snapshot Running	Snapshot Startup			
					Reboot	Snapshot Running	Traceroute		
					Commit	Snapshot Running	Get System Serial Number Ping	None	No
Aruba Wireless Controller	Aruba	Mobility Controllers 7000, 3000, 600 series and 6000	ArubaOS 6.2 and higher	SCP TFTP Tunneled	Deploy to Active Running Deploy to Stored	Deploy to Active Running Snapshot Running	Get System Serial Number Ping	None	No
						Snapshot Startup	Traceroute		

<u>Device Type</u>	<u>Vendor</u>	<u>Supported Models</u>	<u>Supported OS Versions</u>	<u>File Transfer Modes</u>	<u>Standard Span Actions</u>	<u>Tunneled Span Actions</u>	<u>Standard Custom Actions</u>	<u>Added Custom Actions</u>	<u>Supports Smart Merge</u>
Atrica A-2000 Series	Atrica	A-2000, A-4000, A-8000	3.7 and higher	FTP TFTP	Startup	None	Get System Serial Number Ping	None	No
					Reboot				
					Scan Syntax				
					Snapshot Running				
					Snapshot Startup				
Avaya P330T	Avaya	P330T	Avaya 3.3	TFTP	Deploy to Active Running Reboot	None	Ping	None	No
					Snapshot Running				
					Reboot				
					Snapshot Avaya Module 1 Snapshot Avaya Module 2 Snapshot Avaya Module 3 Snapshot Avaya Module 4 Snapshot Avaya Module 5 Snapshot Startup				
Blue Coat ProxySG	BlueCoat	SGS210	SGOS 5.2.3.3	FTP TFTP Tunneled	Deploy to Stored Startup Reboot	Deploy to Active	Get System Serial Number Ping	None	No
					Snapshot Startup				
Brocade Switch	Brocade	VDX6720	NOS 2.0.a1	FTP SCP Tunneled	Commit	Deploy to Active Running Snapshot Running	Get System Serial Number	None	No
					Deploy to Active Running Deploy to Stored Startup Reboot				
					Snapshot Running				
					Snapshot Startup				
Check Point Nokia Firewall	Check Point	All model	IPSO	FTP SCP TFTP	Deploy OS Image	None	Get System Serial Number Ping	None	No
					Reboot				
					Snapshot Check Point Asm.C Snapshot Check Point Objects.C Snapshot Check Point Rules.C Snapshot Check Point TGZ File Snapshot OS Image Snapshot Running				

<u>Device Type</u>	<u>Vendor</u>	<u>Supported Models</u>	<u>Supported OS Versions</u>	<u>File Transfer Modes</u>	<u>Standard Span Actions</u>	<u>Tunneled Span Actions</u>	<u>Standard Custom Actions</u>	<u>Added Custom Actions</u>	<u>Supports Smart Merge</u>
Check Point VPN/Firewall (Linux)	Check Point	VPN-1/Firewall-1 NGX	All supported Linux platforms	FTP	Reboot	None	Ping	None	No
				SCP	Snapshot Check Point Asm.C				
				TFTP	Snapshot Check Point Objects.C Snapshot Check Point Rules.C Snapshot Check Point TGZ File Snapshot Running				
Check Point VPN/Firewall (Windows)	Check Point	VPN-1/Firewall-1 NGX	All supported Windows platforms	FTP	Reboot	None	Ping	None	No
					Snapshot Check Point Asm.C Snapshot Check Point Objects.C Snapshot Check Point Rules.C Snapshot Check Point TGZ File Snapshot Running				
Cisco 4400/2100 Wireless LAN Controller	Cisco	2100, 4400	RTOS 4.0.179.11	FTP	Commit	Deploy to Active Running Snapshot Running	Get System Serial Number Ping	None	No
				TFTP	Deploy to Active Running Deploy to Stored Startup Reboot				
				Tunneled	Snapshot Running Snapshot Startup				
Cisco 6120 and 6140 Fabric Interconnects	Cisco	N20-C6508	NX-OS 2.0(2q)	FTP	Commit	Deploy to Active	None	None	No
				SCP	Snapshot Startup	Snapshot Startup			
				TFTP					
Cisco Application Control Engine	Cisco	Catalyst 6500	3.0 and higher	FTP	Commit	Deploy to Active Running Snapshot Running	Cisco Add New Server to Pool Cisco Create Pool	None	Yes
				TFTP	Deploy to Active Running Deploy to Stored Startup Reboot	Snapshot Startup	Cisco Delete Pool		
				Tunneled	Scan Syntax Snapshot Running Snapshot Startup		Cisco Delete Server from Pool Cisco Disable Pool Member Cisco Enable Pool Member Get System Serial Number Inspect Fault Host		
Cisco ASA/PIX/FWSM	Cisco	Adaptive Security Appliance, PIX	ASA 7.0 and higher, PIXOS 4.1 and	FTP	Commit	Deploy to Active Running	Get System Serial Number	None	Yes

<u>Device Type</u>	<u>Vendor</u>	<u>Supported Models</u>	<u>Supported OS Versions</u>	<u>File Transfer Modes</u>	<u>Standard Span Actions</u>	<u>Tunneled Span Actions</u>	<u>Standard Custom Actions</u>	<u>Added Custom Actions</u>	<u>Supports Smart Merge</u>
		Firewalls, and Catalyst 6500 Firewall Switching Modules	higher, FWSM 2.2 and higher	TFTP	Deploy OS Image	Snapshot Running	Inspect Fault Host		
				Tunneled	Deploy to Active Running	Snapshot Startup	Ping		
					Deploy to Stored Startup		Traceroute		
					Reboot				
					Scan Syntax				
Cisco Catalyst 1900/2820	Cisco	All models	9.0 and higher	TFTP	Snapshot OS Image				
					Snapshot Running				
					Snapshot Startup				
					Deploy to Active Running	None	Ping	None	No
					Reboot				
Cisco CatOS Switch	Cisco	All models	CATOS 2.4 to 8.x	TFTP	Snapshot Running				
					Commit	Snapshot Startup	Get System Serial Number	None	Yes
					Deploy OS Image		Ping		
					Deploy to Active Running		Traceroute		
					Deploy to Stored Startup				
Cisco Content Services Switch	Cisco	11000, 11500	7.10 and higher	FTP	Find Endpoint				
					Quarantine Endpoint				
					Reboot				
					Scan Syntax				
					Snapshot OS Image				
Cisco IOS Switch/Router	Cisco	All models Cisco IOS Switches, Routers, and WAPs; ASR1000 Series	IOS 10.3 to 15.x; IOS XE 12.2 and higher	TFTP	Snapshot Running				
					Snapshot Startup				
					Unquarantine Endpoint				
					Commit	None	Get System Serial Number	None	No
					Deploy to Active Running		Ping		
Cisco IOS Switch/Router	Cisco	All models Cisco IOS Switches, Routers, and WAPs; ASR1000 Series	IOS 10.3 to 15.x; IOS XE 12.2 and higher	TFTP	Deploy to Stored Startup		Traceroute		
					Reboot				
					Snapshot Running				
					Snapshot Startup				
					Deploy to Active Running	None	Add VLAN to Switch Trunk Port	None	Yes
Cisco IOS Switch/Router	Cisco	All models Cisco IOS Switches, Routers, and WAPs; ASR1000 Series	IOS 10.3 to 15.x; IOS XE 12.2 and higher	TFTP	Deploy OS Image	Deploy to Active Running	Get Device UDI		
					Deploy to Active Running	Snapshot Running			
					TFTP	Snapshot Startup	Get System Serial Number		
					Tunneled				
					Deploy to Stored IOS				

<u>Device Type</u>	<u>Vendor</u>	<u>Supported Models</u>	<u>Supported OS Versions</u>	<u>File Transfer Modes</u>	<u>Standard Span Actions</u>	<u>Tunneled Span Actions</u>	<u>Standard Custom Actions</u>	<u>Added Custom Actions</u>	<u>Supports Smart Merge</u>
Cisco IOS XR Router	Cisco	ASR9000, XR12000, IOS XR 3.9.0 and CRS-1 higher	TFTP	Tunneled	vlan.dat		Install License		
					Deploy to Stored Startup		IOS Extended Ping		
					Find Endpoint		Ping		
					Quarantine Endpoint		Provision Switch Port		
					Reboot		Provision Switch Trunk Port		
					Scan Syntax		Traceroute		
					Snapshot IOS				
					vlan.dat				
					Snapshot OS Image				
					Snapshot Running				
Cisco IOS XR Router	Cisco	ASR9000, XR12000, IOS XR 3.9.0 and CRS-1 higher	TFTP	Tunneled	Snapshot Startup				
					Unquarantine Endpoint				
					Deploy to Active Running	Deploy to Active Running	Get System Serial Number	None	Yes
					Reboot	Snapshot Running	IOS Extended Ping		
					Scan Syntax		Ping		
Cisco MDS 9000	Cisco	All models	Tunneled	Tunneled	Snapshot IOS XR admin.cfg		Ping with VRF		
					Snapshot IOS XR router.cfg		Traceroute		
					Snapshot Running		Traceroute with VRF		
					Commit	Snapshot Running	None	None	No
					Reboot				
Cisco NAM	Cisco	All models	3.7	Tunneled	Snapshot Running	Snapshot Running	None	None	No
					Snapshot Running	Snapshot Running	None	None	No
Cisco Nexus Switch	Cisco	1000, 5000, and 7000 series	NX-OS 4 x, 5.x, 6.x	FTP	Commit	Deploy to Active Running	Add VLAN to Switch Trunk Port	None	Yes
				SCP	Deploy OS Image	Snapshot Running	Get System Serial Number		
				TFTP	Deploy to Active Running	Snapshot Startup	Ping		
				Tunneled	Reboot		Ping with VRF		
					Scan Syntax		Provision Switch Port		
					Snapshot OS Image		Provision Switch Trunk Port		
					Snapshot Running		Traceroute		
					Snapshot Startup		Traceroute with VRF		
Cisco VNM Virtual Appliance	Cisco	All models	VNM 1.x	Tunneled			VSG Update redundancy role		
					Deploy to Active Running	None	None	None	No
Cisco VNM Virtual Appliance	Cisco	All models	VNM 1.x	Tunneled	Snapshot Running				
					Snapshot Running				

<u>Device Type</u>	<u>Vendor</u>	<u>Supported Models</u>	<u>Supported OS Versions</u>	<u>File Transfer Modes</u>	<u>Standard Span Actions</u>	<u>Tunneled Span Actions</u>	<u>Standard Custom Actions</u>	<u>Added Custom Actions</u>	<u>Supports Smart Merge</u>
Cisco VPN 3000 Concentrator Series	Cisco	3005, 3015, 3020, 3030, 3060, 3080	3.6.3 and higher	TFTP	Commit Deploy to Stored Startup Reboot Snapshot Startup	None	None	None	No
Cisco Wide Area Application Services (WAAS)	Cisco	WAE-511, WAE-512, WAAS-4.0.17-614 WAE-611, WAE-612, WAE-7326, WAE-7341, WAE-7371		FTP SCP TFTP Tunneled	Commit Deploy to Active Running Deploy to Stored Startup Deploy to Stored WAAS WAFS Configuration Tar File Reboot Scan Syntax Snapshot Running Snapshot Startup Snapshot WAAS SYSREPORT Snapshot WAAS WAFS Configuration Tar File	Deploy to Active Running Snapshot Running Snapshot Startup	Ping Traceroute	None	No
Citrix NetScaler	Citrix	NetScaler 7000	NetScaler NS8.0: Build 53.2	SCP Tunneled	Commit Deploy to Active Running Deploy to Stored Startup Reboot Snapshot Running Snapshot Startup	Deploy to Active Running Snapshot Running Snapshot Startup	Get Device UDI Get System Serial Number Install License Ping Traceroute	None	No
Cyclade Terminal Server	Cyclade	TS8000	1.2.0 and higher	FTP SCP TFTP	Reboot Snapshot Running	None	Ping Traceroute	None	No
Dell PowerConnect	Dell	PowerConnect 3300, 1.1.0.42 and higher 3400, 3500, 5300 Series		TFTP Tunneled	Commit Deploy OS Image Deploy to Active Running Deploy to Stored Startup Reboot Scan Syntax Snapshot OS Image Snapshot Running	Deploy to Active Running Snapshot Running Snapshot Startup	Get System Serial Number Ping Traceroute	None	No

<u>Device Type</u>	<u>Vendor</u>	<u>Supported Models</u>	<u>Supported OS Versions</u>	<u>File Transfer Modes</u>	<u>Standard Span Actions</u>	<u>Tunneled Span Actions</u>	<u>Standard Custom Actions</u>	<u>Added Custom Actions</u>	<u>Supports Smart Merge</u>
Dell PowerConnect 6200 Series	Dell	PC6224, PC6224F, PC6224P, PC6248, PC6248P	2.2 and higher	TFTP	Snapshot Startup				
					Commit	None	Add VLAN to Switch	None	No
					Deploy to Active Running		Trunk Port		
					Deploy to Stored Startup		Get System Serial Number		
					Reboot		Ping		
					Scan Syntax		Provision Switch Port		
Enterasys SecureStack A2 Switch	Enterasys	SecureStack A2 Stackable Switches	02.00 and higher	TFTP	Snapshot Running		Provision Switch Trunk Port		
					Snapshot Startup		Traceroute		
					Commit	None	Get System Serial Number	None	No
					Deploy to Active Running		Ping		
					Reboot		Traceroute		
					Snapshot Running				
Enterasys SmartSwitch Router	Enterasys	X-Pedition ER-16, SmartSwitch Routers (all models)	E3.0.0.2 and higher	TFTP	Commit	None	Ping	None	No
					Deploy to Active Running				
					Deploy to Stored Startup				
					Reboot				
					Scan Syntax				
					Snapshot Running				
Extreme Networks	Extreme	Summit	Extremeware 6.2 and higher	TFTP	Snapshot Startup				
					Commit	None	Get System Serial Number	None	Yes
					Deploy to Active Running		Ping		
					Reboot		Traceroute		
					Scan Syntax				
					Snapshot Running				
Extreme XOS	Extreme	Alpine, BlackDiamond, ExtremeWareXOS, Summit	ExtremeXOS 6.2.2 and higher	TFTP	Commit	Deploy to Active Running	Get System Serial Number	None	Yes
				Tunneled	Deploy OS Image				
					Deploy to Active Running				
					Deploy to Stored				
					Extreme XOS XML Reboot				
					Scan Syntax				
					Snapshot Extreme XOS XML		Traceroute		
					Snapshot Running				

<u>Device Type</u>	<u>Vendor</u>	<u>Supported Models</u>	<u>Supported OS Versions</u>	<u>File Transfer Modes</u>	<u>Standard Span Actions</u>	<u>Tunneled Span Actions</u>	<u>Standard Custom Actions</u>	<u>Added Custom Actions</u>	<u>Supports Smart Merge</u>
F5 BigIP	F5	BIG-IP Series	9.x	FTP	Commit	Deploy to Active Running	Cisco WAAS Snapshot	None	No
				SCP	Deploy to Active F5 bigip.conf		SYSREPORT File		
				Tunneled	Deploy to Active F5 bigip_base.conf		Get System Serial Number		
					Deploy to Active Running		Ping		
					Deploy to Stored F5 BigIP License		Traceroute		
					Deploy to Stored F5 BigIP UCS				
					Reboot				
					Snapshot F5 alert.conf				
					Snapshot F5 BigIP Database				
					Snapshot F5 BigIP License				
					Snapshot F5 BigIP SSH Certificates				
					Snapshot F5 BigIP SSH Keys				
					Snapshot F5 BigIP SSL Certificates				
					Snapshot F5 BigIP SSL Keys				
					Snapshot F5 BigIP UCS				
					Snapshot F5 bigip.conf				
					Snapshot F5 bigip_base.conf				
					Snapshot F5 bigip_sys.conf				
					Snapshot F5 profile_base.conf				
					Snapshot F5 sshd_config				
					Snapshot Running				
F5 BigIP TMSH	F5	BIG-IP Series	10.x, 11.x. (Load balancer related custom actions are only supported in 11.x)	FTP	Commit	Deploy to Active Running	Get System Serial Number	None	No
				SCP	Deploy to Active Running	Snapshot Running	Ping		
				TFTP	Deploy to Stored F5 BigIP UCS		Traceroute		
				Tunneled	Reboot				
					Snapshot F5 BigIP UCS				
					Snapshot Running				
Force10 Networks C-Force10 Series		C-Series	FTOS 7.6.1.0	FTP	Commit	None	Get System Serial Number	None	No
				SCP	Deploy to Active Running				
				TFTP	Deploy to Stored Startup				

<u>Device Type</u>	<u>Vendor</u>	<u>Supported Models</u>	<u>Supported OS Versions</u>	<u>File Transfer Modes</u>	<u>Standard Span Actions</u>	<u>Tunneled Span Actions</u>	<u>Standard Custom Actions</u>	<u>Added Custom Actions</u>	<u>Supports Smart Merge</u>
Force10 Networks E-Force10 Series		All E-Series, C-Series, and S-Series models running FTOS	FTOS 7.6.1 and higher	FTP SCP TFTP	Reboot				
					Snapshot Running				
					Snapshot Startup				
					Commit	None	None	None	No
					Deploy to Active Running				
					Deploy to Stored Startup				
Force10 Networks S-Force10 Series SFTOS		All S-Series models running SFTOS	SFTOS 2.4.1 and higher	TFTP	Reboot				
					Snapshot Running				
					Snapshot Startup				
					Commit	None	Get System Serial Number	None	No
					Deploy to Active Running				
					Deploy to Stored Startup				
Fortigate	Fortinet	All models	FortiOS 3.x and 4.x	FTP TFTP Tunneled	Reboot				
					Snapshot Running				
					Snapshot Startup				
					Commit	Deploy to Active Running	Get System Serial Number	None	Yes
					Deploy to Active Running	Snapshot Running	Ping		
					Deploy to Stored Startup	Snapshot Startup	Traceroute		
Foundry Edgellron Switch	Foundry	All models	07.6.x and higher	TFTP	Reboot				
					Scan Syntax				
					Snapshot Running				
					Snapshot Startup				
					Commit	None	Get System Serial Number	None	No
					Deploy to Active Running		Ping		
Foundry NetIron/BigIron/FastIron/ServerIron	Foundry	BigIron, FastIron, NetIron, ServerIron	03.2.00 and higher	TFTP	Deploy to Stored Startup				
					Reboot				
					Scan Syntax				
					Snapshot Running				
					Snapshot Startup				
					Commit	None	Add VLAN to Switch	None	Yes
					Deploy OS Image		Trunk Port		
					Deploy to Active Running		Get System Serial Number		
					Deploy to Stored		Ping		

<u>Device Type</u>	<u>Vendor</u>	<u>Supported Models</u>	<u>Supported OS Versions</u>	<u>File Transfer Modes</u>	<u>Standard Span Actions</u>	<u>Tunneled Span Actions</u>	<u>Standard Custom Actions</u>	<u>Added Custom Actions</u>	<u>Supports Smart Merge</u>
					Startup Reboot Scan Syntax Snapshot OS Image Snapshot Running Snapshot Startup		Provision Switch Port Provision Switch Trunk Port Traceroute		
HA-Proxy Load Balancer	HA-Proxy	All models	1.3.12 with Ubuntu Linux 8.x and higher	FTP SCP	Deploy to Active Running Reboot Snapshot Running	None	Ping Traceroute	None	No
HP ProCurve 1600/2424/4000/8000 Switch	HP	1600M, 2424M, 4000M, 8000M	C.08.22 and higher	TFTP	Deploy to Active Running Reboot Snapshot Running	None	None	None	No
HP ProCurve Switch	HP	All models except 1600M, 2424M, 4000M, 8000M	All versions	TFTP Tunneled	Commit Deploy OS Image Deploy to Active Running Deploy to Stored Startup Reboot Scan Syntax Snapshot OS Image Snapshot Running Snapshot Startup	Deploy to Active Running Snapshot Running Snapshot Startup	Add VLAN to Switch Trunk Port Get System Serial Number Ping Provision Switch Port Provision Switch Trunk Port Traceroute	None	Yes
Huawei Switch/Router	Huawei	Quidway AR Series; Quidway S2000 Series; H3C S5120-24P-EI	For Quidway AR Series: VRP 3.x. For Quidway S2000 Series: VRP 3.x. For H3C S5120-24P-EI: Comware 5.20	FTP TFTP Tunneled	Commit Deploy to Active Running Deploy to Stored Startup Reboot Snapshot Running Snapshot Startup	Deploy to Active Running Snapshot Running	Get System Serial Number Ping Traceroute	None	No
IPTables Firewall	IPTables	All models	1.3.8 with Ubuntu Linux 8. x and higher	FTP SCP Tunneled	Deploy to Active Running Reboot Snapshot Running	Deploy to Active Running Snapshot Running	Ping Traceroute	None	No
Juniper E Series Broadband Router	Juniper	ERX310, ERX7xx, ERX14xx, E120, E320	JunosE 10.1.0 and higher	Tunneled	Commit Deploy to Active Running Reboot	Deploy to Active Running Snapshot Running	Get System Serial Number Ping Traceroute	None	No

<u>Device Type</u>	<u>Vendor</u>	<u>Supported Models</u>	<u>Supported OS Versions</u>	<u>File Transfer Modes</u>	<u>Standard Span Actions</u>	<u>Tunneled Span Actions</u>	<u>Standard Custom Actions</u>	<u>Added Custom Actions</u>	<u>Supports Smart Merge</u>
Juniper Firewall	Juniper	All models	Screen OS 4.0 and higher	TFTP	Scan Syntax				
					Snapshot Running				
					Commit	Snapshot Running	Get System Serial Number	None	Yes
					Tunneled	Deploy OS Image	Snapshot Startup	Ping	
Juniper JunOS	Juniper	All models; SRX210; SRX3400	For SRX210: JunOS 9.6R1.13. For SRX3400: JunOS 11.2R3.3. For other models: JunOS 6.3 and higher	FTP SCP Tunneled	Deploy to Active Running				
					Deploy to Stored Startup				
					Reboot		Traceroute		
					Scan Syntax				
Juniper SA Series	Juniper	SA2000	5.4R6	Tunneled	Snapshot OS Image				
					Snapshot Running				
					Snapshot Startup				
Juniper WX Application Accelerator	Juniper	SR-15	5.5 and higher	FTP TFTP	Commit	Deploy to Active Running	Get System Serial Number	None	Yes
					Deploy OS Image	Snapshot Running			
					Deploy to Active Running				
					Reboot				
Kentrox ServicePoint	Kentrox	ServicePoint models	3.0 and higher	Tunneled	Scan Syntax				
					Snapshot Running				
Marconi Switch	Marconi	ASX 3000, ESX 3000, TNX 3000	ForeThought 6.2 and higher	FTP TFTP	Snapshot Running				
					Reboot				
					Scan Syntax				
					Snapshot Running				
McAfee Enterprise Firewall	McAfee	McAfee Enterprise Firewall G2 Firewalls for Dell	SW_OPS 7.0.0.02.H01 and	FTP SCP Tunneled	Deploy to Active Running	None	Ping	None	Yes
					Reboot				
					Scan Syntax				
					Snapshot Running				
McAfee Web Gateway	McAfee	McAfee Web Gateway 7.x	McAfee Linux Operating System	SCP	Deploy to Stored Startup	Deploy to Active	Ping	None	No
					Reboot				
					Snapshot Startup				
McAfee Web Gateway	McAfee	McAfee Web Gateway 7.x	McAfee Linux Operating System	SCP	Reboot	None	None	None	No

<u>Device Type</u>	<u>Vendor</u>	<u>Supported Models</u>	<u>Supported OS Versions</u>	<u>File Transfer Modes</u>	<u>Standard Span Actions</u>	<u>Tunneled Span Actions</u>	<u>Standard Custom Actions</u>	<u>Added Custom Actions</u>	<u>Supports Smart Merge</u>
			version 1.0		Snapshot Running Snapshot Startup				
Motorola Symbol WS 2000 Wireless Switch	Motorola	Symbol WS2000 Switch	Symbol 2.3.00-035R	FTP TFTP Tunneled	Commit Deploy to Active Running Reboot Snapshot Running	Snapshot Running	None	None	No
Motorola WiNG	Motorola	All RFS Wireless Controllers, NX Service Platforms and APs running WiNG OS	WiNG 5	FTP TFTP Tunneled	Commit Deploy to Active Running Deploy to Stored Startup Reboot Scan Syntax Snapshot Running Snapshot Startup	Deploy to Active Running Snapshot Running Snapshot Startup	Get System Serial Number Ping Traceroute	None	No
MRV LX Series Terminal Server	MRV	LX-1000, LX-4000, LX-8000 Series	5.3.7 and higher	SCP TFTP Tunneled	Commit Deploy to Stored Startup Reboot Snapshot Startup	Deploy to Active	Get System Serial Number Ping Traceroute	None	No
Nortel BayRS Router	Nortel	ARN, ASN, BCN, BLN, BN	BayRS 14.0 and higher	TFTP	Commit Deploy to Active Running Deploy to Stored Startup Reboot Scan Syntax Snapshot Running Snapshot Startup	None	Get System Serial Number Ping	None	No
Nortel BayStack 450	Nortel	450	3.1.0.22 and higher	TFTP	Commit Deploy to Stored Startup Reboot Snapshot Startup	None	None	None	No
Nortel BayStack 460/470/3510/5510/5520	Nortel	460, 470, 3510, 5510, 5520	3.5.2.0.7 and higher	TFTP Tunneled	Commit Deploy to Active Running Deploy to Stored Startup Reboot	Deploy to Active Running	Add VLAN to Switch Trunk Port Get System Serial Number Ping Provision Switch Port	None	Yes

<u>Device Type</u>	<u>Vendor</u>	<u>Supported Models</u>	<u>Supported OS Versions</u>	<u>File Transfer Modes</u>	<u>Standard Span Actions</u>	<u>Tunneled Span Actions</u>	<u>Standard Custom Actions</u>	<u>Added Custom Actions</u>	<u>Supports Smart Merge</u>
Nortel Passport 1000 Series	Nortel	All models	2.0.7 and higher	TFTP	Snapshot Running		Provision Switch Trunk Port		
					Snapshot Startup				
					Commit	Snapshot Running	Get System Serial Number	None	No
Nortel Passport 8000 Series	Nortel	8100, 8600	4.0 and higher	TFTP	Deploy to Active Running Reboot				
					Snapshot Running				
					Commit	Snapshot Running	Get System Serial Number Ping	None	No
Palo Alto Firewall PA500/2000/4000	Palo Alto	PA-500, 2000, 4000	PAN-OS 3.0 and higher	TFTP	Deploy to Active Running		Traceroute		
					Deploy to Stored Nortel Passport 8000 boot.cfg				
					Deploy to Stored Startup Reboot				
Palo Alto Firewall PA500/2000/4000	Palo Alto	PA-500, 2000, 4000	PAN-OS 3.0 and higher	TFTP	Snapshot Nortel Passport 8000 boot.cfg				
					Snapshot Running				
					Snapshot Startup				
Palo Alto Firewall PA500/2000/4000	Palo Alto	PA-500, 2000, 4000	PAN-OS 3.0 and higher	TFTP	Commit	Deploy to Active Running	None	None	No
					Deploy to Active Running Reboot				
					Snapshot Running				
Pedestal UBS	Pedestal	UBS2450, UBS4848	UBS 2.5 and higher	Tunneled	Snapshot Startup				
					Reboot	Snapshot Running	None	None	No
					Snapshot Running				
RHEV KVM vSwitch	RedHat	2.6.32-131.12.1.el6.x86_64	RHEV Hypervisor - 6.2 - 0.17.2.el6	Tunneled	Reboot	Deploy to Active	None	None	No
					Snapshot Startup				
					Snapshot Running	None	None	None	No
RHEV-M	RedHat	RHEV Manager for Servers and Desktops: 3.0.0_0001-41.el6	Red Hat Enterprise Virtualization 3.0.0.0	Tunneled	Snapshot Running	None	None	None	No
					Commit	Deploy to Active Running	Get System Serial Number Ping	None	No
					Deploy to Active Running Reboot	Snapshot Running	Traceroute		
Riverbed Steelhead Appliance	Riverbed	250 (250L)	5.5.6i	Tunneled	Snapshot Startup				
					Commit	Deploy to Active Running	Get System Serial Number Ping	None	No
					Deploy to Active Running Reboot	Snapshot Running	Traceroute		
SonicWALL Firewall	SonicWALL	TZ Series (all models)	Sonic OS Standard 3.1.0.15-95s and	Tunneled	Snapshot Running				
					Snapshot Startup				
					Reboot	None	None	None	No

<u>Device Type</u>	<u>Vendor</u>	<u>Supported Models</u>	<u>Supported OS Versions</u>	<u>File Transfer Modes</u>	<u>Standard Span Actions</u>	<u>Tunneled Span Actions</u>	<u>Standard Custom Actions</u>	<u>Added Custom Actions</u>	<u>Supports Smart Merge</u>
			higher, Sonic OS Enhanced 3.2.3.0-6e and higher		Snapshot Running				
Vanguard Router	Vanguard	242D, 320, 340, 340E, 342, 6435, 6455, 7310, 7330	6.2 and higher	TFTP	Deploy to Stored Startup Reboot Snapshot Startup	None	None	None	No
VMware vShield App	VMware	vShield App	vShield 5.1 and REST API 2.0	Tunneled	Deploy to Active Running Snapshot Running	None	None	None	No
VMware vShield Edge	VMware	vShield Edge	vShield 5.0 and REST API 2.0	Tunneled	Deploy to Active Running Snapshot Running	None	None	None	No
VMware vSwitch	VMware	All models of VMware vNetwork Standard Switch (vSS) or vNetwork Distributed Switch (vDS) on ESX Server	vSphere 4.1 and higher	Tunneled	Snapshot Running	None	None	None	No
Vyatta	Vyatta	500 and 2500 series	2.6.26-1-486-vyatta	FTP	Commit	None	Ping	None	No
				TFTP	Deploy to Active Running Deploy to Stored Startup Reboot Snapshot Running Snapshot Startup		Traceroute		

Report Selections

Device Adapters Device Types: All

Device Type Information Selected (Vendor, Supported Models, Supported OS Versions, File Transfer Modes, Standard Span Actions, Tunneled Span Actions, Standard Custom Actions, Added Custom Actions, Supports Smart Merge)