

KeraNova Data Variable Mapping Sheet

Version 1.0 for committee review on 1 October 2026

KeraNova Research Team | Protocol package | 1 October 2026

Scope and source authority

This dictionary maps all 42 columns of dataset.csv and defines the additional fields required by KeraNova. Quoted source headers preserve leading and trailing spaces; the quotation marks are notation, not part of the header. Column numbers are one-based. Do not rename source headers in place. Assign unique clean field names in a derivative table.

The CSV has 79 eye-record rows and four section-heading rows. A source row is a record identifier, not a patient identifier. Current values are provisional until chart and operative verification. A row may fail core eligibility, outcome eligibility, or source-quality checks independently.

Demographics and structural columns

CSV column	Exact source header	Clean field and unit	Interpretation and rule
1	" Demographics "	section_raw	Section label only. Source rows 2, 21, 40 and 63 are administrative headings, not eyes. Preserve in import log.
2	"gender"	sex; categorical	Trim and standardize Male and Female; documented spelling Femal maps to Female with rule log. Other or unknown requires source review.
3	"age"	age_source_years; years	Parse 30 y, 46y and plain numbers. Timing is not established; do not claim age at surgery without source verification.
4	"Eye (laterality) right OD/ left OS"	laterality; OD or OS	Right maps to OD, Left to OS after trimming. Patient identity cannot be inferred from laterality.
5	"Visual Acuity "	structural_va_header	Empty divider column; no clinical measurement.
14	"Refraction "	structural_refraction_header	Empty divider column; no clinical measurement.
27	"Topography "	structural_topography_header	Empty divider column; no clinical measurement.
38	"treatment_details"	structural_treatment_header	Empty divider. Treatment values are in column 39, not this column.
41	"Safety/Haze"	structural_safety_header	Empty divider. Haze observations are in column 42.

Visual acuity columns

Each mapped field retains raw notation, chart type, testing distance, correction method, parsed fraction or directly documented logMAR, modifiers, date, conversion rule and review status. A populated source field does not establish a valid model label.

CSV column	Exact source header	Clean field and unit	Interpretation and rule
------------	---------------------	----------------------	-------------------------

CSV column	Exact source header	Clean field and unit	Interpretation and rule
6	"Uncorrected (VA-Dt) pre-op "	udva_baseline_raw; then logMAR	Uncorrected baseline distance vision; not a substitute for baseline CDVA.
7	"Un corrected VA-Dt post op 1 month"	udva_1m_label_raw; then logMAR	Source one-month label; date unverified.
8	"Uncorrected VA-Dt post op 6 months "	udva_6m_label_raw; then logMAR	Source six-month label; date unverified.
9	"Uncorrected VA-Dt post op 12 month"	udva_12m_label_raw; then logMAR	Source twelve-month label; date unverified; not the primary CDVA target.
10	"corrected (VA-Dt) pre-op "	cdva_baseline_raw; then logMAR	9 populated entries; verify refractive correction and preoperative date.
11	"corrected VA-Dt post op 1 month"	cdva_1m_label_raw; then logMAR	6 populated entries; interim label, not the target.
12	"corrected VA-Dt post op 6 months "	cdva_6m_label_raw; then logMAR	5 populated entries; do not carry forward into twelve months.
13	"corrected VA-Dt post op 12 month"	cdva_12m_label_raw; then logMAR	2 populated entries: row 6 is 20/30- and row 76 is 20/25. No dates verify the endpoint window; row 6 modifier requires review.

Refraction columns

All sphere, cylinder and MRSE fields use dioptres. Keep recorded and calculated MRSE separately. Derive MRSE only from valid paired sphere and cylinder at the same encounter. A trailing plus sign in refraction is a positive sign when the numeric context is clear; the same symbol in visual acuity is a letter modifier.

CSV column	Exact source header	Clean field and unit	Interpretation and rule
15	"pre-op_sphere diopters"	sphere_baseline_D	Signed sphere. PL or PI in this field means plano subject to documented convention, not perception of light.
16	"preop_cylinder Diopters"	cylinder_baseline_D	Signed cylinder; confirm cylinder convention.
17	"pre-op_mrse Diopters"	mrse_baseline_reported_D	Compare with sphere plus half cylinder. Missing reported MRSE may coexist with a valid derived value.
18	"postop_sphere after 1 month "	sphere_1m_label_D	Signed sphere at source one-month label.
19	"postop_cylinder after 1 month "	cylinder_1m_label_D	Signed cylinder at source one-month label.
20	"postop_mrse after 1 month "	mrse_1m_label_reported_D	Recorded MRSE; consistency check only.
21	"postop_sphere after 6 months "	sphere_6m_label_D	Signed sphere at source six-month label.
22	"postop_cylinder after 6 months"	cylinder_6m_label_D	Signed cylinder at source six-month label.
23	"postop_mrse after 6 months "	mrse_6m_label_reported_D	Recorded MRSE; consistency check only.
24	"postop_sphere after 12 months "	sphere_12m_label_D	Signed sphere at source twelve-month label; date unverified.
25	"postop_cylinder after 12 months"	cylinder_12m_label_D	Signed cylinder at source twelve-month label; date unverified.

CSV column	Exact source header	Clean field and unit	Interpretation and rule
26	"postop_mrse after 12 months "	mrse_12m_label_reported_D	Recorded MRSE; requires same-visit verification for endpoint analysis.

Topography and pachymetry columns

CSV column	Exact source header	Clean field and unit	Interpretation and rule
28	"preop_k1 diopters "	k1_baseline_D	K1 in dioptres; remove explicit D suffix only after retaining raw.
29	"preop_k2 diopters "	k2_baseline_D	K2 in dioptres; inspect consistency with K1.
30	"preop_kmax diopters "	kmax_baseline_D	78 populated entries; candidate predictor after dated scan verification.
31	"Preop-thinnest loca"	thinnest_baseline_source_um	78 entries. Despite loca label, values suggest thickness; confirm TCT meaning and micrometre units before renaming to tct_baseline_um.
32	"Preop-PAD-d"	pad_d_baseline_source	9 entries. PAD-d may refer to BAD-D; confirm source semantics before mapping to bad_d. No primary model use.
33	"postop_k1"	k1_postop_unassigned_D	78 entries. No interval in header; date and visit must be recovered.
34	"postop_k2"	k2_postop_unassigned_D	78 entries. Do not assign to twelve months automatically.
35	"postop_kmax"	kmax_postop_unassigned_D	78 entries. Do not assign to twelve months automatically.
36	"Post op-thinnest loca"	thinnest_postop_unassigned_u m	78 entries. Confirm thickness metric, units and date.
37	"Post op - Pad d "	pad_d_postop_unassigned_sou rce	7 entries. Confirm score identity, timing and date.

Treatment severity and safety columns

CSV column	Exact source header	Clean field and unit	Interpretation and rule
39	"treatment_details PreOp (TG-PRK+ACXL) vs (ACXL alone)"	treatment_source_label	44 CXL only, 7 CXL, 27 PRK with CXL and 1 CXL with PTK. Provisional CXL labels do not prove accelerated protocol; PRK label does not prove topography guidance.
40			

This document was truncated here because it was created in the Evaluation Mode.