



GOTHENBURG · SWEDEN
ENGINEERING PROCUREMENT

NORDKAROSS AB

BODY & CLOSURE ENGINEERING

REQUEST FOR PROPOSAL

NK-2026-VIKEN2-BD · 01 JUL 2026

Body and Closure Design Services

Project VIKEN-2 · New B-segment battery-electric crossover

RfP reference	NK-2026-VIKEN2-BD
Issued by	NORDKAROSS AB · Engineering Procurement · Gothenburg, Sweden
Issue date	1 July 2026
Written Q&A window	31 July – 1 August 2026, closing 10:00 BST
Proposal deadline	1 August 2026, 13:00 BST
Presentations	1 August 2026, from 14:00 BST

About NORDKAROSS AB

INDUSTRY	OPERATIONS	ENGINEERING CENTRE
Tier-1 automotive body structures and closures	Body-in-white, closures, EV platform structures and service parts	Gothenburg, Västra Götaland, Sweden

CONFIDENTIAL — this document and all information contained in it are confidential to NORDKAROSS AB and shall not be disclosed to any third party without our prior written consent



NORDKAROSS AB
BODY & CLOSURE ENGINEERING

GOTHENBURG • SWEDEN
NORDKAROSS.SE

Contents

1	Introduction and Invitation	2
2	Objective	2
3	Background	3
4	Scope of Work	3
5	Out of Scope — Retained by NORDKAROSS	5
6	Requirements	6
7	Deliverables and Acceptance	8
8	Timeline Expectation	8
9	Project Structure and Communication	9
10	Commercial and Contractual Requirements	9
11	Proposal Requirements	10
12	Evaluation Criteria and Selection Process	11
13	RfP Administration	12
14	Appendix A — Glossary	12

1. Introduction and Invitation

NORDKAROSS AB ("NORDKAROSS", "we") invites qualified engineering partners to submit a proposal for mechanical design services on Project VIKEN-2. This document sets out the scope, requirements, timeline and evaluation approach for the engagement.

This RfP does not constitute an offer. Any resulting engagement will be governed by a Framework Agreement, under which Call-off Orders will be issued per work package.

Use of language in this document

Term	Meaning
shall	A mandatory requirement. The Supplier must comply and must confirm compliance in its proposal.
should	A preferred approach. Deviations are permitted where justified in the proposal.
may	An optional element, at the Supplier's discretion.

This RfP and all information contained in it are confidential. The Supplier shall not disclose its contents to any third party without our prior written consent.

2. Objective

NORDKAROSS intends to appoint one engineering partner to deliver body-in-white and closure design work packages for Project VIKEN-2, working within our CAD and PLM environment and under our design governance.

Supplier expectations. The Supplier shall propose a complete design solution covering requirement intake, 3D modelling, drawing creation, design quality assurance, design change handling, review support, documentation and knowledge transfer.

3. Background

NORDKAROSS is a Tier-1 supplier of automotive body structures and closures, headquartered in Gothenburg. We operate four business units: passenger vehicle closures, commercial vehicle body structures, EV platform body-in-white, and service and aftermarket parts.

Project VIKEN-2 is the body-in-white and closure system for a new B-segment battery-electric crossover developed for a major European customer (referred to throughout as "the OEM"). Our internal engineering capacity is committed to two concurrent programmes through 2027. We are therefore extending design capacity through an external partner.

Vehicle and body architecture

Attribute	Position
Segment	B-segment
Body style	5-door crossover
Powertrain	Battery electric, structural pack integrated into the floor

Attribute	Position
Overall length / wheelbase	Approximately 4,250 mm / 2,650 mm
Launch market	Europe. Additional markets are under evaluation.
Body materials	Predominantly mild and high-strength steel. Hot-stamped parts in selected load-path locations.
Joining	Predominantly resistance spot welding, with structural adhesive in defined areas.

The battery pack is integrated into the floor structure. Floor panels, sill reinforcements, cross-members and mounting brackets shall accommodate the battery installation.

Our engineering centre currently operates CATIA V5 R30. A phased transition to 3DEXPERIENCE R2024x is underway across the engineering organisation. Design data resides in our PLM system and is accessed by external partners through a virtual desktop environment that we provide.

4. Scope of Work

Purpose. To define the design work packages placed with the Supplier, the inputs provided against each, and the deliverables expected.

Description. The Supplier shall perform detail design of body and closure parts from input data provided by NORDKAROSS, and shall deliver models, drawings and supporting analyses to our standards.

4.1 Design process

Work proceeds through the stages below. Change implementation applies throughout the engagement, and analysis support runs in parallel on request.

Design process — stages and change loop




Figure 1 — Design process, stages and change loop

4.2 Work packages

Ref	Work package	Content	Input provided	Deliverables
WP-01	Body-in-white panels and reinforcements	Floor panels, sill reinforcements, cross-members, side structure and roof panels, stiffeners and mounting reinforcements. Design shall accommodate the battery installation.	Package envelope, load-path definition, battery interface conditions	D-01, D-02
WP-02	Closure assemblies	Hood, tailgate, front and rear doors. Inner and outer panels, hem flanges, reinforcements and hardware interfaces.	Class-A surface data, hardware package definition	D-01, D-02

Ref	Work package	Content	Input provided	Deliverables
WP-03	Interface parts	Sealing interfaces, trim attachment features, brackets and mounting provisions.	Sealing and trim package definition	D-01
WP-04	Drawings and GD&T	Detail and assembly drawings for released parts. Geometrical tolerancing to ISO 1101. Material and forming callouts.	Released models from WP-01 to WP-03, internal standard NK-CAD-004	D-03
WP-05	Tolerance stack-up	Gap and flush studies across the closure system, identification of principal contributors, results reported per assembly.	Datum scheme, gap and flush targets	D-04
WP-06	Design quality and DMU	Model quality checking against our standard. Clash and interference verification across the body and closure system.	Model check configuration, assembly context	D-06, D-07
WP-07	Design change implementation	Implementation of change instructions issued by NORDKAROSS. Re-modelling, drawing update and re-verification of affected parts.	Change instruction (ECR / ECO)	D-08
WP-08	CAE preparation support	Preparation of geometry for analysis performed by our team.	Analysis request and required condition	Per request

4.3 Scope at each design review

Gate	Target	Expected at the gate
DR2	December 2026	Concept design complete across WP-01 to WP-03. Package and load paths resolved. Initial tolerance stack-up and DMU results available.
DR3	Q2 2027	Design freeze. All released models and drawings complete. Final stack-up, DMU and weight reporting delivered. Release package prepared.

4.4 Indicative volume

- Approximately 130 to 150 body and closure parts fall within scope.
- Approximately 4 to 5 closure assemblies are included.
- Drawings are expected for the majority of released parts.
- A proportion of parts are carryover from the predecessor programme and are in scope for review and update as necessary.
- Design change activity is expected to be consistent with previous programmes of similar scope.

These figures reflect the current position of the body engineering working group and are indicative. The Supplier shall state the volume assumptions on which its proposal is based.

4.5 Supplier expectations, deliverables and acceptance

Aspect	Supplier expectation	Acceptance criteria
Design execution	Work performed within the NORDKAROSS CAD and PLM environment	Models resident and correctly structured in our PLM

Aspect	Supplier expectation	Acceptance criteria
Standards	Compliance with applicable ISO standards and our internal CAD standard	Model check passed; no open standard deviations
Deliverable release	Complete release package per part and per assembly	Design Acceptance Review completed and certificate issued
Change handling	All changes executed only against an approved change instruction	Change record traceable to instruction and to affected parts


5. Out of Scope — Retained by NORDKAROSS

The following remain with NORDKAROSS and are excluded from Supplier scope. Responsibilities are summarised in Figure 2.

#	Retained activity	Note
1	Manufacturing engineering	Die design, tooling, press planning, weld and assembly line engineering
2	Physical validation	Prototype build, durability and crash testing, homologation
3	CAE analysis execution and validation sign-off	Analysis is performed and approved by our validation team
4	Class-A exterior surface creation and styling authority	Surface data is provided to the Supplier
5	Final design release authority	Approval and release in the NORDKAROSS PLM system
6	Communication with the OEM	All direct OEM contact is handled by NORDKAROSS

Figure 1 — VIKEN-2 Body Design: Responsibility Overview

Project VIKEN-2 · Nordkaross AB · Engineering Procurement



Nordkaross AB — Commercial in Confidence · Project VIKEN-2 · Page 1 of 1

Figure 2 — Responsibility overview, Project VIKEN-2

6. Requirements

6.1 Design and functional requirements

ID	Requirement
FR-01	The Supplier shall produce 3D part models in CATIA, fully parametric and rebuildable.
FR-02	The Supplier shall build assembly models and product structure reflecting our structure convention.
FR-03	The 3D model is the master design record. Deliverables shall comply with ISO 16792 for digital product definition.
FR-04	The Supplier shall produce detail and assembly drawings for the majority of released parts, to applicable ISO standards and our internal standard NK-CAD-004.
FR-05	The Supplier shall apply geometrical dimensioning and tolerancing to ISO 1101 on all released drawings.
FR-06	The Supplier shall perform tolerance stack-up studies for closure gap and flush, and shall report results per assembly.
FR-07	The Supplier shall track part and assembly mass against the targets issued by our programme team.
FR-08	The Supplier shall perform DMU clash and interference checks and shall report findings before each design review.
FR-09	The Supplier shall implement design changes issued by NORDKAROSS and shall maintain full change traceability.
FR-10	The Supplier shall support our analysis team with CAE model preparation activities.

ID	Requirement
FR-11	The Supplier shall prepare and participate in design reviews, and shall revise deliverables as required until design approval is achieved.
FR-12	The Supplier shall document design intent for each part and shall deliver a knowledge transfer package at engagement close.
FR-13	The Supplier shall design floor, sill and cross-member parts to accommodate the battery installation, to the interface conditions issued by our programme team.
FR-14	The Supplier shall apply the springback and forming allowances appropriate to the material and joining strategy of each part.

6.2 Design quality requirements

The Supplier shall describe, in its proposal, its approach to each of the following.

ID	Requirement
DQ-01	CAD modelling standards compliance, parametric discipline, feature tree structure, naming conventions and reusability.
DQ-02	Automated model quality checking. Models shall pass the client's standard model check before submission.
DQ-03	Management of broken links, missing references and external references.
DQ-04	Drawing completeness and dimensioning coverage; correctness and consistency of the datum scheme.
DQ-05	Tolerance stack-up methodology and reporting format.
DQ-06	Revision and version consistency across models, drawings and product structure.
DQ-07	Design change traceability from instruction through to released deliverable.
DQ-08	First-time-right rate, rework handling and root cause analysis of rejected deliverables.
DQ-09	Design review readiness criteria and evidence pack.
DQ-10	Metrics dashboard, exception reporting and final release package reconciliation.

6.3 Security, confidentiality and export control requirements

ID	Requirement
SEC-01	The Supplier shall execute a non-disclosure agreement, and shall obtain named-personnel confidentiality undertakings from all assigned staff.
SEC-02	The Supplier shall hold ISO/IEC 27001 certification or shall demonstrate an equivalent information security management system.
SEC-03	All access to NORDKAROSS design data shall be through the secure VPN and virtual desktop environment we provide.
SEC-04	Local storage, download or extraction of CAD data outside the provided environment is prohibited.

ID	Requirement
SEC-05	The Supplier shall operate access control on a least-privilege basis, with documented onboarding and offboarding.
SEC-06	The delivery area shall be physically segregated, with clean-desk and no-camera policies and controlled access.
SEC-07	The Supplier shall support our export control classification screening under EU Regulation 2021/821 for transfer of technical data outside the EU.
SEC-08	The Supplier shall provide personnel details required for restricted-party screening.
SEC-09	A data residency requirement applies to programme data and shall be observed at all times.
SEC-10	The Supplier shall comply with the GDPR and shall enter into a data processing agreement.
SEC-11	The Supplier shall observe confidentiality obligations flowed down from the OEM.
SEC-12	Re-subcontracting of any part of the work is prohibited without our prior written consent.

7. Deliverables and Acceptance

ID	Deliverable	Form
D-01	3D part models	CATIA, resident in NORDKAROSS PLM
D-02	Assembly models and product structure	CATIA, resident in NORDKAROSS PLM
D-03	Detail and assembly drawings	Per NK-CAD-004; PDF and native
D-04	Tolerance stack-up reports	Report per closure assembly
D-05	Weight tracking report	Monthly, per part and assembly
D-06	DMU clash and interference reports	Per design review
D-07	Model quality check evidence	Check log per submission batch
D-08	Design change records	Per change instruction
D-09	Design intent documentation	Per part family
D-10	Knowledge transfer package	At engagement close

Design Acceptance Review

Deliverables are submitted in batches and are subject to a Design Acceptance Review. On successful completion of the review, we issue an acceptance certificate for the batch. Invoicing follows issue of the acceptance certificate.

8. Timeline Expectation

Milestone	Target	Content
Engagement start	September 2026	Onboarding, environment access, standards familiarisation
DR2	December 2026	Concept design complete for all work packages
DR3	Q2 2027	Design freeze and release to tooling
Engagement close	Following DR3	Knowledge transfer and handover complete

Peak resourcing is expected in the second and third quarters of the engagement. The indicative programme is shown in Figure 3. The Supplier shall propose a detailed schedule, including its proposed resourcing profile, in its response.




Figure 3 — Project VIKEN-2 indicative programme

9. Project Structure and Communication

The Supplier shall nominate a Design Coordination Lead as single point of contact. The Design Coordination Lead shall attend all progress meetings and shall be responsible for issuing minutes.

A weekly progress meeting shall be held with our engineering centre. All decisions shall be recorded in the minutes. Matters not recorded in minutes are not agreed.

Stakeholders participating in design approval

Function	Involvement
Body Engineering	Technical review of models, drawings and tolerance studies
Manufacturing Engineering	Manufacturability input and feasibility comment
Quality	Standards compliance and deliverable conformity
Programme Management	Milestone and gate governance

10. Commercial and Contractual Requirements

Commercial terms will be settled in the Framework Agreement. Work will be placed by Call-off Order per work package. The following points apply to the proposal.

Item	Position
Contract structure	Framework Agreement with Call-off Orders issued per work package
Commercial basis	As set out in the applicable Call-off Order
Invoicing trigger	Issue of the acceptance certificate following Design Acceptance Review
Payment	Per the payment cycle stated in the Framework Agreement
Warranty	The Supplier shall remedy design non-conformities identified after release
Intellectual property	All deliverables and derivative geometry vest in NORDKAROSS
Key personnel	Replacement of nominated key personnel requires our prior written approval
Change control	No work outside the agreed scope baseline shall proceed without an approved change request
Insurance and liability	Per the Framework Agreement

11. Proposal Requirements

The proposal shall be submitted in English and shall contain, as a minimum, the elements below.

- Executive summary.
- Scope understanding, and a clear statement of scope and out of scope.
- Technical solution and design approach, including tooling and automation.
- Deliverable-based work breakdown structure, fully traceable to the work packages in Section 4.
- Estimate, with the basis of estimate and all assumptions stated.
- Schedule with key milestones and the proposed delivery profile.
- Meeting cadence and reporting approach.
- Register of risks, issues and dependencies.
- Assumptions Register, as a table stating each assumption, its basis, the impact if it proves incorrect, and whether a clarification question was raised against it.
- AI leverage plan, stating tools used, activities addressed, and the cost and quality effect claimed.
- Team structure.
- CVs of nominated key personnel.
- Two reference engagements of comparable scope, with contactable references.
- Approval and version history of the proposal document.

11.1 Team size

The Supplier shall estimate the team size required to deliver the scope, derived from the deliverable estimates provided under 11.2, and shall state the assumptions from which that team size follows —

including assumed productivity rates, the effort attributed to each complexity class, and any assumed ramp profile.

NORDKAROSS does not prescribe the team composition. The Supplier shall propose the structure it considers appropriate to the scope.

11.2 Deliverable estimates

The Supplier shall estimate each of the following, and shall state the assumptions behind each figure.

Ref	The Supplier shall estimate
PE-01	The number of parts to be modelled, by complexity class, stating the class definitions applied.
PE-02	The number of drawings to be produced.
PE-03	The number of tolerance stack-up studies to be performed.
PE-04	The number of DMU clash and interference cycles provisioned.
PE-05	The number of design change implementations provisioned.

11.3 Collaboration strategy

Parts of the programme remain with NORDKAROSS. The Supplier shall state how it will work with each of the following functions, including the information it expects to receive, the information it will provide, and the cadence proposed.

NORDKAROSS function	Interface
CAE execution and validation	Analysis input preparation and handover
Class-A surface and styling	Surface data receipt and downstream design
Manufacturing Engineering	Manufacturability input and feasibility comment
Body Engineering Council	Design review submission and approval

12. Evaluation Criteria and Selection Process

Proposals are scored out of 100 against the criteria below.

#	Criterion	Weight	Evaluation basis	What we look for
1	Process and governance discipline	40	Clarification record; responses to Sections 11 and 13	Requirements clarified before estimation; assumptions logged with basis and impact; change control applied — no work outside the agreed scope baseline without an approved change request
2	Estimation and commercial logic	30	Responses to 11.1, 11.2 and Section 10	Deliverable estimates traceable to the Section 4 work packages; team size derived from them; risk provision and assumptions stated; commercial baseline coherent

#	Criterion	Weight	Evaluation basis	What we look for
3	Use of AI	15	AI leverage plan; clarification exchanges	Named tools against named activities, quantified effect, substantiated claims. Claims are open to challenge.
4	Proposal quality and presentation	15	The proposal document and the presentation	Clarity, structure, completeness against Section 11, and adherence to the time allowed
	Total	100		

NORDKAROSS may shortlist, request clarification, and hold discussions with any Proponent before making a selection.

13. RfP Administration

Item	Detail
Written Q&A window	31 July 2026 to 1 August 2026, closing 10:00 BST
Question format	In writing only, submitted from the Proponent's own corporate email address
Answer distribution	Answers are shared in writing with all Proponents. Verbal exchanges are non-binding.
Proposal deadline	1 August 2026, 13:00 BST
Submission method	Upload to the NORDKAROSS procurement folder. Late proposals are accepted but recorded as late.
Presentations	1 August 2026 from 14:00 BST. 10 minutes per Proponent, strictly enforced, in English.
Proposal validity	The proposal shall remain valid for 90 days from the submission deadline
Status of this RfP	This RfP does not oblige NORDKAROSS to award any contract, or to award to the lowest-priced proposal. We may amend or withdraw this RfP at any time.

Clarification and areas under review

Several inputs to this RfP remain under review by our internal working groups. Suppliers are expected to identify areas requiring clarification and to raise them in writing before the question deadline. Proposals will be assessed in part on the quality of the clarification raised.

Where a point is not clarified before submission, the Supplier shall state the assumption it has adopted in its Assumptions Register.

14. Appendix A — Glossary

Term	Definition
BIW	Body in white — the welded vehicle body structure before paint and trim
Class-A surface	Styling-quality exterior surface geometry
DMU	Digital mock-up — assembly verification including clash and interference checking
DR2 / DR3	Design review gates: concept complete and design freeze
CAE	Computer-aided engineering — simulation and analysis
ECR / ECO	Engineering change request and engineering change order
GD&T	Geometrical dimensioning and tolerancing
Gap and flush	Dimensional relationship between adjacent closure and body panels
Hem flange	Folded edge joining a closure outer panel to its inner panel
ISO 1101	Geometrical product specifications — geometrical tolerancing
ISO 16792	Technical product documentation — digital product definition data practices
NK-CAD-004	NORDKAROSS internal CAD and drawing standard
PLM	Product lifecycle management system
Springback	Elastic recovery of sheet metal after forming
Tolerance stack-up	Cumulative dimensional variation analysis across an assembly