

KASO Data Catalog

Technical & Diagnostic Reference

Nákupný lifecycle od návrhu po receiving boundary

Schválený MC purchasing contract pre bezpečnú read-only diagnostiku.

Repository: mtasky-mccarter/kaso-data-catalog

Canonical branch: main

Contract: pur.contract.purchasing.1_0 | version: 1.0 | maturity: AGENT-READY

Authoritative environment / owner: MC / MC

Canonical input SHA-256: f32621a9aa5c64ef5af5fb9d51cf05ab33b7aeee21350bee8237dd181ce1cdd8

Obsah

- 1 Rozsah a hranice
- 2 Fyzické objekty a úplný inventár polí
- 3 Constraints a indexy
- 4 Vázby JOIN a kardinalita
- 5 Hodnotové a stavové domény
- 6 Nákupný lifecycle a HandyGO
- 7 Množstvá a stored current
- 8 Autorita vybavenia a Flag11
- 9 Efektívny termín dodania
- 10 Mutation Matrix
- 11 Časové správanie a história
- 12 Kvalita údajov a hraničné prípady
- 13 DO NOT ASSUME
- 14 Diagnostické playbooky
- 15 Kanonické read only SQL
- 16 Backlog
- 17 Revízna história
- 18 Dôkazy a proveniencia
- 19 API dependency a prístupové hranice
- 20 Register kanonických vstupov

1 Rozsah a hranice

Kanonický kontrakt

Canonical source: catalog/purchasing/contract.yaml

schema version: 1.0

kind: contract

contract id: pur.contract.purchasing.1_0

domain: purchasing

title sk: Nákupný lifecycle od návrhu po receiving boundary

purpose sk: Schválený MC purchasing contract pre bezpečnú read-only diagnostiku.

scope includes: OBJD_L

OBJD_O

OBJ_D_KOMBAJN

OBJ_D_NAVRH

OBJ_D_NAVRH_DOKL

OBJ_D_NAVRH_L

OBJ_D_NAVRH_LOG

OBJ_D_NAVRH_VYR

OBJ_D_PODKLAD

OBJ_D_ROZD_BLOKACII

D_OBJD_L

D_OBJD_O

C_OBJ_D_KOMBAJN

C_REZ_OBJ_DOD

supplier PO 00028

supplier PL 00029

PRIJEMKY_LIST / PRIJEMKY_OBSAH receiving boundary

scope excludes: Úplná receipt doména

Externý runtime/dynamic SQL

MCCZ/TEST/TESTCZ business autorita

authoritative environment: MC

authoritative owner: MC

maturity: AGENT-READY

object refs: mc.object.objd_l

mc.object.objd_o

mc.object.obj_d_kombajn
mc.object.obj_d_navrh
mc.object.obj_d_navrh_dokl
mc.object.obj_d_navrh_l
mc.object.obj_d_navrh_log
mc.object.obj_d_navrh_vyr
mc.object.obj_d_podklad
mc.object.obj_d_rozd_blokacii
component refs: pur.constraints.001
pur.fields_objd_l.001
pur.fields_objd_o.001
pur.fields_obj_d_kombajn.001
pur.fields_obj_d_navrh.001
pur.fields_obj_d_navrh_dokl.001
pur.fields_obj_d_navrh_l.001
pur.fields_obj_d_navrh_log.001
pur.fields_obj_d_navrh_vyr.001
pur.fields_obj_d_podklad.001
pur.fields_obj_d_rozd_blokacii.001
pur.indexes.001
pur.api_references.001
pur.dependencies.001
pur.relationships.001
pur.value_domains.001
pur.temporal.001
pur.do_not_assume.001
pur.backlog.001
pur.flows.001
pur.mutations.001
pur.data_quality.001
pur.revisions.001
pur.access_capabilities.001
pur.inbound_closure.001
pur.cross_schema.001
pur.source_mutations.001
pur.oracle_entities.001
pur.sql_registry.001
pur.playbooks.001

boundary refs: pur.oracle.mc.prijemky_obsah.table
mc.oracle.mc_prijemky_list
pur.rel.pl_receipt

Dôkazy: pur.evidence.accepted

Obmedzenia: AGENT-READY v deklarovanom purchase-to-receipt scope; otvorené explicitné non-blocking gaps.

STORED CURRENT je reprezentované ako RAW CURRENT plus explicitný authority_role a temporal popis; bez historickej rekonštrukcie.

CHECK výrazy neboli exportované v MP01_C; zachovaný celý dostupný constraint inventory, žiadne domyslené predicates.

F4_A depth-2 export ostáva v retained evidence; generic transitive crawl sa neopakuje.

Hodnoty null, true a false zachovávajú kanonický význam. Prázdne zoznamy sú zobrazené ako []. Identifikátory odkazujú na kanonický katalóg.

2 Fyzické objekty a úplný inventár polí

OBJ_D_KOMBAJN

Canonical source: catalog/purchasing/object-obj_d_kombajn.yaml

schema version: 1.0

kind: object

object id: mc.object.obj_d_kombajn

environment: MC

oracle owner: MC

oracle name: OBJ_D_KOMBAJN

object type: TABLE

business object sk: null

grain sk: null

maturity: CORE MAPPED

Status: TECHNICKY ZNÁME

identity refs: mc.constraint.obj_d_kombajn.xpk_obj_d_kombajn

field registry ref: pur.fields_obj_d_kombajn.001

scope limitations sk: AGENT-READY sa vzťahuje na deklarovaný purchasing scope, nie kompletný význam každého technického poľa. Podporné objekty majú úplný dostupný fyzický inventár, bez domyslených business významov.

Dôkazy: pur.evidence.mp01_a

pur.evidence.mp01_b

pur.evidence.mp01_c

pur.evidence.accepted

Polia OBJ_D_KOMBAJN

Canonical source: catalog/purchasing/fields-obj_d_kombajn.yaml

schema version: 1.0

kind: fields

id: pur.fields_obj_d_kombajn.001

object ref: mc.object.obj_d_kombajn

Spoločné vlastnosti všetkých záznamov nasledujúcej tabuľky

Význam: null

Status: TECHNICKY ZNÁME

Dôkazy: pur.evidence.mp01_b

Obmedzenia: Alias je technická normalizácia Oracle názvu; chýbajúci business význam sa neodvodzuje z názvu ani komentára.

Identita a zdroj	Technické vlastnosti	Význam status a dôkazy
field id: mc.field.obj_d_kombajn.id oracle name: ID	Poradie: 1 Datatype: NUMBER Nullable: false Default: null Alias: id	Oracle comment: ID=ID kombajnu
field id: mc.field.obj_d_kombajn.kod_id oracle name: KOD_ID	Poradie: 2 Datatype: NUMBER(8,0) Nullable: false Default: null Alias: kod_id	Oracle comment: Skladová karta=Kladová karta (SKLAD_KARTA.ID)
field id: mc.field.obj_d_kombajn.pocet oracle name: POCET	Poradie: 3 Datatype: NUMBER Nullable: false Default: "0" Alias: pocet	Oracle comment: Počet=Počet na objednávke ()
field id: mc.field.obj_d_kombajn.sklad oracle name: SKLAD	Poradie: 4 Datatype: NUMBER(3,0) Nullable: true Default: null Alias: sklad	Oracle comment: Sklad=Skład (BARTEX_POBOCKY.ID)
field id: mc.field.obj_d_kombajn.sarza oracle name: SARZA	Poradie: 5 Datatype: VARCHAR2(254) Nullable: false Default: null Alias: sarza	Oracle comment: Šarža=Šarža
field id: mc.field.obj_d_kombajn.id_uloz oracle name: ID_ULOZ	Poradie: 6 Datatype: NUMBER Nullable: true Default: null Alias: id_uloz	Oracle comment: Uloženie=Uloženie podmienok pre výber skladových kariet (APD_SETUP.ID_APD)
field id: mc.field.obj_d_kombajn.minimum oracle name: MINIMUM	Poradie: 7 Datatype: NUMBER(10,2) Nullable: true Default: null Alias: minimum	Oracle comment: Skladové minimum=Składové minimum

Identita a zdroj	Technické vlastnosti	Význam status a dôkazy
field id: mc.field.obj_d_kombajn.maximum oracle name: MAXIMUM	Poradie: 8 Datatype: NUMBER(10,2) Nullable: true Default: null Alias: maximum	Oracle comment: Skladové maximum▯Skladové maximum
field id: mc.field.obj_d_kombajn.nak_davka oracle name: NAK_DAVKA	Poradie: 9 Datatype: NUMBER(10,2) Nullable: true Default: null Alias: nak_davka	Oracle comment: Nákupná dávka▯Nákupná dávka
field id: mc.field.obj_d_kombajn.p_akt_sklad oracle name: P_AKT_SKLAD	Poradie: 10 Datatype: NUMBER Nullable: false Default: "0" Alias: p_akt_sklad	Oracle comment: Počet na akt.skl.▯Počet na aktuálnom sklade (ponižuje počet)
field id: mc.field.obj_d_kombajn.p_str_obj oracle name: P_STR_OBJ	Poradie: 11 Datatype: NUMBER Nullable: false Default: "0" Alias: p_str_obj	Oracle comment: Počet na obj.str.▯Počet na strediskovej objednávke (ponižuje počet)
field id: mc.field.obj_d_kombajn.p_dod_obj oracle name: P_DOD_OBJ	Poradie: 12 Datatype: NUMBER Nullable: false Default: "0" Alias: p_dod_obj	Oracle comment: Počet na obj.dod.▯Počet na dodávateľskej objednávke (ponižuje počet)
field id: mc.field.obj_d_kombajn.p_col_sklad oracle name: P_COL_SKLAD	Poradie: 13 Datatype: NUMBER Nullable: false Default: "0" Alias: p_col_sklad	Oracle comment: Počet na col.sklade▯Počet na colnom sklade (ponižuje počet)
field id: mc.field.obj_d_kombajn.p_vyd_na_cesta oracle name: P_VYD_NA_CESTE	Poradie: 14 Datatype: NUMBER Nullable: false Default: "0" Alias: p_vyd_na_cesta	Oracle comment: Počet na výdajke▯Počet na výdajke pre tovar na ceste (ponižuje počet)
field id: mc.field.obj_d_kombajn.p_vyd_zapozic oracle name: P_VYD_ZAPOZIC	Poradie: 15 Datatype: NUMBER Nullable: false Default: "0" Alias: p_vyd_zapozic	Oracle comment: Počet na výdajke▯Počet na výdajke pre tovar zapožičaný (ponižuje počet)

Identita a zdroj	Technické vlastnosti	Význam status a dôkazy
field id: mc.field.obj_d_kombajn.p_obj_str oracle name: P_OBJ_STR	Poradie: 16 Datatype: NUMBER Nullable: false Default: "0" Alias: p_obj_str	Oracle comment: Počet na str.objPočet strediskovej objednávke (predpíňa počet)
field id: mc.field.obj_d_kombajn.p_obj_ser oracle name: P_OBJ_SER	Poradie: 17 Datatype: NUMBER Nullable: false Default: "0" Alias: p_obj_ser	Oracle comment: Počet na ser.objPočet servisnej objednávke (predpíňa počet)
field id: mc.field.obj_d_kombajn.p_obj_odb oracle name: P_OBJ_ODB	Poradie: 18 Datatype: NUMBER Nullable: false Default: "0" Alias: p_obj_odb	Oracle comment: Počet na obj.odbPočet odberateľskej objednávke (predpíňa počet)
field id: mc.field.obj_d_kombajn.p_obj_ml oracle name: P_OBJ_ML	Poradie: 19 Datatype: NUMBER Nullable: false Default: "0" Alias: p_obj_ml	Oracle comment: Počet na MLPočet na montážnom liste (predpíňa počet)
field id: mc.field.obj_d_kombajn.p_obj_op oracle name: P_OBJ_OP	Poradie: 20 Datatype: NUMBER Nullable: false Default: "0" Alias: p_obj_op	Oracle comment: Počet na OPPočet na obchodnom pláne (predpíňa počet)
field id: mc.field.obj_d_kombajn.suma_makro oracle name: SUMA_MAKRO	Poradie: 21 Datatype: NUMBER Nullable: false Default: "0" Alias: suma_makro	Oracle comment: Suma z makraSuma z makra (predpíňa počet)
field id: mc.field.obj_d_kombajn.p_vrstva_bal oracle name: P_VRSTVA_BAL	Poradie: 22 Datatype: NUMBER(12,3) Nullable: false Default: 1 Alias: p_vrstva_bal	Oracle comment: null
field id: mc.field.obj_d_kombajn.p_paleta_bal oracle name: P_PALETA_BAL	Poradie: 23 Datatype: NUMBER(12,3) Nullable: false Default: 1 Alias: p_paleta_bal	Oracle comment: null

Identita a zdroj	Technické vlastnosti	Význam status a dôkazy
field id: mc.field.obj_d_kombajn.p_dod_bal oracle name: P_DOD_BAL	Poradie: 24 Datatype: NUMBER(12,3) Nullable: false Default: 1 Alias: p_dod_bal	Oracle comment: null
field id: mc.field.obj_d_kombajn.rid_mm oracle name: RID_MM	Poradie: 25 Datatype: VARCHAR2(16) Nullable: false Default: '245000000' Alias: rid_mm	Oracle comment: Sklad.min.max.␣Rid skladového minima a maxima
field id: mc.field.obj_d_kombajn.rid_v oracle name: RID_V	Poradie: 26 Datatype: VARCHAR2(22) Nullable: true Default: null Alias: rid_v	Oracle comment: Vázba na doklad␣Vázba na doklad z ktorého bola vygenerovaná položka
field id: mc.field.obj_d_kombajn.s_stamp oracle name: S_STAMP	Poradie: 27 Datatype: VARCHAR2(17) Nullable: false Default: '0' Alias: s_stamp	Oracle comment: Zrušilo␣Stamp na vyradenie záznamu, nesie informáciu kto a kedy záznam vyradil ()
field id: mc.field.obj_d_kombajn.pre_navrh oracle name: PRE_NAVRH	Poradie: 28 Datatype: NUMBER(1,0) Nullable: false Default: "0" Alias: pre_navrh	Oracle comment: 1= Pre záznam sa generuje návrh, 0= Z barisu predplnanie obj.dod. -bez návrhu
field id: mc.field.obj_d_kombajn.reserve oracle name: RESERVE	Poradie: 29 Datatype: VARCHAR2(16) Nullable: false Default: null Alias: reserve	Oracle comment: ID Reserve␣ID Reserve (AKT_PROGRAMY.ID)

OBJ_D_NAVRH

Canonical source: catalog/purchasing/object-obj_d_navrh.yaml

schema version: 1.0

kind: object

object id: mc.object.obj_d_navrh

environment: MC

oracle owner: MC

oracle name: OBJ_D_NAVRH

object type: TABLE

business object sk: Nákupný návrh / aktuálna potreba

grain sk: 1 riadok = 1 aktuálny nákupný návrh/potreba.

maturity: AGENT-READY

Status: POTVRDENÉ

identity refs: mc.constraint.obj_d_navrh.xfk_obj_d_navrh

field registry ref: pur.fields_obj_d_navrh.001

scope limitations sk: AGENT-READY sa vzťahuje na deklarovaný purchasing scope, nie kompletný význam každého technického poľa.
Podporné objekty majú úplný dostupný fyzický inventár, bez domyslených business významov.

Dôkazy: pur.evidence.mp01_a

pur.evidence.mp01_b

pur.evidence.mp01_c

pur.evidence.accepted

Polia OBJ_D_NAVRH

Canonical source: catalog/purchasing/fields-obj_d_navrh.yaml

schema version: 1.0

kind: fields

id: pur.fields_obj_d_navrh.001

object ref: mc.object.obj_d_navrh

Spoločné vlastnosti všetkých záznamov nasledujúcej tabuľky

Obmedzenia: Alias je technická normalizácia Oracle názvu; chýbajúci business význam sa neodvodzuje z názvu ani komentára.

temporal classification: RAW CURRENT

Identita a zdroj	Technické vlastnosti	Význam status a dôkazy
field id: mc.field.obj_d_navrh.rid oracle name: RID	Poradie: 1 Datatype: VARCHAR2(22) Nullable: false Default: null Alias: rid	Oracle comment: RIDJednoznačný identifikátor záznamu v BarIS-e, zložený z identifikátora číselníka, roku vloženia (DATUM), skladu (SKLAD) a poradového čísla () Význam: null Status: TECHNICKY ZNÁME Dôkazy: pur.evidence.mp01_b

Identita a zdroj	Technické vlastnosti	Význam status a dôkazy
field id: mc.field.obj_d_navrh.id oracle name: ID	Poradie: 2 Datatype: NUMBER(8,0) Nullable: false Default: null Alias: id	Oracle comment: P.č.␣Poradové číslo jednoznačné za sklad a rok () Význam: null Status: TECHNICKY ZNÁME Dôkazy: pur.evidence.mp01_b
field id: mc.field.obj_d_navrh.kod_id oracle name: KOD_ID	Poradie: 3 Datatype: NUMBER(8,0) Nullable: false Default: null Alias: kod_id	Oracle comment: Skladová karta␣Skladová karta (SKLAD_KARTA.ID) Význam: null Status: TECHNICKY ZNÁME Dôkazy: pur.evidence.mp01_b
field id: mc.field.obj_d_navrh.pocet oracle name: POCET	Poradie: 4 Datatype: NUMBER Nullable: false Default: "0" Alias: pocet	Oracle comment: Počet␣Počet na objednávke () Význam: null Status: TECHNICKY ZNÁME Dôkazy: pur.evidence.mp01_b
field id: mc.field.obj_d_navrh.pocet_obj oracle name: POCET_OBJ	Poradie: 5 Datatype: NUMBER Nullable: false Default: "0" Alias: pocet_obj	Oracle comment: null Význam: null Status: TECHNICKY ZNÁME Dôkazy: pur.evidence.mp01_b
field id: mc.field.obj_d_navrh.dodavatel oracle name: DODAVATEL	Poradie: 6 Datatype: NUMBER Nullable: true Default: null Alias: dodavatel	Oracle comment: Dodávateľ␣Dodávateľ (OBCH_PARTNERI.ID) Význam: null Status: TECHNICKY ZNÁME Dôkazy: pur.evidence.mp01_b
field id: mc.field.obj_d_navrh.sklad oracle name: SKLAD	Poradie: 7 Datatype: NUMBER(3,0) Nullable: true Default: null Alias: sklad	Oracle comment: Sklad␣Sklad (BARTEX_POBOCKY.ID) Význam: null Status: TECHNICKY ZNÁME Dôkazy: pur.evidence.mp01_b
field id: mc.field.obj_d_navrh.i_stamp oracle name: I_STAMP	Poradie: 8 Datatype: VARCHAR2(17) Nullable: false Default: '0' Alias: i_stamp	Oracle comment: Vložil␣Vložil Význam: null Status: TECHNICKY ZNÁME Dôkazy: pur.evidence.mp01_b
field id: mc.field.obj_d_navrh.sarza oracle name: SARZA	Poradie: 9 Datatype: VARCHAR2(254) Nullable: false Default: null Alias: sarza	Oracle comment: Šarža␣Šarža Význam: null Status: TECHNICKY ZNÁME Dôkazy: pur.evidence.mp01_b

Identita a zdroj	Technické vlastnosti	Význam status a dôkazy
field id: mc.field.obj_d_navrh.rid_v oracle name: RID_V	Poradie: 10 Datatype: VARCHAR2(22) Nullable: true Default: null Alias: rid_v	Oracle comment: Vázba na dokladVázba na doklad z ktorého bola vygenerovaná položka Význam: null Status: TECHNICKY ZNÁME Dôkazy: pur.evidence.mp01_b
field id: mc.field.obj_d_navrh.zdroj oracle name: ZDROJ	Poradie: 11 Datatype: NUMBER Nullable: false Default: "0" Alias: zdroj	Oracle comment: ZdrojZdroj vygenerovaných položiek Význam: null Status: TECHNICKY ZNÁME Dôkazy: pur.evidence.mp01_b
field id: mc.field.obj_d_navrh.termin_dod oracle name: TERMIN_DOD	Poradie: 12 Datatype: DATE Nullable: true Default: null Alias: termin_dod	Oracle comment: Termín dodaniaTermín dodania Význam: null Status: TECHNICKY ZNÁME Dôkazy: pur.evidence.mp01_b
field id: mc.field.obj_d_navrh.rid_v_obj_d oracle name: RID_V_OBJ_D	Poradie: 13 Datatype: VARCHAR2(22) Nullable: true Default: null Alias: rid_v_obj_d	Oracle comment: Vázba na obj.dod.Vázba na objednávku na dodávateľa, na kt. bol objednaný tovar Význam: Aktuálna forward referencia na LINE RID: OBJD_O.RID_O ' ' TO_CHAR(OBJD_O.ID_R). Status: POTVRDENÉ Dôkazy: pur.evidence.mp01_b pur.evidence.accepted
field id: mc.field.obj_d_navrh.rid_v_pl oracle name: RID_V_PL	Poradie: 14 Datatype: VARCHAR2(22) Nullable: true Default: null Alias: rid_v_pl	Oracle comment: Vázba na prep.listVázba na prepravný list Význam: null Status: TECHNICKY ZNÁME Dôkazy: pur.evidence.mp01_b
field id: mc.field.obj_d_navrh.stav oracle name: STAV	Poradie: 15 Datatype: NUMBER(2,0) Nullable: false Default: "0" Alias: stav	Oracle comment: Stav návrhuStav návrhu položky Význam: null Status: TECHNICKY ZNÁME Dôkazy: pur.evidence.mp01_b
field id: mc.field.obj_d_navrh.s_stamp oracle name: S_STAMP	Poradie: 16 Datatype: VARCHAR2(17) Nullable: false Default: '0' Alias: s_stamp	Oracle comment: ZrušilStamp na vyradenie záznamu, nesie informáciu kto a kedy záznam vyradil () Význam: Technický remove/storno stamp; '0' neznamená business open ani actionable. Status: POTVRDENÉ Dôkazy: pur.evidence.mp01_b pur.evidence.accepted

Identita a zdroj	Technické vlastnosti	Význam status a dôkazy
field id: mc.field.obj_d_navrh.rid_v_prij oracle name: RID_V_PRIJ	Poradie: 17 Datatype: VARCHAR2(22) Nullable: true Default: null Alias: rid_v_prij	Oracle comment: Vázba na príjemku=Řiadková väzba na príjemku, na kt. bol prijatý tovar Význam: null Status: TECHNICKY ZNÁME Dôkazy: pur.evidence.mp01_b
field id: mc.field.obj_d_navrh.id_kombajn oracle name: ID_KOMBAJN	Poradie: 18 Datatype: NUMBER Nullable: true Default: null Alias: id_kombajn	Oracle comment: ID kombajnu=ID kombajnu (OBJ_D_KOMBAJN.ID) Význam: null Status: TECHNICKY ZNÁME Dôkazy: pur.evidence.mp01_b
field id: mc.field.obj_d_navrh.z_stamp oracle name: Z_STAMP	Poradie: 19 Datatype: VARCHAR2(17) Nullable: false Default: '0' Alias: z_stamp	Oracle comment: Zamietol=Stamp na zamietnutie záznamu, nesie informáciu kto a kedy záznam zamietol () Význam: null Status: TECHNICKY ZNÁME Dôkazy: pur.evidence.mp01_b
field id: mc.field.obj_d_navrh.rid_p oracle name: RID_P	Poradie: 20 Datatype: VARCHAR2(16) Nullable: true Default: null Alias: rid_p	Oracle comment: RID parenta=RID parenta z ktorého sa oddelil riadok (OBJ_D_NAVRH.RID) Význam: null Status: TECHNICKY ZNÁME Dôkazy: pur.evidence.mp01_b
field id: mc.field.obj_d_navrh.dovod_zam oracle name: DOVOD_ZAM	Poradie: 21 Datatype: VARCHAR2(254) Nullable: true Default: null Alias: dovod_zam	Oracle comment: Dôvod zamietnutia=Dôvod zamietnutia Význam: null Status: TECHNICKY ZNÁME Dôkazy: pur.evidence.mp01_b
field id: mc.field.obj_d_navrh.urgentne oracle name: URGENTNE	Poradie: 22 Datatype: NUMBER(1,0) Nullable: false Default: "0" Alias: urgentne	Oracle comment: null Význam: null Status: TECHNICKY ZNÁME Dôkazy: pur.evidence.mp01_b
field id: mc.field.obj_d_navrh.miesto_dod oracle name: Miesto_DOD	Poradie: 23 Datatype: VARCHAR2(16) Nullable: true Default: null Alias: miesto_dod	Oracle comment: Miesto dodania=Dodať priamo na miesto dodania (MIESTA_DODANIA.RID) Význam: null Status: TECHNICKY ZNÁME Dôkazy: pur.evidence.mp01_b
field id: mc.field.obj_d_navrh.cena oracle name: CENA	Poradie: 24 Datatype: NUMBER Nullable: true Default: null Alias: cena	Oracle comment: Špeciálna cena=Špeciálna cena () Význam: null Status: TECHNICKY ZNÁME Dôkazy: pur.evidence.mp01_b

Identita a zdroj	Technické vlastnosti	Význam status a dôkazy
field id: mc.field.obj_d_navrh.pozn oracle name: POZN	Poradie: 25 Datatype: VARCHAR2(254) Nullable: true Default: null Alias: pozn	Oracle comment: PoznámkaPoznámka () Význam: null Status: TECHNICKY ZNÁME Dôkazy: pur.evidence.mp01_b
field id: mc.field.obj_d_navrh.ok oracle name: OK	Poradie: 26 Datatype: NUMBER Nullable: false Default: "0" Alias: ok	Oracle comment: null Význam: null Status: TECHNICKY ZNÁME Dôkazy: pur.evidence.mp01_b
field id: mc.field.obj_d_navrh.cena_d oracle name: CENA_D	Poradie: 27 Datatype: NUMBER Nullable: true Default: null Alias: cena_d	Oracle comment: null Význam: null Status: TECHNICKY ZNÁME Dôkazy: pur.evidence.mp01_b
field id: mc.field.obj_d_navrh.podklad oracle name: PODKLAD	Poradie: 28 Datatype: VARCHAR2(4000) Nullable: true Default: null Alias: podklad	Oracle comment: null Význam: null Status: TECHNICKY ZNÁME Dôkazy: pur.evidence.mp01_b
field id: mc.field.obj_d_navrh.termin_obj oracle name: TERMIN_OBJ	Poradie: 29 Datatype: DATE Nullable: true Default: null Alias: termin_obj	Oracle comment: null Význam: null Status: TECHNICKY ZNÁME Dôkazy: pur.evidence.mp01_b
field id: mc.field.obj_d_navrh.flags_b oracle name: FLAGS_B	Poradie: 30 Datatype: VARCHAR2(254) Nullable: true Default: null Alias: flags_b	Oracle comment: null Význam: null Status: TECHNICKY ZNÁME Dôkazy: pur.evidence.mp01_b
field id: mc.field.obj_d_navrh.sch_stamp oracle name: SCH_STAMP	Poradie: 31 Datatype: VARCHAR2(17) Nullable: true Default: '0' Alias: sch_stamp	Oracle comment: SchválilStamp na schválenie záznamu, nesie informáciu kto a kedy záznam schválil () Význam: null Status: TECHNICKY ZNÁME Dôkazy: pur.evidence.mp01_b
field id: mc.field.obj_d_navrh.sklad_objednania oracle name: SKLAD_OBJEDNANIA	Poradie: 32 Datatype: NUMBER Nullable: false Default: null Alias: sklad_objednania	Oracle comment: Sklad objednaniaSklad za ktorý sa bude generovať objednávka Význam: null Status: TECHNICKY ZNÁME Dôkazy: pur.evidence.mp01_b

Identita a zdroj	Technické vlastnosti	Význam status a dôkazy
field id: mc.field.obj_d_navrh.sklad_z oracle name: SKLAD_Z	Poradie: 33 Datatype: NUMBER Nullable: false Default: null Alias: sklad_z	Oracle comment: Zásobovací skladZásobovací sklad Význam: null Status: TECHNICKY ZNÁME Dôkazy: pur.evidence.mp01_b
field id: mc.field.obj_d_navrh.id_o oracle name: ID_O	Poradie: 34 Datatype: NUMBER Nullable: true Default: null Alias: id_o	Oracle comment: null Význam: null Status: TECHNICKY ZNÁME Dôkazy: pur.evidence.mp01_b
field id: mc.field.obj_d_navrh.adresa oracle name: ADRESA	Poradie: 35 Datatype: NUMBER(8,0) Nullable: true Default: null Alias: adresa	Oracle comment: AdresaDoda? priamo na adresu (MIESTA_ZAUJMU.ID) Význam: null Status: TECHNICKY ZNÁME Dôkazy: pur.evidence.mp01_b
field id: mc.field.obj_d_navrh.xml_data oracle name: XML_DATA	Poradie: 36 Datatype: XMLTYPE Nullable: true Default: null Alias: xml_data	Oracle comment: XML dataXML data () Význam: null Status: TECHNICKY ZNÁME Dôkazy: pur.evidence.mp01_b
field id: mc.field.obj_d_navrh.typ_cis oracle name: TYP_CIS	Poradie: 37 Datatype: VARCHAR2(16) Nullable: false Default: '000677' Alias: typ_cis	Oracle comment: Typ návrhuTyp návrhu na objednanie (TYPY_CIS.ID) Význam: null Status: TECHNICKY ZNÁME Dôkazy: pur.evidence.mp01_b
field id: mc.field.obj_d_navrh.upd oracle name: UPD	Poradie: 38 Datatype: NUMBER Nullable: true Default: null Alias: upd	Oracle comment: Číslo zmeny pri aktualizácii návrhu z výroby. Význam: null Status: TECHNICKY ZNÁME Dôkazy: pur.evidence.mp01_b
field id: mc.field.obj_d_navrh.termin_upl oracle name: TERMIN_UPL	Poradie: 39 Datatype: DATE Nullable: true Default: null Alias: termin_upl	Oracle comment: Termín uplatnenia/použitia Význam: null Status: TECHNICKY ZNÁME Dôkazy: pur.evidence.mp01_b
field id: mc.field.obj_d_navrh.kod_id_v oracle name: KOD_ID_V	Poradie: 40 Datatype: NUMBER(8,0) Nullable: true Default: null Alias: kod_id_v	Oracle comment: Vázobná / vyrábaná skladová karta Význam: null Status: TECHNICKY ZNÁME Dôkazy: pur.evidence.mp01_b

Identita a zdroj	Technické vlastnosti	Význam status a dôkazy
field id: mc.field.obj_d_navrh.uroven_v oracle name: UROVEN_V	Poradie: 41 Datatype: NUMBER(5,0) Nullable: true Default: null Alias: uroven_v	Oracle comment: Úroveň výroby / väzby Význam: null Status: TECHNICKY ZNÁME Dôkazy: pur.evidence.mp01_b
field id: mc.field.obj_d_navrh.aktual_stamp oracle name: AKTUAL_STAMP	Poradie: 42 Datatype: VARCHAR2(17) Nullable: false Default: '0' Alias: aktual_stamp	Oracle comment: null Význam: null Status: TECHNICKY ZNÁME Dôkazy: pur.evidence.mp01_b
field id: mc.field.obj_d_navrh.pocet_v oracle name: POCET_V	Poradie: 43 Datatype: NUMBER Nullable: true Default: null Alias: pocet_v	Oracle comment: Množstvo väzobnej / vyrábanej skladovej karty. Význam: null Status: TECHNICKY ZNÁME Dôkazy: pur.evidence.mp01_b
field id: mc.field.obj_d_navrh.info oracle name: INFO	Poradie: 44 Datatype: VARCHAR2(2000) Nullable: true Default: null Alias: info	Oracle comment: Upozornenie pri zmene požiadavky na objednanie. Význam: null Status: TECHNICKY ZNÁME Dôkazy: pur.evidence.mp01_b

OBJ_D_NAVRH_DOKL

Canonical source: catalog/purchasing/object-obj_d_navrh_dokl.yaml

schema version: 1.0

kind: object

object id: mc.object.obj_d_navrh_dokl

environment: MC

oracle owner: MC

oracle name: OBJ_D_NAVRH_DOKL

object type: TABLE

business object sk: null

grain sk: null

maturity: CORE MAPPED

Status: TECHNICKY ZNÁME

identity refs: []

field registry ref: pur.fields_obj_d_navrh_dokl.001

scope limitations sk: AGENT-READY sa vzťahuje na deklarovaný purchasing scope, nie kompletný význam každého technického poľa. Podporné objekty majú úplný dostupný fyzický inventár, bez domyslených business významov.

Dôkazy: pur.evidence.mp01_a

pur.evidence.mp01_b

pur.evidence.mp01_c

pur.evidence.accepted

Polia OBJ_D_NAVRH_DOKL

Canonical source: catalog/purchasing/fields-obj_d_navrh_dokl.yaml

schema version: 1.0

kind: fields

id: pur.fields_obj_d_navrh_dokl.001

object ref: mc.object.obj_d_navrh_dokl

Spoločné vlastnosti všetkých záznamov nasledujúcej tabuľky

Oracle comment: null

Význam: null

Status: TECHNICKY ZNÁME

Dôkazy: pur.evidence.mp01_b

Obmedzenia: Alias je technická normalizácia Oracle názvu; chýbajúci business význam sa neodvodzuje z názvu ani komentára.

Identita a zdroj	Technické vlastnosti
field id: mc.field.obj_d_navrh_dokl.id_o oracle name: ID_O	Poradie: 1 Datatype: NUMBER Nullable: false Default: null Alias: id_o
field id: mc.field.obj_d_navrh_dokl.rid_o oracle name: RID_O	Poradie: 2 Datatype: VARCHAR2(16) Nullable: false Default: null Alias: rid_o
field id: mc.field.obj_d_navrh_dokl.id_r oracle name: ID_R	Poradie: 3 Datatype: NUMBER(5,0) Nullable: false Default: null Alias: id_r

Identita a zdroj	Technické vlastnosti
field id: mc.field.obj_d_navrh_dokl.pocet oracle name: POCET	Poradie: 4 Datatype: NUMBER Nullable: false Default: "0" Alias: pocet
field id: mc.field.obj_d_navrh_dokl.kod_id oracle name: KOD_ID	Poradie: 5 Datatype: NUMBER Nullable: false Default: null Alias: kod_id
field id: mc.field.obj_d_navrh_dokl.sarza oracle name: SARZA	Poradie: 6 Datatype: VARCHAR2(254) Nullable: true Default: null Alias: sarza
field id: mc.field.obj_d_navrh_dokl.typ oracle name: TYP	Poradie: 7 Datatype: NUMBER(2,0) Nullable: false Default: null Alias: typ
field id: mc.field.obj_d_navrh_dokl.sklad oracle name: SKLAD	Poradie: 8 Datatype: NUMBER(3,0) Nullable: false Default: null Alias: sklad

OBJ_D_NAVRH_L

Canonical source: catalog/purchasing/object-obj_d_navrh_l.yaml

schema version: 1.0

kind: object

object id: mc.object.obj_d_navrh_l

environment: MC

oracle owner: MC

oracle name: OBJ_D_NAVRH_L

object type: TABLE

business object sk: null

grain sk: null

maturity: CORE MAPPED

Status: TECHNICKY ZNÁME

identity refs: mc.constraint.obj_d_navrh_l.xpk_obj_d_navrh_l

field registry ref: pur.fields_obj_d_navrh_l.001

scope limitations sk: AGENT-READY sa vzťahuje na deklarovaný purchasing scope, nie kompletný význam každého technického poľa.
Podporné objekty majú úplný dostupný fyzický inventár, bez domyslených business významov.

Dôkazy: pur.evidence.mp01_a

pur.evidence.mp01_b

pur.evidence.mp01_c

pur.evidence.accepted

Polia OBJ_D_NAVRH_L

Canonical source: catalog/purchasing/fields-obj_d_navrh_l.yaml

schema version: 1.0

kind: fields

id: pur.fields_obj_d_navrh_l.001

object ref: mc.object.obj_d_navrh_l

Spoločné vlastnosti všetkých záznamov nasledujúcej tabuľky

Oracle comment: null

Význam: null

Status: TECHNICKY ZNÁME

Dôkazy: pur.evidence.mp01_b

Obmedzenia: Alias je technická normalizácia Oracle názvu; chýbajúci business význam sa neodvodzuje z názvu ani komentára.

Identita a zdroj	Technické vlastnosti
field id: mc.field.obj_d_navrh_l.id oracle name: ID	Poradie: 1 Datatype: NUMBER Nullable: false Default: null Alias: id

Identita a zdroj	Technické vlastnosti
field id: mc.field.obj_d_navrh_l.i_stamp oracle name: I_STAMP	Poradie: 2 Datatype: VARCHAR2(17) Nullable: false Default: '0' Alias: i_stamp
field id: mc.field.obj_d_navrh_l.podm_sk oracle name: PODM_SK	Poradie: 3 Datatype: VARCHAR2(4000) Nullable: true Default: null Alias: podm_sk
field id: mc.field.obj_d_navrh_l.sklad oracle name: SKLAD	Poradie: 4 Datatype: NUMBER(3,0) Nullable: true Default: null Alias: sklad
field id: mc.field.obj_d_navrh_l.dodavatel oracle name: DODAVATEL	Poradie: 5 Datatype: NUMBER Nullable: true Default: null Alias: dodavatel
field id: mc.field.obj_d_navrh_l.aj_nulove oracle name: AJ_NULOVE	Poradie: 6 Datatype: NUMBER Nullable: true Default: "0" Alias: aj_nulove
field id: mc.field.obj_d_navrh_l.generuj_rez_is oracle name: GENERUJ_REZ_IS	Poradie: 7 Datatype: NUMBER(1,0) Nullable: false Default: 1 Alias: generuj_rez_is
field id: mc.field.obj_d_navrh_l.stav oracle name: STAV	Poradie: 8 Datatype: NUMBER(1,0) Nullable: false Default: "0" Alias: stav
field id: mc.field.obj_d_navrh_l.generuj_ako_ponuku oracle name: GENERUJ_AKO_PONUKE	Poradie: 9 Datatype: NUMBER(1,0) Nullable: false Default: "0" Alias: generuj_ako_ponuku

Identita a zdroj	Technické vlastnosti
field id: mc.field.obj_d_navrh_l.zachovaj_schvalene oracle name: ZACHOVAJ_SCHVALENE	Poradie: 10 Datatype: NUMBER(1,0) Nullable: false Default: "0" Alias: zachovaj_schvalene
field id: mc.field.obj_d_navrh_l.pol_pod_min_stav oracle name: POL_POD_MIN_STAV	Poradie: 11 Datatype: NUMBER(1,0) Nullable: false Default: 1 Alias: pol_pod_min_stav
field id: mc.field.obj_d_navrh_l.poniz_o_skladom oracle name: PONIZ_O_SKLADOM	Poradie: 12 Datatype: NUMBER(1,0) Nullable: false Default: 1 Alias: poniz_o_skladom
field id: mc.field.obj_d_navrh_l.poniz_o_obj_d oracle name: PONIZ_O_OBJ_D	Poradie: 13 Datatype: NUMBER(1,0) Nullable: false Default: 1 Alias: poniz_o_obj_d
field id: mc.field.obj_d_navrh_l.poniz_o_obj_d_tmp oracle name: PONIZ_O_OBJ_D_TMP	Poradie: 14 Datatype: NUMBER(1,0) Nullable: false Default: 1 Alias: poniz_o_obj_d_tmp
field id: mc.field.obj_d_navrh_l.poniz_o_obj_transfer oracle name: PONIZ_O_OBJ_TRANSFER	Poradie: 15 Datatype: NUMBER(1,0) Nullable: false Default: 1 Alias: poniz_o_obj_transfer
field id: mc.field.obj_d_navrh_l.poniz_o_vyd_transfer oracle name: PONIZ_O_VYD_TRANSFER	Poradie: 16 Datatype: NUMBER(1,0) Nullable: false Default: 1 Alias: poniz_o_vyd_transfer
field id: mc.field.obj_d_navrh_l.dopln_na_min_obj oracle name: DOPLN_NA_MIN_OBJ	Poradie: 17 Datatype: NUMBER(1,0) Nullable: false Default: "0" Alias: dopln_na_min_obj

Identita a zdroj	Technické vlastnosti
field id: mc.field.obj_d_navrh_l.koef_nasobenien oracle name: KOEF_NASOBENIA	Poradie: 18 Datatype: NUMBER Nullable: false Default: 1 Alias: koef_nasobenien
field id: mc.field.obj_d_navrh_l.zaokr_na_nak_davka oracle name: ZAOKR_NA_NAK_DAVKA	Poradie: 19 Datatype: NUMBER(1,0) Nullable: false Default: 1 Alias: zaokr_na_nak_davka
field id: mc.field.obj_d_navrh_l.termin_do oracle name: TERMIN_DO	Poradie: 20 Datatype: DATE Nullable: true Default: null Alias: termin_do
field id: mc.field.obj_d_navrh_l.uvazuj_sk_alter_dod oracle name: UVAZUJ_SK_ALTER_DOD	Poradie: 21 Datatype: NUMBER(1,0) Nullable: false Default: 1 Alias: uvazuj_sk_alter_dod
field id: mc.field.obj_d_navrh_l.podm_sk_nakup oracle name: PODM_SK_NAKUP	Poradie: 22 Datatype: NUMBER(1,0) Nullable: false Default: "0" Alias: podm_sk_nakup
field id: mc.field.obj_d_navrh_l.podm_sk_filter oracle name: PODM_SK_FILTER	Poradie: 23 Datatype: VARCHAR2(4000) Nullable: true Default: null Alias: podm_sk_filter

OBJ_D_NAVRH_LOG

Canonical source: catalog/purchasing/object-obj_d_navrh_log.yaml

schema version: 1.0

kind: object

object id: mc.object.obj_d_navrh_log

environment: MC

oracle owner: MC

oracle name: OBJ_D_NAVRH_LOG

object type: TABLE

business object sk: null

grain sk: null

maturity: CORE MAPPED

Status: TECHNICKY ZNÁME

identity refs: []

field registry ref: pur.fields_obj_d_navrh_log.001

scope limitations sk: AGENT-READY sa vzťahuje na deklarovaný purchasing scope, nie kompletný význam každého technického poľa. Podporné objekty majú úplný dostupný fyzický inventár, bez domyslených business významov.

Dôkazy: pur.evidence.mp01_a

pur.evidence.mp01_b

pur.evidence.mp01_c

pur.evidence.accepted

Polia OBJ_D_NAVRH_LOG

Canonical source: catalog/purchasing/fields-obj_d_navrh_log.yaml

schema version: 1.0

kind: fields

id: pur.fields_obj_d_navrh_log.001

object ref: mc.object.obj_d_navrh_log

Spoločné vlastnosti všetkých záznamov nasledujúcej tabuľky

Oracle comment: null

Význam: null

Status: TECHNICKY ZNÁME

Dôkazy: pur.evidence.mp01_b

Obmedzenia: Alias je technická normalizácia Oracle názvu; chýbajúci business význam sa neodvodzuje z názvu ani komentára.

Identita a zdroj	Technické vlastnosti
field id: mc.field.obj_d_navrh_log.rid oracle name: RID	Poradie: 1 Datatype: VARCHAR2(22) Nullable: false Default: null Alias: rid
field id: mc.field.obj_d_navrh_log.pocet oracle name: POCET	Poradie: 2 Datatype: NUMBER Nullable: false Default: "0" Alias: pocet
field id: mc.field.obj_d_navrh_log.pocet_obj oracle name: POCET_OBJ	Poradie: 3 Datatype: NUMBER Nullable: false Default: "0" Alias: pocet_obj
field id: mc.field.obj_d_navrh_log.dodavatel oracle name: DODAVATEL	Poradie: 4 Datatype: NUMBER(8,0) Nullable: true Default: null Alias: dodavatel
field id: mc.field.obj_d_navrh_log.i_stamp oracle name: I_STAMP	Poradie: 5 Datatype: VARCHAR2(17) Nullable: false Default: '0' Alias: i_stamp
field id: mc.field.obj_d_navrh_log.termin_dod oracle name: TERMIN_DOD	Poradie: 6 Datatype: DATE Nullable: true Default: null Alias: termin_dod
field id: mc.field.obj_d_navrh_log.s_stamp oracle name: S_STAMP	Poradie: 7 Datatype: VARCHAR2(17) Nullable: false Default: '0' Alias: s_stamp
field id: mc.field.obj_d_navrh_log.z_stamp oracle name: Z_STAMP	Poradie: 8 Datatype: VARCHAR2(17) Nullable: false Default: '0' Alias: z_stamp

Identita a zdroj	Technické vlastnosti
field id: mc.field.obj_d_navrh_log.dovod_zam oracle name: DOVOD_ZAM	Poradie: 9 Datatype: VARCHAR2(254) Nullable: true Default: null Alias: dovod_zam
field id: mc.field.obj_d_navrh_log.urgentne oracle name: URGENTNE	Poradie: 10 Datatype: NUMBER(1,0) Nullable: false Default: "0" Alias: urgentne
field id: mc.field.obj_d_navrh_log.miesto_dod oracle name: Miesto_DOD	Poradie: 11 Datatype: VARCHAR2(16) Nullable: true Default: null Alias: miesto_dod
field id: mc.field.obj_d_navrh_log.cena oracle name: CENA	Poradie: 12 Datatype: NUMBER Nullable: true Default: null Alias: cena
field id: mc.field.obj_d_navrh_log.pozn oracle name: POZN	Poradie: 13 Datatype: VARCHAR2(254) Nullable: true Default: null Alias: pozn
field id: mc.field.obj_d_navrh_log.ok oracle name: OK	Poradie: 14 Datatype: NUMBER Nullable: false Default: "0" Alias: ok
field id: mc.field.obj_d_navrh_log.kod_id oracle name: KOD_ID	Poradie: 15 Datatype: NUMBER(8,0) Nullable: false Default: null Alias: kod_id
field id: mc.field.obj_d_navrh_log.sklad oracle name: SKLAD	Poradie: 16 Datatype: NUMBER(3,0) Nullable: true Default: null Alias: sklad

Identita a zdroj	Technické vlastnosti
field id: mc.field.obj_d_navrh_log.sarza oracle name: SARZA	Poradie: 17 Datatype: VARCHAR2(254) Nullable: false Default: null Alias: sarza
field id: mc.field.obj_d_navrh_log.rid_v oracle name: RID_V	Poradie: 18 Datatype: VARCHAR2(22) Nullable: true Default: null Alias: rid_v
field id: mc.field.obj_d_navrh_log.zdroj oracle name: ZDROJ	Poradie: 19 Datatype: NUMBER Nullable: false Default: "0" Alias: zdroj
field id: mc.field.obj_d_navrh_log.rid_v_obj_d oracle name: RID_V_OBJ_D	Poradie: 20 Datatype: VARCHAR2(22) Nullable: true Default: null Alias: rid_v_obj_d
field id: mc.field.obj_d_navrh_log.stav oracle name: STAV	Poradie: 21 Datatype: NUMBER(2,0) Nullable: false Default: "0" Alias: stav
field id: mc.field.obj_d_navrh_log.id_kombajn oracle name: ID_KOMBAJN	Poradie: 22 Datatype: NUMBER Nullable: true Default: null Alias: id_kombajn
field id: mc.field.obj_d_navrh_log.rid_p oracle name: RID_P	Poradie: 23 Datatype: VARCHAR2(16) Nullable: true Default: null Alias: rid_p
field id: mc.field.obj_d_navrh_log.cena_d oracle name: CENA_D	Poradie: 24 Datatype: NUMBER Nullable: true Default: null Alias: cena_d

Identita a zdroj	Technické vlastnosti
field id: mc.field.obj_d_navrh_log.termin_obj oracle name: TERMIN_OBJ	Poradie: 25 Datatype: DATE Nullable: true Default: null Alias: termin_obj
field id: mc.field.obj_d_navrh_log.podklad oracle name: PODKLAD	Poradie: 26 Datatype: VARCHAR2(4000) Nullable: true Default: null Alias: podklad
field id: mc.field.obj_d_navrh_log.flags_b oracle name: FLAGS_B	Poradie: 27 Datatype: VARCHAR2(254) Nullable: true Default: null Alias: flags_b
field id: mc.field.obj_d_navrh_log.sch_stamp oracle name: SCH_STAMP	Poradie: 28 Datatype: VARCHAR2(17) Nullable: true Default: '0' Alias: sch_stamp
field id: mc.field.obj_d_navrh_log.sklad_objednania oracle name: SKLAD_OBJEDNANIA	Poradie: 29 Datatype: NUMBER Nullable: true Default: null Alias: sklad_objednania
field id: mc.field.obj_d_navrh_log.sklad_z oracle name: SKLAD_Z	Poradie: 30 Datatype: NUMBER Nullable: true Default: null Alias: sklad_z

OBJ_D_NAVRH_VYR

Canonical source: catalog/purchasing/object-obj_d_navrh_vyr.yaml

schema version: 1.0

kind: object

object id: mc.object.obj_d_navrh_vyr

environment: MC

oracle owner: MC
oracle name: OBJ_D_NAVRH_VYR
object type: TABLE
business object sk: null
grain sk: null
maturity: CORE MAPPED
Status: TECHNICKY ZNÁME
identity refs: mc.constraint.obj_d_navrh_vyr.xpk_obj_d_navrh_vyr
field registry ref: pur.fields_obj_d_navrh_vyr.001
scope limitations sk: AGENT-READY sa vzťahuje na deklarovaný purchasing scope, nie kompletný význam každého technického poľa.
Podporné objekty majú úplný dostupný fyzický inventár, bez domyslených business významov.
Dôkazy: pur.evidence.mp01_a
pur.evidence.mp01_b
pur.evidence.mp01_c
pur.evidence.accepted

Polia OBJ_D_NAVRH_VYR

Canonical source: catalog/purchasing/fields-obj_d_navrh_vyr.yaml
schema version: 1.0
kind: fields
id: pur.fields_obj_d_navrh_vyr.001
object ref: mc.object.obj_d_navrh_vyr
Spoločné vlastnosti všetkých záznamov nasledujúcej tabuľky
Význam: null
Status: TECHNICKY ZNÁME
Dôkazy: pur.evidence.mp01_b
Obmedzenia: Alias je technická normalizácia Oracle názvu; chýbajúci business význam sa neodvodzuje z názvu ani komentára.

Identita a zdroj	Technické vlastnosti	Význam status a dôkazy
field id: mc.field.obj_d_navrh_vyr.id oracle name: ID	Poradie: 1 Datatype: NUMBER Nullable: false Default: null Alias: id	Oracle comment: null

Identita a zdroj	Technické vlastnosti	Význam status a dôkazy
field id: mc.field.obj_d_navrh_vyr.rid_n oracle name: RID_N	Poradie: 2 Datatype: VARCHAR2(22) Nullable: true Default: null Alias: rid_n	Oracle comment: RID návrhu na objednanie
field id: mc.field.obj_d_navrh_vyr.kod_id oracle name: KOD_ID	Poradie: 3 Datatype: NUMBER(8,0) Nullable: false Default: null Alias: kod_id	Oracle comment: Materiál pre výrobu
field id: mc.field.obj_d_navrh_vyr.pocet oracle name: POCET	Poradie: 4 Datatype: NUMBER Nullable: false Default: "0" Alias: pocet	Oracle comment: Množstvo pre výrobu
field id: mc.field.obj_d_navrh_vyr.pocet_obj oracle name: POCET_OBJ	Poradie: 5 Datatype: NUMBER Nullable: false Default: "0" Alias: pocet_obj	Oracle comment: Množstvo na objednanie
field id: mc.field.obj_d_navrh_vyr.pocet_prev oracle name: POCET_PREV	Poradie: 6 Datatype: NUMBER Nullable: false Default: "0" Alias: pocet_prev	Oracle comment: Počet pre výrobu - predchádzajúci
field id: mc.field.obj_d_navrh_vyr.pocet_obj_prev oracle name: POCET_OBJ_PREV	Poradie: 7 Datatype: NUMBER Nullable: false Default: "0" Alias: pocet_obj_prev	Oracle comment: Počet na objednanie - predchádzajúci
field id: mc.field.obj_d_navrh_vyr.termin_obj oracle name: TERMIN_OBJ	Poradie: 8 Datatype: DATE Nullable: true Default: null Alias: termin_obj	Oracle comment: Termín objednania
field id: mc.field.obj_d_navrh_vyr.termin_dod oracle name: TERMIN_DOD	Poradie: 9 Datatype: DATE Nullable: true Default: null Alias: termin_dod	Oracle comment: Termín dodania

Identita a zdroj	Technické vlastnosti	Význam status a dôkazy
field id: mc.field.obj_d_navrh_vyr.termin_obj_prev oracle name: TERMIN_OBJ_PREV	Poradie: 10 Datatype: DATE Nullable: true Default: null Alias: termin_obj_prev	Oracle comment: Termín objednania - predchádzajúci
field id: mc.field.obj_d_navrh_vyr.termin_dod_prev oracle name: TERMIN_DOD_PREV	Poradie: 11 Datatype: DATE Nullable: true Default: null Alias: termin_dod_prev	Oracle comment: Termín dodania - predchádzajúci
field id: mc.field.obj_d_navrh_vyr.stav_n oracle name: STAV_N	Poradie: 12 Datatype: NUMBER(2,0) Nullable: false Default: "0" Alias: stav_n	Oracle comment: Stav návrhu pri zmene
field id: mc.field.obj_d_navrh_vyr.rid_v oracle name: RID_V	Poradie: 13 Datatype: VARCHAR2(22) Nullable: false Default: null Alias: rid_v	Oracle comment: Položka plánu výroby
field id: mc.field.obj_d_navrh_vyr.kod_id_v oracle name: KOD_ID_V	Poradie: 14 Datatype: NUMBER(8,0) Nullable: false Default: null Alias: kod_id_v	Oracle comment: Výrobok/polotovár
field id: mc.field.obj_d_navrh_vyr.pocet_vyr oracle name: POCET_VYR	Poradie: 15 Datatype: NUMBER Nullable: false Default: "0" Alias: pocet_vyr	Oracle comment: Vyrábané množstvo výrobku
field id: mc.field.obj_d_navrh_vyr.pocet_vyr_prev oracle name: POCET_VYR_PREV	Poradie: 16 Datatype: NUMBER Nullable: false Default: "0" Alias: pocet_vyr_prev	Oracle comment: Vyrábané množstvo výrobku - predchádzajúce
field id: mc.field.obj_d_navrh_vyr.datum_vyr oracle name: DATUM_VYR	Poradie: 17 Datatype: DATE Nullable: true Default: null Alias: datum_vyr	Oracle comment: Dátum výroby

Identita a zdroj	Technické vlastnosti	Význam status a dôkazy
field id: mc.field.obj_d_navrh_vyr.datum_vyr_prev oracle name: DATUM_VYR_PREV	Poradie: 18 Datatype: DATE Nullable: true Default: null Alias: datum_vyr_prev	Oracle comment: Dátum výroby - predchádzajúci
field id: mc.field.obj_d_navrh_vyr.uzavreta_vyr oracle name: UZAVRETA_VYR	Poradie: 19 Datatype: NUMBER(1,0) Nullable: false Default: "0" Alias: uzavreta_vyr	Oracle comment: Uzavretá výroba pri zmene
field id: mc.field.obj_d_navrh_vyr.rid_obj oracle name: RID_OBJ	Poradie: 20 Datatype: VARCHAR2(22) Nullable: true Default: null Alias: rid_obj	Oracle comment: Položka objednávky
field id: mc.field.obj_d_navrh_vyr.datum_p_obj oracle name: DATUM_P_OBJ	Poradie: 21 Datatype: DATE Nullable: true Default: null Alias: datum_p_obj	Oracle comment: Dátum objednávky
field id: mc.field.obj_d_navrh_vyr.datum_i oracle name: DATUM_I	Poradie: 22 Datatype: DATE Nullable: false Default: SYSDATE Alias: datum_i	Oracle comment: Dátum zmeny
field id: mc.field.obj_d_navrh_vyr.id_user oracle name: ID_USER	Poradie: 23 Datatype: NUMBER(8,0) Nullable: false Default: "0" Alias: id_user	Oracle comment: Užívateľ
field id: mc.field.obj_d_navrh_vyr.pocet_zm oracle name: POCET_ZM	Poradie: 24 Datatype: NUMBER(1,0) Nullable: true Default: 0 Alias: pocet_zm	Oracle comment: Zmena množstva pre výrobu (1 nárast, -1 pokles, 0 bez zmeny)

Identita a zdroj	Technické vlastnosti	Význam status a dôkazy
field id: mc.field.obj_d_navrh_vyr.pocet_obj_zm oracle name: POCET_OBJ_ZM	Poradie: 25 Datatype: NUMBER(1,0) Nullable: true Default: 0 Alias: pocet_obj_zm	Oracle comment: Zmena množstva na objednanie (1 nárast, -1 pokles, 0 bez zmeny)
field id: mc.field.obj_d_navrh_vyr.pocet_vyr_zm oracle name: POCET_VYR_ZM	Poradie: 26 Datatype: NUMBER(1,0) Nullable: true Default: 0 Alias: pocet_vyr_zm	Oracle comment: Zmena vyrábaného množstva (1 nárast, -1 pokles, 0 bez zmeny)
field id: mc.field.obj_d_navrh_vyr.termin_obj_zm oracle name: TERMIN_OBJ_ZM	Poradie: 27 Datatype: NUMBER(1,0) Nullable: true Default: 0 Alias: termin_obj_zm	Oracle comment: Zmena termínu objednania (1 nárast, -1 pokles, 0 bez zmeny)
field id: mc.field.obj_d_navrh_vyr.termin_dod_zm oracle name: TERMIN_DOD_ZM	Poradie: 28 Datatype: NUMBER(1,0) Nullable: true Default: 0 Alias: termin_dod_zm	Oracle comment: Zmena termínu dodania (1 nárast, -1 pokles, 0 bez zmeny)
field id: mc.field.obj_d_navrh_vyr.datum_vyr_zm oracle name: DATUM_VYR_ZM	Poradie: 29 Datatype: NUMBER(1,0) Nullable: true Default: "0" Alias: datum_vyr_zm	Oracle comment: Zmena dátumu výroby (1 nárast, -1 pokles, 0 bez zmeny)
field id: mc.field.obj_d_navrh_vyr.upd_n oracle name: UPD_N	Poradie: 30 Datatype: NUMBER Nullable: false Default: "0" Alias: upd_n	Oracle comment: Cislo updatu navrh u na objednanie z výroby.
field id: mc.field.obj_d_navrh_vyr.info oracle name: INFO	Poradie: 31 Datatype: VARCHAR2(2000) Nullable: true Default: null Alias: info	Oracle comment: Upozornenie pri zmene požiadavky na objednanie.

OBJ_D_PODKLAD

Canonical source: catalog/purchasing/object-obj_d_podklad.yaml

schema version: 1.0

kind: object

object id: mc.object.obj_d_podklad

environment: MC

oracle owner: MC

oracle name: OBJ_D_PODKLAD

object type: TABLE

business object sk: null

grain sk: null

maturity: CORE MAPPED

Status: TECHNICKY ZNÁME

identity refs: mc.constraint.obj_d_podklad.xpk_obj_d_podklad

field registry ref: pur.fields_obj_d_podklad.001

scope limitations sk: AGENT-READY sa vzťahuje na deklarovaný purchasing scope, nie kompletný význam každého technického poľa. Podporné objekty majú úplný dostupný fyzický inventár, bez domyslených business významov.

Dôkazy: pur.evidence.mp01_a

pur.evidence.mp01_b

pur.evidence.mp01_c

pur.evidence.accepted

Polia OBJ_D_PODKLAD

Canonical source: catalog/purchasing/fields-obj_d_podklad.yaml

schema version: 1.0

kind: fields

id: pur.fields_obj_d_podklad.001

object ref: mc.object.obj_d_podklad

Spoločné vlastnosti všetkých záznamov nasledujúcej tabuľky

Význam: null

Status: TECHNICKY ZNÁME

Dôkazy: pur.evidence.mp01_b

Obmedzenia: Alias je technická normalizácia Oracle názvu; chýbajúci business význam sa neodvodzuje z názvu ani komentára.

Identita a zdroj	Technické vlastnosti	Význam status a dôkazy
field id: mc.field.obj_d_podklad.id oracle name: ID	Poradie: 1 Datatype: NUMBER Nullable: false Default: null Alias: id	Oracle comment: ID=ID podkladu
field id: mc.field.obj_d_podklad.kod_id oracle name: KOD_ID	Poradie: 2 Datatype: NUMBER(8,0) Nullable: false Default: null Alias: kod_id	Oracle comment: Skladová karta=Kladová karta (SKLAD_KARTA.ID)
field id: mc.field.obj_d_podklad.pocet oracle name: POCET	Poradie: 3 Datatype: NUMBER Nullable: false Default: "0" Alias: pocet	Oracle comment: Počet=Počet na objednávke ()
field id: mc.field.obj_d_podklad.sklad oracle name: SKLAD	Poradie: 4 Datatype: NUMBER(3,0) Nullable: true Default: null Alias: sklad	Oracle comment: Sklad=Klad (BARTEX_POBOCKY.ID)
field id: mc.field.obj_d_podklad.sarza oracle name: SARZA	Poradie: 5 Datatype: VARCHAR2(254) Nullable: false Default: null Alias: sarza	Oracle comment: Šarža=Šarža
field id: mc.field.obj_d_podklad.id_uloz oracle name: ID_ULOZ	Poradie: 6 Datatype: NUMBER Nullable: true Default: null Alias: id_uloz	Oracle comment: Uloženie=Uloženie podmienok pre výber skladových kariet (APD_SETUP.ID_APD)
field id: mc.field.obj_d_podklad.minimum oracle name: MINIMUM	Poradie: 7 Datatype: NUMBER(10,2) Nullable: true Default: null Alias: minimum	Oracle comment: Skladové minimum=Kladové minimum

Identita a zdroj	Technické vlastnosti	Význam status a dôkazy
field id: mc.field.obj_d_podklad.maximum oracle name: MAXIMUM	Poradie: 8 Datatype: NUMBER(10,2) Nullable: true Default: null Alias: maximum	Oracle comment: Skladové maximum▯Skladové maximum
field id: mc.field.obj_d_podklad.nak_davka oracle name: NAK_DAVKA	Poradie: 9 Datatype: NUMBER(10,2) Nullable: true Default: null Alias: nak_davka	Oracle comment: Nákupná dávka▯Nákupná dávka
field id: mc.field.obj_d_podklad.p_akt_sklad oracle name: P_AKT_SKLAD	Poradie: 10 Datatype: NUMBER Nullable: false Default: "0" Alias: p_akt_sklad	Oracle comment: Počet na akt.skl.▯Počet na aktuálnom sklade (ponižuje počet)
field id: mc.field.obj_d_podklad.p_str_obj oracle name: P_STR_OBJ	Poradie: 11 Datatype: NUMBER Nullable: false Default: "0" Alias: p_str_obj	Oracle comment: Počet na obj.str.▯Počet na strediskovej objednávke (ponižuje počet)
field id: mc.field.obj_d_podklad.p_dod_obj oracle name: P_DOD_OBJ	Poradie: 12 Datatype: NUMBER Nullable: false Default: "0" Alias: p_dod_obj	Oracle comment: Počet na obj.dod.▯Počet na dodávateľskej objednávke (ponižuje počet)
field id: mc.field.obj_d_podklad.p_col_sklad oracle name: P_COL_SKLAD	Poradie: 13 Datatype: NUMBER Nullable: false Default: "0" Alias: p_col_sklad	Oracle comment: Počet na col.sklade▯Počet na colnom sklade (ponižuje počet)
field id: mc.field.obj_d_podklad.p_vyd_na_cesta oracle name: P_VYD_NA_CESTE	Poradie: 14 Datatype: NUMBER Nullable: false Default: "0" Alias: p_vyd_na_cesta	Oracle comment: Počet na výdajke▯Počet na výdajke pre tovar na ceste (ponižuje počet)
field id: mc.field.obj_d_podklad.p_vyd_zapozic oracle name: P_VYD_ZAPOZIC	Poradie: 15 Datatype: NUMBER Nullable: false Default: "0" Alias: p_vyd_zapozic	Oracle comment: Počet na výdajke▯Počet na výdajke pre tovar zapožičaný (ponižuje počet)

Identita a zdroj	Technické vlastnosti	Význam status a dôkazy
field id: mc.field.obj_d_podklad.p_obj_str oracle name: P_OBJ_STR	Poradie: 16 Datatype: NUMBER Nullable: false Default: "0" Alias: p_obj_str	Oracle comment: Počet na str.objPočet strediskovej objednávke (predpíňa počet)
field id: mc.field.obj_d_podklad.p_obj_ser oracle name: P_OBJ_SER	Poradie: 17 Datatype: NUMBER Nullable: false Default: "0" Alias: p_obj_ser	Oracle comment: Počet na ser.objPočet servisnej objednávke (predpíňa počet)
field id: mc.field.obj_d_podklad.p_obj_odb oracle name: P_OBJ_ODB	Poradie: 18 Datatype: NUMBER Nullable: false Default: "0" Alias: p_obj_odb	Oracle comment: Počet na obj.odbPočet odberateľskej objednávke (predpíňa počet)
field id: mc.field.obj_d_podklad.p_obj_ml oracle name: P_OBJ_ML	Poradie: 19 Datatype: NUMBER Nullable: false Default: "0" Alias: p_obj_ml	Oracle comment: Počet na MLPočet na montážnom liste (predpíňa počet)
field id: mc.field.obj_d_podklad.p_obj_op oracle name: P_OBJ_OP	Poradie: 20 Datatype: NUMBER Nullable: false Default: "0" Alias: p_obj_op	Oracle comment: Počet na OPPočet na obchodnom pláne (predpíňa počet)
field id: mc.field.obj_d_podklad.suma_makro oracle name: SUMA_MAKRO	Poradie: 21 Datatype: NUMBER Nullable: false Default: "0" Alias: suma_makro	Oracle comment: Suma z makraSuma z makra (predpíňa počet)
field id: mc.field.obj_d_podklad.p_vrstva_bal oracle name: P_VRSTVA_BAL	Poradie: 22 Datatype: NUMBER(12,3) Nullable: false Default: 1 Alias: p_vrstva_bal	Oracle comment: null
field id: mc.field.obj_d_podklad.p_paleta_bal oracle name: P_PALETA_BAL	Poradie: 23 Datatype: NUMBER(12,3) Nullable: false Default: 1 Alias: p_paleta_bal	Oracle comment: null

Identita a zdroj	Technické vlastnosti	Význam status a dôkazy
field id: mc.field.obj_d_podklad.p_dod_bal oracle name: P_DOD_BAL	Poradie: 24 Datatype: NUMBER(12,3) Nullable: false Default: 1 Alias: p_dod_bal	Oracle comment: null
field id: mc.field.obj_d_podklad.rid_mm oracle name: RID_MM	Poradie: 25 Datatype: VARCHAR2(16) Nullable: false Default: '245000000' Alias: rid_mm	Oracle comment: Sklad.min.max.␣Rid skladového minima a maxima
field id: mc.field.obj_d_podklad.s_stamp oracle name: S_STAMP	Poradie: 26 Datatype: VARCHAR2(17) Nullable: false Default: '0' Alias: s_stamp	Oracle comment: ZrušiloStamp na vyradenie záznamu, nesie informáciu kto a kedy záznam vyradil ()
field id: mc.field.obj_d_podklad.p_prij_na_cestě oracle name: P_PRIJ_NA_CESTE	Poradie: 27 Datatype: NUMBER Nullable: false Default: "0" Alias: p_prij_na_cestě	Oracle comment: null

OBJ_D_ROZD_BLOKACII

Canonical source: catalog/purchasing/object-obj_d_rozd_blokacii.yaml

schema version: 1.0

kind: object

object id: mc.object.obj_d_rozd_blokacii

environment: MC

oracle owner: MC

oracle name: OBJ_D_ROZD_BLOKACII

object type: TABLE

business object sk: null

grain sk: null

maturity: CORE MAPPED

Status: TECHNICKY ZNÁME

identity refs: mc.constraint.obj_d_rozd_blokacii.xpk_obj_d_rozd_blok

field registry ref: pur.fields_obj_d_rozd_blokacii.001

scope limitations sk: AGENT-READY sa vzťahuje na deklarovaný purchasing scope, nie kompletný význam každého technického poľa. Podporné objekty majú úplný dostupný fyzický inventár, bez domyslených business významov.

Dôkazy: pur.evidence.mp01_a
pur.evidence.mp01_b
pur.evidence.mp01_c
pur.evidence.accepted

Polia OBJ_D_ROZD_BLOKACII

Canonical source: catalog/purchasing/fields-obj_d_rozd_blokacii.yaml

schema version: 1.0

kind: fields

id: pur.fields_obj_d_rozd_blokacii.001

object ref: mc.object.obj_d_rozd_blokacii

Spoločné vlastnosti všetkých záznamov nasledujúcej tabuľky

Význam: null

Status: TECHNICKY ZNÁME

Dôkazy: pur.evidence.mp01_b

Obmedzenia: Alias je technická normalizácia Oracle názvu; chýbajúci business význam sa neodvodzuje z názvu ani komentára.

Identita a zdroj	Technické vlastnosti	Význam status a dôkazy
field id: mc.field.obj_d_rozd_blokacii.id oracle name: ID	Poradie: 1 Datatype: VARCHAR2(16) Nullable: false Default: null Alias: id	Oracle comment: P.č.⌘Poradové číslo jednoznačné za sklad a rok ()
field id: mc.field.obj_d_rozd_blokacii.skratka oracle name: SKRATKA	Poradie: 2 Datatype: VARCHAR2(254) Nullable: false Default: null Alias: skratka	Oracle comment: Skratka⌘Skratka záznamu (musí byť jednoznačná za sklad (SKLAD), štandardne je = RID) ()
field id: mc.field.obj_d_rozd_blokacii.i_stamp oracle name: I_STAMP	Poradie: 3 Datatype: VARCHAR2(17) Nullable: false Default: '0' Alias: i_stamp	Oracle comment: Vložil⌘Stamp na vloženie záznamu, nesie informáciu kto a kedy záznam vložil ()

Identita a zdroj	Technické vlastnosti	Význam status a dôkazy
field id: mc.field.obj_d_rozd_blokacii.u_stamp oracle name: U_STAMP	Poradie: 4 Datatype: VARCHAR2(17) Nullable: false Default: '0' Alias: u_stamp	Oracle comment: ZmenilStamp na zmenu záznamu, nesie informáciu kto a kedy záznam zmenil ()
field id: mc.field.obj_d_rozd_blokacii.s_stamp oracle name: S_STAMP	Poradie: 5 Datatype: VARCHAR2(17) Nullable: false Default: '0' Alias: s_stamp	Oracle comment: ZrušilStamp na vyradenie záznamu, nesie informáciu kto a kedy záznam vyradil ()
field id: mc.field.obj_d_rozd_blokacii.sklad oracle name: SKLAD	Poradie: 6 Datatype: NUMBER(8,0) Nullable: false Default: null Alias: sklad	Oracle comment: SkladSklad za ktorú bol záznam vložený (BARTEX_POBOCKY.ID)
field id: mc.field.obj_d_rozd_blokacii.pozn oracle name: POZN	Poradie: 7 Datatype: VARCHAR2(254) Nullable: true Default: null Alias: pozn	Oracle comment: PoznámkaPoznámka k záznamu ()
field id: mc.field.obj_d_rozd_blokacii.nazov oracle name: NAZOV	Poradie: 8 Datatype: VARCHAR2(254) Nullable: false Default: null Alias: nazov	Oracle comment: NázovNázov ()
field id: mc.field.obj_d_rozd_blokacii.pocet oracle name: POCET	Poradie: 9 Datatype: NUMBER(12,3) Nullable: false Default: "0" Alias: pocet	Oracle comment: PočetPočet ()
field id: mc.field.obj_d_rozd_blokacii.p_del oracle name: P_DEL	Poradie: 10 Datatype: NUMBER(12,3) Nullable: false Default: "0" Alias: p_del	Oracle comment: ZrušenéZrušené ()
field id: mc.field.obj_d_rozd_blokacii.kod_id oracle name: KOD_ID	Poradie: 11 Datatype: NUMBER(8,0) Nullable: false Default: null Alias: kod_id	Oracle comment: Skladová kartaSkladová karta (SKLAD_KARTA.ID)

Identita a zdroj	Technické vlastnosti	Význam status a dôkazy
field id: mc.field.obj_d_rozd_blokacii.rid_r oracle name: RID_R	Poradie: 12 Datatype: VARCHAR2(22) Nullable: false Default: null Alias: rid_r	Oracle comment: Vázba na dod. objednávku↗RID_R objednávky na dodávateľa (OBJ_DOD_O_OLD.RID_R)
field id: mc.field.obj_d_rozd_blokacii.rid_ct oracle name: RID_CT	Poradie: 13 Datatype: VARCHAR2(22) Nullable: false Default: null Alias: rid_ct	Oracle comment: Vázba na cenotvorbu↗Vázba na obsah cenotvorby (CT_O.RID_OBJ)
field id: mc.field.obj_d_rozd_blokacii.p_rez oracle name: P_REZ	Poradie: 14 Datatype: NUMBER Nullable: false Default: "0" Alias: p_rez	Oracle comment: Rezervované↗Rezervované ()
field id: mc.field.obj_d_rozd_blokacii.id_v oracle name: ID_V	Poradie: 15 Datatype: VARCHAR2(16) Nullable: true Default: null Alias: id_v	Oracle comment: Vázba na rozdelenie obj.↗Vázba po preklopení prepr.listu na objednávku (OBJ_D_ROZD_BLOKACII.ID)
field id: mc.field.obj_d_rozd_blokacii.xml_data oracle name: XML_DATA	Poradie: 16 Datatype: XMLTYPE Nullable: true Default: null Alias: xml_data	Oracle comment: XML data↗XML data ()

OBJD_L

Canonical source: catalog/purchasing/object-objd_l.yaml

schema version: 1.0

kind: object

object id: mc.object.objd_l

environment: MC

oracle owner: MC

oracle name: OBJD_L

object type: TABLE

business object sk: Generická dodávateľská rodina dokladov

grain sk: 1 riadok = 1 hlavička generickej dodávateľskej rodiny dokladov.

maturity: AGENT-READY

Status: POTVRDENÉ

identity refs: mc.constraint.objd_l.xpk_objd_l

field registry ref: pur.fields_objd_l.001

scope limitations sk: AGENT-READY sa vzťahuje na deklarovaný purchasing scope, nie kompletný význam každého technického poľa.
Podporné objekty majú úplný dostupný fyzický inventár, bez domyslených business významov.

Dôkazy: pur.evidence.mp01_a

pur.evidence.mp01_b

pur.evidence.mp01_c

pur.evidence.accepted

Polia OBJD_L

Canonical source: catalog/purchasing/fields-objd_l.yaml

schema version: 1.0

kind: fields

id: pur.fields_objd_l.001

object ref: mc.object.objd_l

Spoločné vlastnosti všetkých záznamov nasledujúcej tabuľky

Obmedzenia: Alias je technická normalizácia Oracle názvu; chýbajúci business význam sa neodvodzuje z názvu ani komentára.

temporal classification: RAW CURRENT

Identita a zdroj	Technické vlastnosti	Význam status a dôkazy
field id: mc.field.objd_l.id oracle name: ID	Poradie: 1 Datatype: NUMBER(8,0) Nullable: false Default: null Alias: id	Oracle comment: null Význam: null Status: TECHNICKY ZNÁME Dôkazy: pur.evidence.mp01_b
field id: mc.field.objd_l.rid oracle name: RID	Poradie: 2 Datatype: VARCHAR2(16) Nullable: false Default: null Alias: rid	Oracle comment: null Význam: null Status: TECHNICKY ZNÁME Dôkazy: pur.evidence.mp01_b

Identita a zdroj	Technické vlastnosti	Význam status a dôkazy
field id: mc.field.objd_l.datum oracle name: DATUM	Poradie: 3 Datatype: DATE Nullable: false Default: null Alias: datum	Oracle comment: null Význam: null Status: TECHNICKÝ ZNÁME Dôkazy: pur.evidence.mp01_b
field id: mc.field.objd_l.sklad oracle name: SKLAD	Poradie: 4 Datatype: NUMBER(3,0) Nullable: false Default: null Alias: sklad	Oracle comment: null Význam: null Status: TECHNICKÝ ZNÁME Dôkazy: pur.evidence.mp01_b
field id: mc.field.objd_l.skratka oracle name: SKRATKA	Poradie: 5 Datatype: VARCHAR2(254) Nullable: false Default: null Alias: skratka	Oracle comment: null Význam: null Status: TECHNICKÝ ZNÁME Dôkazy: pur.evidence.mp01_b
field id: mc.field.objd_l.id_tree oracle name: ID_TREE	Poradie: 6 Datatype: NUMBER(9,0) Nullable: false Default: null Alias: id_tree	Oracle comment: null Význam: null Status: TECHNICKÝ ZNÁME Dôkazy: pur.evidence.mp01_b
field id: mc.field.objd_l.i_stamp oracle name: I_STAMP	Poradie: 7 Datatype: VARCHAR2(17) Nullable: false Default: '0' Alias: i_stamp	Oracle comment: null Význam: null Status: TECHNICKÝ ZNÁME Dôkazy: pur.evidence.mp01_b
field id: mc.field.objd_l.u_stamp oracle name: U_STAMP	Poradie: 8 Datatype: VARCHAR2(17) Nullable: false Default: '0' Alias: u_stamp	Oracle comment: null Význam: null Status: TECHNICKÝ ZNÁME Dôkazy: pur.evidence.mp01_b
field id: mc.field.objd_l.s_stamp oracle name: S_STAMP	Poradie: 9 Datatype: VARCHAR2(17) Nullable: false Default: '0' Alias: s_stamp	Oracle comment: null Význam: Technický remove/storno stamp; '0' neznamená business open ani actionable. Status: POTVRDENÉ Dôkazy: pur.evidence.mp01_b pur.evidence.accepted
field id: mc.field.objd_l.flags_s oracle name: FLAGS_S	Poradie: 10 Datatype: VARCHAR2(254) Nullable: false Default: null Alias: flags_s	Oracle comment: null Význam: Aktuálny register flags. Flag 11 je raw fulfilment slot, interpretovaný D_OBJD_L.GetS_STAV(FLAGS_S). Status: POTVRDENÉ Dôkazy: pur.evidence.mp01_b pur.evidence.accepted

Identita a zdroj	Technické vlastnosti	Význam status a dôkazy
field id: mc.field.objd_l.mena oracle name: MENA	Poradie: 11 Datatype: NUMBER(8,0) Nullable: false Default: "0" Alias: mena	Oracle comment: null Význam: null Status: TECHNICKY ZNÁME Dôkazy: pur.evidence.mp01_b
field id: mc.field.objd_l.kurz oracle name: KURZ	Poradie: 12 Datatype: NUMBER(22,11) Nullable: false Default: null Alias: kurz	Oracle comment: null Význam: null Status: TECHNICKY ZNÁME Dôkazy: pur.evidence.mp01_b
field id: mc.field.objd_l.dph_2 oracle name: DPH_2	Poradie: 13 Datatype: NUMBER(12,2) Nullable: false Default: "0" Alias: dph_2	Oracle comment: null Význam: null Status: TECHNICKY ZNÁME Dôkazy: pur.evidence.mp01_b
field id: mc.field.objd_l.dph_1 oracle name: DPH_1	Poradie: 14 Datatype: NUMBER(12,2) Nullable: false Default: "0" Alias: dph_1	Oracle comment: null Význam: null Status: TECHNICKY ZNÁME Dôkazy: pur.evidence.mp01_b
field id: mc.field.objd_l.suma_2 oracle name: SUMA_2	Poradie: 15 Datatype: NUMBER(12,2) Nullable: false Default: "0" Alias: suma_2	Oracle comment: null Význam: null Status: TECHNICKY ZNÁME Dôkazy: pur.evidence.mp01_b
field id: mc.field.objd_l.suma_1 oracle name: SUMA_1	Poradie: 16 Datatype: NUMBER(12,2) Nullable: false Default: "0" Alias: suma_1	Oracle comment: null Význam: null Status: TECHNICKY ZNÁME Dôkazy: pur.evidence.mp01_b
field id: mc.field.objd_l.suma_0 oracle name: SUMA_0	Poradie: 17 Datatype: NUMBER(12,2) Nullable: false Default: "0" Alias: suma_0	Oracle comment: null Význam: null Status: TECHNICKY ZNÁME Dôkazy: pur.evidence.mp01_b
field id: mc.field.objd_l.suma_m oracle name: SUMA_M	Poradie: 18 Datatype: NUMBER(15,5) Nullable: false Default: "0" Alias: suma_m	Oracle comment: null Význam: null Status: TECHNICKY ZNÁME Dôkazy: pur.evidence.mp01_b

Identita a zdroj	Technické vlastnosti	Význam status a dôkazy
field id: mc.field.objd_l.rozdiel oracle name: ROZDIEL	Poradie: 19 Datatype: NUMBER(10,2) Nullable: false Default: "0" Alias: rozdiel	Oracle comment: null Význam: null Status: TECHNICKY ZNÁME Dôkazy: pur.evidence.mp01_b
field id: mc.field.objd_l.suma_s oracle name: SUMA_S	Poradie: 20 Datatype: FLOAT Nullable: false Default: "0" Alias: suma_s	Oracle comment: null Význam: null Status: TECHNICKY ZNÁME Dôkazy: pur.evidence.mp01_b
field id: mc.field.objd_l.suma_s2 oracle name: SUMA_S2	Poradie: 21 Datatype: FLOAT Nullable: false Default: "0" Alias: suma_s2	Oracle comment: null Význam: null Status: TECHNICKY ZNÁME Dôkazy: pur.evidence.mp01_b
field id: mc.field.objd_l.datum_p oracle name: DATUM_P	Poradie: 22 Datatype: DATE Nullable: false Default: null Alias: datum_p	Oracle comment: null Význam: Posledný fallback termínu riadka; nie univerzálna overdue autorita. Status: POTVRDENÉ Dôkazy: pur.evidence.mp01_b pur.evidence.accepted
field id: mc.field.objd_l.splatnost oracle name: SPLATNOST	Poradie: 23 Datatype: NUMBER(5,0) Nullable: false Default: "0" Alias: splatnost	Oracle comment: null Význam: null Status: TECHNICKY ZNÁME Dôkazy: pur.evidence.mp01_b
field id: mc.field.objd_l.splatnost_2 oracle name: SPLATNOST_2	Poradie: 24 Datatype: NUMBER(5,0) Nullable: false Default: "0" Alias: splatnost_2	Oracle comment: null Význam: null Status: TECHNICKY ZNÁME Dôkazy: pur.evidence.mp01_b
field id: mc.field.objd_l.suma_cs oracle name: SUMA_CS	Poradie: 25 Datatype: NUMBER(12,2) Nullable: false Default: "0" Alias: suma_cs	Oracle comment: null Význam: null Status: TECHNICKY ZNÁME Dôkazy: pur.evidence.mp01_b
field id: mc.field.objd_l.uct_str oracle name: UCT_STR	Poradie: 26 Datatype: NUMBER(8,0) Nullable: false Default: "0" Alias: uct_str	Oracle comment: null Význam: null Status: TECHNICKY ZNÁME Dôkazy: pur.evidence.mp01_b

Identita a zdroj	Technické vlastnosti	Význam status a dôkazy
field id: mc.field.objd_l.zakazka oracle name: ZAKAZKA	Poradie: 27 Datatype: NUMBER(8,0) Nullable: false Default: null Alias: zakazka	Oracle comment: null Význam: null Status: TECHNICKY ZNÁME Dôkazy: pur.evidence.mp01_b
field id: mc.field.objd_l.partner oracle name: PARTNER	Poradie: 28 Datatype: NUMBER(8,0) Nullable: false Default: null Alias: partner	Oracle comment: null Význam: null Status: TECHNICKY ZNÁME Dôkazy: pur.evidence.mp01_b
field id: mc.field.objd_l.miesto_dod oracle name: Miesto_DOD	Poradie: 29 Datatype: VARCHAR2(16) Nullable: false Default: null Alias: miesto_dod	Oracle comment: null Význam: null Status: TECHNICKY ZNÁME Dôkazy: pur.evidence.mp01_b
field id: mc.field.objd_l.obsluha oracle name: OBSLUHA	Poradie: 30 Datatype: NUMBER(8,0) Nullable: false Default: null Alias: obsluha	Oracle comment: null Význam: null Status: TECHNICKY ZNÁME Dôkazy: pur.evidence.mp01_b
field id: mc.field.objd_l.doprava oracle name: DOPRAVA	Poradie: 31 Datatype: NUMBER(8,0) Nullable: false Default: null Alias: doprava	Oracle comment: null Význam: null Status: TECHNICKY ZNÁME Dôkazy: pur.evidence.mp01_b
field id: mc.field.objd_l.pocet_pol oracle name: POCET_POL	Poradie: 32 Datatype: NUMBER(8,0) Nullable: false Default: "0" Alias: pocet_pol	Oracle comment: null Význam: null Status: TECHNICKY ZNÁME Dôkazy: pur.evidence.mp01_b
field id: mc.field.objd_l.uct_stamp oracle name: UCT_STAMP	Poradie: 33 Datatype: VARCHAR2(17) Nullable: false Default: '0' Alias: uct_stamp	Oracle comment: null Význam: null Status: TECHNICKY ZNÁME Dôkazy: pur.evidence.mp01_b
field id: mc.field.objd_l.ucet_doklad oracle name: UCET_DOKLAD	Poradie: 34 Datatype: NUMBER(8,0) Nullable: false Default: "0" Alias: ucet_doklad	Oracle comment: null Význam: null Status: TECHNICKY ZNÁME Dôkazy: pur.evidence.mp01_b

Identita a zdroj	Technické vlastnosti	Význam status a dôkazy
field id: mc.field.objd_l.rid_v oracle name: RID_V	Poradie: 35 Datatype: VARCHAR2(16) Nullable: false Default: '0' Alias: rid_v	Oracle comment: null Význam: null Status: TECHNICKY ZNÁME Dôkazy: pur.evidence.mp01_b
field id: mc.field.objd_l.sposob_obj oracle name: SPOSOB_OBJ	Poradie: 36 Datatype: VARCHAR2(16) Nullable: false Default: null Alias: sposob_obj	Oracle comment: null Význam: null Status: TECHNICKY ZNÁME Dôkazy: pur.evidence.mp01_b
field id: mc.field.objd_l.sposob_kont oracle name: SPOSOB_KONT	Poradie: 37 Datatype: VARCHAR2(16) Nullable: false Default: null Alias: sposob_kont	Oracle comment: null Význam: null Status: TECHNICKY ZNÁME Dôkazy: pur.evidence.mp01_b
field id: mc.field.objd_l.kod_o oracle name: KOD_O	Poradie: 38 Datatype: VARCHAR2(10) Nullable: true Default: null Alias: kod_o	Oracle comment: null Význam: null Status: TECHNICKY ZNÁME Dôkazy: pur.evidence.mp01_b
field id: mc.field.objd_l.flags oracle name: FLAGS	Poradie: 39 Datatype: VARCHAR2(254) Nullable: true Default: null Alias: flags	Oracle comment: null Význam: null Status: TECHNICKY ZNÁME Dôkazy: pur.evidence.mp01_b
field id: mc.field.objd_l.flags_b oracle name: FLAGS_B	Poradie: 40 Datatype: VARCHAR2(254) Nullable: true Default: null Alias: flags_b	Oracle comment: null Význam: null Status: TECHNICKY ZNÁME Dôkazy: pur.evidence.mp01_b
field id: mc.field.objd_l.datum_dph oracle name: DATUM_DPH	Poradie: 41 Datatype: DATE Nullable: true Default: null Alias: datum_dph	Oracle comment: null Význam: null Status: TECHNICKY ZNÁME Dôkazy: pur.evidence.mp01_b
field id: mc.field.objd_l.datum_ok oracle name: DATUM_OK	Poradie: 42 Datatype: DATE Nullable: true Default: null Alias: datum_ok	Oracle comment: null Význam: null Status: TECHNICKY ZNÁME Dôkazy: pur.evidence.mp01_b

Identita a zdroj	Technické vlastnosti	Význam status a dôkazy
field id: mc.field.objd_l.pozn oracle name: POZN	Poradie: 43 Datatype: VARCHAR2(254) Nullable: true Default: null Alias: pozn	Oracle comment: null Význam: null Status: TECHNICKY ZNÁME Dôkazy: pur.evidence.mp01_b
field id: mc.field.objd_l.ext_dokument oracle name: EXT_DOKUMENT	Poradie: 44 Datatype: VARCHAR2(254) Nullable: true Default: null Alias: ext_dokument	Oracle comment: null Význam: null Status: TECHNICKY ZNÁME Dôkazy: pur.evidence.mp01_b
field id: mc.field.objd_l.dod_list oracle name: DOD_LIST	Poradie: 45 Datatype: VARCHAR2(100) Nullable: true Default: null Alias: dod_list	Oracle comment: null Význam: null Status: TECHNICKY ZNÁME Dôkazy: pur.evidence.mp01_b
field id: mc.field.objd_l.pre_sklad oracle name: PRE_SKLAD	Poradie: 46 Datatype: NUMBER(8,0) Nullable: false Default: null Alias: pre_sklad	Oracle comment: null Význam: null Status: TECHNICKY ZNÁME Dôkazy: pur.evidence.mp01_b
field id: mc.field.objd_l.suma_n0 oracle name: SUMA_N0	Poradie: 47 Datatype: NUMBER Nullable: false Default: "0" Alias: suma_n0	Oracle comment: null Význam: null Status: TECHNICKY ZNÁME Dôkazy: pur.evidence.mp01_b
field id: mc.field.objd_l.suma_n1 oracle name: SUMA_N1	Poradie: 48 Datatype: NUMBER Nullable: false Default: "0" Alias: suma_n1	Oracle comment: null Význam: null Status: TECHNICKY ZNÁME Dôkazy: pur.evidence.mp01_b
field id: mc.field.objd_l.suma_n2 oracle name: SUMA_N2	Poradie: 49 Datatype: NUMBER Nullable: false Default: "0" Alias: suma_n2	Oracle comment: null Význam: null Status: TECHNICKY ZNÁME Dôkazy: pur.evidence.mp01_b
field id: mc.field.objd_l.suma_n3 oracle name: SUMA_N3	Poradie: 50 Datatype: NUMBER Nullable: false Default: "0" Alias: suma_n3	Oracle comment: null Význam: null Status: TECHNICKY ZNÁME Dôkazy: pur.evidence.mp01_b

Identita a zdroj	Technické vlastnosti	Význam status a dôkazy
field id: mc.field.objd_l.suma_clo oracle name: SUMA_CLO	Poradie: 51 Datatype: NUMBER Nullable: false Default: "0" Alias: suma_clo	Oracle comment: null Význam: null Status: TECHNICKY ZNÁME Dôkazy: pur.evidence.mp01_b
field id: mc.field.objd_l.suma_dp oracle name: SUMA_DP	Poradie: 52 Datatype: NUMBER Nullable: false Default: "0" Alias: suma_dp	Oracle comment: null Význam: null Status: TECHNICKY ZNÁME Dôkazy: pur.evidence.mp01_b
field id: mc.field.objd_l.modif_u oracle name: MODIF_U	Poradie: 53 Datatype: NUMBER Nullable: false Default: -1 Alias: modif_u	Oracle comment: null Význam: null Status: TECHNICKY ZNÁME Dôkazy: pur.evidence.mp01_b
field id: mc.field.objd_l.modif_i oracle name: MODIF_I	Poradie: 54 Datatype: NUMBER Nullable: false Default: -1 Alias: modif_i	Oracle comment: null Význam: null Status: TECHNICKY ZNÁME Dôkazy: pur.evidence.mp01_b
field id: mc.field.objd_l.typ_cis oracle name: TYP_CIS	Poradie: 55 Datatype: VARCHAR2(16) Nullable: false Default: null Alias: typ_cis	Oracle comment: null Význam: Podtyp generickej OBJD rodiny: 00028 objednávka, 00029 prepravný list, 00030 komisné hlásenie. Status: POTVRDENÉ Dôkazy: pur.evidence.mp01_b pur.evidence.accepted
field id: mc.field.objd_l.cislo_pl oracle name: CISLO_PL	Poradie: 56 Datatype: VARCHAR2(254) Nullable: true Default: null Alias: cislo_pl	Oracle comment: null Význam: null Status: TECHNICKY ZNÁME Dôkazy: pur.evidence.mp01_b
field id: mc.field.objd_l.p_pal oracle name: P_PAL	Poradie: 57 Datatype: NUMBER Nullable: true Default: null Alias: p_pal	Oracle comment: null Význam: null Status: TECHNICKY ZNÁME Dôkazy: pur.evidence.mp01_b
field id: mc.field.objd_l.suma_lz oracle name: SUMA_LZ	Poradie: 58 Datatype: NUMBER Nullable: true Default: null Alias: suma_lz	Oracle comment: null Význam: null Status: TECHNICKY ZNÁME Dôkazy: pur.evidence.mp01_b

Identita a zdroj	Technické vlastnosti	Význam status a dôkazy
field id: mc.field.objd_l.xml_data oracle name: XML_DATA	Poradie: 59 Datatype: XMLTYPE Nullable: true Default: null Alias: xml_data	Oracle comment: null Význam: null Status: TECHNICKY ZNÁME Dôkazy: pur.evidence.mp01_b
field id: mc.field.objd_l.poloha_prijem oracle name: POLOHA_PRIJEM	Poradie: 60 Datatype: VARCHAR2(16) Nullable: true Default: null Alias: poloha_prijem	Oracle comment: Prijmová poloha↔Prijmová poloha (sklad_poloxy.rid) Význam: null Status: TECHNICKY ZNÁME Dôkazy: pur.evidence.mp01_b
field id: mc.field.objd_l.cdf oracle name: CDF	Poradie: 61 Datatype: VARCHAR2(254) Nullable: true Default: null Alias: cdf	Oracle comment: null Význam: null Status: TECHNICKY ZNÁME Dôkazy: pur.evidence.mp01_b
field id: mc.field.objd_l.suma_no oracle name: SUMA_NO	Poradie: 62 Datatype: NUMBER Nullable: false Default: "0" Alias: suma_no	Oracle comment: null Význam: null Status: TECHNICKY ZNÁME Dôkazy: pur.evidence.mp01_b
field id: mc.field.objd_l.suma_lb oracle name: SUMA_LB	Poradie: 63 Datatype: NUMBER Nullable: false Default: "0" Alias: suma_lb	Oracle comment: null Význam: null Status: TECHNICKY ZNÁME Dôkazy: pur.evidence.mp01_b
field id: mc.field.objd_l.stav oracle name: STAV	Poradie: 64 Datatype: VARCHAR2(16) Nullable: false Default: '000-38' Alias: stav	Oracle comment: null Význam: Raw document-state. Nie je autoritou business fulfilment stavu; použiť D_OBJD_L.GetS_STAV(FLAGS_S). Status: POTVRDENÉ Dôkazy: pur.evidence.mp01_b pur.evidence.accepted replacement ref: pur.temporal.fulfilment
field id: mc.field.objd_l.stav_l oracle name: STAV_L	Poradie: 65 Datatype: VARCHAR2(16) Nullable: false Default: null Alias: stav_l	Oracle comment: Logistický stav↔Logistický stav () Význam: null Status: TECHNICKY ZNÁME Dôkazy: pur.evidence.mp01_b

Identita a zdroj	Technické vlastnosti	Význam status a dôkazy
field id: mc.field.objd_l.typ_fakt_sum oracle name: TYP_FAKT_SUM	Poradie: 66 Datatype: NUMBER(1,0) Nullable: false Default: "0" Alias: typ_fakt_sum	Oracle comment: Typ fakt. sumy≡Typ fakturačnej sumy (0-čistá (so zľavami a bonusmi), 1-hrubá (cena v mene)) Význam: null Status: TECHNICKY ZNÁME Dôkazy: pur.evidence.mp01_b
field id: mc.field.objd_l.termin_dod oracle name: TERMIN_DOD	Poradie: 67 Datatype: DATE Nullable: true Default: null Alias: termin_dod	Oracle comment: null Význam: Druhý fallback termínu po OBJD_O.TERMIN_DOD. Status: POTVRDENÉ Dôkazy: pur.evidence.mp01_b pur.evidence.accepted
field id: mc.field.objd_l.stav_o oracle name: STAV_O	Poradie: 68 Datatype: VARCHAR2(16) Nullable: false Default: 'N-4022' Alias: stav_o	Oracle comment: null Význam: null Status: TECHNICKY ZNÁME Dôkazy: pur.evidence.mp01_b
field id: mc.field.objd_l.stav_dopravy oracle name: STAV_DOPRAVY	Poradie: 69 Datatype: VARCHAR2(254) Nullable: false Default: 'NEOBJED-4083' Alias: stav_dopravy	Oracle comment: Stav dopravy≡Stav objednania dopravy (CIS_STAVY_TYPY.SKRATKA) Význam: null Status: TECHNICKY ZNÁME Dôkazy: pur.evidence.mp01_b
field id: mc.field.objd_l.typ_dat_dod oracle name: TYP_DAT_DOD	Poradie: 70 Datatype: NUMBER(8,0) Nullable: false Default: 2 Alias: typ_dat_dod	Oracle comment: Typ dátumu dodania≡Typ dátumu dodania (X-1653) Význam: null Status: TECHNICKY ZNÁME Dôkazy: pur.evidence.mp01_b
field id: mc.field.objd_l.depo oracle name: DEPO	Poradie: 71 Datatype: VARCHAR2(16) Nullable: true Default: null Alias: depo	Oracle comment: null Význam: null Status: TECHNICKY ZNÁME Dôkazy: pur.evidence.mp01_b

OBJD_O

Canonical source: catalog/purchasing/object-objd_o.yaml

schema version: 1.0

kind: object

object id: mc.object.objd_o

environment: MC

oracle owner: MC
 oracle name: OBJD_O
 object type: TABLE
 business object sk: Riadok dodávateľského dokladu
 grain sk: 1 riadok = 1 položka generickej dodávateľskej rodiny dokladov.
 maturity: AGENT-READY
 Status: POTVRDENÉ
 identity refs: mc.constraint.objd_o.xpk_objd_o
 field registry ref: pur.fields_objd_o.001
 scope limitations sk: AGENT-READY sa vzťahuje na deklarovaný purchasing scope, nie kompletný význam každého technického poľa.
 Podporné objekty majú úplný dostupný fyzický inventár, bez domyslených business významov.
 Dôkazy: pur.evidence.mp01_a
 pur.evidence.mp01_b
 pur.evidence.mp01_c
 pur.evidence.accepted

Polia OBJD_O

Canonical source: catalog/purchasing/fields-objd_o.yaml
 schema version: 1.0
 kind: fields
 id: pur.fields_objd_o.001
 object ref: mc.object.objd_o
 Spoločné vlastnosti všetkých záznamov nasledujúcej tabuľky
 Obmedzenia: Alias je technická normalizácia Oracle názvu; chýbajúci business význam sa neodvodzuje z názvu ani komentára.
 temporal classification: RAW CURRENT

Identita a zdroj	Technické vlastnosti	Význam status a dôkazy
field id: mc.field.objd_o.rid_o oracle name: RID_O	Poradie: 1 Datatype: VARCHAR2(16) Nullable: false Default: null Alias: rid_o	Oracle comment: null Význam: null Status: TECHNICKY ZNÁME Dôkazy: pur.evidence.mp01_b

Identita a zdroj	Technické vlastnosti	Význam status a dôkazy
field id: mc.field.objd_o.id_r oracle name: ID_R	Poradie: 2 Datatype: NUMBER(5,0) Nullable: false Default: null Alias: id_r	Oracle comment: null Význam: null Status: TECHNICKY ZNÁME Dôkazy: pur.evidence.mp01_b
field id: mc.field.objd_o.kod_id oracle name: KOD_ID	Poradie: 3 Datatype: NUMBER(8,0) Nullable: false Default: null Alias: kod_id	Oracle comment: null Význam: null Status: TECHNICKY ZNÁME Dôkazy: pur.evidence.mp01_b
field id: mc.field.objd_o.id_sz oracle name: ID_SZ	Poradie: 4 Datatype: VARCHAR2(16) Nullable: false Default: null Alias: id_sz	Oracle comment: null Význam: null Status: TECHNICKY ZNÁME Dôkazy: pur.evidence.mp01_b
field id: mc.field.objd_o.pocet oracle name: POCET	Poradie: 5 Datatype: NUMBER(12,3) Nullable: false Default: "0" Alias: pocet	Oracle comment: Objednané=Objednané množstvo () Význam: Objednané/zdrojové množstvo dokladu. Status: POTVRDENÉ Dôkazy: pur.evidence.mp01_b pur.evidence.accepted
field id: mc.field.objd_o.rid_bal oracle name: RID_BAL	Poradie: 6 Datatype: VARCHAR2(16) Nullable: false Default: null Alias: rid_bal	Oracle comment: null Význam: null Status: TECHNICKY ZNÁME Dôkazy: pur.evidence.mp01_b
field id: mc.field.objd_o.dph oracle name: DPH	Poradie: 7 Datatype: NUMBER(2,0) Nullable: false Default: "0" Alias: dph	Oracle comment: null Význam: null Status: TECHNICKY ZNÁME Dôkazy: pur.evidence.mp01_b
field id: mc.field.objd_o.cena oracle name: CENA	Poradie: 8 Datatype: NUMBER(22,5) Nullable: false Default: "0" Alias: cena	Oracle comment: null Význam: null Status: TECHNICKY ZNÁME Dôkazy: pur.evidence.mp01_b
field id: mc.field.objd_o.cena_m oracle name: CENA_M	Poradie: 9 Datatype: NUMBER(22,5) Nullable: false Default: "0" Alias: cena_m	Oracle comment: Cena v mene=Cena v mene () Význam: null Status: TECHNICKY ZNÁME Dôkazy: pur.evidence.mp01_b

Identita a zdroj	Technické vlastnosti	Význam status a dôkazy
field id: mc.field.objd_o.cena_s oracle name: CENA_S	Poradie: 10 Datatype: FLOAT Nullable: false Default: "0" Alias: cena_s	Oracle comment: null Význam: null Status: TECHNICKY ZNÁME Dôkazy: pur.evidence.mp01_b
field id: mc.field.objd_o.cena_s2 oracle name: CENA_S2	Poradie: 11 Datatype: FLOAT Nullable: false Default: "0" Alias: cena_s2	Oracle comment: null Význam: null Status: TECHNICKY ZNÁME Dôkazy: pur.evidence.mp01_b
field id: mc.field.objd_o.zlavy oracle name: ZLAVY	Poradie: 12 Datatype: VARCHAR2(254) Nullable: true Default: null Alias: zlavy	Oracle comment: null Význam: null Status: TECHNICKY ZNÁME Dôkazy: pur.evidence.mp01_b
field id: mc.field.objd_o.pozn oracle name: POZN	Poradie: 13 Datatype: VARCHAR2(254) Nullable: true Default: null Alias: pozn	Oracle comment: null Význam: null Status: TECHNICKY ZNÁME Dôkazy: pur.evidence.mp01_b
field id: mc.field.objd_o.rid_ct_z oracle name: RID_CT_Z	Poradie: 14 Datatype: VARCHAR2(16) Nullable: false Default: '0' Alias: rid_ct_z	Oracle comment: null Význam: null Status: TECHNICKY ZNÁME Dôkazy: pur.evidence.mp01_b
field id: mc.field.objd_o.rid_ct_a oracle name: RID_CT_A	Poradie: 15 Datatype: VARCHAR2(16) Nullable: false Default: '0' Alias: rid_ct_a	Oracle comment: null Význam: null Status: TECHNICKY ZNÁME Dôkazy: pur.evidence.mp01_b
field id: mc.field.objd_o.odpis oracle name: ODPIS	Poradie: 16 Datatype: NUMBER(1,0) Nullable: false Default: "0" Alias: odpis	Oracle comment: null Význam: null Status: TECHNICKY ZNÁME Dôkazy: pur.evidence.mp01_b
field id: mc.field.objd_o.rid_v oracle name: RID_V	Poradie: 17 Datatype: VARCHAR2(22) Nullable: true Default: null Alias: rid_v	Oracle comment: null Význam: Zdrojová line referencia. Pre PL -> PO: PO.RID_O '!' TO_CHAR(PO.ID_R). Status: POTVRDENÉ Dôkazy: pur.evidence.mp01_b pur.evidence.accepted

Identita a zdroj	Technické vlastnosti	Význam status a dôkazy
field id: mc.field.objd_o.id_r_v oracle name: ID_R_V	Poradie: 18 Datatype: NUMBER(8,0) Nullable: false Default: "0" Alias: id_r_v	Oracle comment: null Význam: null Status: TECHNICKY ZNÁME Dôkazy: pur.evidence.mp01_b
field id: mc.field.objd_o.sarza oracle name: SARZA	Poradie: 19 Datatype: VARCHAR2(254) Nullable: true Default: null Alias: sarza	Oracle comment: null Význam: null Status: TECHNICKY ZNÁME Dôkazy: pur.evidence.mp01_b
field id: mc.field.objd_o.datum_exp oracle name: DATUM_EXP	Poradie: 20 Datatype: DATE Nullable: true Default: null Alias: datum_exp	Oracle comment: null Význam: null Status: TECHNICKY ZNÁME Dôkazy: pur.evidence.mp01_b
field id: mc.field.objd_o.p_del oracle name: P_DEL	Poradie: 21 Datatype: NUMBER(12,3) Nullable: false Default: "0" Alias: p_del	Oracle comment: ZrušenéZrušené množstvo () Význam: Uložený bucket zrušeného/zníženého množstva; nie automaticky dôvod fyzického nedodania. Status: POTVRDENÉ Dôkazy: pur.evidence.mp01_b pur.evidence.accepted authority role: STORED CURRENT lifecycle quantity bucket
field id: mc.field.objd_o.pozn_sz oracle name: POZN_SZ	Poradie: 22 Datatype: VARCHAR2(254) Nullable: true Default: null Alias: pozn_sz	Oracle comment: null Význam: null Status: TECHNICKY ZNÁME Dôkazy: pur.evidence.mp01_b
field id: mc.field.objd_o.cena_dp oracle name: CENA_DP	Poradie: 23 Datatype: NUMBER(24,5) Nullable: false Default: "0" Alias: cena_dp	Oracle comment: null Význam: null Status: TECHNICKY ZNÁME Dôkazy: pur.evidence.mp01_b
field id: mc.field.objd_o.cena_clo oracle name: CENA_CLO	Poradie: 24 Datatype: NUMBER(24,5) Nullable: false Default: "0" Alias: cena_clo	Oracle comment: null Význam: null Status: TECHNICKY ZNÁME Dôkazy: pur.evidence.mp01_b

Identita a zdroj	Technické vlastnosti	Význam status a dôkazy
field id: mc.field.objd_o.cena_n0 oracle name: CENA_N0	Poradie: 25 Datatype: NUMBER(24,5) Nullable: false Default: "0" Alias: cena_n0	Oracle comment: null Význam: null Status: TECHNICKY ZNÁME Dôkazy: pur.evidence.mp01_b
field id: mc.field.objd_o.cena_n1 oracle name: CENA_N1	Poradie: 26 Datatype: NUMBER(24,5) Nullable: false Default: "0" Alias: cena_n1	Oracle comment: null Význam: null Status: TECHNICKY ZNÁME Dôkazy: pur.evidence.mp01_b
field id: mc.field.objd_o.cena_n2 oracle name: CENA_N2	Poradie: 27 Datatype: NUMBER(24,5) Nullable: false Default: "0" Alias: cena_n2	Oracle comment: null Význam: null Status: TECHNICKY ZNÁME Dôkazy: pur.evidence.mp01_b
field id: mc.field.objd_o.cena_n3 oracle name: CENA_N3	Poradie: 28 Datatype: NUMBER(24,5) Nullable: false Default: "0" Alias: cena_n3	Oracle comment: null Význam: null Status: TECHNICKY ZNÁME Dôkazy: pur.evidence.mp01_b
field id: mc.field.objd_o.p_prij oracle name: P_PRIJ	Poradie: 29 Datatype: NUMBER(12,3) Nullable: false Default: "0" Alias: p_prij	Oracle comment: null Význam: STORED CURRENT receipt/fulfilment bucket; current surviving receipt lineage nie je úplná história. Status: POTVRDENÉ Dôkazy: pur.evidence.mp01_b pur.evidence.accepted authority role: STORED CURRENT lifecycle quantity bucket
field id: mc.field.objd_o.p_pl oracle name: P_PL	Poradie: 30 Datatype: NUMBER(12,3) Nullable: false Default: "0" Alias: p_pl	Oracle comment: null Význam: STORED CURRENT množstvo pokryté downstream PL lifecycle; nie fyzický príjem. Status: POTVRDENÉ Dôkazy: pur.evidence.mp01_b pur.evidence.accepted authority role: STORED CURRENT lifecycle quantity bucket
field id: mc.field.objd_o.datum_d oracle name: DATUM_D	Poradie: 31 Datatype: DATE Nullable: true Default: null Alias: datum_d	Oracle comment: null Význam: null Status: TECHNICKY ZNÁME Dôkazy: pur.evidence.mp01_b

Identita a zdroj	Technické vlastnosti	Význam status a dôkazy
field id: mc.field.objd_o.dovod_blokacie oracle name: DOVOD_BLOKACIE	Poradie: 32 Datatype: VARCHAR2(16) Nullable: true Default: null Alias: dovod_blokacie	Oracle comment: null Význam: null Status: TECHNICKY ZNÁME Dôkazy: pur.evidence.mp01_b
field id: mc.field.objd_o.modif_u oracle name: MODIF_U	Poradie: 33 Datatype: NUMBER Nullable: false Default: -1 Alias: modif_u	Oracle comment: null Význam: null Status: TECHNICKY ZNÁME Dôkazy: pur.evidence.mp01_b
field id: mc.field.objd_o.modif_i oracle name: MODIF_I	Poradie: 34 Datatype: NUMBER Nullable: false Default: -1 Alias: modif_i	Oracle comment: null Význam: null Status: TECHNICKY ZNÁME Dôkazy: pur.evidence.mp01_b
field id: mc.field.objd_o.termin_dod oracle name: TERMIN_DOD	Poradie: 35 Datatype: DATE Nullable: true Default: null Alias: termin_dod	Oracle comment: null Význam: Prvá autorita efektívneho termínu riadka; fallback OBJD_L.TERMIN_DOD, potom OBJD_L.DATUM_P. Status: POTVRDENÉ Dôkazy: pur.evidence.mp01_b pur.evidence.accepted
field id: mc.field.objd_o.p_rez_odb_obj oracle name: P_REZ_ODB_OBJ	Poradie: 36 Datatype: NUMBER(12,3) Nullable: false Default: "0" Alias: p_rez_odb_obj	Oracle comment: null Význam: null Status: TECHNICKY ZNÁME Dôkazy: pur.evidence.mp01_b
field id: mc.field.objd_o.flags_b_sz oracle name: FLAGS_B_SZ	Poradie: 37 Datatype: VARCHAR2(254) Nullable: true Default: null Alias: flags_b_sz	Oracle comment: null Význam: null Status: TECHNICKY ZNÁME Dôkazy: pur.evidence.mp01_b
field id: mc.field.objd_o.c_param oracle name: C_PARAM	Poradie: 38 Datatype: VARCHAR2(254) Nullable: true Default: null Alias: c_param	Oracle comment: null Význam: null Status: TECHNICKY ZNÁME Dôkazy: pur.evidence.mp01_b
field id: mc.field.objd_o.xml_data oracle name: XML_DATA	Poradie: 39 Datatype: XMLTYPE Nullable: true Default: null Alias: xml_data	Oracle comment: null Význam: null Status: TECHNICKY ZNÁME Dôkazy: pur.evidence.mp01_b

Identita a zdroj	Technické vlastnosti	Význam status a dôkazy
field id: mc.field.objd_o.rid_n oracle name: RID_N	Poradie: 40 Datatype: VARCHAR2(22) Nullable: true Default: null Alias: rid_n	Oracle comment: Rid návrhu obj. »Rid návrhu objednávky na dodávateľa (obj_d_navrh.rid) Význam: Reverse referencia na current OBJ_D_NAVRH.RID; disabled/not validated FK, nie univerzálny historický 1:1 JOIN. Status: POTVRDENÉ Dôkazy: pur.evidence.mp01_b pur.evidence.accepted
field id: mc.field.objd_o.cena_no oracle name: CENA_NO	Poradie: 41 Datatype: NUMBER Nullable: false Default: "0" Alias: cena_no	Oracle comment: null Význam: null Status: TECHNICKY ZNÁME Dôkazy: pur.evidence.mp01_b
field id: mc.field.objd_o.cena_lb oracle name: CENA_LB	Poradie: 42 Datatype: NUMBER Nullable: false Default: "0" Alias: cena_lb	Oracle comment: null Význam: null Status: TECHNICKY ZNÁME Dôkazy: pur.evidence.mp01_b
field id: mc.field.objd_o.kod_balenia oracle name: KOD_BALENIA	Poradie: 43 Datatype: VARCHAR2(254) Nullable: true Default: null Alias: kod_balenia	Oracle comment: Kód balenia »Kód balenia (KODY_BALENI.ID) Význam: null Status: TECHNICKY ZNÁME Dôkazy: pur.evidence.mp01_b
field id: mc.field.objd_o.id_r_p oracle name: ID_R_P	Poradie: 44 Datatype: NUMBER(5,0) Nullable: false Default: null Alias: id_r_p	Oracle comment: P.č. pôv. riadku »P.č. pôvodného riadku z kt. sa oddelil tento riadok default ID_R () Význam: null Status: TECHNICKY ZNÁME Dôkazy: pur.evidence.mp01_b
field id: mc.field.objd_o.u_typ oracle name: U_TYP	Poradie: 45 Datatype: NUMBER(8,0) Nullable: true Default: null Alias: u_typ	Oracle comment: Účtovný typ »Účtovný typ skladovej karty (UCTY_SK.ID) Význam: null Status: TECHNICKY ZNÁME Dôkazy: pur.evidence.mp01_b
field id: mc.field.objd_o.min_dat_exp oracle name: MIN_DAT_EXP	Poradie: 46 Datatype: DATE Nullable: true Default: null Alias: min_dat_exp	Oracle comment: Minimálny dátum exp. »Minimálny dátum expirácie () Význam: null Status: TECHNICKY ZNÁME Dôkazy: pur.evidence.mp01_b
field id: mc.field.objd_o.miesto_dod oracle name: Miesto_DOD	Poradie: 47 Datatype: VARCHAR2(16) Nullable: true Default: null Alias: miesto_dod	Oracle comment: null Význam: null Status: TECHNICKY ZNÁME Dôkazy: pur.evidence.mp01_b

Identita a zdroj	Technické vlastnosti	Význam status a dôkazy
field id: mc.field.objd_o.id_r_sumarne oracle name: ID_R_SUMARNE	Poradie: 48 Datatype: NUMBER(5,0) Nullable: true Default: null Alias: id_r_sumarne	Oracle comment: P. e. sumárneho riadkaP. e. sumárneho riadka, ktorý kumuluje množstvo položky, ktorá ho má nastavený Význam: null Status: TECHNICKY ZNÁME Dôkazy: pur.evidence.mp01_b
field id: mc.field.objd_o.rid_lb oracle name: RID_LB	Poradie: 49 Datatype: VARCHAR2(16) Nullable: true Default: null Alias: rid_lb	Oracle comment: Logistické balenieLogistické balenie (SKLAD_KARTA_LB.RID) Význam: null Status: TECHNICKY ZNÁME Dôkazy: pur.evidence.mp01_b

3 Constraints a indexy

Constraints

Canonical source: catalog/purchasing/constraints.yaml

schema version: 1.0

kind: constraints

id: pur.constraints.001

Spoločné vlastnosti všetkých záznamov nasledujúcej tabuľky

Status: TECHNICKY ZNÁME

Dôkazy: pur.evidence.mp01_c

Identita a zdroj	Technické vlastnosti	Význam status a dôkazy
constraint id: mc.constraint.objd_l.sys_c00293885 oracle name: SYS_C00293885	constraint type: CHECK column refs: mc.field.objd_l.id	object ref: mc.object.objd_l enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.objd_l.sys_c00293886 oracle name: SYS_C00293886	constraint type: CHECK column refs: mc.field.objd_l.rid	object ref: mc.object.objd_l enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.objd_l.sys_c00293887 oracle name: SYS_C00293887	constraint type: CHECK column refs: mc.field.objd_l.datum	object ref: mc.object.objd_l enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.objd_l.sys_c00293888 oracle name: SYS_C00293888	constraint type: CHECK column refs: mc.field.objd_l.sklad	object ref: mc.object.objd_l enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.objd_l.sys_c00293889 oracle name: SYS_C00293889	constraint type: CHECK column refs: mc.field.objd_l.skratka	object ref: mc.object.objd_l enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.objd_l.sys_c00293890 oracle name: SYS_C00293890	constraint type: CHECK column refs: mc.field.objd_l.id_tree	object ref: mc.object.objd_l enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.objd_l.sys_c00293891 oracle name: SYS_C00293891	constraint type: CHECK column refs: mc.field.objd_l.i_stamp	object ref: mc.object.objd_l enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.objd_l.sys_c00293892 oracle name: SYS_C00293892	constraint type: CHECK column refs: mc.field.objd_l.u_stamp	object ref: mc.object.objd_l enabled state: ENABLED validated state: VALIDATED

Identita a zdroj	Technické vlastnosti	Význam status a důkazy
constraint id: mc.constraint.objd_l.sys_c00293893 oracle name: SYS_C00293893	constraint type: CHECK column refs: mc.field.objd_l.s_stamp	object ref: mc.object.objd_l enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.objd_l.sys_c00293894 oracle name: SYS_C00293894	constraint type: CHECK column refs: mc.field.objd_l.flags_s	object ref: mc.object.objd_l enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.objd_l.sys_c00293895 oracle name: SYS_C00293895	constraint type: CHECK column refs: mc.field.objd_l.mena	object ref: mc.object.objd_l enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.objd_l.sys_c00293896 oracle name: SYS_C00293896	constraint type: CHECK column refs: mc.field.objd_l.kurz	object ref: mc.object.objd_l enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.objd_l.sys_c00293897 oracle name: SYS_C00293897	constraint type: CHECK column refs: mc.field.objd_l.dph_2	object ref: mc.object.objd_l enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.objd_l.sys_c00293898 oracle name: SYS_C00293898	constraint type: CHECK column refs: mc.field.objd_l.dph_1	object ref: mc.object.objd_l enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.objd_l.sys_c00293899 oracle name: SYS_C00293899	constraint type: CHECK column refs: mc.field.objd_l.suma_2	object ref: mc.object.objd_l enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.objd_l.sys_c00293900 oracle name: SYS_C00293900	constraint type: CHECK column refs: mc.field.objd_l.suma_1	object ref: mc.object.objd_l enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.objd_l.sys_c00293901 oracle name: SYS_C00293901	constraint type: CHECK column refs: mc.field.objd_l.suma_0	object ref: mc.object.objd_l enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.objd_l.sys_c00293902 oracle name: SYS_C00293902	constraint type: CHECK column refs: mc.field.objd_l.suma_m	object ref: mc.object.objd_l enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.objd_l.sys_c00293903 oracle name: SYS_C00293903	constraint type: CHECK column refs: mc.field.objd_l.rozdiel	object ref: mc.object.objd_l enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.objd_l.sys_c00293904 oracle name: SYS_C00293904	constraint type: CHECK column refs: mc.field.objd_l.suma_s	object ref: mc.object.objd_l enabled state: ENABLED validated state: VALIDATED

Identita a zdroj	Technické vlastnosti	Význam status a důkazy
constraint id: mc.constraint.objd_l.sys_c00293905 oracle name: SYS_C00293905	constraint type: CHECK column refs: mc.field.objd_l.suma_s2	object ref: mc.object.objd_l enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.objd_l.sys_c00293906 oracle name: SYS_C00293906	constraint type: CHECK column refs: mc.field.objd_l.datum_p	object ref: mc.object.objd_l enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.objd_l.sys_c00293907 oracle name: SYS_C00293907	constraint type: CHECK column refs: mc.field.objd_l.splatnost	object ref: mc.object.objd_l enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.objd_l.sys_c00293908 oracle name: SYS_C00293908	constraint type: CHECK column refs: mc.field.objd_l.splatnost_2	object ref: mc.object.objd_l enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.objd_l.sys_c00293909 oracle name: SYS_C00293909	constraint type: CHECK column refs: mc.field.objd_l.suma_cs	object ref: mc.object.objd_l enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.objd_l.sys_c00293910 oracle name: SYS_C00293910	constraint type: CHECK column refs: mc.field.objd_l.uct_str	object ref: mc.object.objd_l enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.objd_l.sys_c00293911 oracle name: SYS_C00293911	constraint type: CHECK column refs: mc.field.objd_l.zakazka	object ref: mc.object.objd_l enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.objd_l.sys_c00293912 oracle name: SYS_C00293912	constraint type: CHECK column refs: mc.field.objd_l.partner	object ref: mc.object.objd_l enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.objd_l.sys_c00293913 oracle name: SYS_C00293913	constraint type: CHECK column refs: mc.field.objd_l.miesto_dod	object ref: mc.object.objd_l enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.objd_l.sys_c00293914 oracle name: SYS_C00293914	constraint type: CHECK column refs: mc.field.objd_l.obsluha	object ref: mc.object.objd_l enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.objd_l.sys_c00293915 oracle name: SYS_C00293915	constraint type: CHECK column refs: mc.field.objd_l.doprava	object ref: mc.object.objd_l enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.objd_l.sys_c00293916 oracle name: SYS_C00293916	constraint type: CHECK column refs: mc.field.objd_l.pocet_pol	object ref: mc.object.objd_l enabled state: ENABLED validated state: VALIDATED

Identita a zdroj	Technické vlastnosti	Význam status a důkazy
constraint id: mc.constraint.objd_l.sys_c00293917 oracle name: SYS_C00293917	constraint type: CHECK column refs: mc.field.objd_l.uct_stamp	object ref: mc.object.objd_l enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.objd_l.sys_c00293918 oracle name: SYS_C00293918	constraint type: CHECK column refs: mc.field.objd_l.ucet_doklad	object ref: mc.object.objd_l enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.objd_l.sys_c00293919 oracle name: SYS_C00293919	constraint type: CHECK column refs: mc.field.objd_l.rid_v	object ref: mc.object.objd_l enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.objd_l.sys_c00293920 oracle name: SYS_C00293920	constraint type: CHECK column refs: mc.field.objd_l.sposob_obj	object ref: mc.object.objd_l enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.objd_l.sys_c00293921 oracle name: SYS_C00293921	constraint type: CHECK column refs: mc.field.objd_l.sposob_kont	object ref: mc.object.objd_l enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.objd_l.sys_c00293922 oracle name: SYS_C00293922	constraint type: CHECK column refs: mc.field.objd_l.pre_sklad	object ref: mc.object.objd_l enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.objd_l.sys_c00293923 oracle name: SYS_C00293923	constraint type: CHECK column refs: mc.field.objd_l.suma_n0	object ref: mc.object.objd_l enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.objd_l.sys_c00293924 oracle name: SYS_C00293924	constraint type: CHECK column refs: mc.field.objd_l.suma_n1	object ref: mc.object.objd_l enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.objd_l.sys_c00293925 oracle name: SYS_C00293925	constraint type: CHECK column refs: mc.field.objd_l.suma_n2	object ref: mc.object.objd_l enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.objd_l.sys_c00293926 oracle name: SYS_C00293926	constraint type: CHECK column refs: mc.field.objd_l.suma_n3	object ref: mc.object.objd_l enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.objd_l.sys_c00293927 oracle name: SYS_C00293927	constraint type: CHECK column refs: mc.field.objd_l.suma_clo	object ref: mc.object.objd_l enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.objd_l.sys_c00293928 oracle name: SYS_C00293928	constraint type: CHECK column refs: mc.field.objd_l.suma_dp	object ref: mc.object.objd_l enabled state: ENABLED validated state: VALIDATED

Identita a zdroj	Technické vlastnosti	Význam status a důkazy
constraint id: mc.constraint.objd_l.sys_c00293929 oracle name: SYS_C00293929	constraint type: CHECK column refs: mc.field.objd_l.modif_u	object ref: mc.object.objd_l enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.objd_l.sys_c00293930 oracle name: SYS_C00293930	constraint type: CHECK column refs: mc.field.objd_l.modif_i	object ref: mc.object.objd_l enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.objd_l.sys_c00293931 oracle name: SYS_C00293931	constraint type: CHECK column refs: mc.field.objd_l.typ_cis	object ref: mc.object.objd_l enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.objd_l.sys_c00293932 oracle name: SYS_C00293932	constraint type: CHECK column refs: mc.field.objd_l.suma_no	object ref: mc.object.objd_l enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.objd_l.sys_c00293933 oracle name: SYS_C00293933	constraint type: CHECK column refs: mc.field.objd_l.suma_lb	object ref: mc.object.objd_l enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.objd_l.sys_c00293934 oracle name: SYS_C00293934	constraint type: CHECK column refs: mc.field.objd_l.stav	object ref: mc.object.objd_l enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.objd_l.sys_c00293935 oracle name: SYS_C00293935	constraint type: CHECK column refs: mc.field.objd_l.stav_l	object ref: mc.object.objd_l enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.objd_l.sys_c00293936 oracle name: SYS_C00293936	constraint type: CHECK column refs: mc.field.objd_l.typ_fakt_sum	object ref: mc.object.objd_l enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.objd_l.sys_c00293937 oracle name: SYS_C00293937	constraint type: CHECK column refs: mc.field.objd_l.stav_o	object ref: mc.object.objd_l enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.objd_l.sys_c00293938 oracle name: SYS_C00293938	constraint type: CHECK column refs: mc.field.objd_l.stav_dopravy	object ref: mc.object.objd_l enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.objd_l.sys_c00619855 oracle name: SYS_C00619855	constraint type: CHECK column refs: mc.field.objd_l.typ_dat_dod	object ref: mc.object.objd_l enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.objd_l.xpk_objd_l oracle name: XPK_OBJD_L	constraint type: PK column refs: mc.field.objd_l.rid	object ref: mc.object.objd_l enabled state: ENABLED validated state: VALIDATED

Identita a zdroj	Technické vlastnosti	Význam status a důkazy
constraint id: mc.constraint.objd_l.xfk_objd_l_depo oracle name: XFK_OBJD_L_DEPO	constraint type: FK column refs: mc.field.objd_l.depo referenced column refs: mc.oracle.mc_depa.field.rid	object ref: mc.object.objd_l enabled state: ENABLED validated state: VALIDATED referenced object ref: mc.oracle.mc_depa
constraint id: mc.constraint.objd_l.xfk_objd_l_doprava oracle name: XFK_OBJD_L_DOPRAVA	constraint type: FK column refs: mc.field.objd_l.doprava referenced column refs: mc.oracle.mc_druhy_dopravy.field.id	object ref: mc.object.objd_l enabled state: ENABLED validated state: VALIDATED referenced object ref: mc.oracle.mc_druhy_dopravy
constraint id: mc.constraint.objd_l.xfk_objd_l_id_tree oracle name: XFK_OBJD_L_ID_TREE	constraint type: FK column refs: mc.field.objd_l.id_tree referenced column refs: mc.oracle.mc_cis_tree.field.id	object ref: mc.object.objd_l enabled state: DISABLED validated state: NOT VALIDATED referenced object ref: mc.oracle.mc_cis_tree
constraint id: mc.constraint.objd_l.xfk_objd_l_mena oracle name: XFK_OBJD_L_MENA	constraint type: FK column refs: mc.field.objd_l.mena referenced column refs: pur.boundary_field.mc.meny.id	object ref: mc.object.objd_l enabled state: ENABLED validated state: VALIDATED referenced object ref: pur.oracle.mc.meny.table
constraint id: mc.constraint.objd_l.xfk_objd_l_miesto_dod oracle name: XFK_OBJD_L_MIESTO_DOD	constraint type: FK column refs: mc.field.objd_l.miesto_dod referenced column refs: mc.oracle.mc_miesta_dodania.field.rid	object ref: mc.object.objd_l enabled state: ENABLED validated state: VALIDATED referenced object ref: mc.oracle.mc_miesta_dodania
constraint id: mc.constraint.objd_l.xfk_objd_l_obsuha oracle name: XFK_OBJD_L_OBSLUHA	constraint type: FK column refs: mc.field.objd_l.obsuha referenced column refs: mc.oracle.mc_b_users.field.id	object ref: mc.object.objd_l enabled state: ENABLED validated state: VALIDATED referenced object ref: mc.oracle.mc_b_users
constraint id: mc.constraint.objd_l.xfk_objd_l_partner oracle name: XFK_OBJD_L_PARTNER	constraint type: FK column refs: mc.field.objd_l.partner referenced column refs: mc.oracle.mc_obch_partneri.field.id	object ref: mc.object.objd_l enabled state: ENABLED validated state: VALIDATED referenced object ref: mc.oracle.mc_obch_partneri
constraint id: mc.constraint.objd_l.xfk_objd_l_ poloha_prijem oracle name: XFK_OBJD_L_POLOHA_PRIJEM	constraint type: FK column refs: mc.field.objd_l.poloha_prijem referenced column refs: mc.oracle.mc_sklad_polohy.field.rid	object ref: mc.object.objd_l enabled state: ENABLED validated state: VALIDATED referenced object ref: mc.oracle.mc_sklad_polohy
constraint id: mc.constraint.objd_l.xfk_objd_l_pre_sklad oracle name: XFK_OBJD_L_PRE_SKLAD	constraint type: FK column refs: mc.field.objd_l.pre_sklad referenced column refs: mc.oracle.mc_bartex_pobocky.field.id	object ref: mc.object.objd_l enabled state: ENABLED validated state: VALIDATED referenced object ref: mc.oracle.mc_bartex_pobocky

Identita a zdroj	Technické vlastnosti	Význam status a důkazy
constraint id: mc.constraint.objd_l.xfk_objd_l_sklad oracle name: XFK_OBJD_L_SKLAD	constraint type: FK column refs: mc.field.objd_l.sklad referenced column refs: mc.oracle.mc_bartex_pobocky.field.id	object ref: mc.object.objd_l enabled state: ENABLED validated state: VALIDATED referenced object ref: mc.oracle.mc_bartex_pobocky
constraint id: mc.constraint.objd_l.xfk_objd_l_sposob_kont oracle name: XFK_OBJD_L_SPOSOB_KONT	constraint type: FK column refs: mc.field.objd_l.sposob_kont referenced column refs: pur.boundary_field.mc.sposob_kontaktu.rid	object ref: mc.object.objd_l enabled state: ENABLED validated state: VALIDATED referenced object ref: pur.oracle.mc.sposob_kontaktu.table
constraint id: mc.constraint.objd_l.xfk_objd_l_sposob_obj oracle name: XFK_OBJD_L_SPOSOB_OBJ	constraint type: FK column refs: mc.field.objd_l.sposob_obj referenced column refs: pur.boundary_field.mc.sposob_objednania.rid	object ref: mc.object.objd_l enabled state: ENABLED validated state: VALIDATED referenced object ref: pur.oracle.mc.sposob_objednania.table
constraint id: mc.constraint.objd_l.xfk_objd_l_stav_dopravy oracle name: XFK_OBJD_L_STAV_DOPRAVY	constraint type: FK column refs: mc.field.objd_l.stav_dopravy referenced column refs: mc.oracle.mc_cis_stavy_typy.field.skratka	object ref: mc.object.objd_l enabled state: ENABLED validated state: VALIDATED referenced object ref: mc.oracle.mc_cis_stavy_typy
constraint id: mc.constraint.objd_l.xfk_objd_l_typ_cis oracle name: XFK_OBJD_L_TYP_CIS	constraint type: FK column refs: mc.field.objd_l.typ_cis referenced column refs: pur.boundary_field.mc.typy_cis.id	object ref: mc.object.objd_l enabled state: ENABLED validated state: VALIDATED referenced object ref: pur.oracle.mc.typy_cis.table
constraint id: mc.constraint.objd_l.xfk_objd_l_ucet_doklad oracle name: XFK_OBJD_L_UCET_DOKLAD	constraint type: FK column refs: mc.field.objd_l.ucet_doklad referenced column refs: pur.boundary_field.mc.ucty.id	object ref: mc.object.objd_l enabled state: ENABLED validated state: VALIDATED referenced object ref: pur.oracle.mc.ucty.table
constraint id: mc.constraint.objd_l.xfk_objd_l_uct_str oracle name: XFK_OBJD_L_UCT_STR	constraint type: FK column refs: mc.field.objd_l.uct_str referenced column refs: pur.boundary_field.mc.uct_str.id	object ref: mc.object.objd_l enabled state: ENABLED validated state: VALIDATED referenced object ref: pur.oracle.mc.uct_str.table
constraint id: mc.constraint.objd_l.xfk_objd_l_zakazka oracle name: XFK_OBJD_L_ZAKAZKA	constraint type: FK column refs: mc.field.objd_l.zakazka referenced column refs: pur.boundary_field.mc.zakazky.id	object ref: mc.object.objd_l enabled state: ENABLED validated state: VALIDATED referenced object ref: pur.oracle.mc.zakazky.table
constraint id: mc.constraint.objd_l.xpk_objd_l_skratka oracle name: XPK_OBJD_L_SKRATKA	constraint type: UQ column refs: mc.field.objd_l.skratka mc.field.objd_l.sklad	object ref: mc.object.objd_l enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.objd_l.xuk_objd_l_id_datum_sklad oracle name: XUK_OBJD_L_ID_DATUM_SKLAD	constraint type: UQ column refs: mc.field.objd_l.id mc.field.objd_l.sklad mc.field.objd_l.datum	object ref: mc.object.objd_l enabled state: ENABLED validated state: VALIDATED

Identita a zdroj	Technické vlastnosti	Význam status a důkazy
constraint id: mc.constraint.objd_o.sys_c00294072 oracle name: SYS_C00294072	constraint type: CHECK column refs: mc.field.objd_o.rid_o	object ref: mc.object.objd_o enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.objd_o.sys_c00294073 oracle name: SYS_C00294073	constraint type: CHECK column refs: mc.field.objd_o.id_r	object ref: mc.object.objd_o enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.objd_o.sys_c00294074 oracle name: SYS_C00294074	constraint type: CHECK column refs: mc.field.objd_o.kod_id	object ref: mc.object.objd_o enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.objd_o.sys_c00294075 oracle name: SYS_C00294075	constraint type: CHECK column refs: mc.field.objd_o.id_sz	object ref: mc.object.objd_o enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.objd_o.sys_c00294076 oracle name: SYS_C00294076	constraint type: CHECK column refs: mc.field.objd_o.pocet	object ref: mc.object.objd_o enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.objd_o.sys_c00294077 oracle name: SYS_C00294077	constraint type: CHECK column refs: mc.field.objd_o.rid_bal	object ref: mc.object.objd_o enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.objd_o.sys_c00294078 oracle name: SYS_C00294078	constraint type: CHECK column refs: mc.field.objd_o.dph	object ref: mc.object.objd_o enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.objd_o.sys_c00294079 oracle name: SYS_C00294079	constraint type: CHECK column refs: mc.field.objd_o.cena	object ref: mc.object.objd_o enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.objd_o.sys_c00294080 oracle name: SYS_C00294080	constraint type: CHECK column refs: mc.field.objd_o.cena_m	object ref: mc.object.objd_o enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.objd_o.sys_c00294081 oracle name: SYS_C00294081	constraint type: CHECK column refs: mc.field.objd_o.cena_s	object ref: mc.object.objd_o enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.objd_o.sys_c00294082 oracle name: SYS_C00294082	constraint type: CHECK column refs: mc.field.objd_o.cena_s2	object ref: mc.object.objd_o enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.objd_o.sys_c00294083 oracle name: SYS_C00294083	constraint type: CHECK column refs: mc.field.objd_o.rid_ct_z	object ref: mc.object.objd_o enabled state: ENABLED validated state: VALIDATED

Identita a zdroj	Technické vlastnosti	Význam status a důkazy
constraint id: mc.constraint.objd_o.sys_c00294084 oracle name: SYS_C00294084	constraint type: CHECK column refs: mc.field.objd_o.rid_ct_a	object ref: mc.object.objd_o enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.objd_o.sys_c00294085 oracle name: SYS_C00294085	constraint type: CHECK column refs: mc.field.objd_o.odpis	object ref: mc.object.objd_o enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.objd_o.sys_c00294086 oracle name: SYS_C00294086	constraint type: CHECK column refs: mc.field.objd_o.id_r_v	object ref: mc.object.objd_o enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.objd_o.sys_c00294087 oracle name: SYS_C00294087	constraint type: CHECK column refs: mc.field.objd_o.p_del	object ref: mc.object.objd_o enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.objd_o.sys_c00294088 oracle name: SYS_C00294088	constraint type: CHECK column refs: mc.field.objd_o.cena_dp	object ref: mc.object.objd_o enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.objd_o.sys_c00294089 oracle name: SYS_C00294089	constraint type: CHECK column refs: mc.field.objd_o.cena_clo	object ref: mc.object.objd_o enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.objd_o.sys_c00294090 oracle name: SYS_C00294090	constraint type: CHECK column refs: mc.field.objd_o.cena_n0	object ref: mc.object.objd_o enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.objd_o.sys_c00294091 oracle name: SYS_C00294091	constraint type: CHECK column refs: mc.field.objd_o.cena_n1	object ref: mc.object.objd_o enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.objd_o.sys_c00294092 oracle name: SYS_C00294092	constraint type: CHECK column refs: mc.field.objd_o.cena_n2	object ref: mc.object.objd_o enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.objd_o.sys_c00294093 oracle name: SYS_C00294093	constraint type: CHECK column refs: mc.field.objd_o.cena_n3	object ref: mc.object.objd_o enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.objd_o.sys_c00294094 oracle name: SYS_C00294094	constraint type: CHECK column refs: mc.field.objd_o.p_prij	object ref: mc.object.objd_o enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.objd_o.sys_c00294095 oracle name: SYS_C00294095	constraint type: CHECK column refs: mc.field.objd_o.p_pl	object ref: mc.object.objd_o enabled state: ENABLED validated state: VALIDATED

Identita a zdroj	Technické vlastnosti	Význam status a dôkazy
constraint id: mc.constraint.objd_o.sys_c00294096 oracle name: SYS_C00294096	constraint type: CHECK column refs: mc.field.objd_o.modif_u	object ref: mc.object.objd_o enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.objd_o.sys_c00294097 oracle name: SYS_C00294097	constraint type: CHECK column refs: mc.field.objd_o.modif_i	object ref: mc.object.objd_o enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.objd_o.sys_c00294098 oracle name: SYS_C00294098	constraint type: CHECK column refs: mc.field.objd_o.p_rez_odb_obj	object ref: mc.object.objd_o enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.objd_o.sys_c00294099 oracle name: SYS_C00294099	constraint type: CHECK column refs: mc.field.objd_o.cena_no	object ref: mc.object.objd_o enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.objd_o.sys_c00294100 oracle name: SYS_C00294100	constraint type: CHECK column refs: mc.field.objd_o.cena_lb	object ref: mc.object.objd_o enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.objd_o.sys_c00294101 oracle name: SYS_C00294101	constraint type: CHECK column refs: mc.field.objd_o.id_r_p	object ref: mc.object.objd_o enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.objd_o.xce_objd_o_pocty oracle name: XCE_OBJD_O_POCTY	constraint type: CHECK column refs: mc.field.objd_o.pocet mc.field.objd_o.p_del mc.field.objd_o.p_prij mc.field.objd_o.p_pl	object ref: mc.object.objd_o enabled state: ENABLED validated state: NOT VALIDATED
constraint id: mc.constraint.objd_o.xpk_objd_o oracle name: XPK_OBJD_O	constraint type: PK column refs: mc.field.objd_o.rid_o mc.field.objd_o.id_r	object ref: mc.object.objd_o enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.objd_o.xfk_objdo_miasto_dod oracle name: XFK_OBJDO_MIESTO_DOD	constraint type: FK column refs: mc.field.objd_o.miasto_dod referenced column refs: mc.oracle.mc_miasta_dodania.field.rid	object ref: mc.object.objd_o enabled state: ENABLED validated state: VALIDATED referenced object ref: mc.oracle.mc_miasta_dodania
constraint id: mc.constraint.objd_o.xfk_objd_o_dovod_blokacie oracle name: XFK_OBJD_O_DOVOD_BLOKACIE	constraint type: FK column refs: mc.field.objd_o.dovod_blokacie referenced column refs: pur.boundary_field.mc.dovody_blok_tovarov.id	object ref: mc.object.objd_o enabled state: ENABLED validated state: VALIDATED referenced object ref: pur.oracle.mc.dovody_blok_tovarov.table
constraint id: mc.constraint.objd_o.xfk_objd_o_id_sz oracle name: XFK_OBJD_O_ID_SZ	constraint type: FK column refs: mc.field.objd_o.id_sz referenced column refs: pur.boundary_field.mc.sklad_zasob.id	object ref: mc.object.objd_o enabled state: ENABLED validated state: VALIDATED referenced object ref: pur.oracle.mc.sklad_zasob.table

Identita a zdroj	Technické vlastnosti	Význam status a důkazy
constraint id: mc.constraint.objd_o.xfk_objd_o_kod_id oracle name: XFK_OBJD_O_KOD_ID	constraint type: FK column refs: mc.field.objd_o.kod_id referenced column refs: pur.boundary_field.mc.sklad_karta.id	object ref: mc.object.objd_o enabled state: ENABLED validated state: VALIDATED referenced object ref: pur.oracle.mc.sklad_karta.table
constraint id: mc.constraint.objd_o.xfk_objd_o_rid_bal oracle name: XFK_OBJD_O_RID_BAL	constraint type: FK column refs: mc.field.objd_o.rid_bal referenced column refs: pur.boundary_field.mc.b_kod_u.rid	object ref: mc.object.objd_o enabled state: ENABLED validated state: VALIDATED referenced object ref: pur.oracle.mc.b_kod_u.table
constraint id: mc.constraint.objd_o.xfk_objd_o_rid_ct_a oracle name: XFK_OBJD_O_RID_CT_A	constraint type: FK column refs: mc.field.objd_o.rid_ct_a referenced column refs: pur.boundary_field.mc.ct_o.rid_obj	object ref: mc.object.objd_o enabled state: DISABLED validated state: NOT VALIDATED referenced object ref: pur.oracle.mc.ct_o.table
constraint id: mc.constraint.objd_o.xfk_objd_o_rid_ct_z oracle name: XFK_OBJD_O_RID_CT_Z	constraint type: FK column refs: mc.field.objd_o.rid_ct_z referenced column refs: pur.boundary_field.mc.ct_o.rid_obj	object ref: mc.object.objd_o enabled state: DISABLED validated state: NOT VALIDATED referenced object ref: pur.oracle.mc.ct_o.table
constraint id: mc.constraint.objd_o.xfk_objd_o_rid_lb oracle name: XFK_OBJD_O_RID_LB	constraint type: FK column refs: mc.field.objd_o.rid_lb referenced column refs: pur.boundary_field.mc.sklad_karta_lb.rid	object ref: mc.object.objd_o enabled state: ENABLED validated state: VALIDATED referenced object ref: pur.oracle.mc.sklad_karta_lb.table
constraint id: mc.constraint.objd_o.xfk_objd_o_rid_n oracle name: XFK_OBJD_O_RID_N	constraint type: FK column refs: mc.field.objd_o.rid_n referenced column refs: mc.field.obj_d_navrh.rid	object ref: mc.object.objd_o enabled state: DISABLED validated state: NOT VALIDATED referenced object ref: mc.object.obj_d_navrh
constraint id: mc.constraint.objd_o.xfk_objd_o_rid_o oracle name: XFK_OBJD_O_RID_O	constraint type: FK column refs: mc.field.objd_o.rid_o referenced column refs: mc.field.objd_l.rid	object ref: mc.object.objd_o enabled state: ENABLED validated state: VALIDATED referenced object ref: mc.object.objd_l
constraint id: mc.constraint.objd_o.xfk_objd_o_u_typ oracle name: XFK_OBJD_O_U_TYP	constraint type: FK column refs: mc.field.objd_o.u_typ referenced column refs: pur.boundary_field.mc.ucty_sk.id	object ref: mc.object.objd_o enabled state: ENABLED validated state: VALIDATED referenced object ref: pur.oracle.mc.ucty_sk.table
constraint id: mc.constraint.obj_d_kombajn.sys_c00242393 oracle name: SYS_C00242393	constraint type: CHECK column refs: mc.field.obj_d_kombajn.id	object ref: mc.object.obj_d_kombajn enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.obj_d_kombajn.sys_c00242394 oracle name: SYS_C00242394	constraint type: CHECK column refs: mc.field.obj_d_kombajn.kod_id	object ref: mc.object.obj_d_kombajn enabled state: ENABLED validated state: VALIDATED

Identita a zdroj	Technické vlastnosti	Význam status a důkazy
constraint id: mc.constraint.obj_d_kombajn.s s_c00242395 oracle name: SYS_C00242395	constraint type: CHECK column refs: mc.field.obj_d_kombajn.pocet	object ref: mc.object.obj_d_kombajn enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.obj_d_kombajn.s s_c00242396 oracle name: SYS_C00242396	constraint type: CHECK column refs: mc.field.obj_d_kombajn.sarza	object ref: mc.object.obj_d_kombajn enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.obj_d_kombajn.s s_c00242397 oracle name: SYS_C00242397	constraint type: CHECK column refs: mc.field.obj_d_kombajn.p_akt_sklad	object ref: mc.object.obj_d_kombajn enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.obj_d_kombajn.s s_c00242398 oracle name: SYS_C00242398	constraint type: CHECK column refs: mc.field.obj_d_kombajn.p_str_obj	object ref: mc.object.obj_d_kombajn enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.obj_d_kombajn.s s_c00242399 oracle name: SYS_C00242399	constraint type: CHECK column refs: mc.field.obj_d_kombajn.p_dod_obj	object ref: mc.object.obj_d_kombajn enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.obj_d_kombajn.s s_c00242400 oracle name: SYS_C00242400	constraint type: CHECK column refs: mc.field.obj_d_kombajn.p_col_sklad	object ref: mc.object.obj_d_kombajn enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.obj_d_kombajn.s s_c00242401 oracle name: SYS_C00242401	constraint type: CHECK column refs: mc.field.obj_d_kombajn.p_vyd_na_cesta	object ref: mc.object.obj_d_kombajn enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.obj_d_kombajn.s s_c00242402 oracle name: SYS_C00242402	constraint type: CHECK column refs: mc.field.obj_d_kombajn.p_vyd_zapozic	object ref: mc.object.obj_d_kombajn enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.obj_d_kombajn.s s_c00242403 oracle name: SYS_C00242403	constraint type: CHECK column refs: mc.field.obj_d_kombajn.p_obj_str	object ref: mc.object.obj_d_kombajn enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.obj_d_kombajn.s s_c00242404 oracle name: SYS_C00242404	constraint type: CHECK column refs: mc.field.obj_d_kombajn.p_obj_ser	object ref: mc.object.obj_d_kombajn enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.obj_d_kombajn.s s_c00242405 oracle name: SYS_C00242405	constraint type: CHECK column refs: mc.field.obj_d_kombajn.p_obj_odb	object ref: mc.object.obj_d_kombajn enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.obj_d_kombajn.s s_c00242406 oracle name: SYS_C00242406	constraint type: CHECK column refs: mc.field.obj_d_kombajn.p_obj_ml	object ref: mc.object.obj_d_kombajn enabled state: ENABLED validated state: VALIDATED

Identita a zdroj	Technické vlastnosti	Význam status a důkazy
constraint id: mc.constraint.obj_d_kombajn.s s_c00242407 oracle name: SYS_C00242407	constraint type: CHECK column refs: mc.field.obj_d_kombajn.p_obj_op	object ref: mc.object.obj_d_kombajn enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.obj_d_kombajn.s s_c00242408 oracle name: SYS_C00242408	constraint type: CHECK column refs: mc.field.obj_d_kombajn.suma_makro	object ref: mc.object.obj_d_kombajn enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.obj_d_kombajn.s s_c00242409 oracle name: SYS_C00242409	constraint type: CHECK column refs: mc.field.obj_d_kombajn.p_vrstva_bal	object ref: mc.object.obj_d_kombajn enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.obj_d_kombajn.s s_c00242410 oracle name: SYS_C00242410	constraint type: CHECK column refs: mc.field.obj_d_kombajn.p_paleta_bal	object ref: mc.object.obj_d_kombajn enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.obj_d_kombajn.s s_c00242411 oracle name: SYS_C00242411	constraint type: CHECK column refs: mc.field.obj_d_kombajn.p_dod_bal	object ref: mc.object.obj_d_kombajn enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.obj_d_kombajn.s s_c00242412 oracle name: SYS_C00242412	constraint type: CHECK column refs: mc.field.obj_d_kombajn.rid_mm	object ref: mc.object.obj_d_kombajn enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.obj_d_kombajn.s s_c00242413 oracle name: SYS_C00242413	constraint type: CHECK column refs: mc.field.obj_d_kombajn.s_stamp	object ref: mc.object.obj_d_kombajn enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.obj_d_kombajn.s s_c00242414 oracle name: SYS_C00242414	constraint type: CHECK column refs: mc.field.obj_d_kombajn.pre_navrh	object ref: mc.object.obj_d_kombajn enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.obj_d_kombajn.s s_c00242415 oracle name: SYS_C00242415	constraint type: CHECK column refs: mc.field.obj_d_kombajn.reserve	object ref: mc.object.obj_d_kombajn enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.obj_d_kombajn.x pk_obj_d_kombajn oracle name: XPK_OBJ_D_KOMBAJN	constraint type: PK column refs: mc.field.obj_d_kombajn.id	object ref: mc.object.obj_d_kombajn enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.obj_d_kombajn.xf k_obj_d_kombajn_kod_id oracle name: XFK_OBJ_D_KOMBAJN_KOD_ID	constraint type: FK column refs: mc.field.obj_d_kombajn.kod_id referenced column refs: pur.boundary_field.mc.sklad_karta.id	object ref: mc.object.obj_d_kombajn enabled state: ENABLED validated state: VALIDATED referenced object ref: pur.oracle.mc.sklad_karta.table
constraint id: mc.constraint.obj_d_kombajn.xf k_obj_d_kombajn_reserve oracle name: XFK_OBJ_D_KOMBAJN_RESERVE	constraint type: FK column refs: mc.field.obj_d_kombajn.reserve referenced column refs: pur.boundary_field.mc.akt_programy.id	object ref: mc.object.obj_d_kombajn enabled state: ENABLED validated state: VALIDATED referenced object ref: pur.oracle.mc.akt_programy.table

Identita a zdroj	Technické vlastnosti	Význam status a důkazy
constraint id: mc.constraint.obj_d_kombajn.xfk_obj_d_kombajn_sklad oracle name: XFK_OBJ_D_KOMBAJN_SKLAD	constraint type: FK column refs: mc.field.obj_d_kombajn.sklad referenced column refs: mc.oracle.mc_bartex_pobocky.field.id	object ref: mc.object.obj_d_kombajn enabled state: ENABLED validated state: VALIDATED referenced object ref: mc.oracle.mc_bartex_pobocky
constraint id: mc.constraint.obj_d_kombajn.xuk_obj_d_kombajn_kss oracle name: XUK_OBJ_D_KOMBAJN_KSS	constraint type: UQ column refs: mc.field.obj_d_kombajn.kod_id mc.field.obj_d_kombajn.sklad mc.field.obj_d_kombajn.sarza mc.field.obj_d_kombajn.rid_v	object ref: mc.object.obj_d_kombajn enabled state: DISABLED validated state: NOT VALIDATED
constraint id: mc.constraint.obj_d_navrh.sys_c001260857 oracle name: SYS_C001260857	constraint type: CHECK column refs: mc.field.obj_d_navrh.typ_cis	object ref: mc.object.obj_d_navrh enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.obj_d_navrh.sys_c00248696 oracle name: SYS_C00248696	constraint type: CHECK column refs: mc.field.obj_d_navrh.rid	object ref: mc.object.obj_d_navrh enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.obj_d_navrh.sys_c00248697 oracle name: SYS_C00248697	constraint type: CHECK column refs: mc.field.obj_d_navrh.id	object ref: mc.object.obj_d_navrh enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.obj_d_navrh.sys_c00248698 oracle name: SYS_C00248698	constraint type: CHECK column refs: mc.field.obj_d_navrh.kod_id	object ref: mc.object.obj_d_navrh enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.obj_d_navrh.sys_c00248699 oracle name: SYS_C00248699	constraint type: CHECK column refs: mc.field.obj_d_navrh.pocet	object ref: mc.object.obj_d_navrh enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.obj_d_navrh.sys_c00248700 oracle name: SYS_C00248700	constraint type: CHECK column refs: mc.field.obj_d_navrh.pocet_obj	object ref: mc.object.obj_d_navrh enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.obj_d_navrh.sys_c00248701 oracle name: SYS_C00248701	constraint type: CHECK column refs: mc.field.obj_d_navrh.i_stamp	object ref: mc.object.obj_d_navrh enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.obj_d_navrh.sys_c00248702 oracle name: SYS_C00248702	constraint type: CHECK column refs: mc.field.obj_d_navrh.sarza	object ref: mc.object.obj_d_navrh enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.obj_d_navrh.sys_c00248703 oracle name: SYS_C00248703	constraint type: CHECK column refs: mc.field.obj_d_navrh.zdroj	object ref: mc.object.obj_d_navrh enabled state: ENABLED validated state: VALIDATED

Identita a zdroj	Technické vlastnosti	Význam status a dôkazy
constraint id: mc.constraint.obj_d_navrh.sys_c00248704 oracle name: SYS_C00248704	constraint type: CHECK column refs: mc.field.obj_d_navrh.stav	object ref: mc.object.obj_d_navrh enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.obj_d_navrh.sys_c00248705 oracle name: SYS_C00248705	constraint type: CHECK column refs: mc.field.obj_d_navrh.s_stamp	object ref: mc.object.obj_d_navrh enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.obj_d_navrh.sys_c00248706 oracle name: SYS_C00248706	constraint type: CHECK column refs: mc.field.obj_d_navrh.z_stamp	object ref: mc.object.obj_d_navrh enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.obj_d_navrh.sys_c00248707 oracle name: SYS_C00248707	constraint type: CHECK column refs: mc.field.obj_d_navrh.urgentne	object ref: mc.object.obj_d_navrh enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.obj_d_navrh.sys_c00248708 oracle name: SYS_C00248708	constraint type: CHECK column refs: mc.field.obj_d_navrh.ok	object ref: mc.object.obj_d_navrh enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.obj_d_navrh.sys_c00248709 oracle name: SYS_C00248709	constraint type: CHECK column refs: mc.field.obj_d_navrh.sklad_objednania	object ref: mc.object.obj_d_navrh enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.obj_d_navrh.sys_c00248710 oracle name: SYS_C00248710	constraint type: CHECK column refs: mc.field.obj_d_navrh.sklad_z	object ref: mc.object.obj_d_navrh enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.obj_d_navrh.sys_c003121575 oracle name: SYS_C003121575	constraint type: CHECK column refs: mc.field.obj_d_navrh.aktual_stamp	object ref: mc.object.obj_d_navrh enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.obj_d_navrh.xfk_obj_d_navrh oracle name: XFK_OBJ_D_NAVRH	constraint type: PK column refs: mc.field.obj_d_navrh.rid	object ref: mc.object.obj_d_navrh enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.obj_d_navrh.xfk_obj_d_navrh_adresa oracle name: XFK_OBJ_D_NAVRH_ADRESA	constraint type: FK column refs: mc.field.obj_d_navrh.adresa referenced column refs: mc.oracle.mc_miesta_zaujmu.field.id	object ref: mc.object.obj_d_navrh enabled state: ENABLED validated state: VALIDATED referenced object ref: mc.oracle.mc_miesta_zaujmu
constraint id: mc.constraint.obj_d_navrh.xfk_obj_d_navrh_dod oracle name: XFK_OBJ_D_NAVRH_DOD	constraint type: FK column refs: mc.field.obj_d_navrh.dodavatel referenced column refs: mc.oracle.mc_obch_partneri.field.id	object ref: mc.object.obj_d_navrh enabled state: ENABLED validated state: VALIDATED referenced object ref: mc.oracle.mc_obch_partneri

Identita a zdroj	Technické vlastnosti	Význam status a důkazy
constraint id: mc.constraint.obj_d_navrh.xfk_obj_d_navrh_id_o oracle name: XFK_OBJ_D_NAVRH_ID_O	constraint type: FK column refs: mc.field.obj_d_navrh.id_o referenced column refs: mc.field.obj_d_navrh_l.id	object ref: mc.object.obj_d_navrh enabled state: ENABLED validated state: VALIDATED referenced object ref: mc.object.obj_d_navrh_l
constraint id: mc.constraint.obj_d_navrh.xfk_obj_d_navrh_kod_id oracle name: XFK_OBJ_D_NAVRH_KOD_ID	constraint type: FK column refs: mc.field.obj_d_navrh.kod_id referenced column refs: pur.boundary_field.mc.sklad_karta.id	object ref: mc.object.obj_d_navrh enabled state: ENABLED validated state: VALIDATED referenced object ref: pur.oracle.mc.sklad_karta.table
constraint id: mc.constraint.obj_d_navrh.xfk_obj_d_navrh_kod_id_v oracle name: XFK_OBJ_D_NAVRH_KOD_ID_V	constraint type: FK column refs: mc.field.obj_d_navrh.kod_id_v referenced column refs: pur.boundary_field.mc.sklad_karta.id	object ref: mc.object.obj_d_navrh enabled state: ENABLED validated state: VALIDATED referenced object ref: pur.oracle.mc.sklad_karta.table
constraint id: mc.constraint.obj_d_navrh.xfk_obj_d_navrh_sklad oracle name: XFK_OBJ_D_NAVRH_SKLAD	constraint type: FK column refs: mc.field.obj_d_navrh.sklad referenced column refs: mc.oracle.mc_bartex_pobocky.field.id	object ref: mc.object.obj_d_navrh enabled state: ENABLED validated state: VALIDATED referenced object ref: mc.oracle.mc_bartex_pobocky
constraint id: mc.constraint.obj_d_navrh.xfk_obj_d_navrh_sklad_objedn oracle name: XFK_OBJ_D_NAVRH_SKLAD_OBJEDN	constraint type: FK column refs: mc.field.obj_d_navrh.sklad_objednania referenced column refs: mc.oracle.mc_bartex_pobocky.field.id	object ref: mc.object.obj_d_navrh enabled state: ENABLED validated state: VALIDATED referenced object ref: mc.oracle.mc_bartex_pobocky
constraint id: mc.constraint.obj_d_navrh.xfk_obj_d_navrh_sklad_z oracle name: XFK_OBJ_D_NAVRH_SKLAD_Z	constraint type: FK column refs: mc.field.obj_d_navrh.sklad_z referenced column refs: mc.oracle.mc_bartex_pobocky.field.id	object ref: mc.object.obj_d_navrh enabled state: ENABLED validated state: VALIDATED referenced object ref: mc.oracle.mc_bartex_pobocky
constraint id: mc.constraint.obj_d_navrh.xfk_obj_d_navrh_typ_cis oracle name: XFK_OBJ_D_NAVRH_TYP_CIS	constraint type: FK column refs: mc.field.obj_d_navrh.typ_cis referenced column refs: pur.boundary_field.mc.typy_cis.id	object ref: mc.object.obj_d_navrh enabled state: ENABLED validated state: VALIDATED referenced object ref: pur.oracle.mc.typy_cis.table

Identita a zdroj	Technické vlastnosti	Význam status a důkazy
constraint id: mc.constraint.obj_d_navrh.xuk_obj_d_navrh_kod_id oracle name: XUK_OBJ_D_NAVRH_KOD_ID	constraint type: UQ column refs: mc.field.obj_d_navrh.kod_id mc.field.obj_d_navrh.dodavatel mc.field.obj_d_navrh.sklad mc.field.obj_d_navrh.sarza mc.field.obj_d_navrh.zdroj mc.field.obj_d_navrh.rid_v mc.field.obj_d_navrh.rid_v_obj_d mc.field.obj_d_navrh.rid_v_pl mc.field.obj_d_navrh.rid_v_prij mc.field.obj_d_navrh.stav mc.field.obj_d_navrh.termin_dod mc.field.obj_d_navrh.z_stamp mc.field.obj_d_navrh.kod_id_v mc.field.obj_d_navrh.uroven_v	object ref: mc.object.obj_d_navrh enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.obj_d_navrh_dokl.sys_c00260746 oracle name: SYS_C00260746	constraint type: CHECK column refs: mc.field.obj_d_navrh_dokl.id_o	object ref: mc.object.obj_d_navrh_dokl enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.obj_d_navrh_dokl.sys_c00260747 oracle name: SYS_C00260747	constraint type: CHECK column refs: mc.field.obj_d_navrh_dokl.rid_o	object ref: mc.object.obj_d_navrh_dokl enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.obj_d_navrh_dokl.sys_c00260748 oracle name: SYS_C00260748	constraint type: CHECK column refs: mc.field.obj_d_navrh_dokl.id_r	object ref: mc.object.obj_d_navrh_dokl enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.obj_d_navrh_dokl.sys_c00260749 oracle name: SYS_C00260749	constraint type: CHECK column refs: mc.field.obj_d_navrh_dokl.pocet	object ref: mc.object.obj_d_navrh_dokl enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.obj_d_navrh_dokl.sys_c00260750 oracle name: SYS_C00260750	constraint type: CHECK column refs: mc.field.obj_d_navrh_dokl.kod_id	object ref: mc.object.obj_d_navrh_dokl enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.obj_d_navrh_dokl.sys_c00260751 oracle name: SYS_C00260751	constraint type: CHECK column refs: mc.field.obj_d_navrh_dokl.typ	object ref: mc.object.obj_d_navrh_dokl enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.obj_d_navrh_dokl.sys_c00260752 oracle name: SYS_C00260752	constraint type: CHECK column refs: mc.field.obj_d_navrh_dokl.sklad	object ref: mc.object.obj_d_navrh_dokl enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.obj_d_navrh_dokl.xfk_obj_d_navrh_dokl_id_o oracle name: XFK_OBJ_D_NAVRH_DOKL_ID_O	constraint type: FK column refs: mc.field.obj_d_navrh_dokl.id_o referenced column refs: mc.field.obj_d_navrh_l.id	object ref: mc.object.obj_d_navrh_dokl enabled state: ENABLED validated state: VALIDATED referenced object ref: mc.object.obj_d_navrh_l

Identita a zdroj	Technické vlastnosti	Význam status a důkazy
constraint id: mc.constraint.obj_d_navrh_dokl_xfk_obj_d_navrh_dokl_kod_id oracle name: XFK_OBJ_D_NAVRH_DOKL_KOD_ID	constraint type: FK column refs: mc.field.obj_d_navrh_dokl.kod_id referenced column refs: pur.boundary_field.mc.sklad_karta.id	object ref: mc.object.obj_d_navrh_dokl enabled state: ENABLED validated state: VALIDATED referenced object ref: pur.oracle.mc.sklad_karta.table
constraint id: mc.constraint.obj_d_navrh_l.sys_c002041829 oracle name: SYS_C002041829	constraint type: CHECK column refs: mc.field.obj_d_navrh_l.pol_pod_min_stav	object ref: mc.object.obj_d_navrh_l enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.obj_d_navrh_l.sys_c002041830 oracle name: SYS_C002041830	constraint type: CHECK column refs: mc.field.obj_d_navrh_l.poniz_o_skladom	object ref: mc.object.obj_d_navrh_l enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.obj_d_navrh_l.sys_c002041831 oracle name: SYS_C002041831	constraint type: CHECK column refs: mc.field.obj_d_navrh_l.poniz_o_obj_d	object ref: mc.object.obj_d_navrh_l enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.obj_d_navrh_l.sys_c002041832 oracle name: SYS_C002041832	constraint type: CHECK column refs: mc.field.obj_d_navrh_l.poniz_o_obj_d_tmp	object ref: mc.object.obj_d_navrh_l enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.obj_d_navrh_l.sys_c002041833 oracle name: SYS_C002041833	constraint type: CHECK column refs: mc.field.obj_d_navrh_l.poniz_o_obj_transfer	object ref: mc.object.obj_d_navrh_l enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.obj_d_navrh_l.sys_c002041834 oracle name: SYS_C002041834	constraint type: CHECK column refs: mc.field.obj_d_navrh_l.poniz_o_vyd_transfer	object ref: mc.object.obj_d_navrh_l enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.obj_d_navrh_l.sys_c002041835 oracle name: SYS_C002041835	constraint type: CHECK column refs: mc.field.obj_d_navrh_l.dopl_n_min_obj	object ref: mc.object.obj_d_navrh_l enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.obj_d_navrh_l.sys_c002041836 oracle name: SYS_C002041836	constraint type: CHECK column refs: mc.field.obj_d_navrh_l.koef_nasobenia	object ref: mc.object.obj_d_navrh_l enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.obj_d_navrh_l.sys_c002041837 oracle name: SYS_C002041837	constraint type: CHECK column refs: mc.field.obj_d_navrh_l.zaokr_na_nak_davka	object ref: mc.object.obj_d_navrh_l enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.obj_d_navrh_l.sys_c002041838 oracle name: SYS_C002041838	constraint type: CHECK column refs: mc.field.obj_d_navrh_l.uvazuj_sk_alter_dod	object ref: mc.object.obj_d_navrh_l enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.obj_d_navrh_l.sys_c002043043 oracle name: SYS_C002043043	constraint type: CHECK column refs: mc.field.obj_d_navrh_l.podm_sk_nakup	object ref: mc.object.obj_d_navrh_l enabled state: ENABLED validated state: VALIDATED

Identita a zdroj	Technické vlastnosti	Význam status a důkazy
constraint id: mc.constraint.obj_d_navrh_l.sys_c00260740 oracle name: SYS_C00260740	constraint type: CHECK column refs: mc.field.obj_d_navrh_l.id	object ref: mc.object.obj_d_navrh_l enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.obj_d_navrh_l.sys_c00260741 oracle name: SYS_C00260741	constraint type: CHECK column refs: mc.field.obj_d_navrh_l.i_stamp	object ref: mc.object.obj_d_navrh_l enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.obj_d_navrh_l.sys_c00260742 oracle name: SYS_C00260742	constraint type: CHECK column refs: mc.field.obj_d_navrh_l.generuj_rez_is	object ref: mc.object.obj_d_navrh_l enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.obj_d_navrh_l.sys_c00260743 oracle name: SYS_C00260743	constraint type: CHECK column refs: mc.field.obj_d_navrh_l.stav	object ref: mc.object.obj_d_navrh_l enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.obj_d_navrh_l.sys_c00260744 oracle name: SYS_C00260744	constraint type: CHECK column refs: mc.field.obj_d_navrh_l.generuj_ako_ponuku	object ref: mc.object.obj_d_navrh_l enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.obj_d_navrh_l.sys_c00260745 oracle name: SYS_C00260745	constraint type: CHECK column refs: mc.field.obj_d_navrh_l.zachovaj_schvalene	object ref: mc.object.obj_d_navrh_l enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.obj_d_navrh_l.xp k_obj_d_navrh_l oracle name: XPK_OBJ_D_NAVRH_L	constraint type: PK column refs: mc.field.obj_d_navrh_l.id	object ref: mc.object.obj_d_navrh_l enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.obj_d_navrh_l.xfk _obj_d_navrh_l_dodavatel oracle name: XFK_OBJ_D_NAVRH_L_DODAVATEL	constraint type: FK column refs: mc.field.obj_d_navrh_l.dodavatel referenced column refs: mc.oracle.mc_obch_partneri.field.id	object ref: mc.object.obj_d_navrh_l enabled state: ENABLED validated state: VALIDATED referenced object ref: mc.oracle.mc_obch_partneri
constraint id: mc.constraint.obj_d_navrh_l.xfk _obj_d_navrh_l_sklad oracle name: XFK_OBJ_D_NAVRH_L_SKLAD	constraint type: FK column refs: mc.field.obj_d_navrh_l.sklad referenced column refs: mc.oracle.mc_bartex_pobocky.field.id	object ref: mc.object.obj_d_navrh_l enabled state: ENABLED validated state: VALIDATED referenced object ref: mc.oracle.mc_bartex_pobocky
constraint id: mc.constraint.obj_d_navrh_log. sys_c00244457 oracle name: SYS_C00244457	constraint type: CHECK column refs: mc.field.obj_d_navrh_log.rid	object ref: mc.object.obj_d_navrh_log enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.obj_d_navrh_log. sys_c00244458 oracle name: SYS_C00244458	constraint type: CHECK column refs: mc.field.obj_d_navrh_log.pocet	object ref: mc.object.obj_d_navrh_log enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.obj_d_navrh_log. sys_c00244459 oracle name: SYS_C00244459	constraint type: CHECK column refs: mc.field.obj_d_navrh_log.pocet_obj	object ref: mc.object.obj_d_navrh_log enabled state: ENABLED validated state: VALIDATED

Identita a zdroj	Technické vlastnosti	Význam status a důkazy
constraint id: mc.constraint.obj_d_navrh_log. sys_c00244460 oracle name: SYS_C00244460	constraint type: CHECK column refs: mc.field.obj_d_navrh_log.i_stamp	object ref: mc.object.obj_d_navrh_log enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.obj_d_navrh_log. sys_c00244461 oracle name: SYS_C00244461	constraint type: CHECK column refs: mc.field.obj_d_navrh_log.s_stamp	object ref: mc.object.obj_d_navrh_log enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.obj_d_navrh_log. sys_c00244462 oracle name: SYS_C00244462	constraint type: CHECK column refs: mc.field.obj_d_navrh_log.z_stamp	object ref: mc.object.obj_d_navrh_log enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.obj_d_navrh_log. sys_c00244463 oracle name: SYS_C00244463	constraint type: CHECK column refs: mc.field.obj_d_navrh_log.urgentne	object ref: mc.object.obj_d_navrh_log enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.obj_d_navrh_log. sys_c00244464 oracle name: SYS_C00244464	constraint type: CHECK column refs: mc.field.obj_d_navrh_log.ok	object ref: mc.object.obj_d_navrh_log enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.obj_d_navrh_log. sys_c00244465 oracle name: SYS_C00244465	constraint type: CHECK column refs: mc.field.obj_d_navrh_log.kod_id	object ref: mc.object.obj_d_navrh_log enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.obj_d_navrh_log. sys_c00244466 oracle name: SYS_C00244466	constraint type: CHECK column refs: mc.field.obj_d_navrh_log.sarza	object ref: mc.object.obj_d_navrh_log enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.obj_d_navrh_log. sys_c00244467 oracle name: SYS_C00244467	constraint type: CHECK column refs: mc.field.obj_d_navrh_log.zdroj	object ref: mc.object.obj_d_navrh_log enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.obj_d_navrh_log. sys_c00244468 oracle name: SYS_C00244468	constraint type: CHECK column refs: mc.field.obj_d_navrh_log.stav	object ref: mc.object.obj_d_navrh_log enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.obj_d_navrh_vyr. sys_c003121629 oracle name: SYS_C003121629	constraint type: CHECK column refs: mc.field.obj_d_navrh_vyr.id	object ref: mc.object.obj_d_navrh_vyr enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.obj_d_navrh_vyr. sys_c003121631 oracle name: SYS_C003121631	constraint type: CHECK column refs: mc.field.obj_d_navrh_vyr.kod_id	object ref: mc.object.obj_d_navrh_vyr enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.obj_d_navrh_vyr. sys_c003121632 oracle name: SYS_C003121632	constraint type: CHECK column refs: mc.field.obj_d_navrh_vyr.pocet	object ref: mc.object.obj_d_navrh_vyr enabled state: ENABLED validated state: VALIDATED

Identita a zdroj	Technické vlastnosti	Význam status a důkazy
constraint id: mc.constraint.obj_d_navrh_vyr. sys_c003121633 oracle name: SYS_C003121633	constraint type: CHECK column refs: mc.field.obj_d_navrh_vyr.pocet_obj	object ref: mc.object.obj_d_navrh_vyr enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.obj_d_navrh_vyr. sys_c003121634 oracle name: SYS_C003121634	constraint type: CHECK column refs: mc.field.obj_d_navrh_vyr.pocet_prev	object ref: mc.object.obj_d_navrh_vyr enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.obj_d_navrh_vyr. sys_c003121635 oracle name: SYS_C003121635	constraint type: CHECK column refs: mc.field.obj_d_navrh_vyr.pocet_obj_prev	object ref: mc.object.obj_d_navrh_vyr enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.obj_d_navrh_vyr. sys_c003121636 oracle name: SYS_C003121636	constraint type: CHECK column refs: mc.field.obj_d_navrh_vyr.stav_n	object ref: mc.object.obj_d_navrh_vyr enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.obj_d_navrh_vyr. sys_c003121637 oracle name: SYS_C003121637	constraint type: CHECK column refs: mc.field.obj_d_navrh_vyr.rid_v	object ref: mc.object.obj_d_navrh_vyr enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.obj_d_navrh_vyr. sys_c003121638 oracle name: SYS_C003121638	constraint type: CHECK column refs: mc.field.obj_d_navrh_vyr.kod_id_v	object ref: mc.object.obj_d_navrh_vyr enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.obj_d_navrh_vyr. sys_c003121639 oracle name: SYS_C003121639	constraint type: CHECK column refs: mc.field.obj_d_navrh_vyr.pocet_vyr	object ref: mc.object.obj_d_navrh_vyr enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.obj_d_navrh_vyr. sys_c003121640 oracle name: SYS_C003121640	constraint type: CHECK column refs: mc.field.obj_d_navrh_vyr.pocet_vyr_prev	object ref: mc.object.obj_d_navrh_vyr enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.obj_d_navrh_vyr. sys_c003121641 oracle name: SYS_C003121641	constraint type: CHECK column refs: mc.field.obj_d_navrh_vyr.uzavreta_vyr	object ref: mc.object.obj_d_navrh_vyr enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.obj_d_navrh_vyr. sys_c003121642 oracle name: SYS_C003121642	constraint type: CHECK column refs: mc.field.obj_d_navrh_vyr.datum_i	object ref: mc.object.obj_d_navrh_vyr enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.obj_d_navrh_vyr. sys_c003121643 oracle name: SYS_C003121643	constraint type: CHECK column refs: mc.field.obj_d_navrh_vyr.id_user	object ref: mc.object.obj_d_navrh_vyr enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.obj_d_navrh_vyr. sys_c003121649 oracle name: SYS_C003121649	constraint type: CHECK column refs: mc.field.obj_d_navrh_vyr.upd_n	object ref: mc.object.obj_d_navrh_vyr enabled state: ENABLED validated state: VALIDATED

Identita a zdroj	Technické vlastnosti	Význam status a důkazy
constraint id: mc.constraint.obj_d_navrh_vyr. xpk_obj_d_navrh_vyr oracle name: XPK_OBJ_D_NAVRH_VYR	constraint type: PK column refs: mc.field.obj_d_navrh_vyr.id	object ref: mc.object.obj_d_navrh_vyr enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.obj_d_navrh_vyr. xfk_obj_d_n_vyr_id_user oracle name: XFK_OBJ_D_N_VYR_ID_USER	constraint type: FK column refs: mc.field.obj_d_navrh_vyr.id_user referenced column refs: mc.oracle.mc_b_users.field.id	object ref: mc.object.obj_d_navrh_vyr enabled state: ENABLED validated state: VALIDATED referenced object ref: mc.oracle.mc_b_users
constraint id: mc.constraint.obj_d_navrh_vyr. xfk_obj_d_n_vyr_kod_id oracle name: XFK_OBJ_D_N_VYR_KOD_ID	constraint type: FK column refs: mc.field.obj_d_navrh_vyr.kod_id referenced column refs: pur.boundary_field.mc.sklad_karta.id	object ref: mc.object.obj_d_navrh_vyr enabled state: ENABLED validated state: VALIDATED referenced object ref: pur.oracle.mc.sklad_karta.table
constraint id: mc.constraint.obj_d_navrh_vyr. xfk_obj_d_n_vyr_kod_id_v oracle name: XFK_OBJ_D_N_VYR_KOD_ID_V	constraint type: FK column refs: mc.field.obj_d_navrh_vyr.kod_id_v referenced column refs: pur.boundary_field.mc.sklad_karta.id	object ref: mc.object.obj_d_navrh_vyr enabled state: ENABLED validated state: VALIDATED referenced object ref: pur.oracle.mc.sklad_karta.table
constraint id: mc.constraint.obj_d_navrh_vyr. xfk_obj_d_n_vyr_rid_n oracle name: XFK_OBJ_D_N_VYR_RID_N	constraint type: FK column refs: mc.field.obj_d_navrh_vyr.rid_n referenced column refs: mc.field.obj_d_navrh.rid	object ref: mc.object.obj_d_navrh_vyr enabled state: DISABLED validated state: NOT VALIDATED referenced object ref: mc.object.obj_d_navrh
constraint id: mc.constraint.obj_d_podklad.sys_c00249718 oracle name: SYS_C00249718	constraint type: CHECK column refs: mc.field.obj_d_podklad.id	object ref: mc.object.obj_d_podklad enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.obj_d_podklad.sys_c00249719 oracle name: SYS_C00249719	constraint type: CHECK column refs: mc.field.obj_d_podklad.kod_id	object ref: mc.object.obj_d_podklad enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.obj_d_podklad.sys_c00249720 oracle name: SYS_C00249720	constraint type: CHECK column refs: mc.field.obj_d_podklad.pocet	object ref: mc.object.obj_d_podklad enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.obj_d_podklad.sys_c00249721 oracle name: SYS_C00249721	constraint type: CHECK column refs: mc.field.obj_d_podklad.sarza	object ref: mc.object.obj_d_podklad enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.obj_d_podklad.sys_c00249722 oracle name: SYS_C00249722	constraint type: CHECK column refs: mc.field.obj_d_podklad.p_akt_sklad	object ref: mc.object.obj_d_podklad enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.obj_d_podklad.sys_c00249723 oracle name: SYS_C00249723	constraint type: CHECK column refs: mc.field.obj_d_podklad.p_str_obj	object ref: mc.object.obj_d_podklad enabled state: ENABLED validated state: VALIDATED

Identita a zdroj	Technické vlastnosti	Význam status a důkazy
constraint id: mc.constraint.obj_d_podklad.sys_c00249724 oracle name: SYS_C00249724	constraint type: CHECK column refs: mc.field.obj_d_podklad.p_dod_obj	object ref: mc.object.obj_d_podklad enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.obj_d_podklad.sys_c00249725 oracle name: SYS_C00249725	constraint type: CHECK column refs: mc.field.obj_d_podklad.p_col_sklad	object ref: mc.object.obj_d_podklad enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.obj_d_podklad.sys_c00249726 oracle name: SYS_C00249726	constraint type: CHECK column refs: mc.field.obj_d_podklad.p_vyd_na_cesta	object ref: mc.object.obj_d_podklad enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.obj_d_podklad.sys_c00249727 oracle name: SYS_C00249727	constraint type: CHECK column refs: mc.field.obj_d_podklad.p_vyd_zapozic	object ref: mc.object.obj_d_podklad enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.obj_d_podklad.sys_c00249728 oracle name: SYS_C00249728	constraint type: CHECK column refs: mc.field.obj_d_podklad.p_obj_str	object ref: mc.object.obj_d_podklad enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.obj_d_podklad.sys_c00249729 oracle name: SYS_C00249729	constraint type: CHECK column refs: mc.field.obj_d_podklad.p_obj_ser	object ref: mc.object.obj_d_podklad enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.obj_d_podklad.sys_c00249730 oracle name: SYS_C00249730	constraint type: CHECK column refs: mc.field.obj_d_podklad.p_obj_odb	object ref: mc.object.obj_d_podklad enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.obj_d_podklad.sys_c00249731 oracle name: SYS_C00249731	constraint type: CHECK column refs: mc.field.obj_d_podklad.p_obj_ml	object ref: mc.object.obj_d_podklad enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.obj_d_podklad.sys_c00249732 oracle name: SYS_C00249732	constraint type: CHECK column refs: mc.field.obj_d_podklad.p_obj_op	object ref: mc.object.obj_d_podklad enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.obj_d_podklad.sys_c00249733 oracle name: SYS_C00249733	constraint type: CHECK column refs: mc.field.obj_d_podklad.suma_makro	object ref: mc.object.obj_d_podklad enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.obj_d_podklad.sys_c00249734 oracle name: SYS_C00249734	constraint type: CHECK column refs: mc.field.obj_d_podklad.p_vrstva_bal	object ref: mc.object.obj_d_podklad enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.obj_d_podklad.sys_c00249735 oracle name: SYS_C00249735	constraint type: CHECK column refs: mc.field.obj_d_podklad.p_paleta_bal	object ref: mc.object.obj_d_podklad enabled state: ENABLED validated state: VALIDATED

Identita a zdroj	Technické vlastnosti	Význam status a důkazy
constraint id: mc.constraint.obj_d_podklad.sys_c00249736 oracle name: SYS_C00249736	constraint type: CHECK column refs: mc.field.obj_d_podklad.p_dod_bal	object ref: mc.object.obj_d_podklad enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.obj_d_podklad.sys_c00249737 oracle name: SYS_C00249737	constraint type: CHECK column refs: mc.field.obj_d_podklad.rid_mm	object ref: mc.object.obj_d_podklad enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.obj_d_podklad.sys_c00249738 oracle name: SYS_C00249738	constraint type: CHECK column refs: mc.field.obj_d_podklad.s_stamp	object ref: mc.object.obj_d_podklad enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.obj_d_podklad.sys_c00249739 oracle name: SYS_C00249739	constraint type: CHECK column refs: mc.field.obj_d_podklad.p_prij_na_cestu	object ref: mc.object.obj_d_podklad enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.obj_d_podklad.xpk_obj_d_podklad oracle name: XPK_OBJ_D_PODKLAD	constraint type: PK column refs: mc.field.obj_d_podklad.id	object ref: mc.object.obj_d_podklad enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.obj_d_podklad.xfk_obj_d_podklad_kod_id oracle name: XFK_OBJ_D_PODKLAD_KOD_ID	constraint type: FK column refs: mc.field.obj_d_podklad.kod_id referenced column refs: pur.boundary_field.mc.sklad_karta.id	object ref: mc.object.obj_d_podklad enabled state: ENABLED validated state: VALIDATED referenced object ref: pur.oracle.mc.sklad_karta.table
constraint id: mc.constraint.obj_d_podklad.xfk_obj_d_podklad_sklad oracle name: XFK_OBJ_D_PODKLAD_SKLAD	constraint type: FK column refs: mc.field.obj_d_podklad.sklad referenced column refs: mc.oracle.mc_bartex_pobocky.field.id	object ref: mc.object.obj_d_podklad enabled state: ENABLED validated state: VALIDATED referenced object ref: mc.oracle.mc_bartex_pobocky
constraint id: mc.constraint.obj_d_podklad.xuk_obj_d_podklad_kss oracle name: XUK_OBJ_D_PODKLAD_KSS	constraint type: UQ column refs: mc.field.obj_d_podklad.kod_id mc.field.obj_d_podklad.sklad mc.field.obj_d_podklad.sarza	object ref: mc.object.obj_d_podklad enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.obj_d_rozd_blokacii.sys_c00290163 oracle name: SYS_C00290163	constraint type: CHECK column refs: mc.field.obj_d_rozd_blokacii.id	object ref: mc.object.obj_d_rozd_blokacii enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.obj_d_rozd_blokacii.sys_c00290164 oracle name: SYS_C00290164	constraint type: CHECK column refs: mc.field.obj_d_rozd_blokacii.skratka	object ref: mc.object.obj_d_rozd_blokacii enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.obj_d_rozd_blokacii.sys_c00290165 oracle name: SYS_C00290165	constraint type: CHECK column refs: mc.field.obj_d_rozd_blokacii.i_stamp	object ref: mc.object.obj_d_rozd_blokacii enabled state: ENABLED validated state: VALIDATED

Identita a zdroj	Technické vlastnosti	Význam status a důkazy
constraint id: mc.constraint.obj_d_rozd_bloka cii.sys_c00290166 oracle name: SYS_C00290166	constraint type: CHECK column refs: mc.field.obj_d_rozd_blokacii.u_stamp	object ref: mc.object.obj_d_rozd_blokacii enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.obj_d_rozd_bloka cii.sys_c00290167 oracle name: SYS_C00290167	constraint type: CHECK column refs: mc.field.obj_d_rozd_blokacii.s_stamp	object ref: mc.object.obj_d_rozd_blokacii enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.obj_d_rozd_bloka cii.sys_c00290168 oracle name: SYS_C00290168	constraint type: CHECK column refs: mc.field.obj_d_rozd_blokacii.sklad	object ref: mc.object.obj_d_rozd_blokacii enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.obj_d_rozd_bloka cii.sys_c00290169 oracle name: SYS_C00290169	constraint type: CHECK column refs: mc.field.obj_d_rozd_blokacii.nazov	object ref: mc.object.obj_d_rozd_blokacii enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.obj_d_rozd_bloka cii.sys_c00290170 oracle name: SYS_C00290170	constraint type: CHECK column refs: mc.field.obj_d_rozd_blokacii.pocet	object ref: mc.object.obj_d_rozd_blokacii enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.obj_d_rozd_bloka cii.sys_c00290171 oracle name: SYS_C00290171	constraint type: CHECK column refs: mc.field.obj_d_rozd_blokacii.p_del	object ref: mc.object.obj_d_rozd_blokacii enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.obj_d_rozd_bloka cii.sys_c00290172 oracle name: SYS_C00290172	constraint type: CHECK column refs: mc.field.obj_d_rozd_blokacii.kod_id	object ref: mc.object.obj_d_rozd_blokacii enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.obj_d_rozd_bloka cii.sys_c00290173 oracle name: SYS_C00290173	constraint type: CHECK column refs: mc.field.obj_d_rozd_blokacii.rid_r	object ref: mc.object.obj_d_rozd_blokacii enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.obj_d_rozd_bloka cii.sys_c00290174 oracle name: SYS_C00290174	constraint type: CHECK column refs: mc.field.obj_d_rozd_blokacii.rid_ct	object ref: mc.object.obj_d_rozd_blokacii enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.obj_d_rozd_bloka cii.sys_c00290175 oracle name: SYS_C00290175	constraint type: CHECK column refs: mc.field.obj_d_rozd_blokacii.p_rez	object ref: mc.object.obj_d_rozd_blokacii enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.obj_d_rozd_bloka cii.xc_obj_d_rozd_blokacii_pocet oracle name: XC_OBJ_D_ROZD_BLOKACII_POCET	constraint type: CHECK column refs: mc.field.obj_d_rozd_blokacii.p_rez mc.field.obj_d_rozd_blokacii.p_del mc.field.obj_d_rozd_blokacii.pocet	object ref: mc.object.obj_d_rozd_blokacii enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.obj_d_rozd_bloka cii.xpk_obj_d_rozd_blok oracle name: XPK_OBJ_D_ROZD_BLOK	constraint type: PK column refs: mc.field.obj_d_rozd_blokacii.id	object ref: mc.object.obj_d_rozd_blokacii enabled state: ENABLED validated state: VALIDATED

Identita a zdroj	Technické vlastnosti	Význam status a důkazy
constraint id: mc.constraint.obj_d_rozd_bloka cii.xfk_obj_d_rozd_blokacii_kod_id oracle name: XFK_OBJ_D_ROZD_BLOKACII_KOD_ID	constraint type: FK column refs: mc.field.obj_d_rozd_blokacii.kod_id referenced column refs: pur.boundary_field.mc.sklad_karta.id	object ref: mc.object.obj_d_rozd_blokacii enabled state: ENABLED validated state: VALIDATED referenced object ref: pur.oracle.mc.sklad_karta.table
constraint id: mc.constraint.obj_d_rozd_bloka cii.xfk_obj_d_rozd_blok_id_v oracle name: XFK_OBJ_D_ROZD_BLOK_ID_V	constraint type: FK column refs: mc.field.obj_d_rozd_blokacii.id_v referenced column refs: mc.field.obj_d_rozd_blokacii.id	object ref: mc.object.obj_d_rozd_blokacii enabled state: ENABLED validated state: VALIDATED referenced object ref: mc.object.obj_d_rozd_blokacii
constraint id: mc.constraint.obj_d_rozd_bloka cii.xfk_obj_d_rozd_blok_rid_ct oracle name: XFK_OBJ_D_ROZD_BLOK_RID_CT	constraint type: FK column refs: mc.field.obj_d_rozd_blokacii.rid_ct referenced column refs: pur.boundary_field.mc.ct_o.rid_obj	object ref: mc.object.obj_d_rozd_blokacii enabled state: ENABLED validated state: VALIDATED referenced object ref: pur.oracle.mc.ct_o.table
constraint id: mc.constraint.obj_d_rozd_bloka cii.xfk_obj_d_rozd_blok_sklad oracle name: XFK_OBJ_D_ROZD_BLOK_SKLAD	constraint type: FK column refs: mc.field.obj_d_rozd_blokacii.sklad referenced column refs: mc.oracle.mc_bartex_pobocky.field.id	object ref: mc.object.obj_d_rozd_blokacii enabled state: ENABLED validated state: VALIDATED referenced object ref: mc.oracle.mc_bartex_pobocky
constraint id: mc.constraint.obj_d_rozd_bloka cii.xuk_obj_d_rozd_blok_rid_r oracle name: XUK_OBJ_D_ROZD_BLOK_RID_R	constraint type: UQ column refs: mc.field.obj_d_rozd_blokacii.rid_r mc.field.obj_d_rozd_blokacii.rid_ct	object ref: mc.object.obj_d_rozd_blokacii enabled state: ENABLED validated state: VALIDATED
constraint id: mc.constraint.obj_d_rozd_bloka cii.xuk_obj_d_rozd_blok_skratka oracle name: XUK_OBJ_D_ROZD_BLOK_SKRATKA	constraint type: UQ column refs: mc.field.obj_d_rozd_blokacii.skratka mc.field.obj_d_rozd_blokacii.sklad	object ref: mc.object.obj_d_rozd_blokacii enabled state: ENABLED validated state: VALIDATED

Indexy

Canonical source: catalog/purchasing/indexes.yaml

schema version: 1.0

kind: indexes

id: pur.indexes.001

Společné vlastnosti všech záznamů následující tabulky

Status: TECHNICKY ZNÁME

Důkazy: pur.evidence.mp01_d

Identita a zdroj	Technické vlastnosti	Význam status a dôkazy
index id: mc.index.objd_l.xpk_objd_l oracle name: XPK_OBJD_L	column or expression entries: position: 1 field ref: mc.field.objd_l.rid direction: ASC	object ref: mc.object.objd_l uniqueness: UNIQUE function based: false Obmedzenia: INDEX_TYPE=NORMAL; STATUS=VALID. Pri hidden SYS_NC stĺpci je zachovaný len exportovaný názov; underlying function expression nebol dodaný.
index id: mc.index.objd_l.xpk_objd_l_skratka oracle name: XPK_OBJD_L_SKRATKA	column or expression entries: position: 1 field ref: mc.field.objd_l.skratka direction: ASC position: 2 field ref: mc.field.objd_l.sklad direction: ASC	object ref: mc.object.objd_l uniqueness: UNIQUE function based: false Obmedzenia: INDEX_TYPE=NORMAL; STATUS=VALID. Pri hidden SYS_NC stĺpci je zachovaný len exportovaný názov; underlying function expression nebol dodaný.
index id: mc.index.objd_l.xuk_objd_l_id_datum_sklad oracle name: XUK_OBJD_L_ID_DATUM_SKLAD	column or expression entries: position: 1 field ref: mc.field.objd_l.id direction: ASC position: 2 field ref: mc.field.objd_l.sklad direction: ASC position: 3 field ref: mc.field.objd_l.datum direction: ASC	object ref: mc.object.objd_l uniqueness: UNIQUE function based: false Obmedzenia: INDEX_TYPE=NORMAL; STATUS=VALID. Pri hidden SYS_NC stĺpci je zachovaný len exportovaný názov; underlying function expression nebol dodaný.
index id: mc.index.objd_l.x_objd_l_datum oracle name: X_OBJD_L_DATUM	column or expression entries: position: 1 field ref: mc.field.objd_l.datum direction: ASC	object ref: mc.object.objd_l uniqueness: NONUNIQUE function based: false Obmedzenia: INDEX_TYPE=NORMAL; STATUS=VALID. Pri hidden SYS_NC stĺpci je zachovaný len exportovaný názov; underlying function expression nebol dodaný.
index id: mc.index.objd_l.x_objd_l_datum_p oracle name: X_OBJD_L_DATUM_P	column or expression entries: position: 1 field ref: mc.field.objd_l.datum_p direction: ASC	object ref: mc.object.objd_l uniqueness: NONUNIQUE function based: false Obmedzenia: INDEX_TYPE=NORMAL; STATUS=VALID. Pri hidden SYS_NC stĺpci je zachovaný len exportovaný názov; underlying function expression nebol dodaný.
index id: mc.index.objd_l.x_objd_l_modif_i oracle name: X_OBJD_L_MODIF_I	column or expression entries: position: 1 field ref: mc.field.objd_l.modif_i direction: ASC	object ref: mc.object.objd_l uniqueness: NONUNIQUE function based: false Obmedzenia: INDEX_TYPE=NORMAL; STATUS=VALID. Pri hidden SYS_NC stĺpci je zachovaný len exportovaný názov; underlying function expression nebol dodaný.

Identita a zdroj	Technické vlastnosti	Význam status a dôkazy
index id: mc.index.objd_l.x_objd_l_modif_u oracle name: X_OBJD_L_MODIF_U	column or expression entries: position: 1 field ref: mc.field.objd_l.modif_u direction: ASC	object ref: mc.object.objd_l uniqueness: NONUNIQUE function based: false Obmedzenia: INDEX_TYPE=NORMAL; STATUS=VALID. Pri hidden SYS_NC stĺpci je zachovaný len exportovaný názov; underlying function expression nebol dodaný.
index id: mc.index.objd_l.x_objd_l_partner oracle name: X_OBJD_L_PARTNER	column or expression entries: position: 1 field ref: mc.field.objd_l.partner direction: ASC	object ref: mc.object.objd_l uniqueness: NONUNIQUE function based: false Obmedzenia: INDEX_TYPE=NORMAL; STATUS=VALID. Pri hidden SYS_NC stĺpci je zachovaný len exportovaný názov; underlying function expression nebol dodaný.
index id: mc.index.objd_l.x_objd_l_rid_v oracle name: X_OBJD_L_RID_V	column or expression entries: position: 1 field ref: mc.field.objd_l.rid_v direction: ASC	object ref: mc.object.objd_l uniqueness: NONUNIQUE function based: false Obmedzenia: INDEX_TYPE=NORMAL; STATUS=VALID. Pri hidden SYS_NC stĺpci je zachovaný len exportovaný názov; underlying function expression nebol dodaný.
index id: mc.index.objd_l.x_objd_l_s1 oracle name: X_OBJD_L_S1	column or expression entries: position: 1 field ref: mc.field.objd_l.sklad direction: ASC position: 2 field ref: mc.field.objd_l.s_stamp direction: ASC position: 3 field ref: mc.field.objd_l.datum direction: ASC position: 4 field ref: mc.field.objd_l.rid direction: ASC	object ref: mc.object.objd_l uniqueness: NONUNIQUE function based: false Obmedzenia: INDEX_TYPE=NORMAL; STATUS=VALID. Pri hidden SYS_NC stĺpci je zachovaný len exportovaný názov; underlying function expression nebol dodaný.
index id: mc.index.objd_l.x_objd_l_s2 oracle name: X_OBJD_L_S2	column or expression entries: position: 1 field ref: mc.field.objd_l.rid direction: ASC position: 2 field ref: mc.field.objd_l.s_stamp direction: ASC position: 3 field ref: mc.field.objd_l.flags_s direction: ASC position: 4 field ref: mc.field.objd_l.termin_dod direction: ASC	object ref: mc.object.objd_l uniqueness: NONUNIQUE function based: false Obmedzenia: INDEX_TYPE=NORMAL; STATUS=VALID. Pri hidden SYS_NC stĺpci je zachovaný len exportovaný názov; underlying function expression nebol dodaný.

Identita a zdroj	Technické vlastnosti	Význam status a dôkazy
index id: mc.index.objd_l.x_objd_l_sklad oracle name: X_OBJD_L_SKLAD	column or expression entries: position: 1 field ref: mc.field.objd_l.sklad direction: ASC	object ref: mc.object.objd_l uniqueness: NONUNIQUE function based: false Obmedzenia: INDEX_TYPE=NORMAL; STATUS=VALID. Pri hidden SYS_NC stĺpci je zachovaný len exportovaný názov; underlying function expression nebol dodaný.
index id: mc.index.objd_l.x_objd_l_typ_cis_v oracle name: X_OBJD_L_TYP_CIS_V	column or expression entries: position: 1 field ref: mc.field.objd_l.typ_cis direction: ASC position: 2 field ref: mc.field.objd_l.rid_v direction: ASC position: 3 field ref: mc.field.objd_l.dod_list direction: ASC position: 4 field ref: mc.field.objd_l.s_stamp direction: ASC	object ref: mc.object.objd_l uniqueness: NONUNIQUE function based: false Obmedzenia: INDEX_TYPE=NORMAL; STATUS=VALID. Pri hidden SYS_NC stĺpci je zachovaný len exportovaný názov; underlying function expression nebol dodaný.
index id: mc.index.objd_l.x_objd_l_zakazka oracle name: X_OBJD_L_ZAKAZKA	column or expression entries: position: 1 field ref: mc.field.objd_l.zakazka direction: ASC	object ref: mc.object.objd_l uniqueness: NONUNIQUE function based: false Obmedzenia: INDEX_TYPE=NORMAL; STATUS=VALID. Pri hidden SYS_NC stĺpci je zachovaný len exportovaný názov; underlying function expression nebol dodaný.
index id: mc.index.objd_o.xpk_objd_o oracle name: XPK_OBJD_O	column or expression entries: position: 1 field ref: mc.field.objd_o.rid_o direction: ASC position: 2 field ref: mc.field.objd_o.id_r direction: ASC	object ref: mc.object.objd_o uniqueness: UNIQUE function based: false Obmedzenia: INDEX_TYPE=NORMAL; STATUS=VALID. Pri hidden SYS_NC stĺpci je zachovaný len exportovaný názov; underlying function expression nebol dodaný.
index id: mc.index.objd_o.x_objd_o_kod_id oracle name: X_OBJD_O_KOD_ID	column or expression entries: position: 1 field ref: mc.field.objd_o.kod_id direction: ASC	object ref: mc.object.objd_o uniqueness: NONUNIQUE function based: false Obmedzenia: INDEX_TYPE=NORMAL; STATUS=VALID. Pri hidden SYS_NC stĺpci je zachovaný len exportovaný názov; underlying function expression nebol dodaný.
index id: mc.index.objd_o.x_objd_o_modif_i oracle name: X_OBJD_O_MODIF_I	column or expression entries: position: 1 field ref: mc.field.objd_o.modif_i direction: ASC	object ref: mc.object.objd_o uniqueness: NONUNIQUE function based: false Obmedzenia: INDEX_TYPE=NORMAL; STATUS=VALID. Pri hidden SYS_NC stĺpci je zachovaný len exportovaný názov; underlying function expression nebol dodaný.

Identita a zdroj	Technické vlastnosti	Význam status a dôkazy
index id: mc.index.objd_o.x_objd_o_modif_u oracle name: X_OBJD_O_MODIF_U	column or expression entries: position: 1 field ref: mc.field.objd_o.modif_u direction: ASC	object ref: mc.object.objd_o uniqueness: NONUNIQUE function based: false Obmedzenia: INDEX_TYPE=NORMAL; STATUS=VALID. Pri hidden SYS_NC stĺpci je zachovaný len exportovaný názov; underlying function expression nebol dodaný.
index id: mc.index.objd_o.x_objd_o_rid_n oracle name: X_OBJD_O_RID_N	column or expression entries: position: 1 field ref: mc.field.objd_o.rid_n direction: ASC	object ref: mc.object.objd_o uniqueness: NONUNIQUE function based: false Obmedzenia: INDEX_TYPE=NORMAL; STATUS=VALID. Pri hidden SYS_NC stĺpci je zachovaný len exportovaný názov; underlying function expression nebol dodaný.
index id: mc.index.objd_o.x_objd_o_rid_o oracle name: X_OBJD_O_RID_O	column or expression entries: position: 1 field ref: mc.field.objd_o.rid_o direction: ASC	object ref: mc.object.objd_o uniqueness: NONUNIQUE function based: false Obmedzenia: INDEX_TYPE=NORMAL; STATUS=VALID. Pri hidden SYS_NC stĺpci je zachovaný len exportovaný názov; underlying function expression nebol dodaný.
index id: mc.index.objd_o.x_objd_o_rid_r oracle name: X_OBJD_O_RID_R	column or expression entries: position: 1 expression raw: SYS_NC00048\$ direction: ASC	object ref: mc.object.objd_o uniqueness: UNIQUE function based: true Obmedzenia: INDEX_TYPE=FUNCTION-BASED NORMAL; STATUS=VALID. Pri hidden SYS_NC stĺpci je zachovaný len exportovaný názov; underlying function expression nebol dodaný.
index id: mc.index.objd_o.x_objd_o_rid_v oracle name: X_OBJD_O_RID_V	column or expression entries: position: 1 field ref: mc.field.objd_o.rid_v direction: ASC	object ref: mc.object.objd_o uniqueness: NONUNIQUE function based: false Obmedzenia: INDEX_TYPE=NORMAL; STATUS=VALID. Pri hidden SYS_NC stĺpci je zachovaný len exportovaný názov; underlying function expression nebol dodaný.
index id: mc.index.objd_o.x_objd_o_s1 oracle name: X_OBJD_O_S1	column or expression entries: position: 1 field ref: mc.field.objd_o.kod_id direction: ASC position: 2 expression raw: SYS_NC00049\$ direction: ASC position: 3 field ref: mc.field.objd_o.rid_o direction: ASC	object ref: mc.object.objd_o uniqueness: NONUNIQUE function based: true Obmedzenia: INDEX_TYPE=FUNCTION-BASED NORMAL; STATUS=VALID. Pri hidden SYS_NC stĺpci je zachovaný len exportovaný názov; underlying function expression nebol dodaný.

Identita a zdroj	Technické vlastnosti	Význam status a dôkazy
index id: mc.index.objd_o.x_objd_o_s2 oracle name: X_OBJD_O_S2	column or expression entries: position: 1 field ref: mc.field.objd_o.rid_o direction: ASC position: 2 field ref: mc.field.objd_o.rid_v direction: ASC position: 3 field ref: mc.field.objd_o.termin_dod direction: ASC position: 4 expression raw: SYS_NC00051\$ direction: ASC	object ref: mc.object.objd_o uniqueness: NONUNIQUE function based: true Obmedzenia: INDEX_TYPE=FUNCTION-BASED NORMAL; STATUS=VALID. Pri hidden SYS_NC stĺpci je zachovaný len exportovaný názov; underlying function expression nebol dodaný.
index id: mc.index.obj_d_kombajn.xpk_obj_d_kombajn oracle name: XPK_OBJ_D_KOMBAJN	column or expression entries: position: 1 field ref: mc.field.obj_d_kombajn.id direction: ASC	object ref: mc.object.obj_d_kombajn uniqueness: UNIQUE function based: false Obmedzenia: INDEX_TYPE=NORMAL; STATUS=VALID. Pri hidden SYS_NC stĺpci je zachovaný len exportovaný názov; underlying function expression nebol dodaný.
index id: mc.index.obj_d_kombajn.x_obj_d_kombajn_reserve_sklad oracle name: X_OBJ_D_KOMBAJN_RESERVE_SKLAD	column or expression entries: position: 1 field ref: mc.field.obj_d_kombajn.reserve direction: ASC position: 2 field ref: mc.field.obj_d_kombajn.sklad direction: ASC	object ref: mc.object.obj_d_kombajn uniqueness: NONUNIQUE function based: false Obmedzenia: INDEX_TYPE=NORMAL; STATUS=VALID. Pri hidden SYS_NC stĺpci je zachovaný len exportovaný názov; underlying function expression nebol dodaný.
index id: mc.index.obj_d_navrh.xfk_obj_d_navrh oracle name: XFK_OBJ_D_NAVRH	column or expression entries: position: 1 field ref: mc.field.obj_d_navrh.rid direction: ASC	object ref: mc.object.obj_d_navrh uniqueness: UNIQUE function based: false Obmedzenia: INDEX_TYPE=NORMAL; STATUS=VALID. Pri hidden SYS_NC stĺpci je zachovaný len exportovaný názov; underlying function expression nebol dodaný.

Identita a zdroj	Technické vlastnosti	Význam status a dôkazy
index id: mc.index.obj_d_navrh.xuk_obj_d_n avrh_kod_id oracle name: XUK_OBJ_D_NAVRH_KOD_ID	column or expression entries: position: 1 field ref: mc.field.obj_d_navrh.kod_id direction: ASC position: 2 field ref: mc.field.obj_d_navrh.dodavatel direction: ASC position: 3 field ref: mc.field.obj_d_navrh.sklad direction: ASC position: 4 field ref: mc.field.obj_d_navrh.sarza direction: ASC position: 5 field ref: mc.field.obj_d_navrh.zdroj direction: ASC position: 6 field ref: mc.field.obj_d_navrh.rid_v direction: ASC position: 7 field ref: mc.field.obj_d_navrh.rid_v_obj_d direction: ASC position: 8 field ref: mc.field.obj_d_navrh.rid_v_pl direction: ASC position: 9 field ref: mc.field.obj_d_navrh.rid_v_prij direction: ASC position: 10 field ref: mc.field.obj_d_navrh.stav direction: ASC position: 11 field ref: mc.field.obj_d_navrh.termin_dod direction: ASC position: 12 field ref: mc.field.obj_d_navrh.z_stamp direction: ASC position: 13 field ref: mc.field.obj_d_navrh.kod_id_v direction: ASC position: 14 field ref: mc.field.obj_d_navrh.uroven_v direction: ASC	object ref: mc.object.obj_d_navrh uniqueness: UNIQUE function based: false Obmedzenia: INDEX_TYPE=NORMAL; STATUS=VALID. Pri hidden SYS_NC stĺpci je zachovaný len exportovaný názov; underlying function expression nebol dodaný.

Identita a zdroj	Technické vlastnosti	Význam status a dôkazy
index id: mc.index.obj_d_navrh.x_obj_d_navrh_rid_v oracle name: X_OBJ_D_NAVRH_RID_V	column or expression entries: position: 1 field ref: mc.field.obj_d_navrh.rid_v direction: ASC position: 2 field ref: mc.field.obj_d_navrh.stav direction: ASC	object ref: mc.object.obj_d_navrh uniqueness: NONUNIQUE function based: false Obmedzenia: INDEX_TYPE=NORMAL; STATUS=VALID. Pri hidden SYS_NC stĺpci je zachovaný len exportovaný názov; underlying function expression nebol dodaný.
index id: mc.index.obj_d_navrh_dokl.x_obj_d_navrh_dokl_kod_id oracle name: X_OBJ_D_NAVRH_DOKL_KOD_ID	column or expression entries: position: 1 field ref: mc.field.obj_d_navrh_dokl.id_o direction: ASC position: 2 field ref: mc.field.obj_d_navrh_dokl.kod_id direction: ASC position: 3 field ref: mc.field.obj_d_navrh_dokl.sklad direction: ASC position: 4 field ref: mc.field.obj_d_navrh_dokl.sarza direction: ASC position: 5 field ref: mc.field.obj_d_navrh_dokl.typ direction: ASC	object ref: mc.object.obj_d_navrh_dokl uniqueness: NONUNIQUE function based: false Obmedzenia: INDEX_TYPE=NORMAL; STATUS=VALID. Pri hidden SYS_NC stĺpci je zachovaný len exportovaný názov; underlying function expression nebol dodaný.
index id: mc.index.obj_d_navrh_l.xpk_obj_d_navrh_l oracle name: XPK_OBJ_D_NAVRH_L	column or expression entries: position: 1 field ref: mc.field.obj_d_navrh_l.id direction: ASC	object ref: mc.object.obj_d_navrh_l uniqueness: UNIQUE function based: false Obmedzenia: INDEX_TYPE=NORMAL; STATUS=VALID. Pri hidden SYS_NC stĺpci je zachovaný len exportovaný názov; underlying function expression nebol dodaný.
index id: mc.index.obj_d_navrh_log.x_obj_d_navrh_log_s1 oracle name: X_OBJ_D_NAVRH_LOG_S1	column or expression entries: position: 1 field ref: mc.field.obj_d_navrh_log.rid direction: ASC position: 2 field ref: mc.field.obj_d_navrh_log.stav direction: ASC	object ref: mc.object.obj_d_navrh_log uniqueness: NONUNIQUE function based: false Obmedzenia: INDEX_TYPE=NORMAL; STATUS=VALID. Pri hidden SYS_NC stĺpci je zachovaný len exportovaný názov; underlying function expression nebol dodaný.
index id: mc.index.obj_d_navrh_vyr.xpk_obj_d_navrh_vyr oracle name: XPK_OBJ_D_NAVRH_VYR	column or expression entries: position: 1 field ref: mc.field.obj_d_navrh_vyr.id direction: ASC	object ref: mc.object.obj_d_navrh_vyr uniqueness: UNIQUE function based: false Obmedzenia: INDEX_TYPE=NORMAL; STATUS=VALID. Pri hidden SYS_NC stĺpci je zachovaný len exportovaný názov; underlying function expression nebol dodaný.

Identita a zdroj	Technické vlastnosti	Význam status a dôkazy
index id: mc.index.obj_d_navrh_vyr.x_obj_d_n_vyr_datum_i oracle name: X_OBJ_D_N_VYR_DATUM_I	column or expression entries: position: 1 field ref: mc.field.obj_d_navrh_vyr.datum_i direction: ASC	object ref: mc.object.obj_d_navrh_vyr uniqueness: NONUNIQUE function based: false Obmedzenia: INDEX_TYPE=NORMAL; STATUS=VALID. Pri hidden SYS_NC stĺpci je zachovaný len exportovaný názov; underlying function expression nebol dodaný.
index id: mc.index.obj_d_navrh_vyr.x_obj_d_n_vyr_datum_vyr oracle name: X_OBJ_D_N_VYR_DATUM_VYR	column or expression entries: position: 1 field ref: mc.field.obj_d_navrh_vyr.datum_vyr direction: ASC	object ref: mc.object.obj_d_navrh_vyr uniqueness: NONUNIQUE function based: false Obmedzenia: INDEX_TYPE=NORMAL; STATUS=VALID. Pri hidden SYS_NC stĺpci je zachovaný len exportovaný názov; underlying function expression nebol dodaný.
index id: mc.index.obj_d_navrh_vyr.x_obj_d_n_vyr_kod_id oracle name: X_OBJ_D_N_VYR_KOD_ID	column or expression entries: position: 1 field ref: mc.field.obj_d_navrh_vyr.kod_id direction: ASC	object ref: mc.object.obj_d_navrh_vyr uniqueness: NONUNIQUE function based: false Obmedzenia: INDEX_TYPE=NORMAL; STATUS=VALID. Pri hidden SYS_NC stĺpci je zachovaný len exportovaný názov; underlying function expression nebol dodaný.
index id: mc.index.obj_d_navrh_vyr.x_obj_d_n_vyr_kod_id_v oracle name: X_OBJ_D_N_VYR_KOD_ID_V	column or expression entries: position: 1 field ref: mc.field.obj_d_navrh_vyr.kod_id_v direction: ASC	object ref: mc.object.obj_d_navrh_vyr uniqueness: NONUNIQUE function based: false Obmedzenia: INDEX_TYPE=NORMAL; STATUS=VALID. Pri hidden SYS_NC stĺpci je zachovaný len exportovaný názov; underlying function expression nebol dodaný.
index id: mc.index.obj_d_navrh_vyr.x_obj_d_n_vyr_rid_n oracle name: X_OBJ_D_N_VYR_RID_N	column or expression entries: position: 1 field ref: mc.field.obj_d_navrh_vyr.rid_n direction: ASC	object ref: mc.object.obj_d_navrh_vyr uniqueness: NONUNIQUE function based: false Obmedzenia: INDEX_TYPE=NORMAL; STATUS=VALID. Pri hidden SYS_NC stĺpci je zachovaný len exportovaný názov; underlying function expression nebol dodaný.
index id: mc.index.obj_d_navrh_vyr.x_obj_d_n_vyr_rid_v oracle name: X_OBJ_D_N_VYR_RID_V	column or expression entries: position: 1 field ref: mc.field.obj_d_navrh_vyr.rid_v direction: ASC	object ref: mc.object.obj_d_navrh_vyr uniqueness: NONUNIQUE function based: false Obmedzenia: INDEX_TYPE=NORMAL; STATUS=VALID. Pri hidden SYS_NC stĺpci je zachovaný len exportovaný názov; underlying function expression nebol dodaný.
index id: mc.index.obj_d_navrh_vyr.x_obj_d_n_vyr_termin_dod oracle name: X_OBJ_D_N_VYR_TERMIN_DOD	column or expression entries: position: 1 field ref: mc.field.obj_d_navrh_vyr.termin_dod direction: ASC	object ref: mc.object.obj_d_navrh_vyr uniqueness: NONUNIQUE function based: false Obmedzenia: INDEX_TYPE=NORMAL; STATUS=VALID. Pri hidden SYS_NC stĺpci je zachovaný len exportovaný názov; underlying function expression nebol dodaný.

Identita a zdroj	Technické vlastnosti	Význam status a dôkazy
index id: mc.index.obj_d_navrh_vyr.x_obj_d_n_vyr_termin_obj oracle name: X_OBJ_D_N_VYR_TERMIN_OBJ	column or expression entries: position: 1 field ref: mc.field.obj_d_navrh_vyr.termin_obj direction: ASC	object ref: mc.object.obj_d_navrh_vyr uniqueness: NONUNIQUE function based: false Obmedzenia: INDEX_TYPE=NORMAL; STATUS=VALID. Pri hidden SYS_NC stĺpci je zachovaný len exportovaný názov; underlying function expression nebol dodaný.
index id: mc.index.obj_d_podklad.xpk_obj_d_podklad oracle name: XPK_OBJ_D_PODKLAD	column or expression entries: position: 1 field ref: mc.field.obj_d_podklad.id direction: ASC	object ref: mc.object.obj_d_podklad uniqueness: UNIQUE function based: false Obmedzenia: INDEX_TYPE=NORMAL; STATUS=VALID. Pri hidden SYS_NC stĺpci je zachovaný len exportovaný názov; underlying function expression nebol dodaný.
index id: mc.index.obj_d_podklad.xuk_obj_d_podklad_kss oracle name: XUK_OBJ_D_PODKLAD_KSS	column or expression entries: position: 1 field ref: mc.field.obj_d_podklad.kod_id direction: ASC position: 2 field ref: mc.field.obj_d_podklad.sklad direction: ASC position: 3 field ref: mc.field.obj_d_podklad.sarza direction: ASC	object ref: mc.object.obj_d_podklad uniqueness: UNIQUE function based: false Obmedzenia: INDEX_TYPE=NORMAL; STATUS=VALID. Pri hidden SYS_NC stĺpci je zachovaný len exportovaný názov; underlying function expression nebol dodaný.
index id: mc.index.obj_d_rozd_blokacii.xpk_obj_d_rozd_blok oracle name: XPK_OBJ_D_ROZD_BLOK	column or expression entries: position: 1 field ref: mc.field.obj_d_rozd_blokacii.id direction: ASC	object ref: mc.object.obj_d_rozd_blokacii uniqueness: UNIQUE function based: false Obmedzenia: INDEX_TYPE=NORMAL; STATUS=VALID. Pri hidden SYS_NC stĺpci je zachovaný len exportovaný názov; underlying function expression nebol dodaný.
index id: mc.index.obj_d_rozd_blokacii.xuk_obj_d_rozd_blok_rid_r oracle name: XUK_OBJ_D_ROZD_BLOK_RID_R	column or expression entries: position: 1 field ref: mc.field.obj_d_rozd_blokacii.rid_r direction: ASC position: 2 field ref: mc.field.obj_d_rozd_blokacii.rid_ct direction: ASC	object ref: mc.object.obj_d_rozd_blokacii uniqueness: UNIQUE function based: false Obmedzenia: INDEX_TYPE=NORMAL; STATUS=VALID. Pri hidden SYS_NC stĺpci je zachovaný len exportovaný názov; underlying function expression nebol dodaný.
index id: mc.index.obj_d_rozd_blokacii.xuk_obj_d_rozd_blok_skratka oracle name: XUK_OBJ_D_ROZD_BLOK_SKRATKA	column or expression entries: position: 1 field ref: mc.field.obj_d_rozd_blokacii.skratka direction: ASC position: 2 field ref: mc.field.obj_d_rozd_blokacii.sklad direction: ASC	object ref: mc.object.obj_d_rozd_blokacii uniqueness: UNIQUE function based: false Obmedzenia: INDEX_TYPE=NORMAL; STATUS=VALID. Pri hidden SYS_NC stĺpci je zachovaný len exportovaný názov; underlying function expression nebol dodaný.

Identita a zdroj	Technické vlastnosti	Význam status a dôkazy
index id: mc.index.obj_d_rozd_blokacii.x_obj_d_rozd_blokacii_kod_id oracle name: X_OBJ_D_ROZD_BLOKACII_KOD_ID	column or expression entries: position: 1 field ref: mc.field.obj_d_rozd_blokacii.kod_id direction: ASC	object ref: mc.object.obj_d_rozd_blokacii uniqueness: NONUNIQUE function based: false Obmedzenia: INDEX_TYPE=NORMAL; STATUS=VALID. Pri hidden SYS_NC stĺpci je zachovaný len exportovaný názov; underlying function expression nebol dodaný.
index id: mc.index.obj_d_rozd_blokacii.x_obj_d_rozd_blokacii_rid_ct oracle name: X_OBJ_D_ROZD_BLOKACII_RID_CT	column or expression entries: position: 1 field ref: mc.field.obj_d_rozd_blokacii.rid_ct direction: ASC	object ref: mc.object.obj_d_rozd_blokacii uniqueness: NONUNIQUE function based: false Obmedzenia: INDEX_TYPE=NORMAL; STATUS=VALID. Pri hidden SYS_NC stĺpci je zachovaný len exportovaný názov; underlying function expression nebol dodaný.

4 Vázby JOIN a kardinalita

Kanonické vzťahy

Canonical source: catalog/purchasing/relationships.yaml

schema version: 1.0

kind: relationships

id: pur.relationships.001

pur.rel.header_lines

relationship id: pur.rel.header_lines

from object ref: mc.object.objd_l

from field refs: mc.field.objd_l.rid

to object ref: mc.object.objd_o

to field refs: mc.field.objd_o.rid_o

relationship type: DIRECT

cardinality: 1:N

Fan out riziko: Pred agregáciou hlavičiek predagregovať riadky.

Bezpečné použitie: Pred agregáciou hlavičiek predagregovať riadky.

Status: POTVRDENÉ

Snapshot: 2026-09-11

Dôkazy: pur.evidence.mp02_b

pur.evidence.accepted

pur.rel.proposal_po

relationship id: pur.rel.proposal_po

from object ref: mc.object.obj_d_navrh

from field refs: mc.field.obj_d_navrh.rid_v_obj_d

to object ref: mc.object.objd_o

to field refs: mc.field.objd_o.rid_o

mc.field.objd_o.id_r

relationship type: CONDITIONAL

cardinality: null

Podmienka: N.RID_V_OBJ_D = O.RID_O || '!' || TO_CHAR(O.ID_R); O.RID_O=L.RID; L.TYP_CIS='00028'.

Fan out riziko: LINE RID, nie header RID. 766/766 aktuálnych nenulových referencií sa zhodovalo; historickú univerzálnosť neodvodzovať.

Bezpečné použitie: LINE RID, nie header RID. 766/766 aktuálnych nenulových referencií sa zhodovalo; historickú univerzálnosť neodvodzovať.

Status: POTVRDENÉ

Snapshot: 2026-09-11

Dôkazy: pur.evidence.mp02_e

pur.evidence.accepted

pur.rel.po_pl

relationship id: pur.rel.po_pl

from object ref: mc.object.objd_o

from field refs: mc.field.objd_o.rid_o

mc.field.objd_o.id_r

to object ref: mc.object.objd_o

to field refs: mc.field.objd_o.rid_v

relationship type: CONDITIONAL

cardinality: 1:N

Podmienka: PL.RID_V = PO.RID_O || '!' || TO_CHAR(PO.ID_R); PO header TYP_CIS='00028'; PL header TYP_CIS='00029'.

Fan out riziko: PO riadok môže mať viac PL riadkov. P_PL nie je fyzický príjem.

Bezpečné použitie: PO riadok môže mať viac PL riadkov. P_PL nie je fyzický príjem.

Status: POTVRDENÉ

Snapshot: 2026-09-11

Dôkazy: pur.evidence.mp03_c

pur.evidence.accepted

pur.rel.pl_receipt

relationship id: pur.rel.pl_receipt

from object ref: mc.object.objd_o

from field refs: mc.field.objd_o.rid_o

mc.field.objd_o.id_r

to object ref: pur.oracle.mc.prijemky_obsah.table

to field refs: pur.boundary_field.mc.prijemky_obsah.rid_v

relationship type: CONDITIONAL

cardinality: 1:N

Podmienka: R.RID_V = O.RID_O || '!' || TO_CHAR(O.ID_R); PL header TYP_CIS='00029'.

Fan out riziko: Receipt riadky predagregovať podľa RID_V pred JOINom na PL; current lineage nie je úplná P_PRIJ história.

Bezpečné použitie: Receipt riadky predagregovať podľa RID_V pred JOINom na PL; current lineage nie je úplná P_PRIJ história.

Status: POTVRDENÉ

Snapshot: 2026-09-11

Dôkazy: pur.evidence.mp04_c

pur.evidence.accepted

pur.rel.reverse_proposal

relationship id: pur.rel.reverse_proposal

from object ref: mc.object.objd_o

from field refs: mc.field.objd_o.rid_n

to object ref: mc.object.obj_d_navrh

to field refs: mc.field.obj_d_navrh.rid

relationship type: CONDITIONAL

cardinality: null

Podmienka: O.RID_N=N.RID; FK DISABLED / NOT VALIDATED.

Fan out riziko: Nie bezpečný univerzálny historický 1:1 JOIN; 15563 nezodpovedajúcich current návrhov zo 17215 nenulových referencií je retention/history boundary.

Bezpečné použitie: Nie bezpečný univerzálny historický 1:1 JOIN; 15563 nezodpovedajúcich current návrhov zo 17215 nenulových referencií je retention/history boundary.

Status: POTVRDENÉ

Snapshot: 2026-09-11

Dôkazy: pur.evidence.mp02_e

pur.evidence.accepted

pur.rel.po_receipt

relationship id: pur.rel.po_receipt

from object ref: mc.object.objd_o

from field refs: mc.field.objd_o.rid_o

mc.field.objd_o.id_r

to object ref: pur.oracle.mc.prijemky_obsah.table

to field refs: pur.boundary_field.mc.prijemky_obsah.rid_v

relationship type: CONDITIONAL

cardinality: null

Podmienka: R.RID_V = O.RID_O || '!' || TO_CHAR(O.ID_R); O.RID_O=L.RID; L.TYP_CIS='00028'.

Fan out riziko: Kardinalita priamej PO vetvy nie je preukázaná; nepredpokladať 1:N ani agregovať po JOINe bez overenia grain.

Bezpečné použitie: Technická/live cesta je potvrdená. Presný business účel zostáva TREBA OVERIŤ v pur.backlog.direct_receipt (non-blocking). Štandardný business tok zostáva proposal -> supplier PO 00028 -> PL 00029 -> receipt.

Status: TECHNICKY ZNÁME

Snapshot: 2026-09-11

Dôkazy: pur.evidence.accepted

5 Hodnotové a stavové domény

Hodnoty a stavy

Canonical source: catalog/purchasing/value-domains.yaml

schema version: 1.0

kind: value-domains

id: pur.value_domains.001

Spoločné vlastnosti všetkých záznamov nasledujúcej tabuľky

Status: POTVRDENÉ

Identita a zdroj	Technické vlastnosti	Význam status a dôkazy
value domain id: pur.value.subtype.0		Scope: mc.field.objd_l.typ_cis Raw hodnota: "00028" Business label: ObjD Dodávateľská objednávka Dôkazy: pur.evidence.mp02_a pur.evidence.accepted Obmedzenia: []
value domain id: pur.value.subtype.1		Scope: mc.field.objd_l.typ_cis Raw hodnota: "00029" Business label: ObjD Prepravný list Dôkazy: pur.evidence.mp02_a pur.evidence.accepted Obmedzenia: []
value domain id: pur.value.subtype.2		Scope: mc.field.objd_l.typ_cis Raw hodnota: "00030" Business label: ObjD Komisné hlásenie Dôkazy: pur.evidence.mp02_a pur.evidence.accepted Obmedzenia: []
value domain id: pur.value.proposal.0		Scope: mc.field.obj_d_navrh.stav Raw hodnota: -2 Business label: Nacenená Dôkazy: pur.evidence.mp01_f pur.evidence.accepted Obmedzenia: []

Identita a zdroj	Technické vlastnosti	Význam status a dôkazy
value domain id: pur.value.proposal.1		Scope: mc.field.obj_d_navrh.stav Raw hodnota: -1 Business label: Naceniť Dôkazy: pur.evidence.mp01_f pur.evidence.accepted Obmedzenia: []
value domain id: pur.value.proposal.2		Scope: mc.field.obj_d_navrh.stav Raw hodnota: 0 Business label: Navrhnuté Dôkazy: pur.evidence.mp01_f pur.evidence.accepted Obmedzenia: []
value domain id: pur.value.proposal.3		Scope: mc.field.obj_d_navrh.stav Raw hodnota: 1 Business label: Schválené Dôkazy: pur.evidence.mp01_f pur.evidence.accepted Obmedzenia: []
value domain id: pur.value.proposal.4		Scope: mc.field.obj_d_navrh.stav Raw hodnota: 2 Business label: Objednané Dôkazy: pur.evidence.mp01_f pur.evidence.accepted Obmedzenia: []
value domain id: pur.value.proposal.5		Scope: mc.field.obj_d_navrh.stav Raw hodnota: 3 Business label: Na ceste Dôkazy: pur.evidence.mp01_f pur.evidence.accepted Obmedzenia: [] observed live: false Snapshot: 2026-09-11
value domain id: pur.value.proposal.6		Scope: mc.field.obj_d_navrh.stav Raw hodnota: 4 Business label: Prijaté Dôkazy: pur.evidence.mp01_f pur.evidence.accepted Obmedzenia: [] observed live: false Snapshot: 2026-09-11

Identita a zdroj	Technické vlastnosti	Význam status a dôkazy
value domain id: pur.value.proposal.7		Scope: mc.field.obj_d_navrh.stav Raw hodnota: 9 Business label: Zamietnuté Dôkazy: pur.evidence.mp01_f pur.evidence.accepted Obmedzenia: []
value domain id: pur.value.fulfilment.0		Scope: mc.field.objd_l.flags_s Raw hodnota: "0" Business label: Nevybavené Dôkazy: pur.evidence.mp03_a pur.evidence.accepted Obmedzenia: Flag 11: hodnoty sú výsledok GetS_STAV, nie celý FLAGS_S string.
value domain id: pur.value.fulfilment.1		Scope: mc.field.objd_l.flags_s Raw hodnota: 1 Business label: Odoslané Dôkazy: pur.evidence.mp03_a pur.evidence.accepted Obmedzenia: Flag 11: hodnoty sú výsledok GetS_STAV, nie celý FLAGS_S string.
value domain id: pur.value.fulfilment.2		Scope: mc.field.objd_l.flags_s Raw hodnota: 2 Business label: Vybavené z časti Dôkazy: pur.evidence.mp03_a pur.evidence.accepted Obmedzenia: Flag 11: hodnoty sú výsledok GetS_STAV, nie celý FLAGS_S string.
value domain id: pur.value.fulfilment.3		Scope: mc.field.objd_l.flags_s Raw hodnota: 3 Business label: Vybavené Dôkazy: pur.evidence.mp03_a pur.evidence.accepted Obmedzenia: Flag 11: hodnoty sú výsledok GetS_STAV, nie celý FLAGS_S string.
value domain id: pur.value.fulfilment.4		Scope: mc.field.objd_l.flags_s Raw hodnota: 4 Business label: Potvrdené dodanie Dôkazy: pur.evidence.mp03_a pur.evidence.accepted Obmedzenia: Flag 11: hodnoty sú výsledok GetS_STAV, nie celý FLAGS_S string.
value domain id: pur.value.document.0		Scope: mc.field.objd_l.stav Raw hodnota: 000-38 Business label: Otvorená Dôkazy: pur.evidence.mp01_f pur.evidence.accepted Obmedzenia: Raw STAV nie je autoritatívny fulfilment stav.

Identita a zdroj	Technické vlastnosti	Význam status a dôkazy
value domain id: pur.value.document.1		Scope: mc.field.objd_l.stav Raw hodnota: 000-40 Business label: Uzavretá Dôkazy: pur.evidence.mp01_f pur.evidence.accepted Obmedzenia: Raw STAV nie je autoritatívny fulfilment stav.
value domain id: pur.value.document.2		Scope: mc.field.objd_l.stav Raw hodnota: 000-41 Business label: Vybavená z časti Dôkazy: pur.evidence.mp01_f pur.evidence.accepted Obmedzenia: Raw STAV nie je autoritatívny fulfilment stav.
value domain id: pur.value.document.3		Scope: mc.field.objd_l.stav Raw hodnota: 000-42 Business label: Vybavená Dôkazy: pur.evidence.mp01_f pur.evidence.accepted Obmedzenia: Raw STAV nie je autoritatívny fulfilment stav.
value domain id: pur.value.document.4		Scope: mc.field.objd_l.stav Raw hodnota: POTVRD-DOD-4011 Business label: Potvrdené dodanie Dôkazy: pur.evidence.mp01_f pur.evidence.accepted Obmedzenia: Raw STAV nie je autoritatívny fulfilment stav.
value domain id: pur.value.source.0		Scope: mc.field.obj_d_navrh.zdroj Raw hodnota: 14 Business label: Z výroby Dôkazy: pur.evidence.mp02_d pur.evidence.accepted Obmedzenia: []

6 Nákupný lifecycle a HandyGO

Source flows

Canonical source: catalog/purchasing/flows.yaml

schema version: 1.0

kind: flows

id: pur.flows.001

pur.flow.standard

flow id: pur.flow.standard

trigger or procedure ref: null

Udalosť: production plan -> OBJ_D_NAVRH -> approve/reject -> supplier PO (00028) -> PL (00029) -> receipt -> finalisation

Business efekt: Štandardný proces potvrdený používateľom; HandyGO spracúva príjem z PL.

Diagnostický význam: PO môže byť vybavená cez P_PL, kým downstream PL nemá fyzický príjem. Priama PO -> receipt cesta je technicky potvrdená, business účel otvorený.

Dôkazy: pur.evidence.accepted

pur.evidence.mp05_c

pur.flow.handygo

flow id: pur.flow.handygo

trigger or procedure ref: mc.oracle.mc_handygo.package_body

Udalosť: Source LINE 5027 volá D_OBJD_L.UkonciPrijemPL(sRidObj).

calls: callee ref: pur.oracle.mc.d_objd_l.package

sequence: 1

Podmienka: UkonciPrijemPL; konkrétne runtime GUI správanie za Oracle source boundary.

side effects: Scope: mc.object.objd_o

description sk: Finalizácia vyhodnotí neprijatý zvyšok a proces/config vetvy: bez akcie, zrušenie/skrátenie zvyšku, receipt/return spracovanie.

Diagnostický význam: Nejednodušovať na jeden bezpodmienečný state update.

Dôkazy: pur.evidence.mp01_f

pur.evidence.accepted

pur.evidence.schema_approval

7 Množstvá a stored current

temporal rule id: pur.temporal.quantity

Scope: mc.field.objd_o.p_prij

mc.field.objd_o.p_pl

mc.field.objd_o.p_del

Klasifikácia: RAW CURRENT

Udalosť alebo pravidlo: STORED CURRENT lifecycle buckets. $\text{remaining_qty} = \text{POCET} - \text{P_DEL} - \text{P_PRIJ} - \text{P_PL}$; $\text{processed_qty} = \text{P_DEL} + \text{P_PRIJ} + \text{P_PL}$.

Rekonštruovateľné: false

Limity histórie: STORED CURRENT lifecycle buckets. $\text{remaining_qty} = \text{POCET} - \text{P_DEL} - \text{P_PRIJ} - \text{P_PL}$; $\text{processed_qty} = \text{P_DEL} + \text{P_PRIJ} + \text{P_PL}$.

Status: POTVRDENÉ

Dôkazy: pur.evidence.accepted

pur.evidence.mp01_f

8 Autorita vybavenia a Flag11

temporal rule id: pur.temporal.flags

Scope: mc.field.objd_l.flags_s

Klasifikácia: RAW CURRENT

Udalosť alebo pravidlo: Aktuálny register. Flag 11 je raw fulfilment slot.

Rekonštruovateľné: false

Limity histórie: Aktuálny register. Flag 11 je raw fulfilment slot.

Status: POTVRDENÉ

Dôkazy: pur.evidence.accepted

pur.evidence.mp01_f

temporal rule id: pur.temporal.fulfilment

Scope: mc.field.objd_l.flags_s

Klasifikácia: DERIVED CURRENT

Udalosť alebo pravidlo: D_OBJD_L.GetS_STAV(OBJD_L.FLAGS_S); nie OBJD_L.STAV.

Rekonštruovateľné: false

Limity histórie: D_OBJD_L.GetS_STAV(OBJD_L.FLAGS_S); nie OBJD_L.STAV.

Status: POTVRDENÉ

Dôkazy: pur.evidence.accepted

pur.evidence.mp01_f

temporal rule id: pur.temporal.remove

Scope: mc.field.objd_l.s_stamp

mc.field.obj_d_navrh.s_stamp

Klasifikácia: RAW CURRENT

Udalosť alebo pravidlo: Technický remove/storno stamp. S_STAMP='0' != business open.

Rekonštruovateľné: false

Limity histórie: Technický remove/storno stamp. S_STAMP='0' != business open.

Status: POTVRDENÉ

Dôkazy: pur.evidence.accepted

pur.evidence.mp01_f

9 Efektívny termín dodania

temporal rule id: pur.temporal.delivery

Scope: mc.field.objd_o.termin_dod

mc.field.objd_l.termin_dod

mc.field.objd_l.datum_p

Klasifikácia: DERIVED CURRENT

Udalosť alebo pravidlo: NVL(OBJD_O.TERMIN_DOD, NVL(OBJD_L.TERMIN_DOD, OBJD_L.DATUM_P)); posudzovať každý riadok.

Rekonštruovateľné: false

Limity histórie: NVL(OBJD_O.TERMIN_DOD, NVL(OBJD_L.TERMIN_DOD, OBJD_L.DATUM_P)); posudzovať každý riadok.

Status: POTVRDENÉ

Dôkazy: pur.evidence.accepted

pur.evidence.mp01_f

10 Mutation Matrix

Mutácie a business efekty

Canonical source: catalog/purchasing/mutations.yaml

schema version: 1.0

kind: mutations

id: pur.mutations.001

pur.mutation.pl_quantity

mutation id: pur.mutation.pl_quantity

target refs: mc.field.objd_o.p_pl

writer ref: null

Rola zapisovateľa: null

Udalosť: PL processing/reversal

Priama mutácia: Source potvrdzuje mutáciu P_PL pri spracovaní/reverzii PL.

Business efekt: P_PL pokrýva downstream PL lifecycle, nie fyzický príjem.

Diagnostický význam: Presný jednotlivý writer sa neurčuje z package názvu. Source export uchováva mutation kontext.

Status: POTVRDENÉ

Dôkazy: pur.evidence.accepted

pur.evidence.mp01_f

pur.mutation.finalisation

mutation id: pur.mutation.finalisation

target refs: mc.object.objd_o

writer ref: pur.oracle.mc.d_objd_l.package

Rola zapisovateľa: API WRITER

Udalosť: UkonciPrijemPL

Podmienka: Vetvenie podľa remaining/unreceived quantity a process/config.

Priama mutácia: null

side effects sk: Možné cancellation/shortening alebo receipt/return processing; nie každý branch zapisuje.

Status: POTVRDENÉ

Dôkazy: pur.evidence.accepted
pur.evidence.mp01_f

Priame source loci

Canonical source: catalog/purchasing/source-mutations.yaml

schema version: 1.0

kind: mutations

id: pur.source_mutations.001

Spoločné vlastnosti všetkých záznamov nasledujúcej tabuľky

Rola zapisovateľa: DIRECT WRITER

Podmienka: Presné okolité vetvy sú zachované v MP01_F source; tento záznam nepreukazuje bezpodmienečné runtime vykonanie.

Status: TECHNICKY ZNÁME

Dôkazy: pur.evidence.mp01_f

Identita a zdroj	Technické vlastnosti	Význam status a dôkazy
mutation id: pur.source_mutation.c_obj_d_kombajn.2598		target refs: mc.field.obj_d_navrh.pocet writer ref: pur.oracle.mc.c_obj_d_kombajn.package_body Udalosť: Source LINE 2598; zaznamenaný explicitný UPDATE, nie odvodenie z názvu balíka. Priama mutácia: update obj_d_navrh set pocet = pnPocet, pocet_obj = pnPocet where rid = sRID_N;
mutation id: pur.source_mutation.c_obj_d_kombajn.2613		target refs: mc.field.obj_d_navrh.pocet writer ref: pur.oracle.mc.c_obj_d_kombajn.package_body Udalosť: Source LINE 2613; zaznamenaný explicitný UPDATE, nie odvodenie z názvu balíka. Priama mutácia: update obj_d_navrh set pocet = pnPocet, pocet_obj = pnPocet where rid = sRID_N;
mutation id: pur.source_mutation.c_obj_d_kombajn.2698		target refs: mc.field.obj_d_navrh.pocet writer ref: pur.oracle.mc.c_obj_d_kombajn.package_body Udalosť: Source LINE 2698; zaznamenaný explicitný UPDATE, nie odvodenie z názvu balíka. Priama mutácia: update obj_d_navrh set pocet = pocet+pnPocet, pocet_obj = pocet_obj+pnPocet where rid = sRID_N
mutation id: pur.source_mutation.c_obj_d_kombajn.2739		target refs: mc.field.objd_o.pocet writer ref: pur.oracle.mc.c_obj_d_kombajn.package_body Udalosť: Source LINE 2739; zaznamenaný explicitný UPDATE, nie odvodenie z názvu balíka. Priama mutácia: update objd_o set pocet = pocet+pnPocet where rid_o = psRID_O and id_r = nID_R;

Identita a zdroj	Technické vlastnosti	Význam status a dôkazy
mutation id: pur.source_mutation.c_obj_d_kombajn.2800		target refs: mc.field.obj_d_navrh.stav writer ref: pur.oracle.mc.c_obj_d_kombajn.package_body Udalosť: Source LINE 2800; zaznamenaný explicitný UPDATE, nie odvodenie z názvu balíka. Priama mutácia: update obj_d_navrh set stav = STAV_NAVRHU_OBJ_Zamietnute, z_stamp = c_stamp.getsessionstamp, dovod_zam = psDovod where rid = psRID;
mutation id: pur.source_mutation.c_obj_d_kombajn.2837		target refs: mc.field.obj_d_navrh.stav writer ref: pur.oracle.mc.c_obj_d_kombajn.package_body Udalosť: Source LINE 2837; zaznamenaný explicitný UPDATE, nie odvodenie z názvu balíka. Priama mutácia: update obj_d_navrh set stav = STAV_NAVRHU_OBJ_Schvalene, sch_stamp = c_stamp.getsessionstamp where rid = rON.RID;
mutation id: pur.source_mutation.c_obj_d_kombajn.2877		target refs: mc.field.obj_d_navrh.stav writer ref: pur.oracle.mc.c_obj_d_kombajn.package_body Udalosť: Source LINE 2877; zaznamenaný explicitný UPDATE, nie odvodenie z názvu balíka. Priama mutácia: update obj_d_navrh set stav = STAV_NAVRHU_OBJ_Navrhnut, sch_stamp = '0' where rid = rON.RID;
mutation id: pur.source_mutation.c_obj_d_kombajn.2977		target refs: mc.field.obj_d_navrh.stav writer ref: pur.oracle.mc.c_obj_d_kombajn.package_body Udalosť: Source LINE 2977; zaznamenaný explicitný UPDATE, nie odvodenie z názvu balíka. Priama mutácia: update obj_d_navrh set stav = STAV_NAVRHU_OBJ_Objednane where rid = psRID;
mutation id: pur.source_mutation.c_obj_d_kombajn.3022		target refs: mc.field.obj_d_navrh.stav writer ref: pur.oracle.mc.c_obj_d_kombajn.package_body Udalosť: Source LINE 3022; zaznamenaný explicitný UPDATE, nie odvodenie z názvu balíka. Priama mutácia: update obj_d_navrh set stav = STAV_NAVRHU_OBJ_Schvalene where rid = psRID;
mutation id: pur.source_mutation.c_obj_d_kombajn.4975		target refs: mc.field.obj_d_navrh.stav writer ref: pur.oracle.mc.c_obj_d_kombajn.package_body Udalosť: Source LINE 4975; zaznamenaný explicitný UPDATE, nie odvodenie z názvu balíka. Priama mutácia: update obj_d_navrh set STAV = STAV_NAVRHU_OBJ_Schvalene, POCET_OBJ = nPocetObj where RID = sRID;
mutation id: pur.source_mutation.d_objd_l.1423		target refs: mc.field.objd_o.pocet writer ref: mc.oracle.mc_d_objd_l.package_body Udalosť: Source LINE 1423; zaznamenaný explicitný UPDATE, nie odvodenie z názvu balíka. Priama mutácia: update objd_o set pocet = greatest(pocet-pnDeltaP_PL, 0), rid_v = null where rid_o = rPL.rid_o and id_r = rPL.id_r;
mutation id: pur.source_mutation.d_objd_l.1508		target refs: mc.field.objd_o.p_prij writer ref: mc.oracle.mc_d_objd_l.package_body Udalosť: Source LINE 1508; zaznamenaný explicitný UPDATE, nie odvodenie z názvu balíka. Priama mutácia: update objd_o set p_prij = pocet - p_del - p_pl where rid_o = psRID and id_r = pnID_R;

Identita a zdroj	Technické vlastnosti	Význam status a dôkazy
mutation id: pur.source_mutation.d_objd_l.1614		target refs: mc.field.objd_o.p_pl writer ref: mc.oracle.mc_d_objd_l.package_body Udalosť: Source LINE 1614; zaznamenaný explicitný UPDATE, nie odvodenie z názvu balíka. Priama mutácia: UPDATE OBJD_O SET p_pl = p_pl - least(p_pl, rVazba.o_pocet) WHERE ROWID=rVazba.R;
mutation id: pur.source_mutation.d_objd_l.2406		target refs: mc.field.objd_o.p_prij writer ref: mc.oracle.mc_d_objd_l.package_body Udalosť: Source LINE 2406; zaznamenaný explicitný UPDATE, nie odvodenie z názvu balíka. Priama mutácia: update objd_o set p_prij = pocet - p_del - p_pl where rid_o = psRID and id_r = r.id_r_p and p_prij != pocet - p_del - p_pl;
mutation id: pur.source_mutation.d_objd_l.2408		target refs: mc.field.objd_o.p_prij writer ref: mc.oracle.mc_d_objd_l.package_body Udalosť: Source LINE 2408; zaznamenaný explicitný UPDATE, nie odvodenie z názvu balíka. Priama mutácia: update objd_o set p_prij = 0 where rid_o = psRID and id_r = r.id_r_p and p_prij != 0;
mutation id: pur.source_mutation.d_objd_l.2541		target refs: mc.field.objd_o.p_pl writer ref: mc.oracle.mc_d_objd_l.package_body Udalosť: Source LINE 2541; zaznamenaný explicitný UPDATE, nie odvodenie z názvu balíka. Priama mutácia: UPDATE OBJD_O SET p_pl = p_pl - least(abs(pnPocetRuseny),p_pl) WHERE RID_O = sRID_O_V and ID_R = nID_R_V;
mutation id: pur.source_mutation.d_objd_l.2544		target refs: mc.field.objd_o.p_pl writer ref: mc.oracle.mc_d_objd_l.package_body Udalosť: Source LINE 2544; zaznamenaný explicitný UPDATE, nie odvodenie z názvu balíka. Priama mutácia: UPDATE OBJD_O SET p_pl = p_pl + least(abs(pnPocetRuseny),(pocet - p_prij - p_del - p_pl)) WHERE RID_O = sRID_O_V and ID_R = nID_R_V;
mutation id: pur.source_mutation.d_objd_l.3057		target refs: mc.field.objd_o.p_prij writer ref: mc.oracle.mc_d_objd_l.package_body Udalosť: Source LINE 3057; zaznamenaný explicitný UPDATE, nie odvodenie z názvu balíka. Priama mutácia: Update objd_o Set p_prij = pocet - p_del - p_pl Where rid_o = psRID;
mutation id: pur.source_mutation.d_objd_l.3069		target refs: mc.field.objd_o.pocet writer ref: mc.oracle.mc_d_objd_l.package_body Udalosť: Source LINE 3069; zaznamenaný explicitný UPDATE, nie odvodenie z názvu balíka. Priama mutácia: Update objd_o o Set pocet = (p_prij + p_pl + (select nvl(sum(po.pocet-po.p_del),0) from prijemky_obsah po, prijemky_list pl
mutation id: pur.source_mutation.d_objd_l.3096		target refs: mc.field.objd_o.p_del writer ref: mc.oracle.mc_d_objd_l.package_body Udalosť: Source LINE 3096; zaznamenaný explicitný UPDATE, nie odvodenie z názvu balíka. Priama mutácia: Update objd_o Set p_del = pocet - p_prij - p_pl Where rid_o = psRID;

Identita a zdroj	Technické vlastnosti	Význam status a dôkazy
mutation id: pur.source_mutation.d_objd_l.3121		target refs: mc.field.objd_l.flags_s writer ref: mc.oracle.mc_d_objd_l.package_body Udalosť: Source LINE 3121; zaznamenaný explicitný UPDATE, nie odvodenie z názvu balíka. Priama mutácia: Update OBJD_L set flags_s = SetS_STAV(flags_s, STAV_Odoslane) Where rid = psRID And GetS_STAV(flags_s) = STAV_Nevybavene;
mutation id: pur.source_mutation.d_objd_l.3132		target refs: mc.field.objd_l.flags_s writer ref: mc.oracle.mc_d_objd_l.package_body Udalosť: Source LINE 3132; zaznamenaný explicitný UPDATE, nie odvodenie z názvu balíka. Priama mutácia: Update OBJD_L set flags_s = SetS_STAV(flags_s, STAV_Nevybavene) Where rid = psRID And GetS_STAV(flags_s) = STAV_Odoslane;
mutation id: pur.source_mutation.d_objd_l.4465		target refs: mc.field.obj_d_navrh.stav writer ref: mc.oracle.mc_d_objd_l.package_body Udalosť: Source LINE 4465; zaznamenaný explicitný UPDATE, nie odvodenie z názvu balíka. Priama mutácia: update obj_d_navrh set stav = C_OBJ_D_KOMBAJN.STAV_NAVRHU_OBJ_Objednane, RID_V_OBJ_D = rObjD_O.rid_r,
mutation id: pur.source_mutation.d_objd_l.4481		target refs: mc.field.obj_d_navrh.stav writer ref: mc.oracle.mc_d_objd_l.package_body Udalosť: Source LINE 4481; zaznamenaný explicitný UPDATE, nie odvodenie z názvu balíka. Priama mutácia: update obj_d_navrh set stav = nStav, RID_V_PL = sRID_V
mutation id: pur.source_mutation.d_objd_l.4499		target refs: mc.field.obj_d_navrh.stav writer ref: mc.oracle.mc_d_objd_l.package_body Udalosť: Source LINE 4499; zaznamenaný explicitný UPDATE, nie odvodenie z názvu balíka. Priama mutácia: update obj_d_navrh set stav = nStav, RID_V_PL = sRID_V
mutation id: pur.source_mutation.d_objd_l.4573		target refs: mc.field.objd_o.pocet writer ref: mc.oracle.mc_d_objd_l.package_body Udalosť: Source LINE 4573; zaznamenaný explicitný UPDATE, nie odvodenie z názvu balíka. Priama mutácia: update objd_o set pocet = greatest(pocet-nPocetOddel,0),
mutation id: pur.source_mutation.d_objd_l.5630		target refs: mc.field.objd_o.p_del writer ref: mc.oracle.mc_d_objd_l.package_body Udalosť: Source LINE 5630; zaznamenaný explicitný UPDATE, nie odvodenie z názvu balíka. Priama mutácia: Update objd_o o Set p_del = greatest(0, pocet - p_prij - p_pl - (select nvl(sum(po.pocet-po.p_del),0) from prijemky_obsah po, prijemky_list pl
mutation id: pur.source_mutation.d_objd_l.6706		target refs: mc.field.objd_o.p_prij writer ref: mc.oracle.mc_d_objd_l.package_body Udalosť: Source LINE 6706; zaznamenaný explicitný UPDATE, nie odvodenie z názvu balíka. Priama mutácia: update objd_o set p_prij = p_prij + (rO.pocet-rO.p_del-rO.p_prij-rO.p_pl-rO.prij_pocet_N)

Identita a zdroj	Technické vlastnosti	Význam status a dôkazy
mutation id: pur.source_mutation.d_objd_l.7017		target refs: mc.field.objd_o.pocet writer ref: mc.oracle.mc_d_objd_l.package_body Udalosť: Source LINE 7017; zaznamenaný explicitný UPDATE, nie odvodenie z názvu balíka. Priama mutácia: update objd_o set pocet = pocet + nPocetDeltaRound,
mutation id: pur.source_mutation.d_objd_l.7525		target refs: mc.field.objd_l.flags_s writer ref: mc.oracle.mc_d_objd_l.package_body Udalosť: Source LINE 7525; zaznamenaný explicitný UPDATE, nie odvodenie z názvu balíka. Priama mutácia: update OBJD_L set FLAGS_S = SetS_STAV (psFlag_s=>FLAGS_S, psVal=>d_objd_l.STAV_Vybavene), DATUM_OK = sysdate where RID = psRID;
mutation id: pur.source_mutation.d_objd_l.7529		target refs: mc.field.objd_l.flags_s writer ref: mc.oracle.mc_d_objd_l.package_body Udalosť: Source LINE 7529; zaznamenaný explicitný UPDATE, nie odvodenie z názvu balíka. Priama mutácia: update OBJD_L set FLAGS_S = SetS_STAV (psFlag_s=>FLAGS_S, psVal=>d_objd_l.STAV_Nevybavene) where RID = psRID;
mutation id: pur.source_mutation.d_objd_l.7531		target refs: mc.field.objd_l.flags_s writer ref: mc.oracle.mc_d_objd_l.package_body Udalosť: Source LINE 7531; zaznamenaný explicitný UPDATE, nie odvodenie z názvu balíka. Priama mutácia: update OBJD_L set FLAGS_S = SetS_STAV (psFlag_s=>FLAGS_S, psVal=>d_objd_l.STAV_VybaveneZcasti) where RID = psRID;
mutation id: pur.source_mutation.d_objd_l.7800		target refs: mc.field.objd_l.stav writer ref: mc.oracle.mc_d_objd_l.package_body Udalosť: Source LINE 7800; zaznamenaný explicitný UPDATE, nie odvodenie z názvu balíka. Priama mutácia: update objd_l set stav = STAV_VYB_Uzavreta where rid = psRID;
mutation id: pur.source_mutation.d_objd_l.7884		target refs: mc.field.objd_l.stav writer ref: mc.oracle.mc_d_objd_l.package_body Udalosť: Source LINE 7884; zaznamenaný explicitný UPDATE, nie odvodenie z názvu balíka. Priama mutácia: update objd_l set stav = STAV_VYB_Otvorena where rid = psRID;
mutation id: pur.source_mutation.d_objd_o.1110		target refs: mc.field.objd_o.pocet writer ref: pur.oracle.mc.d_objd_o.package_body Udalosť: Source LINE 1110; zaznamenaný explicitný UPDATE, nie odvodenie z názvu balíka. Priama mutácia: update objd_o set pocet = pocet-nPocetPoniz where rid_o = psRID_D and id_r = pnID_R_predlohy
mutation id: pur.source_mutation.d_objd_o.1115		target refs: mc.field.objd_o.p_del writer ref: pur.oracle.mc.d_objd_o.package_body Udalosť: Source LINE 1115; zaznamenaný explicitný UPDATE, nie odvodenie z názvu balíka. Priama mutácia: update objd_o set p_del = greatest(0, pocet-p_del-p_prij-p_pl) where rid_o = psRID_D and id_r = pnID_R_predlohy;

Identita a zdroj	Technické vlastnosti	Význam status a dôkazy
mutation id: pur.source_mutation.d_objd_o.1200		target refs: mc.field.objd_o.pocet writer ref: pur.oracle.mc.d_objd_o.package_body Udalosť: Source LINE 1200; zaznamenaný explicitný UPDATE, nie odvodenie z názvu balíka. Priama mutácia: update objd_o set pocet = greatest(pocet-pnPocet, 0), rid_v = decode(to_number(substr(rid_v,1,3)),C_CIS_DEF.CIS_obj_odb_l,null,rid_v)
mutation id: pur.source_mutation.d_objd_o.1262		target refs: mc.field.objd_o.pocet writer ref: pur.oracle.mc.d_objd_o.package_body Udalosť: Source LINE 1262; zaznamenaný explicitný UPDATE, nie odvodenie z názvu balíka. Priama mutácia: update objd_o set pocet = greatest(pocet-pnPocet, 0), rid_v = rOD.rid_v, p_pl = rOD.p_pl, xml_data = rOD.xml_data where rid_o = psRID_O and id_r = pnID_R;
mutation id: pur.source_mutation.d_objd_o.2323		target refs: mc.field.objd_o.pocet writer ref: pur.oracle.mc.d_objd_o.package_body Udalosť: Source LINE 2323; zaznamenaný explicitný UPDATE, nie odvodenie z názvu balíka. Priama mutácia: update objd_o set pocet = rdo.pocet, p_del = rdo.p_del where rid_o = psRID_O and id_r = rdo.id_r;
mutation id: pur.source_mutation.d_objd_o.4422		target refs: mc.field.objd_o.pocet writer ref: pur.oracle.mc.d_objd_o.package_body Udalosť: Source LINE 4422; zaznamenaný explicitný UPDATE, nie odvodenie z názvu balíka. Priama mutácia: update objd_o set pocet = pocet + nPocetUpravit,
mutation id: pur.source_mutation.d_objd_o.4441		target refs: mc.field.objd_o.p_del writer ref: pur.oracle.mc.d_objd_o.package_body Udalosť: Source LINE 4441; zaznamenaný explicitný UPDATE, nie odvodenie z názvu balíka. Priama mutácia: update objd_o set p_del = greatest(pocet - p_prij - p_pl, 0), termin_dod = decode(pdtTERMIN_DOD,TERMIN_DOD_Null,termin_dod,pdtTERMIN_DOD)
mutation id: pur.source_mutation.d_objd_o.4445		target refs: mc.field.objd_o.p_del writer ref: pur.oracle.mc.d_objd_o.package_body Udalosť: Source LINE 4445; zaznamenaný explicitný UPDATE, nie odvodenie z názvu balíka. Priama mutácia: update objd_o set p_del = p_del + nPocetTemp, termin_dod = decode(pdtTERMIN_DOD,TERMIN_DOD_Null,termin_dod,pdtTERMIN_DOD)
mutation id: pur.source_mutation.d_objd_o.4470		target refs: mc.field.objd_o.p_del writer ref: pur.oracle.mc.d_objd_o.package_body Udalosť: Source LINE 4470; zaznamenaný explicitný UPDATE, nie odvodenie z názvu balíka. Priama mutácia: update objd_o set p_del = greatest(pocet - p_prij - p_pl, 0), termin_dod = decode(pdtTERMIN_DOD,TERMIN_DOD_Null,termin_dod,pdtTERMIN_DOD)
mutation id: pur.source_mutation.d_objd_o.4474		target refs: mc.field.objd_o.p_del writer ref: pur.oracle.mc.d_objd_o.package_body Udalosť: Source LINE 4474; zaznamenaný explicitný UPDATE, nie odvodenie z názvu balíka. Priama mutácia: update objd_o set p_del = p_del + nPocetTemp, termin_dod = decode(pdtTERMIN_DOD,TERMIN_DOD_Null,termin_dod,pdtTERMIN_DOD)

Identita a zdroj	Technické vlastnosti	Význam status a dôkazy
mutation id: pur.source_mutation.d_objd_o.4495		target refs: mc.field.objd_o.p_del writer ref: pur.oracle.mc.d_objd_o.package_body Udalosť: Source LINE 4495; zaznamenaný explicitný UPDATE, nie odvodenie z názvu balíka. Priama mutácia: update objd_o set p_del = greatest(pocet - p_prij - p_pl, 0), termin_dod = decode(pdtTERMIN_DOD,TERMIN_DOD_Null,termin_dod,pdtTERMIN_DOD)
mutation id: pur.source_mutation.d_objd_o.4500		target refs: mc.field.objd_o.p_del writer ref: pur.oracle.mc.d_objd_o.package_body Udalosť: Source LINE 4500; zaznamenaný explicitný UPDATE, nie odvodenie z názvu balíka. Priama mutácia: update objd_o set p_del = p_del + nPocetTemp, termin_dod = decode(pdtTERMIN_DOD,TERMIN_DOD_Null,termin_dod,pdtTERMIN_DOD)
mutation id: pur.source_mutation.d_objd_o.4631		target refs: mc.field.objd_o.p_pl writer ref: pur.oracle.mc.d_objd_o.package_body Udalosť: Source LINE 4631; zaznamenaný explicitný UPDATE, nie odvodenie z názvu balíka. Priama mutácia: update objd_o set P_PL = P_PL + (pnNewPocet - pnOldPocet) where RID_O = c_rid.getbackridc(psRID_V,c_rid.Const_RID_Back_RID) and ID_R = c_rid.getbackridc(psRID_V,c_rid.Const_RID_Back_ID_O)
mutation id: pur.source_mutation.d_objd_o.5284		target refs: mc.field.obj_d_navrh.stav writer ref: pur.oracle.mc.d_objd_o.package_body Udalosť: Source LINE 5284; zaznamenaný explicitný UPDATE, nie odvodenie z názvu balíka. Priama mutácia: update obj_d_navrh set stav = C_OBJ_D_KOMBAJN.STAV_NAVRHU_OBJ_Objednane, rid_v_obj_d = c_rid.zlozrid_r(psRID_O, pnID_R),
mutation id: pur.source_mutation.d_objd_o.5901		target refs: mc.field.objd_o.p_del writer ref: pur.oracle.mc.d_objd_o.package_body Udalosť: Source LINE 5901; zaznamenaný explicitný UPDATE, nie odvodenie z názvu balíka. Priama mutácia: update objd_o set p_del = p_del + pnPOCET where rid_o = psRID_O and id_r = pnID_R;
mutation id: pur.source_mutation.d_objd_o.6082		target refs: mc.field.objd_o.p_prij writer ref: pur.oracle.mc.d_objd_o.package_body Udalosť: Source LINE 6082; zaznamenaný explicitný UPDATE, nie odvodenie z názvu balíka. Priama mutácia: update OBJD_O set P_PRIJ = P_PRIJ + least(nPocetCelkom, POCET - P_DEL - P_PL - P_PRIJ) where RID_O = psRID_O and ID_R = pnID_R;
mutation id: pur.source_mutation.d_objd_o.7782		target refs: mc.field.objd_o.p_pl writer ref: pur.oracle.mc.d_objd_o.package_body Udalosť: Source LINE 7782; zaznamenaný explicitný UPDATE, nie odvodenie z názvu balíka. Priama mutácia: update objd_o set p_pl = p_pl + rOD.pocetOD where rid_o = rOD.rid_o and id_r = rOD.id_r;

Identita a zdroj	Technické vlastnosti	Význam status a dôkazy
mutation id: pur.source_mutation.d_objd_o.7799		target refs: mc.field.objd_o.p_pl writer ref: pur.oracle.mc.d_objd_o.package_body Udalosť: Source LINE 7799; zaznamenaný explicitný UPDATE, nie odvodenie z názvu balíka. Priama mutácia: update objd_o set p_pl = p_pl + (rOD.pocetOD*nPocetObalov) where rid_o = rOD.rid_o and id_r = rOD.id_r_obal;
mutation id: pur.source_mutation.d_objd_o.7832		target refs: mc.field.objd_o.p_pl writer ref: pur.oracle.mc.d_objd_o.package_body Udalosť: Source LINE 7832; zaznamenaný explicitný UPDATE, nie odvodenie z názvu balíka. Priama mutácia: update objd_o set p_pl = p_pl + (rOD.pocetOD*nPocetMakro) where rid_o = rOD.rid_o and id_r = nID_R_Makro;
mutation id: pur.source_mutation.d_objd_o.7847		target refs: mc.field.objd_o.p_pl writer ref: pur.oracle.mc.d_objd_o.package_body Udalosť: Source LINE 7847; zaznamenaný explicitný UPDATE, nie odvodenie z názvu balíka. Priama mutácia: update objd_o set p_pl = p_pl + nPocetPL where rid_o = rOD.rid_o and ID_R = rOD.id_r;
mutation id: pur.source_mutation.d_objd_o.7855		target refs: mc.field.objd_o.p_pl writer ref: pur.oracle.mc.d_objd_o.package_body Udalosť: Source LINE 7855; zaznamenaný explicitný UPDATE, nie odvodenie z názvu balíka. Priama mutácia: update objd_o set p_pl = p_pl + nPocetPL_Obal where rid_o = rOD.rid_o and ID_R = rOD.id_r_obal;
mutation id: pur.source_mutation.d_objd_o.7881		target refs: mc.field.objd_o.p_pl writer ref: pur.oracle.mc.d_objd_o.package_body Udalosť: Source LINE 7881; zaznamenaný explicitný UPDATE, nie odvodenie z názvu balíka. Priama mutácia: update objd_o set p_pl = p_pl + nPocetPL_Makro where rid_o = rOD.rid_o and ID_R = nID_R_Makro;

11 Časové správanie a história

Úplný temporal contract

Canonical source: catalog/purchasing/temporal.yaml

schema version: 1.0

kind: temporal

id: pur.temporal.001

pur.temporal.current

temporal rule id: pur.temporal.current

Scope: mc.object.objd_l

mc.object.objd_o

Klasifikácia: RAW CURRENT

Udalosť alebo pravidlo: RAW CURRENT / STORED CURRENT document snapshot.

Rekonštruovateľné: false

Limity histórie: RAW CURRENT / STORED CURRENT document snapshot.

Status: POTVRDENÉ

Dôkazy: pur.evidence.accepted

pur.evidence.mp01_f

pur.temporal.flags

temporal rule id: pur.temporal.flags

Scope: mc.field.objd_l.flags_s

Klasifikácia: RAW CURRENT

Udalosť alebo pravidlo: Aktuálny register. Flag 11 je raw fulfilment slot.

Rekonštruovateľné: false

Limity histórie: Aktuálny register. Flag 11 je raw fulfilment slot.

Status: POTVRDENÉ

Dôkazy: pur.evidence.accepted

pur.evidence.mp01_f

pur.temporal.fulfilment

temporal rule id: pur.temporal.fulfilment

Scope: mc.field.objd_l.flags_s

Klasifikácia: DERIVED CURRENT

Udalosť alebo pravidlo: D_OBJD_L.GetS_STAV(OBJD_L.FLAGS_S); nie OBJD_L.STAV.

Rekonštruovateľné: false

Limity histórie: D_OBJD_L.GetS_STAV(OBJD_L.FLAGS_S); nie OBJD_L.STAV.

Status: POTVRDENÉ

Dôkazy: pur.evidence.accepted

pur.evidence.mp01_f

pur.temporal.quantity

temporal rule id: pur.temporal.quantity

Scope: mc.field.objd_o.p_prij

mc.field.objd_o.p_pl

mc.field.objd_o.p_del

Klasifikácia: RAW CURRENT

Udalosť alebo pravidlo: STORED CURRENT lifecycle buckets. remaining_qty = POCET - P_DEL - P_PRIJ - P_PL; processed_qty = P_DEL + P_PRIJ + P_PL.

Rekonštruovateľné: false

Limity histórie: STORED CURRENT lifecycle buckets. remaining_qty = POCET - P_DEL - P_PRIJ - P_PL; processed_qty = P_DEL + P_PRIJ + P_PL.

Status: POTVRDENÉ

Dôkazy: pur.evidence.accepted

pur.evidence.mp01_f

pur.temporal.receipt_lineage

temporal rule id: pur.temporal.receipt_lineage

Scope: pur.oracle.mc.prijemky_obsah.table

Klasifikácia: RAW CURRENT

Udalosť alebo pravidlo: Current surviving lineage; nie úplná história uloženého P_PRIJ.

Rekonštruovateľné: false

Limity histórie: Current surviving lineage; nie úplná história uloženého P_PRIJ.

Status: POTVRDENÉ

Dôkazy: pur.evidence.accepted

pur.evidence.mp05_b

pur.temporal.receipt_history

temporal rule id: pur.temporal.receipt_history

Scope: mc.field.objd_o.p_prij

Klasifikácia: DATA GAP

Udalosť alebo pravidlo: Historickú rekonštrukciu P_PRIJ zo súčasných receipt riadkov nemožno garantovať. NON-BLOCKING, nie dôkaz corruption.

Rekonštruovateľné: false

Limity histórie: Historickú rekonštrukciu P_PRIJ zo súčasných receipt riadkov nemožno garantovať. NON-BLOCKING, nie dôkaz corruption.

Status: DATA GAP

Dôkazy: pur.evidence.accepted

pur.evidence.mp05_b

pur.temporal.proposal_log

temporal rule id: pur.temporal.proposal_log

Scope: mc.object.obj_d_navrh_log

Klasifikácia: SELECTIVE HISTORY

Udalosť alebo pravidlo: Selektívna/history-related štruktúra; úplný event log ani retention nie sú potvrdené.

Rekonštruovateľné: false

Limity histórie: Selektívna/history-related štruktúra; úplný event log ani retention nie sú potvrdené.

Status: POTVRDENÉ

Dôkazy: pur.evidence.accepted

pur.evidence.mp01_f

pur.temporal.delivery

temporal rule id: pur.temporal.delivery

Scope: mc.field.objd_o.termin_dod

mc.field.objd_l.termin_dod

mc.field.objd_l.datum_p

Klasifikácia: DERIVED CURRENT

Udalosť alebo pravidlo: NVL(OBJD_O.TERMIN_DOD, NVL(OBJD_L.TERMIN_DOD, OBJD_L.DATUM_P)); posudzovať každý riadok.

Rekonštruovateľné: false

Limity histórie: NVL(OBJD_O.TERMIN_DOD, NVL(OBJD_L.TERMIN_DOD, OBJD_L.DATUM_P)); posudzovať každý riadok.

Status: POTVRDENÉ

Dôkazy: pur.evidence.accepted
pur.evidence.mp01_f

pur.temporal.insert

temporal rule id: pur.temporal.insert

Scope: mc.field.objd_l.i_stamp
mc.field.obj_d_navrhl.i_stamp

Klasifikácia: RAW CURRENT

Udalosť alebo pravidlo: Insert audit stamp / technická creation evidence v podporovanom rozsahu; nie kompletný event timeline.

Rekonštruovateľné: false

Limity histórie: Insert audit stamp / technická creation evidence v podporovanom rozsahu; nie kompletný event timeline.

Status: POTVRDENÉ

Dôkazy: pur.evidence.accepted
pur.evidence.mp01_f

pur.temporal.update

temporal rule id: pur.temporal.update

Scope: mc.field.objd_l.u_stamp

Klasifikácia: LAST UPDATE

Udalosť alebo pravidlo: Posledný audit update v podporovanom rozsahu; neidentifikuje automaticky zmenené business pole.

Rekonštruovateľné: false

Limity histórie: Posledný audit update v podporovanom rozsahu; neidentifikuje automaticky zmenené business pole.

Status: POTVRDENÉ

Dôkazy: pur.evidence.accepted
pur.evidence.mp01_f

pur.temporal.remove

temporal rule id: pur.temporal.remove

Scope: mc.field.objd_l.s_stamp
mc.field.obj_d_navrhl.s_stamp

Klasifikácia: RAW CURRENT

Udalosť alebo pravidlo: Technický remove/storno stamp. S_STAMP='0' != business open.

Rekonštruovateľné: false

Limity histórie: Technický remove/storno stamp. S_STAMP='0' != business open.

Status: POTVRDENÉ

Dôkazy: pur.evidence.accepted

pur.evidence.mp01_f

12 Kvalita údajov a hraničné prípady

Data quality

Canonical source: catalog/purchasing/data-quality.yaml

schema version: 1.0

kind: data-quality

id: pur.data_quality.001

pur.dq.state

dq id: pur.dq.state

Scope: mc.object.objd_l

mc.object.objd_o

mc.object.obj_d_navrh

observation sk: 40 supplier PO malo Flag11=0 a STAV='000-40'. Raw document-state != fulfilment.

Snapshot: 2026-09-11

Blokujúce: false

Status: POTVRDENÉ

Dôkazy: pur.evidence.mp03_a

pur.evidence.accepted

interpretation limit sk: Dated snapshot v deklarovanom rozsahu; nie permanentný počet ani dôkaz absencie externých jobs/dynamic SQL.

pur.dq.delivery

dq id: pur.dq.delivery

Scope: mc.object.objd_l

mc.object.objd_o

mc.object.obj_d_navrh

observation sk: 69895 riadkov: line date 69726, header fallback 13, DATUM_P fallback 156; 917 odlišných dátumov, 317 objednávok s viacerými termínmi.

Snapshot: 2026-09-11

Blokujúce: false

Status: POTVRDENÉ

Dôkazy: pur.evidence.mp03_b

pur.evidence.accepted

interpretation limit sk: Dated snapshot v deklarovanom rozsahu; nie permanentný počet ani dôkaz absencie externých jobs/dynamic SQL.

pur.dq.receipt

dq id: pur.dq.receipt

Scope: mc.object.objd_l

mc.object.objd_o

mc.object.obj_d_navrh

observation sk: 221619 active PL riadkov, 76130 s current receipt link, 25645 s viacerými receipt riadkami.

Snapshot: 2026-09-11

Blokujúce: false

Status: POTVRDENÉ

Dôkazy: pur.evidence.mp04_c

pur.evidence.accepted

interpretation limit sk: Dated snapshot v deklarovanom rozsahu; nie permanentný počet ani dôkaz absencie externých jobs/dynamic SQL.

pur.dq.prefix

dq id: pur.dq.prefix

Scope: mc.object.objd_l

mc.object.objd_o

mc.object.obj_d_navrh

observation sk: 255188 active PL receipt refs; 19 removed/retained PL; 1459 direct PO; 1 bez current hlavičky.

Snapshot: 2026-09-11

Blokujúce: false

Status: POTVRDENÉ

Dôkazy: pur.evidence.mp05_a

pur.evidence.accepted

interpretation limit sk: Dated snapshot v deklarovanom rozsahu; nie permanentný počet ani dôkaz absencie externých jobs/dynamic SQL.

pur.dq.temporal

dq id: pur.dq.temporal

Scope: mc.object.objd_l

mc.object.objd_o

mc.object.obj_d_navrh

observation sk: Nesúladi P_PRIJ a current lineage aj v recent dátach: temporal DATA GAP, nie corruption.

Snapshot: 2026-09-11

Blokujúce: false

Status: DATA GAP

Dôkazy: pur.evidence.mp05_b
pur.evidence.accepted

interpretation limit sk: Dated snapshot v deklarovanom rozsahu; nie permanentný počet ani dôkaz absencie externých jobs/dynamic SQL.

pur.dq.jobs

dq id: pur.dq.jobs

Scope: mc.object.objd_l
mc.object.objd_o
mc.object.obj_d_navrh

observation sk: Handoff PUR_MP06_A_BACKGROUND_JOBS: DBMS_JOB=0 a DBMS_SCHEDULER=0 priamych purchasing referencií.

Snapshot: 2026-09-11

Blokujúce: false

Status: POTVRDENÉ

Dôkazy: pur.evidence.accepted

interpretation limit sk: Dated snapshot v deklarovanom rozsahu; nie permanentný počet ani dôkaz absencie externých jobs/dynamic SQL.

pur.dq.core

dq id: pur.dq.core

Scope: mc.object.objd_l
mc.object.objd_o
mc.object.obj_d_navrh

observation sk: OBJD_L triggers=6, OBJD_O=15, OBJ_D_NAVRH=4; disabled=0 pre všetky, invalid core objects=0.

Snapshot: 2026-09-11

Blokujúce: false

Status: POTVRDENÉ

Dôkazy: pur.evidence.mp06_c
pur.evidence.accepted

interpretation limit sk: Dated snapshot v deklarovanom rozsahu; nie permanentný počet ani dôkaz absencie externých jobs/dynamic SQL.

pur.dq.access

dq id: pur.dq.access

Scope: mc.object.objd_l
mc.object.objd_o
mc.object.obj_d_navrh

observation sk: 58 grants a 11 synonyms = access capability only.

Snapshot: 2026-09-11

Blokujúce: false

Status: POTVRDENÉ

Dôkazy: pur.evidence.f4_b

pur.evidence.accepted

interpretation limit sk: Dated snapshot v deklarovanom rozsahu; nie permanentný počet ani dôkaz absencie externých jobs/dynamic SQL.

pur.dq.cross_schema

dq id: pur.dq.cross_schema

Scope: mc.object.objd_l

mc.object.objd_o

mc.object.obj_d_navrh

observation sk: 0 business cross-schema inbound edges na definovanom core sete; outbound Oracle/public infrastructure.

Snapshot: 2026-09-11

Blokujúce: false

Status: POTVRDENÉ

Dôkazy: pur.evidence.f4_c

pur.evidence.accepted

interpretation limit sk: Dated snapshot v deklarovanom rozsahu; nie permanentný počet ani dôkaz absencie externých jobs/dynamic SQL.

pur.dq.closure

dq id: pur.dq.closure

Scope: mc.object.objd_l

mc.object.objd_o

mc.object.obj_d_navrh

observation sk: Direct surface mapovaný; depth-2 sa rozširuje cez shared utilities. Zámerný STOP DIGGING, nie absolútna runtime closure.

Snapshot: 2026-09-11

Blokujúce: false

Status: POTVRDENÉ

Dôkazy: pur.evidence.f4_a

pur.evidence.accepted

interpretation limit sk: Dated snapshot v deklarovanom rozsahu; nie permanentný počet ani dôkaz absencie externých jobs/dynamic SQL.

13 DO NOT ASSUME

Úplný register pravidiel

Canonical source: catalog/purchasing/do-not-assume.yaml

schema version: 1.0

kind: do-not-assume

id: pur.do_not_assume.001

pur.rule.01

rule id: pur.rule.01

Scope: mc.object.objd_l

mc.object.objd_o

mc.object.obj_d_navrh

Pravidlo: OBJD_L is NOT exclusively a supplier purchase order. Use TYP_CIS.

Dôkazy: pur.evidence.accepted

pur.rule.02

rule id: pur.rule.02

Scope: mc.object.objd_l

mc.object.objd_o

mc.object.obj_d_navrh

Pravidlo: S_STAMP='0' != business open.

Dôkazy: pur.evidence.accepted

pur.rule.03

rule id: pur.rule.03

Scope: mc.object.objd_l

mc.object.objd_o

mc.object.obj_d_navrh

Pravidlo: OBJD_L.STAV != authoritative fulfilment state.

Dôkazy: pur.evidence.accepted

pur.rule.04

rule id: pur.rule.04

Scope: mc.object.objd_l
mc.object.objd_o
mc.object.obj_d_navrh

Pravidlo: STAV='000-40' Uzavretá != fulfilled.

Dôkazy: pur.evidence.accepted

pur.rule.05

rule id: pur.rule.05

Scope: mc.object.objd_l
mc.object.objd_o
mc.object.obj_d_navrh

Pravidlo: STAV='000-42' / fulfilled header != proof of physical receipt.

Dôkazy: pur.evidence.accepted

pur.rule.06

rule id: pur.rule.06

Scope: mc.object.objd_l
mc.object.objd_o
mc.object.obj_d_navrh

Pravidlo: Canonical fulfilment state: D_OBJD_L.GetS_STAV(FLAGS_S)

Dôkazy: pur.evidence.accepted

pur.rule.07

rule id: pur.rule.07

Scope: mc.object.objd_l
mc.object.objd_o
mc.object.obj_d_navrh

Pravidlo: Flag11 is the source-confirmed raw fulfilment state slot.

Dôkazy: pur.evidence.accepted

pur.rule.08

rule id: pur.rule.08

Scope: mc.object.objd_l
mc.object.objd_o
mc.object.obj_d_navrh

Pravidlo: P_PL != physical receipt.

Dôkazy: pur.evidence.accepted

pur.rule.09

rule id: pur.rule.09

Scope: mc.object.objd_l

mc.object.objd_o

mc.object.obj_d_navrh

Pravidlo: P_PRIJ != dynamically reconstructable SUM(current receipt rows).

Dôkazy: pur.evidence.accepted

pur.rule.10

rule id: pur.rule.10

Scope: mc.object.objd_l

mc.object.objd_o

mc.object.obj_d_navrh

Pravidlo: OBJ_D_NAVRH.RID_V_OBJ_D is a LINE RID, not OBJD_L.RID.

Dôkazy: pur.evidence.accepted

pur.rule.11

rule id: pur.rule.11

Scope: mc.object.objd_l

mc.object.objd_o

mc.object.obj_d_navrh

Pravidlo: OBJD_O.RID_N is not a safe universal historical 1:1 proposal join.

Dôkazy: pur.evidence.accepted

pur.rule.12

rule id: pur.rule.12

Scope: mc.object.objd_l

mc.object.objd_o

mc.object.obj_d_navrh

Pravidlo: RID prefix 020 != transport list. Resolve TYP_CIS.

Dôkazy: pur.evidence.accepted

pur.rule.13

rule id: pur.rule.13

Scope: mc.object.objd_l
mc.object.objd_o
mc.object.obj_d_navrh

Pravidlo: OBJD_L.DATUM_P alone != universal line delivery deadline.

Dôkazy: pur.evidence.accepted

pur.rule.14

rule id: pur.rule.14

Scope: mc.object.objd_l
mc.object.objd_o
mc.object.obj_d_navrh

Pravidlo: PO->PL is 1:N. Protect analytical queries from fan-out.

Dôkazy: pur.evidence.accepted

pur.rule.15

rule id: pur.rule.15

Scope: mc.object.objd_l
mc.object.objd_o
mc.object.obj_d_navrh

Pravidlo: PL->receipt is 1:N. Aggregate receipt rows before joining when preserving PL line grain.

Dôkazy: pur.evidence.accepted

pur.rule.16

rule id: pur.rule.16

Scope: mc.object.objd_l
mc.object.objd_o
mc.object.obj_d_navrh

Pravidlo: Grant/synonym != runtime flow.

Dôkazy: pur.evidence.accepted

pur.rule.17

rule id: pur.rule.17

Scope: mc.object.objd_l
mc.object.objd_o
mc.object.obj_d_navrh

Pravidlo: ALL_DEPENDENCIES != writer/reader proof.

Dôkazy: pur.evidence.accepted

pur.rule.18

rule id: pur.rule.18

Scope: mc.object.objd_l

mc.object.objd_o

mc.object.obj_d_navrh

Pravidlo: MCCZ/TEST/TESTCZ != MC evidence.

Dôkazy: pur.evidence.accepted

pur.rule.19

rule id: pur.rule.19

Scope: mc.object.objd_l

mc.object.objd_o

mc.object.obj_d_navrh

Pravidlo: Runtime dynamic SQL/application behavior outside Oracle source is a system boundary.

Dôkazy: pur.evidence.accepted

pur.rule.20

rule id: pur.rule.20

Scope: mc.object.objd_l

mc.object.objd_o

mc.object.obj_d_navrh

Pravidlo: Current PRIJEMKY_* rows are not guaranteed complete event history for stored P_PRIJ.

Dôkazy: pur.evidence.accepted

14 Diagnostické playbooky

Kanonické playbooky

Canonical source: catalog/purchasing/playbooks.yaml

schema version: 1.0

kind: playbooks

id: pur.playbooks.001

pur.playbook.overdue

playbook id: pur.playbook.overdue

Symptóm: Supplier PO sa javí otvorená/overdue

Prvá diagnostika: pur.sql.overdue

Dokazuje: Efektívny termín riadka, GetS_STAV a remaining_qty.

Nedokazuje: STAV samotný neurčuje fulfilment.

Ďalší krok: Posúdiť jednotlivé termíny a množstvá.

flow refs: pur.flow.standard

dependency or boundary refs: pur.rel.pl_receipt

temporal boundary sk: Current snapshot nie je úplná event história.

pur.playbook.fulfilled_without_receipt

playbook id: pur.playbook.fulfilled_without_receipt

Symptóm: PO je vybavená, tovar neprišiel

Prvá diagnostika: pur.sql.po_pl

Dokazuje: PO P_PL -> všetky linked PL riadky -> P_PRIJ/remaining.

Nedokazuje: PO fulfilment != fyzický príjem.

Ďalší krok: Použiť PL receipt trace; preveriť downstream vrstvu.

flow refs: pur.flow.standard

dependency or boundary refs: pur.rel.pl_receipt

temporal boundary sk: Current snapshot nie je úplná event história.

pur.playbook.pl_open

playbook id: pur.playbook.pl_open

Symptóm: PL ostáva otvorený po prijme

Prvá diagnostika: pur.sql.open_pl

Dokazuje: GetS_STAV a otvorené line quantities.

Nedokazuje: Current lineage nemusí pokrývať celú históriu P_PRIJ.

Ďalší krok: Skontrolovať current/pending receipt riadky a UkonciPrijemPL source vetvy.

flow refs: pur.flow.handygo

dependency or boundary refs: pur.rel.pl_receipt

temporal boundary sk: Current snapshot nie je úplná event história.

pur.playbook.po_pl_mismatch

playbook id: pur.playbook.po_pl_mismatch

Symptóm: PO -> PL quantity mismatch

Prvá diagnostika: pur.sql.po_pl

Dokazuje: Všetky PL riadky k PO line.

Nedokazuje: Priamy JOIN nie je bezpečný pre súčet opakovaných PO množstiev.

Ďalší krok: Agregovať PL po zdrojovej PO line; rešpektovať 1:N.

flow refs: pur.flow.standard

dependency or boundary refs: pur.rel.pl_receipt

temporal boundary sk: Current snapshot nie je úplná event história.

pur.playbook.receipt_mismatch

playbook id: pur.playbook.receipt_mismatch

Symptóm: PL -> receipt mismatch

Prvá diagnostika: pur.sql.p_prij_lineage

Dokazuje: P_PRIJ oproti predagregovanej current lineage.

Nedokazuje: Nie úplná event história ani automatický dôkaz corruption.

Ďalší krok: Oddeliť temporal DATA GAP od dnešnej surviving lineage.

flow refs: pur.flow.standard

dependency or boundary refs: pur.rel.pl_receipt

temporal boundary sk: Current snapshot nie je úplná event história.

pur.playbook.ui_state

playbook id: pur.playbook.ui_state

Symptóm: UI Nevybavená, raw STAV Uzavretá

Prvá diagnostika: pur.sql.header_lines

Dokazuje: GetS_STAV/Flag11 a raw STAV sú odlišné registre.

Nedokazuje: STAV=000-40 neznamená fulfilled.

Ďalší krok: Použiť canonical fulfilment stav; táto kombinácia je validná.

flow refs: pur.flow.standard

dependency or boundary refs: pur.rel.pl_receipt

temporal boundary sk: Current snapshot nie je úplná event história.

pur.playbook.proposal_history

playbook id: pur.playbook.proposal_history

Symptóm: Historický RID_N sa nepripojí

Prvá diagnostika: pur.sql.reverse_proposal

Dokazuje: Current proposal reference a chýbajúci current target.

Nedokazuje: Nie automaticky orphan corruption.

Ďalší krok: Rešpektovať retention/log/history boundary.

flow refs: pur.flow.standard

dependency or boundary refs: pur.rel.pl_receipt

temporal boundary sk: Current snapshot nie je úplná event história.

15 Kanonické read only SQL

schema version: 1.0

kind: sql-registry

id: pur.sql_registry.001

Návrh -> supplier PO line

sql id: pur.sql.proposal_po

title sk: Návrh -> supplier PO line

sql file: sql/diagnostic/purchasing/proposal_po.sql

Grain výsledku: One proposal and its current matching PO line

Dokazuje: Current forward line reference

Nedokazuje: Complete historical proposal retention or header RID equivalence

Fan out a obmedzenia: Unique target line PK; do not infer global reverse 1:1.

Vstupné parametre: name: p_proposal_rid

required: true

description sk: Presný RID návrhu ako text.

Dôkazy: pur.evidence.accepted

pur.evidence.mp01_f

compatibility: sql client: SQL Navigator 5.5.4.847

oracle server version: null

read only: true

notes sk: Statically checked conservative SELECT. Nebolo spustené proti MC.

-- Návrh -> supplier PO line

-- Grain: One proposal and its current matching PO line

-- Proves: Current forward line reference

-- Does not prove: Complete historical proposal retention or header RID equivalence

-- Fan-out: Unique target line PK; do not infer global reverse 1:1.

-- MC only; SQL Navigator 5.5.4.847; Oracle version unknown.

SELECT N.RID AS proposal_rid, N.RID_V_OBJ_D, N.STAV AS proposal_state,

L.RID AS po_rid, L.TYP_CIS, O.ID_R,

MC.D_OBJD_L.GetS_STAV(L.FLAGS_S) AS fulfilment_state

FROM MC.OBJD_NAVRH N

LEFT JOIN (MC.OBJD_O O JOIN MC.OBJD_L L ON L.RID = O.RID_O AND L.TYP_CIS = '00028')

ON N.RID_V_OBJ_D = O.RID_O || '!' || TO_CHAR(O.ID_R)

WHERE N.RID = :p_proposal_rid;

Supplier PO -> PL lines

sql id: pur.sql.po_pl

title sk: Supplier PO -> PL lines

sql file: sql/diagnostic/purchasing/po_pl.sql

Grain výsledku: One PO line and each linked PL line

Dokazuje: Current PO to all linked PL lines

Nedokazuje: P_PL as physical receipt or historical completeness

Fan out a obmedzenia: 1:N; PO quantities repeat on each PL match, never sum repeated PO quantities.

Vstupné parametre: name: p_po_rid

required: true

description sk: Presný supplier PO RID ako text.

Dôkazy: pur.evidence.accepted

pur.evidence.mp01_f

compatibility: sql client: SQL Navigator 5.5.4.847

oracle server version: null

read only: true

notes sk: Statically checked conservative SELECT. Nebolo spustené proti MC.

```
-- Supplier PO -> PL lines
-- Grain: One PO line and each linked PL line
-- Proves: Current PO to all linked PL lines
-- Does not prove: P_PL as physical receipt or historical completeness
-- Fan-out: 1:N; PO quantities repeat on each PL match, never sum repeated PO quantities.
-- MC only; SQL Navigator 5.5.4.847; Oracle version unknown.
```

```
SELECT PO.RID_O AS po_rid, PO.ID_R AS po_line, PO.P_PL,
       PL.RID_O AS pl_rid, PL.ID_R AS pl_line,
       PL.POCET, PL.P_DEL, PL.P_PRIJ, PL.P_PL AS pl_p_pl,
       PL.POCET - PL.P_DEL - PL.P_PRIJ - PL.P_PL AS pl_remaining,
       MC.D_OBJD_L.GetS_STAV(PH.FLAGS_S) AS po_state,
       MC.D_OBJD_L.GetS_STAV(LH.FLAGS_S) AS pl_state
FROM MC.OBJD_O PO
JOIN MC.OBJD_L PH ON PH.RID = PO.RID_O AND PH.TYP_CIS = '00028'
LEFT JOIN (MC.OBJD_O PL JOIN MC.OBJD_L LH ON LH.RID = PL.RID_O AND LH.TYP_CIS = '00029')
  ON PL.RID_V = PO.RID_O || '!' || TO_CHAR(PO.ID_R)
WHERE PO.RID_O = :p_po_rid;
```

PL -> current receipt lineage

sql id: pur.sql.pl_receipt

title sk: PL -> current receipt lineage

sql file: sql/diagnostic/purchasing/pl_receipt.sql

Grain výsledku: One PL line

Dokazuje: Count and net source quantities of surviving linked receipt rows

Nedokazuje: Physical receipt completion; current net source sum is not historical P_PRIJ authority

Fan out a obmedzenia: Receipt rows aggregated by RID_V before joining PL.

Vstupné parametre: name: p_pl_rid

required: true

description sk: Presný PL RID ako text.

Dôkazy: pur.evidence.accepted

pur.evidence.mp01_f

compatibility: sql client: SQL Navigator 5.5.4.847

oracle server version: null

read only: true

notes sk: Statically checked conservative SELECT. Nebolo spustené proti MC.

-- PL -> current receipt lineage

-- Grain: One PL line

-- Proves: Count and net source quantities of surviving linked receipt rows

-- Does not prove: Physical receipt completion; current net source sum is not historical P_PRIJ authority

-- Fan-out: Receipt rows aggregated by RID_V before joining PL.

-- MC only; SQL Navigator 5.5.4.847; Oracle version unknown.

SELECT O.RID_O, O.ID_R, O.P_PRIJ,

R.receipt_link_count, R.current_line_net_qty

FROM MC.OBJD_O O

JOIN MC.OBJD_L L ON L.RID = O.RID_O AND L.TYP_CIS = '00029'

LEFT JOIN (SELECT R.RID_V, COUNT(*) AS receipt_link_count,

SUM(R.POCET - R.P_DEL) AS current_line_net_qty

FROM MC.PRIJEMKY_OBSAH R

GROUP BY R.RID_V) R

ON R.RID_V = O.RID_O || '!' || TO_CHAR(O.ID_R)

WHERE O.RID_O = :p_pl_rid;

Dodávateľský doklad a riadky

sql id: pur.sql.header_lines

title sk: Dodávateľský doklad a riadky

sql file: sql/diagnostic/purchasing/header_lines.sql

Grain výsledku: One document line

Dokazuje: Raw document state and canonical current fulfilment interpretation

Nedokazuje: Physical receipt from final header state

Fan out a obmedzenia: Header values repeat across lines.

Vstupné parametre: name: p_document_rid

required: true

description sk: Presný RID generickej OBJD rodiny ako text.

Dôkazy: pur.evidence.accepted

pur.evidence.mp01_f

compatibility: sql client: SQL Navigator 5.5.4.847

oracle server version: null

read only: true

notes sk: Statically checked conservative SELECT. Nebolo spustené proti MC.

-- Dodávateľský doklad a riadky

-- Grain: One document line

-- Proves: Raw document state and canonical current fulfilment interpretation

-- Does not prove: Physical receipt from final header state

-- Fan-out: Header values repeat across lines.

-- MC only; SQL Navigator 5.5.4.847; Oracle version unknown.

```
SELECT L.RID, L.TYP_CIS, L.STAV AS raw_document_state,  
       MC.D_OBJD_L.GetS_STAV(L.FLAGS_S) AS fulfilment_state,  
       O.ID_R, O.POCET, O.P_DEL, O.P_PRIJ, O.P_PL,  
       O.POCET - O.P_DEL - O.P_PRIJ - O.P_PL AS remaining_qty,  
       O.P_DEL + O.P_PRIJ + O.P_PL AS processed_qty,  
       NVL(O.TERMIN_DOD, NVL(L.TERMIN_DOD, L.DATUM_P)) AS effective_delivery_date  
FROM MC.OBJD_L L  
JOIN MC.OBJD_O O ON O.RID_O = L.RID  
WHERE L.RID = :p_document_rid;
```

Množstevný contract riadka

sql id: pur.sql.quantity

title sk: Množstevný contract riadka

sql file: sql/diagnostic/purchasing/quantity.sql

Grain výsledku: One document line

Dokazuje: Stored current buckets, remaining_qty and processed_qty

Nedokazuje: P_PL as receipt or P_DEL as supplier failure reason

Fan out a obmedzenia: Single header-to-lines join.

Vstupné parametre: name: p_document_rid

required: true

description sk: Presný RID dokladu ako text.

Dôkazy: pur.evidence.accepted
pur.evidence.mp01_f

compatibility: sql client: SQL Navigator 5.5.4.847

oracle server version: null

read only: true

notes sk: Statically checked conservative SELECT. Nebolo spustené proti MC.

-- Množstevný contract riadka

-- Grain: One document line

-- Proves: Stored current buckets, remaining_qty and processed_qty

-- Does not prove: P_PL as receipt or P_DEL as supplier failure reason

-- Fan-out: Single header-to-lines join.

-- MC only; SQL Navigator 5.5.4.847; Oracle version unknown.

```
SELECT L.RID, L.TYP_CIS, L.STAV AS raw_document_state,  
       MC.D_OBJD_L.GetS_STAV(L.FLAGS_S) AS fulfilment_state,  
       O.ID_R, O.POCET, O.P_DEL, O.P_PRIJ, O.P_PL,  
       O.POCET - O.P_DEL - O.P_PRIJ - O.P_PL AS remaining_qty,  
       O.P_DEL + O.P_PRIJ + O.P_PL AS processed_qty,  
       NVL(O.TERMIN_DOD, NVL(L.TERMIN_DOD, L.DATUM_P)) AS effective_delivery_date  
FROM MC.OBJD_L L  
JOIN MC.OBJD_O O ON O.RID_O = L.RID  
WHERE L.RID = :p_document_rid;
```

Riadkové overdue supplier PO

sql id: pur.sql.overdue

title sk: Riadkové overdue supplier PO

sql file: sql/diagnostic/purchasing/overdue.sql

Grain výsledku: One supplier PO line with positive remainder and deadline before cutoff

Dokazuje: Line-aware overdue at a caller-supplied DATE cutoff

Nedokazuje: Historical status or UI creator binding; S_STAMP is only technical removal filter

Fan out a obmedzenia: No downstream detail joins.

Vstupné parametre: name: p_as_of_date

required: true

description sk: Oracle DATE cutoff; caller volí časovú hranicu, bez implicitnej interpretácie dátumu.

Dôkazy: pur.evidence.accepted
pur.evidence.mp01_f

compatibility: sql client: SQL Navigator 5.5.4.847

oracle server version: null

read only: true

notes sk: Statically checked conservative SELECT. Nebolo spustené proti MC.

```
-- Riadkové overdue supplier PO
-- Grain: One supplier PO line with positive remainder and deadline before cutoff
-- Proves: Line-aware overdue at a caller-supplied DATE cutoff
-- Does not prove: Historical status or UI creator binding; S_STAMP is only technical removal filter
-- Fan-out: No downstream detail joins.
-- MC only; SQL Navigator 5.5.4.847; Oracle version unknown.
SELECT L.RID, L.TYP_CIS, L.STAV AS raw_document_state,
       MC.D_OBJD_L.GetS_STAV(L.FLAGS_S) AS fulfilment_state,
       O.ID_R, O.POCET, O.P_DEL, O.P_PRIJ, O.P_PL,
       O.POCET - O.P_DEL - O.P_PRIJ - O.P_PL AS remaining_qty,
       O.P_DEL + O.P_PRIJ + O.P_PL AS processed_qty,
       NVL(O.TERMIN_DOD, NVL(L.TERMIN_DOD, L.DATUM_P)) AS effective_delivery_date
FROM MC.OBJD_L L
JOIN MC.OBJD_O O ON O.RID_O = L.RID
WHERE L.TYP_CIS = '00028'
      AND L.S_STAMP = '0'
      AND O.POCET - O.P_DEL - O.P_PRIJ - O.P_PL > 0
      AND NVL(O.TERMIN_DOD, NVL(L.TERMIN_DOD, L.DATUM_P)) < :p_as_of_date;
```

Uložené P_PRIJ vs current surviving lineage

sql id: pur.sql.p_prij_lineage

title sk: Uložené P_PRIJ vs current surviving lineage

sql file: sql/diagnostic/purchasing/p_prij_lineage.sql

Grain výsledku: One PL line

Dokazuje: Stored P_PRIJ alongside surviving row count and net source quantity

Nedokazuje: Full event reconstruction or corruption; no link remains NULL, not a fabricated zero

Fan out a obmedzenia: Receipt rows aggregated before join.

Vstupné parametre: name: p_pl_rid

required: true

description sk: Presný PL RID ako text.

Dôkazy: pur.evidence.accepted

pur.evidence.mp01_f

compatibility: sql client: SQL Navigator 5.5.4.847

oracle server version: null

read only: true

notes sk: Statically checked conservative SELECT. Nebolo spustené proti MC.

-- Uložené P_PRIJ vs current surviving lineage

```

-- Grain: One PL line
-- Proves: Stored P_PRIJ alongside surviving row count and net source quantity
-- Does not prove: Full event reconstruction or corruption; no link remains NULL, not a fabricated zero
-- Fan-out: Receipt rows aggregated before join.
-- MC only; SQL Navigator 5.5.4.847; Oracle version unknown.
SELECT O.RID_O, O.ID_R, O.P_PRIJ AS stored_p_prij,
       R.receipt_link_count, R.current_line_net_qty,
       O.P_PRIJ - R.current_line_net_qty AS difference_to_current_line_net
FROM MC.OBJD_O O
JOIN MC.OBJD_L L ON L.RID = O.RID_O AND L.TYP_CIS = '00029'
LEFT JOIN (SELECT R.RID_V, COUNT(*) AS receipt_link_count,
                 SUM(R.POCET - R.P_DEL) AS current_line_net_qty
          FROM MC.PRIJEMKY_OBSAH R
          GROUP BY R.RID_V) R
ON R.RID_V = O.RID_O || '!' || TO_CHAR(O.ID_R)
WHERE L.RID = :p_pl_rid;

```

PL s otvoreným množstvom

sql id: pur.sql.open_pl

title sk: PL s otvoreným množstvom

sql file: sql/diagnostic/purchasing/open_pl.sql

Grain výsledku: One PL line with positive remainder

Dokazuje: Positive line remainder plus current canonical fulfilment state

Nedokazuje: S_STAMP as business status, physical receipt from header state, all runtime finalisation branches

Fan out a obmedzenia: No receipt fan-out.

Vstupné parametre: []

Dôkazy: pur.evidence.accepted

pur.evidence.mp01_f

compatibility: sql client: SQL Navigator 5.5.4.847

oracle server version: null

read only: true

notes sk: Statically checked conservative SELECT. Nebolo spustené proti MC.

```

-- PL s otvoreným množstvom
-- Grain: One PL line with positive remainder
-- Proves: Positive line remainder plus current canonical fulfilment state
-- Does not prove: S_STAMP as business status, physical receipt from header state, all runtime finalisation branches
-- Fan-out: No receipt fan-out.
-- MC only; SQL Navigator 5.5.4.847; Oracle version unknown.
SELECT L.RID, L.TYP_CIS, L.STAV AS raw_document_state,
       MC.D_OBJD_L.GetS_STAV(L.FLAGS_S) AS fulfilment_state,

```

```

O.ID_R, O.POCET, O.P_DEL, O.P_PRIJ, O.P_PL,
O.POCET - O.P_DEL - O.P_PRIJ - O.P_PL AS remaining_qty,
O.P_DEL + O.P_PRIJ + O.P_PL AS processed_qty,
NVL(O.TERMIN_DOD, NVL(L.TERMIN_DOD, L.DATUM_P)) AS effective_delivery_date
FROM MC.OBJD_L L
JOIN MC.OBJD_O O ON O.RID_O = L.RID
WHERE L.TYP_CIS = '00029'
AND L.S_STAMP = '0'
AND O.POCET - O.P_DEL - O.P_PRIJ - O.P_PL > 0;

```

MC dependency/source trace

sql id: pur.sql.source_trace

title sk: MC dependency/source trace

sql file: sql/diagnostic/purchasing/source_trace.sql

Grain výsledku: One dictionary dependency or source line

Dokazuje: Oracle-visible compile dependency or source text

Nedokazuje: Writer/reader role from dependency alone; external jobs or dynamic runtime absence

Fan out a obmedzenia: Independent result sets; no business quantity aggregation.

Vstupné parametre: name: p_source_name

required: true

description sk: Presný Oracle source objekt, napr. D_OBJD_L; bez runtime execution.

Dôkazy: pur.evidence.accepted

pur.evidence.mp01_f

compatibility: sql client: SQL Navigator 5.5.4.847

oracle server version: null

read only: true

notes sk: Statically checked conservative SELECT. Nebolo spustené proti MC.

-- MC dependency/source trace

-- Grain: One dictionary dependency or source line

-- Proves: Oracle-visible compile dependency or source text

-- Does not prove: Writer/reader role from dependency alone; external jobs or dynamic runtime absence

-- Fan-out: Independent result sets; no business quantity aggregation.

-- MC only; SQL Navigator 5.5.4.847; Oracle version unknown.

```

SELECT D.OWNER, D.NAME, D.TYPE, D.REFERENCED_OWNER,
       D.REFERENCED_NAME, D.REFERENCED_TYPE, D.DEPENDENCY_TYPE
FROM ALL_DEPENDENCIES D
WHERE D.OWNER = 'MC'
AND D.REFERENCED_OWNER = 'MC'
AND D.REFERENCED_NAME IN ('OBJD_L','OBJD_O','OBJ_D_NAVRH',
                          'D_OBJD_L','D_OBJD_O','C_OBJ_D_KOMBAJN','C_REZ_OBJ_DOD');

```

```
SELECT S.OWNER, S.NAME, S.TYPE, S.LINE, S.TEXT
FROM ALL_SOURCE S
WHERE S.OWNER = 'MC'
      AND S.NAME = :p_source_name
ORDER BY S.TYPE, S.LINE;
```

Reverse proposal retention trace

sql id: pur.sql.reverse_proposal

title sk: Reverse proposal retention trace

sql file: sql/diagnostic/purchasing/reverse_proposal.sql

Grain výsledku: One OBJD line

Dokazuje: Current RID_N matches and missing current proposal

Nedokazuje: Universal historical 1:1 relationship or corruption

Fan out a obmedzenia: Proposal PK lookup; multiple lines may repeat proposal.

Vstupné parametre: name: p_document_rid

required: true

description sk: Presný RID dokladu ako text.

Dôkazy: pur.evidence.accepted

pur.evidence.mp01_f

compatibility: sql client: SQL Navigator 5.5.4.847

oracle server version: null

read only: true

notes sk: Statically checked conservative SELECT. Nebolo spustené proti MC.

-- Reverse proposal retention trace

-- Grain: One OBJD line

-- Proves: Current RID_N matches and missing current proposal

-- Does not prove: Universal historical 1:1 relationship or corruption

-- Fan-out: Proposal PK lookup; multiple lines may repeat proposal.

-- MC only; SQL Navigator 5.5.4.847; Oracle version unknown.

SELECT O.RID_O, O.ID_R, O.RID_N, N.RID AS current_proposal_rid

FROM MC.OBJD_O O

LEFT JOIN MC.OBJ_D_NAVRH N ON N.RID = O.RID_N

WHERE O.RID_O = :p_document_rid;

16 Backlog

Blokujúce položky: 0. Neblokujúce položky: 7.

Otvorené hranice

Canonical source: catalog/purchasing/backlog.yaml

schema version: 1.0

kind: backlog

id: pur.backlog.001

pur.backlog.direct_receipt

backlog id: pur.backlog.direct_receipt

Scope: mc.object.objd_l

mc.object.objd_o

mc.object.obj_d_navrh

Status: TREBA OVERIŤ

Blokujúce: false

Otvorená otázka: Presný business účel priamej PO -> receipt cesty.

Dôvod: Technicky/live potvrdená cesta nie je štandardný business proces.

Súvisiace dôkazy: pur.evidence.accepted

pur.backlog.p_prij_history

backlog id: pur.backlog.p_prij_history

Scope: mc.object.objd_l

mc.object.objd_o

mc.object.obj_d_navrh

Status: DATA GAP

Blokujúce: false

Otvorená otázka: Úplná historická rekonštrukcia P_PRIJ.

Dôvod: Current surviving lineage nie je úplná história.

Súvisiace dôkazy: pur.evidence.accepted

pur.backlog.missing_header

backlog id: pur.backlog.missing_header

Scope: mc.object.objd_l
mc.object.objd_o
mc.object.obj_d_navrh

Status: DATA GAP

Blokujúce: false

Otvorená otázka: Jedna receipt referencia prefixu 020 bez current hlavičky.

Dôvod: Nehodnotiť automaticky ako corruption.

Súvisiace dôkazy: pur.evidence.accepted

pur.backlog.special_source

backlog id: pur.backlog.special_source

Scope: mc.object.objd_l
mc.object.objd_o
mc.object.obj_d_navrh

Status: TREBA OVERIŤ

Blokujúce: false

Otvorená otázka: Presný business význam alternate source pri NO255905.

Dôvod: Mimo core PO lifecycle.

Súvisiace dôkazy: pur.evidence.accepted

pur.backlog.ui_counter

backlog id: pur.backlog.ui_counter

Scope: mc.object.objd_l
mc.object.objd_o
mc.object.obj_d_navrh

Status: TREBA OVERIŤ

Blokujúce: false

Otvorená otázka: Presná UI väzba počítadla objednané.

Dôvod: Technický mechanizmus je známy, UI binding nie je potvrdený.

Súvisiace dôkazy: pur.evidence.accepted

pur.backlog.cross_environment

backlog id: pur.backlog.cross_environment

Scope: mc.object.objd_l
mc.object.objd_o

mc.object.obj_d_navrh

Status: TREBA OVERIŤ

Blokujúce: false

Otvorená otázka: Cross-environment RID/global identity.

Dôvod: Neodvodzovať globálnu unikátnosť MC/MCCZ/TEST/TESTCZ.

Súvisiace dôkazy: pur.evidence.accepted

pur.backlog.log_retention

backlog id: pur.backlog.log_retention

Scope: mc.object.objd_l

mc.object.objd_o

mc.object.obj_d_navrh

Status: DATA GAP

Blokujúce: false

Otvorená otázka: OBJ_D_NAVRH_LOG úplnosť a retention.

Dôvod: Nie je potvrdený úplný event log.

Súvisiace dôkazy: pur.evidence.accepted

17 Revízna história

Kanonické revízie

Canonical source: catalog/purchasing/revisions.yaml

schema version: 1.0

kind: revisions

id: pur.revisions.001

pur.revision.semantic.1_0

revision id: pur.revision.semantic.1_0

contract version: 1.0

date: 2026-09-11

Breaking change: true

changed record refs: pur.temporal.fulfilment

pur.temporal.delivery

pur.rel.pl_receipt

Zmena: OLD: OBJD_L.STAV fulfilment, DATUM_P universal deadline, prefix 020=PL. NEW: GetS_STAV(FLAGS_S)/Flag11, line-first NVL delivery, OBJD family subtype cez TYP_CIS.

Dôvod: Výslovné semantic corrections zo schváleného handoffu; zachovať traceability unsafe interpretácií.

Dôkazy: pur.evidence.accepted

pur.evidence.mp03_a

pur.evidence.mp03_b

pur.evidence.mp05_a

pur.revision.schema.001

revision id: pur.revision.schema.001

contract version: 1.0

date: 2026-09-11

Breaking change: false

changed record refs: pur.api_references.001

Zmena: PUR-SCHEMA-001: zachované D_CPR_L/D_CPR_O; enum rozšírený o D_OBJD_L, D_OBJD_O, C_OBJ_D_KOMBAJN, C_REZ_OBJ_DOD.

Dôvod: Engineering representation capability. Nie nový Oracle/business fakt.

Dôkazy: pur.evidence.schema_approval

18 Dôkazy a proveniencia

pur.evidence.accepted

Canonical source: evidence/manifests/pur/accepted.yaml

schema version: 1.0

kind: evidence-manifest

evidence id: pur.evidence.accepted

evidence class: D

environment: MC

oracle owner: MC

Snapshot: 2026-09-11

source file: accepted.txt

retention class: SNAPSHOT_CRITICAL

raw retained: true

repository path: evidence/snapshots/pur/accepted.txt

sha256: a584ca31c9dc9735c4de9dc6bf76139fd489e06690f19f695c37ce009db3f1a2

supports record refs: []

review status: ACCEPTED

result summary sk: Schválený používateľský handoff; agreguje dôkazy, nenahrádza Oracle exporty.

Obmedzenia: UI validácia nemá uchovaný RID. Nevyrábať identitu dokladu.

pur.evidence.f4_a

Canonical source: evidence/manifests/pur/f4_a.yaml

schema version: 1.0

kind: evidence-manifest

evidence id: pur.evidence.f4_a

evidence class: A

mapping pack: MP-04

environment: MC

oracle owner: MC

captured at: null

Snapshot: 2026-09-11

source client: SQL Navigator 5.5.4.847

source file: PUR_F4_A_INBOUND_CLOSURE.xlsx

sha256: 3ee89385fad05f2f4028db99d8bf918abf8ad7aba86fbb9cea3972cd35642ce4

retention class: SNAPSHOT_CRITICAL

raw retained: true

repository path: evidence/snapshots/pur/PUR_F4_A_INBOUND_CLOSURE.xlsx

supports record refs: []

review status: ACCEPTED

result summary sk: Schválený handoff export; listy a dáta zachované bez úprav: PUR_F4_A_INBOUND_CLOSURE.

Obmedzenia: Dátum profilu podľa handoffu 2026-09-11; presný čas jednotlivého exportu nebol dodaný. Počty sú snapshot pozorovania, nie business konštanty.

Source/metadata sa používajú iba v deklarovanom rozsahu; MCCZ/TEST/TESTCZ nie sú MC business autorita.

pur.evidence.f4_b

Canonical source: evidence/manifests/pur/f4_b.yaml

schema version: 1.0

kind: evidence-manifest

evidence id: pur.evidence.f4_b

evidence class: A

mapping pack: MP-04

environment: MC

oracle owner: MC

captured at: null

Snapshot: 2026-09-11

source client: SQL Navigator 5.5.4.847

source file: PUR_F4_B_SYNONYMS_GRANTS.xlsx

sha256: a95d42fb006056ae5d98965aa0a4ee726cea5ff0529bd1a21fe14a58a8d89f71

retention class: SNAPSHOT_CRITICAL

raw retained: true

repository path: evidence/snapshots/pur/PUR_F4_B_SYNONYMS_GRANTS.xlsx

supports record refs: []

review status: ACCEPTED

result summary sk: Schválený handoff export; listy a dáta zachované bez úprav: PUR_F4_B_SYNONYMS_GRANTS.

Obmedzenia: Dátum profilu podľa handoffu 2026-09-11; presný čas jednotlivého exportu nebol dodaný. Počty sú snapshot pozorovania, nie business konštanty. Source/metadata sa používajú iba v deklarovanom rozsahu; MCCZ/TEST/TESTCZ nie sú MC business autorita.

pur.evidence.f4_c

Canonical source: evidence/manifests/pur/f4_c.yaml

schema version: 1.0

kind: evidence-manifest

evidence id: pur.evidence.f4_c

evidence class: A

mapping pack: MP-04

environment: MC

oracle owner: MC

captured at: null

Snapshot: 2026-09-11

source client: SQL Navigator 5.5.4.847

source file: PUR_F4_C_CROSS_SCHEMA_BACKGROUND.xlsx

sha256: 2432454185f2ded23e10a6590eb502adfc3f3867e0a413736342d6184bd22598

retention class: SNAPSHOT_CRITICAL

raw retained: true

repository path: evidence/snapshots/pur/PUR_F4_C_CROSS_SCHEMA_BACKGROUND.xlsx

supports record refs: []

review status: ACCEPTED

result summary sk: Schválený handoff export; listy a dáta zachované bez úprav: PUR_F4_C_CROSS_SCHEMA_BACKGROUND.

Obmedzenia: Dátum profilu podľa handoffu 2026-09-11; presný čas jednotlivého exportu nebol dodaný. Počty sú snapshot pozorovania, nie business konštanty. Source/metadata sa používajú iba v deklarovanom rozsahu; MCCZ/TEST/TESTCZ nie sú MC business autorita.

pur.evidence.mp01_a

Canonical source: evidence/manifests/pur/mp01_a.yaml

schema version: 1.0

kind: evidence-manifest

evidence id: pur.evidence.mp01_a
evidence class: A
mapping pack: MP-01
environment: MC
oracle owner: MC
captured at: null
Snapshot: 2026-09-11
source client: SQL Navigator 5.5.4.847
source file: PUR_MP01_A_OBJECT_CANDIDATES.xlsx
sha256: 7e23fa35c1f2462ec0270e74793eb0661558e8ccb74d645a3196ec4ef2a6850e
retention class: SNAPSHOT_CRITICAL
raw retained: true
repository path: evidence/snapshots/pur/PUR_MP01_A_OBJECT_CANDIDATES.xlsx
supports record refs: []
review status: ACCEPTED

result summary sk: Schválený handoff export; listy a dáta zachované bez úprav: PUR_MP01_B_COLUMNS.

Obmedzenia: Dátum profilu podľa handoffu 2026-09-11; presný čas jednotlivého exportu nebol dodaný. Počty sú snapshot pozorovania, nie business konštanty.
Source/metadata sa používajú iba v deklarovanom rozsahu; MCCZ/TEST/TESTCZ nie sú MC business autorita.

pur.evidence.mp01_b

Canonical source: evidence/manifests/pur/mp01_b.yaml
schema version: 1.0
kind: evidence-manifest
evidence id: pur.evidence.mp01_b
evidence class: A
mapping pack: MP-01
environment: MC
oracle owner: MC
captured at: null
Snapshot: 2026-09-11
source client: SQL Navigator 5.5.4.847

source file: PUR_MP01_B_COLUMNS.xlsx

sha256: 24e71020a6fa02421853f5a5eb7c500308117a0b44321b1f1148ae889b1ed583

retention class: SNAPSHOT_CRITICAL

raw retained: true

repository path: evidence/snapshots/pur/PUR_MP01_B_COLUMNS.xlsx

supports record refs: []

review status: ACCEPTED

result summary sk: Schválený handoff export; listy a dáta zachované bez úprav: PUR_MP01_B_COLUMNS.

Obmedzenia: Dátum profilu podľa handoffu 2026-09-11; presný čas jednotlivého exportu nebol dodaný. Počty sú snapshot pozorovania, nie business konštanty. Source/metadadata sa používajú iba v deklarovanom rozsahu; MCCZ/TEST/TESTCZ nie sú MC business autorita.

pur.evidence.mp01_c

Canonical source: evidence/manifests/pur/mp01_c.yaml

schema version: 1.0

kind: evidence-manifest

evidence id: pur.evidence.mp01_c

evidence class: A

mapping pack: MP-01

environment: MC

oracle owner: MC

captured at: null

Snapshot: 2026-09-11

source client: SQL Navigator 5.5.4.847

source file: PUR_MP01_C_CONSTRAINTS.xlsx

sha256: 5c57b1dc268edcb0757eacfe6a68b30f72051a8c64f252ae478598170f9e319b

retention class: SNAPSHOT_CRITICAL

raw retained: true

repository path: evidence/snapshots/pur/PUR_MP01_C_CONSTRAINTS.xlsx

supports record refs: []

review status: ACCEPTED

result summary sk: Schválený handoff export; listy a dáta zachované bez úprav: PUR_MP01_C_CONSTRAINTS.

Obmedzenia: Dátum profilu podľa handoffu 2026-09-11; presný čas jednotlivého exportu nebol dodaný. Počty sú snapshot pozorovania, nie business konštanty. Source/metadata sa používajú iba v deklarovanom rozsahu; MCCZ/TEST/TESTCZ nie sú MC business autorita.

pur.evidence.mp01_d

Canonical source: evidence/manifests/pur/mp01_d.yaml

schema version: 1.0

kind: evidence-manifest

evidence id: pur.evidence.mp01_d

evidence class: A

mapping pack: MP-01

environment: MC

oracle owner: MC

captured at: null

Snapshot: 2026-09-11

source client: SQL Navigator 5.5.4.847

source file: PUR_MP01_D_INDEXES.xlsx

sha256: 50507e369ffe735edfc5bac9ccd618247e0ad9421fd063aa3ce8668aea1c88b8

retention class: SNAPSHOT_CRITICAL

raw retained: true

repository path: evidence/snapshots/pur/PUR_MP01_D_INDEXES.xlsx

supports record refs: []

review status: ACCEPTED

result summary sk: Schválený handoff export; listy a dáta zachované bez úprav: PUR_MP01_D_INDEXES.

Obmedzenia: Dátum profilu podľa handoffu 2026-09-11; presný čas jednotlivého exportu nebol dodaný. Počty sú snapshot pozorovania, nie business konštanty. Source/metadata sa používajú iba v deklarovanom rozsahu; MCCZ/TEST/TESTCZ nie sú MC business autorita.

pur.evidence.mp01_e

Canonical source: evidence/manifests/pur/mp01_e.yaml

schema version: 1.0

kind: evidence-manifest

evidence id: pur.evidence.mp01_e

evidence class: A

mapping pack: MP-01
environment: MC
oracle owner: MC
captured at: null
Snapshot: 2026-09-11
source client: SQL Navigator 5.5.4.847
source file: PUR_MP01_E_TRIGGERS_DEPENDENCIES.xlsx
sha256: d3d88cd6accbcd564432365bf02b5901dad92aecaf7f561df71770ac2b75e33f
retention class: SNAPSHOT_CRITICAL
raw retained: true
repository path: evidence/snapshots/pur/PUR_MP01_E_TRIGGERS_DEPENDENCIES.xlsx
supports record refs: []
review status: ACCEPTED
result summary sk: Schválený handoff export; listy a dáta zachované bez úprav: PUR_MP01_E_TRIGGERS_DEPENDENCIE.
Obmedzenia: Dátum profilu podľa handoffu 2026-09-11; presný čas jednotlivého exportu nebol dodaný. Počty sú snapshot pozorovania, nie business konštanty.
Source/metadata sa používajú iba v deklarovanom rozsahu; MCCZ/TEST/TESTCZ nie sú MC business autorita.

pur.evidence.mp01_f

Canonical source: evidence/manifests/pur/mp01_f.yaml
schema version: 1.0
kind: evidence-manifest
evidence id: pur.evidence.mp01_f
evidence class: B2
mapping pack: MP-01
environment: MC
oracle owner: MC
captured at: null
Snapshot: 2026-09-11
source client: SQL Navigator 5.5.4.847
source file: PUR_MP01_F_SOURCE_HITS.xlsx
sha256: 26385b2420465bbcc014ad413b8cbf96892b9904db4abd7a36a3f832cbfa0626

retention class: SNAPSHOT_CRITICAL

raw retained: true

repository path: evidence/snapshots/pur/PUR_MP01_F_SOURCE_HITS.xlsx

supports record refs: []

review status: ACCEPTED

result summary sk: Schválený handoff export; listy a dáta zachované bez úprav: PUR_MP01_F_SOURCE_HITS.

Obmedzenia: Dátum profilu podľa handoffu 2026-09-11; presný čas jednotlivého exportu nebol dodaný. Počty sú snapshot pozorovania, nie business konštanty. Source/metadata sa používajú iba v deklarovanom rozsahu; MCCZ/TEST/TESTCZ nie sú MC business autorita.

pur.evidence.mp02_a

Canonical source: evidence/manifests/pur/mp02_a.yaml

schema version: 1.0

kind: evidence-manifest

evidence id: pur.evidence.mp02_a

evidence class: B

mapping pack: MP-02

environment: MC

oracle owner: MC

captured at: null

Snapshot: 2026-09-11

source client: SQL Navigator 5.5.4.847

source file: PUR_MP02_A_HEADER_STATE_PROFILE.xlsx

sha256: 9181cf5e9f42b472cd3e89527c675c31bc61525720dec65d56f65e153873bde4

retention class: SNAPSHOT_CRITICAL

raw retained: true

repository path: evidence/snapshots/pur/PUR_MP02_A_HEADER_STATE_PROFILE.xlsx

supports record refs: []

review status: ACCEPTED

result summary sk: Schválený handoff export; listy a dáta zachované bez úprav: PUR_MP02_A_HEADER_STATE_PROFILE.

Obmedzenia: Dátum profilu podľa handoffu 2026-09-11; presný čas jednotlivého exportu nebol dodaný. Počty sú snapshot pozorovania, nie business konštanty. Source/metadata sa používajú iba v deklarovanom rozsahu; MCCZ/TEST/TESTCZ nie sú MC business autorita.

pur.evidence.mp02_b

Canonical source: evidence/manifests/pur/mp02_b.yaml

schema version: 1.0

kind: evidence-manifest

evidence id: pur.evidence.mp02_b

evidence class: B

mapping pack: MP-02

environment: MC

oracle owner: MC

captured at: null

Snapshot: 2026-09-11

source client: SQL Navigator 5.5.4.847

source file: PUR_MP02_B_IDENTITY_CARDINALITY.xlsx

sha256: 2c2b15d9fe526e6689f0f0b372eb802fff82d919da315d973e208245190ad0af

retention class: SNAPSHOT_CRITICAL

raw retained: true

repository path: evidence/snapshots/pur/PUR_MP02_B_IDENTITY_CARDINALITY.xlsx

supports record refs: []

review status: ACCEPTED

result summary sk: Schválený handoff export; listy a dáta zachované bez úprav: PUR_MP02_B_IDENTITY_CARDINALITY.

Obmedzenia: Dátum profilu podľa handoffu 2026-09-11; presný čas jednotlivého exportu nebol dodaný. Počty sú snapshot pozorovania, nie business konštanty.

Source/metadata sa používajú iba v deklarovanom rozsahu; MCCZ/TEST/TESTCZ nie sú MC business autorita.

pur.evidence.mp02_c

Canonical source: evidence/manifests/pur/mp02_c.yaml

schema version: 1.0

kind: evidence-manifest

evidence id: pur.evidence.mp02_c

evidence class: B

mapping pack: MP-02

environment: MC

oracle owner: MC
captured at: null
Snapshot: 2026-09-11
source client: SQL Navigator 5.5.4.847
source file: PUR_MP02_C_QUANTITY_PROFILE.xlsx
sha256: 4172c565aa004806daaebd2666f05e1739de7731bb1a7dc85e3c161c4e7e1c4f
retention class: SNAPSHOT_CRITICAL
raw retained: true
repository path: evidence/snapshots/pur/PUR_MP02_C_QUANTITY_PROFILE.xlsx
supports record refs: []
review status: ACCEPTED

result summary sk: Schválený handoff export; listy a dáta zachované bez úprav: PUR_MP02_C_QUANTITY_PROFILE.

Obmedzenia: Dátum profilu podľa handoffu 2026-09-11; presný čas jednotlivého exportu nebol dodaný. Počty sú snapshot pozorovania, nie business konštanty.
Source/metadata sa používajú iba v deklarovanom rozsahu; MCCZ/TEST/TESTCZ nie sú MC business autorita.

pur.evidence.mp02_d

Canonical source: evidence/manifests/pur/mp02_d.yaml
schema version: 1.0
kind: evidence-manifest
evidence id: pur.evidence.mp02_d
evidence class: B
mapping pack: MP-02
environment: MC
oracle owner: MC
captured at: null
Snapshot: 2026-09-11
source client: SQL Navigator 5.5.4.847
source file: PUR_MP02_D_NAVRH_LIFECYCLE_PROFILE.xlsx
sha256: e7de5c6bada37c8ac6ef02f689ef638951df313864e6607d6dfd7a5b8d0fce90
retention class: SNAPSHOT_CRITICAL
raw retained: true

repository path: evidence/snapshots/pur/PUR_MP02_D_NAVRH_LIFECYCLE_PROFILE.xlsx

supports record refs: []

review status: ACCEPTED

result summary sk: Schválený handoff export; listy a dáta zachované bez úprav: PUR_MP02_D_NAVRH_LIFECYCLE_PROF.

Obmedzenia: Dátum profilu podľa handoffu 2026-09-11; presný čas jednotlivého exportu nebol dodaný. Počty sú snapshot pozorovania, nie business konštanty. Source/metadata sa používajú iba v deklarovanom rozsahu; MCCZ/TEST/TESTCZ nie sú MC business autorita.

pur.evidence.mp02_e

Canonical source: evidence/manifests/pur/mp02_e.yaml

schema version: 1.0

kind: evidence-manifest

evidence id: pur.evidence.mp02_e

evidence class: B

mapping pack: MP-02

environment: MC

oracle owner: MC

captured at: null

Snapshot: 2026-09-11

source client: SQL Navigator 5.5.4.847

source file: PUR_MP02_E_NAVRH_ORDER_TRACE.xlsx

sha256: d70c889b778115ada61b914514749472ffed40e9cc48a8adeb997b1317d27d3a

retention class: SNAPSHOT_CRITICAL

raw retained: true

repository path: evidence/snapshots/pur/PUR_MP02_E_NAVRH_ORDER_TRACE.xlsx

supports record refs: []

review status: ACCEPTED

result summary sk: Schválený handoff export; listy a dáta zachované bez úprav: PUR_MP02_E_NAVRH_ORDER_TRACE.

Obmedzenia: Dátum profilu podľa handoffu 2026-09-11; presný čas jednotlivého exportu nebol dodaný. Počty sú snapshot pozorovania, nie business konštanty. Source/metadata sa používajú iba v deklarovanom rozsahu; MCCZ/TEST/TESTCZ nie sú MC business autorita.

pur.evidence.mp02_f

Canonical source: evidence/manifests/pur/mp02_f.yaml

schema version: 1.0
kind: evidence-manifest
evidence id: pur.evidence.mp02_f
evidence class: B
mapping pack: MP-02
environment: MC
oracle owner: MC
captured at: null
Snapshot: 2026-09-11
source client: SQL Navigator 5.5.4.847
source file: PUR_MP02_F_NAVRH_TARGET_TYPE.xlsx
sha256: 8e14f4c08da8d58586204529e67952478b4e298ccb36a64ac176e51f160159b6
retention class: SNAPSHOT_CRITICAL
raw retained: true
repository path: evidence/snapshots/pur/PUR_MP02_F_NAVRH_TARGET_TYPE.xlsx
supports record refs: []
review status: ACCEPTED
result summary sk: Schválený handoff export; listy a dáta zachované bez úprav: PUR_MP02_F_NAVRH_TARGET_TYPE.
Obmedzenia: Dátum profilu podľa handoffu 2026-09-11; presný čas jednotlivého exportu nebol dodaný. Počty sú snapshot pozorovania, nie business konštanty.
Source/metadata sa používajú iba v deklarovanom rozsahu; MCCZ/TEST/TESTCZ nie sú MC business autorita.

pur.evidence.mp03_a

Canonical source: evidence/manifests/pur/mp03_a.yaml
schema version: 1.0
kind: evidence-manifest
evidence id: pur.evidence.mp03_a
evidence class: B
mapping pack: MP-03
environment: MC
oracle owner: MC
captured at: null

Snapshot: 2026-09-11

source client: SQL Navigator 5.5.4.847

source file: PUR_MP03_A_STATE_CROSSCHECK.xlsx

sha256: ab4b154548927a57e586162a87f22bcb82fe784dc904b23f5764e925e2ebdab1

retention class: SNAPSHOT_CRITICAL

raw retained: true

repository path: evidence/snapshots/pur/PUR_MP03_A_STATE_CROSSCHECK.xlsx

supports record refs: []

review status: ACCEPTED

result summary sk: Schválený handoff export; listy a dáta zachované bez úprav: PUR_MP03_A_STATE_CROSSCHECK.

Obmedzenia: Dátum profilu podľa handoffu 2026-09-11; presný čas jednotlivého exportu nebol dodaný. Počty sú snapshot pozorovania, nie business konštanty.

Source/metadata sa používajú iba v deklarovanom rozsahu; MCCZ/TEST/TESTCZ nie sú MC business autorita.

pur.evidence.mp03_b

Canonical source: evidence/manifests/pur/mp03_b.yaml

schema version: 1.0

kind: evidence-manifest

evidence id: pur.evidence.mp03_b

evidence class: B

mapping pack: MP-03

environment: MC

oracle owner: MC

captured at: null

Snapshot: 2026-09-11

source client: SQL Navigator 5.5.4.847

source file: PUR_MP03_B_DELIVERY_DATE_PROFILE.xlsx

sha256: b98d4c26a866b40c16fc2632f4bc140daf1b76a99c3ad56d6fb0431bac6e5bb2

retention class: SNAPSHOT_CRITICAL

raw retained: true

repository path: evidence/snapshots/pur/PUR_MP03_B_DELIVERY_DATE_PROFILE.xlsx

supports record refs: []

review status: ACCEPTED

result summary sk: Schválený handoff export; listy a dáta zachované bez úprav: PUR_MP03_B_DELIVERY_DATE_PROFIL.

Obmedzenia: Dátum profilu podľa handoffu 2026-09-11; presný čas jednotlivého exportu nebol dodaný. Počty sú snapshot pozorovania, nie business konštanty. Source/metadata sa používajú iba v deklarovanom rozsahu; MCCZ/TEST/TESTCZ nie sú MC business autorita.

pur.evidence.mp03_c

Canonical source: evidence/manifests/pur/mp03_c.yaml

schema version: 1.0

kind: evidence-manifest

evidence id: pur.evidence.mp03_c

evidence class: B

mapping pack: MP-03

environment: MC

oracle owner: MC

captured at: null

Snapshot: 2026-09-11

source client: SQL Navigator 5.5.4.847

source file: PUR_MP03_C_PO_PL_LINK_PROFILE.xlsx

sha256: 76a4379a98b7f0adb056c98f2145a197cea86603426ff68cbf7c6e707ae1a529

retention class: SNAPSHOT_CRITICAL

raw retained: true

repository path: evidence/snapshots/pur/PUR_MP03_C_PO_PL_LINK_PROFILE.xlsx

supports record refs: []

review status: ACCEPTED

result summary sk: Schválený handoff export; listy a dáta zachované bez úprav: PUR_MP03_C_PO_PL_LINK_PROFILE.

Obmedzenia: Dátum profilu podľa handoffu 2026-09-11; presný čas jednotlivého exportu nebol dodaný. Počty sú snapshot pozorovania, nie business konštanty. Source/metadata sa používajú iba v deklarovanom rozsahu; MCCZ/TEST/TESTCZ nie sú MC business autorita.

pur.evidence.mp04_a

Canonical source: evidence/manifests/pur/mp04_a.yaml

schema version: 1.0

kind: evidence-manifest

evidence id: pur.evidence.mp04_a
evidence class: B
mapping pack: MP-04
environment: MC
oracle owner: MC
captured at: null
Snapshot: 2026-09-11
source client: SQL Navigator 5.5.4.847
source file: PUR_MP04_A_PL_RECEIPT_PROFILE.xlsx
sha256: 33ba8d3e5e981fc278f4673a0b0d3ab7d8d691b14254c62b0032fbfd09a1047d
retention class: SNAPSHOT_CRITICAL
raw retained: true
repository path: evidence/snapshots/pur/PUR_MP04_A_PL_RECEIPT_PROFILE.xlsx
supports record refs: []
review status: ACCEPTED

result summary sk: Schválený handoff export; listy a dáta zachované bez úprav: PUR_MP04_A_PL_RECEIPT_PROFILE.

Obmedzenia: Dátum profilu podľa handoffu 2026-09-11; presný čas jednotlivého exportu nebol dodaný. Počty sú snapshot pozorovania, nie business konštanty.
Source/metadata sa používajú iba v deklarovanom rozsahu; MCCZ/TEST/TESTCZ nie sú MC business autorita.

pur.evidence.mp04_b

Canonical source: evidence/manifests/pur/mp04_b.yaml
schema version: 1.0
kind: evidence-manifest
evidence id: pur.evidence.mp04_b
evidence class: B
mapping pack: MP-04
environment: MC
oracle owner: MC
captured at: null
Snapshot: 2026-09-11
source client: SQL Navigator 5.5.4.847

source file: PUR_MP04_B_OPEN_PL_DETAIL.xlsx

sha256: 397e821a98815d51f533d6c1e1bf77c827c0cad10374f4fab8e388a9a885c12b

retention class: SNAPSHOT_CRITICAL

raw retained: true

repository path: evidence/snapshots/pur/PUR_MP04_B_OPEN_PL_DETAIL.xlsx

supports record refs: []

review status: ACCEPTED

result summary sk: Schválený handoff export; listy a dáta zachované bez úprav: PUR_MP04_B_OPEN_PL_DETAIL.

Obmedzenia: Dátum profilu podľa handoffu 2026-09-11; presný čas jednotlivého exportu nebol dodaný. Počty sú snapshot pozorovania, nie business konštanty. Source/metadadata sa používajú iba v deklarovanom rozsahu; MCCZ/TEST/TESTCZ nie sú MC business autorita.

pur.evidence.mp04_c

Canonical source: evidence/manifests/pur/mp04_c.yaml

schema version: 1.0

kind: evidence-manifest

evidence id: pur.evidence.mp04_c

evidence class: B

mapping pack: MP-04

environment: MC

oracle owner: MC

captured at: null

Snapshot: 2026-09-11

source client: SQL Navigator 5.5.4.847

source file: PUR_MP04_C_RECEIPT_LINK_CARDINALITY.xlsx

sha256: 666ab7bb4c6ded2652bc140e2c9b7744750c3e6317c728ea40b92d2b3d8ce57c

retention class: SNAPSHOT_CRITICAL

raw retained: true

repository path: evidence/snapshots/pur/PUR_MP04_C_RECEIPT_LINK_CARDINALITY.xlsx

supports record refs: []

review status: ACCEPTED

result summary sk: Schválený handoff export; listy a dáta zachované bez úprav: PUR_MP04_C_RECEIPT_LINK_CARDINA.

Obmedzenia: Dátum profilu podľa handoffu 2026-09-11; presný čas jednotlivého exportu nebol dodaný. Počty sú snapshot pozorovania, nie business konštanty. Source/metadata sa používajú iba v deklarovanom rozsahu; MCCZ/TEST/TESTCZ nie sú MC business autorita.

pur.evidence.mp05_a

Canonical source: evidence/manifests/pur/mp05_a.yaml

schema version: 1.0

kind: evidence-manifest

evidence id: pur.evidence.mp05_a

evidence class: B

mapping pack: MP-05

environment: MC

oracle owner: MC

captured at: null

Snapshot: 2026-09-11

source client: SQL Navigator 5.5.4.847

source file: PUR_MP05_A_RECEIPT_020_CLASSIFICATION.xlsx

sha256: fc9f8ebee3d6ebd26cccfb5085e028ccc04c0eb1263a52598527553867ce444e

retention class: SNAPSHOT_CRITICAL

raw retained: true

repository path: evidence/snapshots/pur/PUR_MP05_A_RECEIPT_020_CLASSIFICATION.xlsx

supports record refs: []

review status: ACCEPTED

result summary sk: Schválený handoff export; listy a dáta zachované bez úprav: PUR_MP05_A_RECEIPT_020_CLASSIFI.

Obmedzenia: Dátum profilu podľa handoffu 2026-09-11; presný čas jednotlivého exportu nebol dodaný. Počty sú snapshot pozorovania, nie business konštanty. Source/metadata sa používajú iba v deklarovanom rozsahu; MCCZ/TEST/TESTCZ nie sú MC business autorita.

pur.evidence.mp05_b

Canonical source: evidence/manifests/pur/mp05_b.yaml

schema version: 1.0

kind: evidence-manifest

evidence id: pur.evidence.mp05_b

evidence class: B

mapping pack: MP-05
environment: MC
oracle owner: MC
captured at: null
Snapshot: 2026-09-11
source client: SQL Navigator 5.5.4.847
source file: PUR_MP05_B_PPRIJ_TEMPORAL_PROFILE.xlsx
sha256: 97dd40cde9f8e5e9698d27916399b4dbe62213f9cde6fd80683eb5aa3b62f0c6
retention class: SNAPSHOT_CRITICAL
raw retained: true
repository path: evidence/snapshots/pur/PUR_MP05_B_PPRIJ_TEMPORAL_PROFILE.xlsx
supports record refs: []
review status: ACCEPTED
result summary sk: Schválený handoff export; listy a dáta zachované bez úprav: PUR_MP05_B_PPRIJ_TEMPORAL_PROFI.
Obmedzenia: Dátum profilu podľa handoffu 2026-09-11; presný čas jednotlivého exportu nebol dodaný. Počty sú snapshot pozorovania, nie business konštanty.
Source/metadata sa používajú iba v deklarovanom rozsahu; MCCZ/TEST/TESTCZ nie sú MC business autorita.

pur.evidence.mp05_c

Canonical source: evidence/manifests/pur/mp05_c.yaml
schema version: 1.0
kind: evidence-manifest
evidence id: pur.evidence.mp05_c
evidence class: B
mapping pack: MP-05
environment: MC
oracle owner: MC
captured at: null
Snapshot: 2026-09-11
source client: SQL Navigator 5.5.4.847
source file: PUR_MP05_C_OPEN_PL_SOURCE_TRACE.xlsx
sha256: 5e5c49192088b96db3ced7e90e998e66d6be770eae2c25e5bcd6ccc83685c1e

retention class: SNAPSHOT_CRITICAL

raw retained: true

repository path: evidence/snapshots/pur/PUR_MP05_C_OPEN_PL_SOURCE_TRACE.xlsx

supports record refs: []

review status: ACCEPTED

result summary sk: Schválený handoff export; listy a dáta zachované bez úprav: PUR_MP05_C_OPEN_PL_SOURCE_TRACE.

Obmedzenia: Dátum profilu podľa handoffu 2026-09-11; presný čas jednotlivého exportu nebol dodaný. Počty sú snapshot pozorovania, nie business konštanty. Source/metadata sa používajú iba v deklarovanom rozsahu; MCCZ/TEST/TESTCZ nie sú MC business autorita.

pur.evidence.mp06_b

Canonical source: evidence/manifests/pur/mp06_b.yaml

schema version: 1.0

kind: evidence-manifest

evidence id: pur.evidence.mp06_b

evidence class: B2

mapping pack: MP-06

environment: MC

oracle owner: MC

captured at: null

Snapshot: 2026-09-11

source client: SQL Navigator 5.5.4.847

source file: PUR_MP06_B_EXTERNAL_SOURCE_HITS.xlsx

sha256: 474dda6e7e564df78f3f5a838705517f39a6a85808a62d453ba79d9d43cd9438

retention class: SNAPSHOT_CRITICAL

raw retained: true

repository path: evidence/snapshots/pur/PUR_MP06_B_EXTERNAL_SOURCE_HITS.xlsx

supports record refs: []

review status: ACCEPTED

result summary sk: Schválený handoff export; listy a dáta zachované bez úprav: PUR_MP06_B_EXTERNAL_SOURCE_HITS.

Obmedzenia: Dátum profilu podľa handoffu 2026-09-11; presný čas jednotlivého exportu nebol dodaný. Počty sú snapshot pozorovania, nie business konštanty. Source/metadata sa používajú iba v deklarovanom rozsahu; MCCZ/TEST/TESTCZ nie sú MC business autorita.

pur.evidence.mp06_c

Canonical source: evidence/manifests/pur/mp06_c.yaml

schema version: 1.0

kind: evidence-manifest

evidence id: pur.evidence.mp06_c

evidence class: A

mapping pack: MP-06

environment: MC

oracle owner: MC

captured at: null

Snapshot: 2026-09-11

source client: SQL Navigator 5.5.4.847

source file: PUR_MP06_C_CORE_CONTROL.xlsx

sha256: 1cf87efc5bebd893162cc9a06664e0c6cda924724f1347180684f556271b20a4

retention class: SNAPSHOT_CRITICAL

raw retained: true

repository path: evidence/snapshots/pur/PUR_MP06_C_CORE_CONTROL.xlsx

supports record refs: []

review status: ACCEPTED

result summary sk: Schválený handoff export; listy a dáta zachované bez úprav: PUR_MP06_C_CORE_CONTROL.

Obmedzenia: Dátum profilu podľa handoffu 2026-09-11; presný čas jednotlivého exportu nebol dodaný. Počty sú snapshot pozorovania, nie business konštanty.

Source/metadata sa používajú iba v deklarovanom rozsahu; MCCZ/TEST/TESTCZ nie sú MC business autorita.

pur.evidence.schema_approval

Canonical source: evidence/manifests/pur/schema_approval.yaml

schema version: 1.0

kind: evidence-manifest

evidence id: pur.evidence.schema_approval

evidence class: D

environment: MC

oracle owner: MC

Snapshot: 2026-09-11

source file: schema_approval.txt

retention class: SNAPSHOT_CRITICAL

raw retained: true

repository path: evidence/snapshots/pur/schema_approval.txt

sha256: aea3e23037baeee90a8da8aba37396c22c2f43755c2410fa5b297c617980b01

supports record refs: []

review status: ACCEPTED

result summary sk: Schválený používateľský handoff; agreguje dôkazy, nenahrádza Oracle exporty.

Obmedzenia: UI validácia nemá uchovaný RID. Nevyrábať identitu dokladu.

19 API dependency a prístupové hranice

Lexikálne source member referencie

Canonical source: catalog/purchasing/api-references.yaml

schema version: 1.0

kind: api-references

id: pur.api_references.001

environment: MC

source dataset: PUR_MP01_F_SOURCE_HITS.xlsx

summary: record count: 700

caller count: 78

member count: 318

Spoločné vlastnosti všetkých záznamov nasledujúcej tabuľky

caller owner: MC

Klasifikácia: SOURCE MEMBER REFERENCE

Dôkazy: pur.evidence.mp01_f

Obmedzenia: Lexikálny member hit v dodanom source texte môže zahŕňať komentár, konštantu alebo string. Nie je automaticky runtime call ani writer dôkaz.

Identita a zdroj	Technické vlastnosti	Význam status a dôkazy
api reference id: pur.api.reference.0001 caller name: BP_MONET	target package: D_OBJD_L member name raw: DoplnPolozkyTMP Počet výskytov: 1 Riadky zdroja: 388	caller type: PACKAGE BODY
api reference id: pur.api.reference.0002 caller name: BP_MONET	target package: D_OBJD_L member name raw: PredplnObjD2TempObjD Počet výskytov: 1 Riadky zdroja: 3196	caller type: PACKAGE BODY
api reference id: pur.api.reference.0003 caller name: BP_MONET	target package: D_OBJD_L member name raw: cis_objd_l Počet výskytov: 1 Riadky zdroja: 1437	caller type: PACKAGE BODY
api reference id: pur.api.reference.0004 caller name: BP_MONET	target package: D_OBJD_L member name raw: predplnobjd2objd Počet výskytov: 1 Riadky zdroja: 3198	caller type: PACKAGE BODY

Identita a zdroj	Technické vlastnosti	Význam status a důkazy
api reference id: pur.api.reference.0005 caller name: BP_MONET	target package: D_OBJD_L member name raw: predplnobjd2tempobjd Počet výskytov: 1 Riadky zdroja: 3197	caller type: PACKAGE BODY
api reference id: pur.api.reference.0006 caller name: COPY	target package: D_OBJD_L member name raw: GetDatum_p Počet výskytov: 1 Riadky zdroja: 2189	caller type: PACKAGE BODY
api reference id: pur.api.reference.0007 caller name: COPY	target package: D_OBJD_L member name raw: GetFlagsB Počet výskytov: 1 Riadky zdroja: 2906	caller type: PACKAGE BODY
api reference id: pur.api.reference.0008 caller name: COPY	target package: D_OBJD_L member name raw: GetMena Počet výskytov: 2 Riadky zdroja: 2141 2871	caller type: PACKAGE BODY
api reference id: pur.api.reference.0009 caller name: COPY	target package: D_OBJD_L member name raw: GetPRE_SKLAD Počet výskytov: 1 Riadky zdroja: 2882	caller type: PACKAGE BODY
api reference id: pur.api.reference.0010 caller name: COPY	target package: D_OBJD_L member name raw: GetRID Počet výskytov: 1 Riadky zdroja: 2159	caller type: PACKAGE BODY
api reference id: pur.api.reference.0011 caller name: COPY	target package: D_OBJD_L member name raw: GetSklad Počet výskytov: 6 Riadky zdroja: 2151 2153 2188 2189 2886 2888	caller type: PACKAGE BODY
api reference id: pur.api.reference.0012 caller name: COPY	target package: D_OBJD_L member name raw: GetTERMIN_DOD Počet výskytov: 1 Riadky zdroja: 2883	caller type: PACKAGE BODY

Identita a zdroj	Technické vlastnosti	Význam status a důkazy
api reference id: pur.api.reference.0013 caller name: COPY	target package: D_OBJD_L member name raw: GetUct_Str Počet výskytov: 4 Riadky zdroja: 2151 2154 2886 2889	caller type: PACKAGE BODY
api reference id: pur.api.reference.0014 caller name: COPY	target package: D_OBJD_L member name raw: GetXML_DATA Počet výskytov: 1 Riadky zdroja: 2905	caller type: PACKAGE BODY
api reference id: pur.api.reference.0015 caller name: COPY	target package: D_OBJD_L member name raw: Getpartner Počet výskytov: 2 Riadky zdroja: 2140 2870	caller type: PACKAGE BODY
api reference id: pur.api.reference.0016 caller name: COPY	target package: D_OBJD_L member name raw: Init Počet výskytov: 3 Riadky zdroja: 2138 2163 2865	caller type: PACKAGE BODY
api reference id: pur.api.reference.0017 caller name: COPY	target package: D_OBJD_L member name raw: Ins Počet výskytov: 1 Riadky zdroja: 2158	caller type: PACKAGE BODY
api reference id: pur.api.reference.0018 caller name: COPY	target package: D_OBJD_L member name raw: PrepcitajObsahC Počet výskytov: 1 Riadky zdroja: 2205	caller type: PACKAGE BODY
api reference id: pur.api.reference.0019 caller name: COPY	target package: D_OBJD_L member name raw: R_D_OBJD_L Počet výskytov: 2 Riadky zdroja: 2114 2838	caller type: PACKAGE BODY
api reference id: pur.api.reference.0020 caller name: COPY	target package: D_OBJD_L member name raw: SetDatum Počet výskytov: 1 Riadky zdroja: 2144	caller type: PACKAGE BODY

Identita a zdroj	Technické vlastnosti	Význam status a důkazy
api reference id: pur.api.reference.0021 caller name: COPY	target package: D_OBJD_L member name raw: SetDatum_DPH Počet výskytů: 2 Řádky zdroje: 2142 2146	caller type: PACKAGE BODY
api reference id: pur.api.reference.0022 caller name: COPY	target package: D_OBJD_L member name raw: SetDatum_P Počet výskytů: 1 Řádky zdroje: 2145	caller type: PACKAGE BODY
api reference id: pur.api.reference.0023 caller name: COPY	target package: D_OBJD_L member name raw: SetFlags_S Počet výskytů: 1 Řádky zdroje: 2148	caller type: PACKAGE BODY
api reference id: pur.api.reference.0024 caller name: COPY	target package: D_OBJD_L member name raw: SetRID_V Počet výskytů: 1 Řádky zdroje: 2149	caller type: PACKAGE BODY
api reference id: pur.api.reference.0025 caller name: COPY	target package: D_OBJD_L member name raw: SetSklad Počet výskytů: 1 Řádky zdroje: 2152	caller type: PACKAGE BODY
api reference id: pur.api.reference.0026 caller name: COPY	target package: D_OBJD_L member name raw: SetSkratka Počet výskytů: 1 Řádky zdroje: 2147	caller type: PACKAGE BODY
api reference id: pur.api.reference.0027 caller name: COPY	target package: D_OBJD_L member name raw: SetUct_Str Počet výskytů: 2 Řádky zdroje: 2154 2156	caller type: PACKAGE BODY
api reference id: pur.api.reference.0028 caller name: COPY	target package: D_OBJD_L member name raw: cis_objd_l Počet výskytů: 1 Řádky zdroje: 2881	caller type: PACKAGE BODY
api reference id: pur.api.reference.0029 caller name: COPY	target package: D_OBJD_L member name raw: getFLAGS_S Počet výskytů: 2 Řádky zdroje: 2139 2899	caller type: PACKAGE BODY

Identita a zdroj	Technické vlastnosti	Význam status a důkazy
api reference id: pur.api.reference.0030 caller name: COPY	target package: D_OBJD_O member name raw: GetID_R Počet výskytov: 1 Riadky zdroja: 2192	caller type: PACKAGE BODY
api reference id: pur.api.reference.0031 caller name: COPY	target package: D_OBJD_O member name raw: GetKod_id Počet výskytov: 2 Riadky zdroja: 2189 2930	caller type: PACKAGE BODY
api reference id: pur.api.reference.0032 caller name: COPY	target package: D_OBJD_O member name raw: Init Počet výskytov: 2 Riadky zdroja: 2173 2918	caller type: PACKAGE BODY
api reference id: pur.api.reference.0033 caller name: COPY	target package: D_OBJD_O member name raw: Ins Počet výskytov: 1 Riadky zdroja: 2191	caller type: PACKAGE BODY
api reference id: pur.api.reference.0034 caller name: COPY	target package: D_OBJD_O member name raw: R_D_OBJD_O Počet výskytov: 2 Riadky zdroja: 2121 2844	caller type: PACKAGE BODY
api reference id: pur.api.reference.0035 caller name: COPY	target package: D_OBJD_O member name raw: SetCENA_S2 Počet výskytov: 1 Riadky zdroja: 2184	caller type: PACKAGE BODY
api reference id: pur.api.reference.0036 caller name: COPY	target package: D_OBJD_O member name raw: SetDph Počet výskytov: 3 Riadky zdroja: 2186 2188 2189	caller type: PACKAGE BODY
api reference id: pur.api.reference.0037 caller name: COPY	target package: D_OBJD_O member name raw: SetID_R Počet výskytov: 1 Riadky zdroja: 2174	caller type: PACKAGE BODY

Identita a zdroj	Technické vlastnosti	Význam status a důkazy
api reference id: pur.api.reference.0038 caller name: COPY	target package: D_OBJD_O member name raw: SetOdpis Počet výskytů: 1 Řádky zdroje: 2182	caller type: PACKAGE BODY
api reference id: pur.api.reference.0039 caller name: COPY	target package: D_OBJD_O member name raw: SetP_DEL Počet výskytů: 2 Řádky zdroje: 2176 2177	caller type: PACKAGE BODY
api reference id: pur.api.reference.0040 caller name: COPY	target package: D_OBJD_O member name raw: SetP_PL Počet výskytů: 1 Řádky zdroje: 2179	caller type: PACKAGE BODY
api reference id: pur.api.reference.0041 caller name: COPY	target package: D_OBJD_O member name raw: SetP_PRIJ Počet výskytů: 1 Řádky zdroje: 2178	caller type: PACKAGE BODY
api reference id: pur.api.reference.0042 caller name: COPY	target package: D_OBJD_O member name raw: SetP_REZ_ODB_OBJ Počet výskytů: 1 Řádky zdroje: 2180	caller type: PACKAGE BODY
api reference id: pur.api.reference.0043 caller name: COPY	target package: D_OBJD_O member name raw: SetRID_O Počet výskytů: 1 Řádky zdroje: 2175	caller type: PACKAGE BODY
api reference id: pur.api.reference.0044 caller name: COPY	target package: D_OBJD_O member name raw: SetRID_V Počet výskytů: 1 Řádky zdroje: 2183	caller type: PACKAGE BODY
api reference id: pur.api.reference.0045 caller name: COPY	target package: D_OBJD_O member name raw: getxml_data Počet výskytů: 1 Řádky zdroje: 2935	caller type: PACKAGE BODY
api reference id: pur.api.reference.0046 caller name: C_CENOTVORBA_O	target package: D_OBJD_L member name raw: CIS_OBJD_L Počet výskytů: 2 Řádky zdroje: 5362 5964	caller type: PACKAGE BODY

Identita a zdroj	Technické vlastnosti	Význam status a důkazy
api reference id: pur.api.reference.0047 caller name: C_CENOTVORBA_O	target package: D_OBJD_L member name raw: GetS_STAV Počet výskytov: 2 Riadky zdroja: 5363 5957	caller type: PACKAGE BODY
api reference id: pur.api.reference.0048 caller name: C_CENOTVORBA_O	target package: D_OBJD_L member name raw: PrepocitajObsahC Počet výskytov: 1 Riadky zdroja: 5369	caller type: PACKAGE BODY
api reference id: pur.api.reference.0049 caller name: C_CENOTVORBA_O	target package: D_OBJD_L member name raw: STAV_Vybavene Počet výskytov: 2 Riadky zdroja: 5364 5957	caller type: PACKAGE BODY
api reference id: pur.api.reference.0050 caller name: C_CENOTVORBA_O	target package: D_OBJD_O member name raw: PrepocetCeny Počet výskytov: 1 Riadky zdroja: 5367	caller type: PACKAGE BODY
api reference id: pur.api.reference.0051 caller name: C_CENOTVORBA_O	target package: D_OBJD_O member name raw: ZmenCenu Počet výskytov: 1 Riadky zdroja: 5368	caller type: PACKAGE BODY
api reference id: pur.api.reference.0052 caller name: C_CESTOVNE_PR_TRASA	target package: D_OBJD_L member name raw: CIS_OBJD_L Počet výskytov: 1 Riadky zdroja: 2981	caller type: PACKAGE BODY
api reference id: pur.api.reference.0053 caller name: C_CESTOVNE_PR_TRASA	target package: D_OBJD_L member name raw: SpracujInsC Počet výskytov: 2 Riadky zdroja: 3092 3117	caller type: PACKAGE BODY
api reference id: pur.api.reference.0054 caller name: C_CTP_L	target package: C_OBJ_D_KOMBAJN member name raw: STAV_NAVRHU_OBJ_Schvalene Počet výskytov: 6 Riadky zdroja: 1891 1906 2364 2369 2404 2409	caller type: PACKAGE BODY

Identita a zdroj	Technické vlastnosti	Význam status a dôkazy
api reference id: pur.api.reference.0055 caller name: C_CTP_L	target package: C_OBJ_D_KOMBAJN member name raw: StornoNavrh Počet výskytov: 3 Riadky zdroja: 1835 1836 1837	caller type: PACKAGE BODY
api reference id: pur.api.reference.0056 caller name: C_CTP_L	target package: C_OBJ_D_KOMBAJN member name raw: ZDROJ_Z_DoplnenieLetaku Počet výskytov: 3 Riadky zdroja: 2363 2370 2371	caller type: PACKAGE BODY
api reference id: pur.api.reference.0057 caller name: C_CTP_L	target package: C_OBJ_D_KOMBAJN member name raw: ZDROJ_Z_DoplnenieLetakuPoAkcii Počet výskytov: 3 Riadky zdroja: 2403 2410 2411	caller type: PACKAGE BODY
api reference id: pur.api.reference.0058 caller name: C_CTP_L	target package: C_OBJ_D_KOMBAJN member name raw: ZDROJ_Z_Letaku Počet výskytov: 5 Riadky zdroja: 1824 1835 1888 2370 2371	caller type: PACKAGE BODY
api reference id: pur.api.reference.0059 caller name: C_CTP_L	target package: C_OBJ_D_KOMBAJN member name raw: ZDROJ_Z_LetakuPoAkcii Počet výskytov: 3 Riadky zdroja: 1836 1905 2410	caller type: PACKAGE BODY
api reference id: pur.api.reference.0060 caller name: C_CTP_L	target package: C_OBJ_D_KOMBAJN member name raw: ZDROJ_Z_LetakuTOP Počet výskytov: 3 Riadky zdroja: 1824 1837 2370	caller type: PACKAGE BODY

Identita a zdroj	Technické vlastnosti	Význam status a dôkazy
api reference id: pur.api.reference.0061 caller name: C_CTP_L	target package: C_OBJ_D_KOMBAJN member name raw: vloznavrhobj Počet výskytov: 5 Riadky zdroja: 1888 1889 1904 2362 2402	caller type: PACKAGE BODY
api reference id: pur.api.reference.0062 caller name: C_CTP_L	target package: D_OBJD_L member name raw: CIS_OBJD_L Počet výskytov: 1 Riadky zdroja: 1930	caller type: PACKAGE BODY
api reference id: pur.api.reference.0063 caller name: C_CTP_L	target package: D_OBJD_L member name raw: insc Počet výskytov: 1 Riadky zdroja: 1985	caller type: PACKAGE BODY
api reference id: pur.api.reference.0064 caller name: C_CTP_L	target package: D_OBJD_L member name raw: spracujinsc Počet výskytov: 1 Riadky zdroja: 2014	caller type: PACKAGE BODY
api reference id: pur.api.reference.0065 caller name: C_CTP_L	target package: D_OBJD_O member name raw: insc Počet výskytov: 1 Riadky zdroja: 2000	caller type: PACKAGE BODY
api reference id: pur.api.reference.0066 caller name: C_DISPO_ROZDELENIE	target package: D_OBJD_L member name raw: CIS_OBJD_L Počet výskytov: 1 Riadky zdroja: 101	caller type: PACKAGE BODY
api reference id: pur.api.reference.0067 caller name: C_DISPO_ROZDELENIE	target package: D_OBJD_L member name raw: VlozDispoZasobu Počet výskytov: 1 Riadky zdroja: 147	caller type: PACKAGE BODY
api reference id: pur.api.reference.0068 caller name: C_DISPO_ZASOBA	target package: D_OBJD_L member name raw: CIS_OBJD_L Počet výskytov: 3 Riadky zdroja: 251 1022 1038	caller type: PACKAGE BODY

Identita a zdroj	Technické vlastnosti	Význam status a důkazy
api reference id: pur.api.reference.0069 caller name: C_DISPO_ZASOBA	target package: D_OBJD_L member name raw: GetFB_DodaSaNaViacKrat Počet výskytov: 1 Riadky zdroja: 252	caller type: PACKAGE BODY
api reference id: pur.api.reference.0070 caller name: C_DISPO_ZASOBA	target package: D_OBJD_L member name raw: cis_objd_l Počet výskytov: 4 Riadky zdroja: 168 798 936 999	caller type: PACKAGE BODY
api reference id: pur.api.reference.0071 caller name: C_DISPO_ZASOBA	target package: D_OBJD_O member name raw: AutoKratDR_PodlaDatumObjObjO Počet výskytov: 1 Riadky zdroja: 491	caller type: PACKAGE BODY
api reference id: pur.api.reference.0072 caller name: C_DISPO_ZASOBA	target package: D_OBJD_O member name raw: ZrusPolozku Počet výskytov: 1 Riadky zdroja: 1000	caller type: PACKAGE BODY
api reference id: pur.api.reference.0073 caller name: C_DOKL_L	target package: D_OBJD_L member name raw: CIS_OBJD_L Počet výskytov: 18 Riadky zdroja: 1754 4792 4813 4830 4838 4855 4911 4994 5001 5004 5113 5167 7589 13332 15249 15899 16022 16392	caller type: PACKAGE BODY

Identita a zdroj	Technické vlastnosti	Význam status a dôkazy
api reference id: pur.api.reference.0074 caller name: C_DOKL_L	target package: D_OBJD_L member name raw: PredplnNaPrijemkuTMP Počet výskytov: 1 Riadky zdroja: 10121	caller type: PACKAGE BODY
api reference id: pur.api.reference.0075 caller name: C_DOKL_L	target package: D_OBJD_L member name raw: PredplnObjD2TempObjD Počet výskytov: 1 Riadky zdroja: 10133	caller type: PACKAGE BODY
api reference id: pur.api.reference.0076 caller name: C_DOKL_L	target package: D_OBJD_L member name raw: PrepocitajObsahC Počet výskytov: 5 Riadky zdroja: 4898 4943 4957 5168 8733	caller type: PACKAGE BODY
api reference id: pur.api.reference.0077 caller name: C_DOKL_L	target package: D_OBJD_L member name raw: PridajPolozkuObj Počet výskytov: 1 Riadky zdroja: 8583	caller type: PACKAGE BODY
api reference id: pur.api.reference.0078 caller name: C_DOKL_L	target package: D_OBJD_L member name raw: PridajPolozkuR_Int Počet výskytov: 1 Riadky zdroja: 8699	caller type: PACKAGE BODY
api reference id: pur.api.reference.0079 caller name: C_DOKL_L	target package: D_OBJD_L member name raw: STAV_VYB_Otvorena Počet výskytov: 2 Riadky zdroja: 16676 16756	caller type: PACKAGE BODY
api reference id: pur.api.reference.0080 caller name: C_DOKL_L	target package: D_OBJD_L member name raw: cis_objd_l Počet výskytov: 1 Riadky zdroja: 15828	caller type: PACKAGE BODY
api reference id: pur.api.reference.0081 caller name: C_DOKL_L	target package: D_OBJD_O member name raw: GetXmlIGN Počet výskytov: 2 Riadky zdroja: 4797 4832	caller type: PACKAGE BODY

Identita a zdroj	Technické vlastnosti	Význam status a dôkazy
api reference id: pur.api.reference.0082 caller name: C_DOKL_L	target package: D_OBJD_O member name raw: GetxmIgn Počet výskytov: 1 Riadky zdroja: 4949	caller type: PACKAGE BODY
api reference id: pur.api.reference.0083 caller name: C_DOKL_L	target package: D_OBJD_O member name raw: SetTypVazobnejPolozky Počet výskytov: 1 Riadky zdroja: 8791	caller type: PACKAGE BODY
api reference id: pur.api.reference.0084 caller name: C_DOKL_L	target package: D_OBJD_O member name raw: SetXmI GN Počet výskytov: 1 Riadky zdroja: 5122	caller type: PACKAGE BODY
api reference id: pur.api.reference.0085 caller name: C_DOKL_L	target package: D_OBJD_O member name raw: UpdateTMP Počet výskytov: 1 Riadky zdroja: 10350	caller type: PACKAGE BODY
api reference id: pur.api.reference.0086 caller name: C_DOKL_L	target package: D_OBJD_O member name raw: getxmIgn Počet výskytov: 2 Riadky zdroja: 4875 4919	caller type: PACKAGE BODY
api reference id: pur.api.reference.0087 caller name: C_DOKL_L	target package: D_OBJD_O member name raw: insc Počet výskytov: 2 Riadky zdroja: 4923 5115	caller type: PACKAGE BODY
api reference id: pur.api.reference.0088 caller name: C_DOKL_L	target package: D_OBJD_O member name raw: setxmIgn Počet výskytov: 1 Riadky zdroja: 4933	caller type: PACKAGE BODY
api reference id: pur.api.reference.0089 caller name: C_DOKL_NAKLAD	target package: D_OBJD_L member name raw: CIS_OBJD_L Počet výskytov: 2 Riadky zdroja: 447 709	caller type: PACKAGE BODY
api reference id: pur.api.reference.0090 caller name: C_DOKL_NAKLAD	target package: D_OBJD_L member name raw: cis_objd_l Počet výskytov: 2 Riadky zdroja: 916 920	caller type: PACKAGE BODY

Identita a zdroj	Technické vlastnosti	Význam status a důkazy
api reference id: pur.api.reference.0091 caller name: C_DOKL_NAKLAD	target package: D_OBJD_L member name raw: prepocitajobsahc Počet výskytov: 1 Riadky zdroja: 460	caller type: PACKAGE BODY
api reference id: pur.api.reference.0092 caller name: C_DOKL_O	target package: D_OBJD_L member name raw: CIS_OBJD_L Počet výskytov: 11 Riadky zdroja: 722 725 1612 1636 1650 1799 1820 3230 3673 3920 3939	caller type: PACKAGE BODY
api reference id: pur.api.reference.0093 caller name: C_DOKL_O	target package: D_OBJD_L member name raw: cis_objd_l Počet výskytov: 1 Riadky zdroja: 5179	caller type: PACKAGE BODY
api reference id: pur.api.reference.0094 caller name: C_DOKL_O	target package: D_OBJD_O member name raw: INS Počet výskytov: 1 Riadky zdroja: 3959	caller type: PACKAGE BODY
api reference id: pur.api.reference.0095 caller name: C_DOKL_O	target package: D_OBJD_O member name raw: UpdSumPocetTMP Počet výskytov: 1 Riadky zdroja: 5180	caller type: PACKAGE BODY
api reference id: pur.api.reference.0096 caller name: C_DOKL_O	target package: D_OBJD_O member name raw: ZmenCenuO Počet výskytov: 1 Riadky zdroja: 1821	caller type: PACKAGE BODY
api reference id: pur.api.reference.0097 caller name: C_DOKL_VYKRYTE	target package: C_OBJ_D_KOMBAJN member name raw: CIS_OBJ_D_NAVRH Počet výskytov: 1 Riadky zdroja: 29	caller type: PACKAGE BODY

Identita a zdroj	Technické vlastnosti	Význam status a důkazy
api reference id: pur.api.reference.0098 caller name: C_DOKL_VYKRYTE	target package: D_OBJD_L member name raw: CIS_OBJD_L Počet výskytov: 1 Riadky zdroja: 20	caller type: PACKAGE BODY
api reference id: pur.api.reference.0099 caller name: C_ELKOMOUTDEF	target package: D_OBJD_L member name raw: CIS_OBJD_L Počet výskytov: 1 Riadky zdroja: 133	caller type: PACKAGE BODY
api reference id: pur.api.reference.0100 caller name: C_EL_KOM_OUT	target package: D_OBJD_L member name raw: CIS_OBJD_L Počet výskytov: 3 Riadky zdroja: 337 540 729	caller type: PACKAGE BODY

Identita a zdroj	Technické vlastnosti	Význam status a důkazy
api reference id: pur.api.reference.0101 caller name: C_IMPORT_TEMP_L	target package: D_OBJD_L member name raw: CIS_OBJD_L Počet výskytov: 31 Riadky zdroja: 1989 2012 2063 2152 2251 2291 5063 5542 5551 5709 5802 7877 7930 8765 9437 9560 10469 10594 10608 10633 10651 10661 10782 10936 10959 10970 11200 11428 12320 13061 13178	caller type: PACKAGE BODY
api reference id: pur.api.reference.0102 caller name: C_IMPORT_TEMP_L	target package: D_OBJD_L member name raw: GetS_STAV Počet výskytov: 8 Riadky zdroja: 8769 8796 8813 8830 9162 9185 9192 9215	caller type: PACKAGE BODY

Identita a zdroj	Technické vlastnosti	Význam status a dôkazy
api reference id: pur.api.reference.0103 caller name: C_IMPORT_TEMP_L	target package: D_OBJD_L member name raw: PoznacZaOdoslany Počet výskytov: 2 Riadky zdroja: 5633 6032	caller type: PACKAGE BODY
api reference id: pur.api.reference.0104 caller name: C_IMPORT_TEMP_L	target package: D_OBJD_L member name raw: PrepocitajCeny Počet výskytov: 2 Riadky zdroja: 6066 6068	caller type: PACKAGE BODY
api reference id: pur.api.reference.0105 caller name: C_IMPORT_TEMP_L	target package: D_OBJD_L member name raw: PrepocitajObsahC Počet výskytov: 2 Riadky zdroja: 5627 6016	caller type: PACKAGE BODY
api reference id: pur.api.reference.0106 caller name: C_IMPORT_TEMP_L	target package: D_OBJD_L member name raw: STAV_Vybavene Počet výskytov: 8 Riadky zdroja: 8769 8796 8813 8830 9162 9185 9192 9215	caller type: PACKAGE BODY
api reference id: pur.api.reference.0107 caller name: C_IMPORT_TEMP_L	target package: D_OBJD_L member name raw: UzavretieObj Počet výskytov: 1 Riadky zdroja: 6026	caller type: PACKAGE BODY
api reference id: pur.api.reference.0108 caller name: C_IMPORT_TEMP_L	target package: D_OBJD_L member name raw: ZrusNevybavene Počet výskytov: 1 Riadky zdroja: 6047	caller type: PACKAGE BODY
api reference id: pur.api.reference.0109 caller name: C_IMPORT_TEMP_L	target package: D_OBJD_L member name raw: insc Počet výskytov: 2 Riadky zdroja: 5552 5803	caller type: PACKAGE BODY

Identita a zdroj	Technické vlastnosti	Význam status a důkazy
api reference id: pur.api.reference.0110 caller name: C_IMPORT_TEMP_L	target package: D_OBJD_L member name raw: spracujinsc Počet výskytov: 2 Riadky zdroja: 5630 6019	caller type: PACKAGE BODY
api reference id: pur.api.reference.0111 caller name: C_IMPORT_TEMP_L	target package: D_OBJD_O member name raw: Ins Počet výskytov: 1 Riadky zdroja: 13130	caller type: PACKAGE BODY
api reference id: pur.api.reference.0112 caller name: C_IMPORT_TEMP_L	target package: D_OBJD_O member name raw: R_D_OBJD_O Počet výskytov: 1 Riadky zdroja: 13013	caller type: PACKAGE BODY
api reference id: pur.api.reference.0113 caller name: C_IMPORT_TEMP_L	target package: D_OBJD_O member name raw: SetID_R Počet výskytov: 1 Riadky zdroja: 13124	caller type: PACKAGE BODY
api reference id: pur.api.reference.0114 caller name: C_IMPORT_TEMP_L	target package: D_OBJD_O member name raw: SetP_REZ_ODB_OBJ Počet výskytov: 1 Riadky zdroja: 13129	caller type: PACKAGE BODY
api reference id: pur.api.reference.0115 caller name: C_IMPORT_TEMP_L	target package: D_OBJD_O member name raw: SetP_del Počet výskytov: 1 Riadky zdroja: 13126	caller type: PACKAGE BODY
api reference id: pur.api.reference.0116 caller name: C_IMPORT_TEMP_L	target package: D_OBJD_O member name raw: SetP_pl Počet výskytov: 1 Riadky zdroja: 13128	caller type: PACKAGE BODY
api reference id: pur.api.reference.0117 caller name: C_IMPORT_TEMP_L	target package: D_OBJD_O member name raw: SetP_prij Počet výskytov: 1 Riadky zdroja: 13127	caller type: PACKAGE BODY
api reference id: pur.api.reference.0118 caller name: C_IMPORT_TEMP_L	target package: D_OBJD_O member name raw: SetPocet Počet výskytov: 1 Riadky zdroja: 13125	caller type: PACKAGE BODY

Identita a zdroj	Technické vlastnosti	Význam status a dôkazy
api reference id: pur.api.reference.0119 caller name: C_IMPORT_TEMP_L	target package: D_OBJD_O member name raw: init Počet výskytov: 1 Riadky zdroja: 13123	caller type: PACKAGE BODY
api reference id: pur.api.reference.0120 caller name: C_IMPORT_TEMP_L	target package: D_OBJD_O member name raw: insc Počet výskytov: 3 Riadky zdroja: 5604 5982 13116	caller type: PACKAGE BODY
api reference id: pur.api.reference.0121 caller name: C_NAKLAD_PRIJEM	target package: D_OBJD_L member name raw: CIS_OBJD_L Počet výskytov: 1 Riadky zdroja: 15	caller type: PACKAGE BODY
api reference id: pur.api.reference.0122 caller name: C_NAKLAD_PRIJEM	target package: D_OBJD_L member name raw: STAV_VYB_Vybavena Počet výskytov: 1 Riadky zdroja: 17	caller type: PACKAGE BODY
api reference id: pur.api.reference.0123 caller name: C_OBJ_D_KOMBAJN	target package: C_OBJ_D_KOMBAJN member name raw: GenerujBlokaciNaSegment Počet výskytov: 1 Riadky zdroja: 6616	caller type: PACKAGE BODY
api reference id: pur.api.reference.0124 caller name: C_OBJ_D_KOMBAJN	target package: C_OBJ_D_KOMBAJN member name raw: InsT Počet výskytov: 1 Riadky zdroja: 2714	caller type: PACKAGE BODY

Identita a zdroj	Technické vlastnosti	Význam status a důkazy
api reference id: pur.api.reference.0125 caller name: C_OBJ_D_KOMBAJN	target package: C_OBJ_D_KOMBAJN member name raw: PrepocetMinMaxPol Počet výskytov: 17 Riadky zdroja: 4006 4171 4240 4277 4304 4394 4447 4471 4477 4484 4494 4498 4511 4521 4525 4538 4560	caller type: PACKAGE BODY
api reference id: pur.api.reference.0126 caller name: C_OBJ_D_KOMBAJN	target package: C_OBJ_D_KOMBAJN member name raw: RezervujNalnychSkladoch_Auto Počet výskytov: 1 Riadky zdroja: 6442	caller type: PACKAGE BODY
api reference id: pur.api.reference.0127 caller name: C_OBJ_D_KOMBAJN	target package: C_OBJ_D_KOMBAJN member name raw: STAV_NAVRHU_OBJ_Navrhnuté Počet výskytov: 2 Riadky zdroja: 2625 3397	caller type: PACKAGE BODY
api reference id: pur.api.reference.0128 caller name: C_OBJ_D_KOMBAJN	target package: C_OBJ_D_KOMBAJN member name raw: STAV_NAVRHU_OBJ_Schvalene Počet výskytov: 2 Riadky zdroja: 3371 3381	caller type: PACKAGE BODY
api reference id: pur.api.reference.0129 caller name: C_OBJ_D_KOMBAJN	target package: C_OBJ_D_KOMBAJN member name raw: VlozNavrhObj Počet výskytov: 1 Riadky zdroja: 3503	caller type: PACKAGE BODY

Identita a zdroj	Technické vlastnosti	Význam status a dôkazy
api reference id: pur.api.reference.0130 caller name: C_OBJ_D_KOMBAJN	target package: C_OBJ_D_KOMBAJN member name raw: VytvorMontaznyList Počet výskytov: 3 Riadky zdroja: 6511 6523 6534	caller type: PACKAGE BODY
api reference id: pur.api.reference.0131 caller name: C_OBJ_D_KOMBAJN	target package: C_OBJ_D_KOMBAJN member name raw: ZDROJ_PodlaFiltru Počet výskytov: 3 Riadky zdroja: 2783 3504 3506	caller type: PACKAGE BODY
api reference id: pur.api.reference.0132 caller name: C_OBJ_D_KOMBAJN	target package: C_OBJ_D_KOMBAJN member name raw: ZDROJ_TransferoveDozasobenie Počet výskytov: 1 Riadky zdroja: 2783	caller type: PACKAGE BODY
api reference id: pur.api.reference.0133 caller name: C_OBJ_D_KOMBAJN	target package: C_OBJ_D_KOMBAJN member name raw: ZapisZaSegmentTrhu_GenBlokSeg Počet výskytov: 1 Riadky zdroja: 6933	caller type: PACKAGE BODY
api reference id: pur.api.reference.0134 caller name: C_OBJ_D_KOMBAJN	target package: D_OBJD_L member name raw: CIS_OBJD_L Počet výskytov: 9 Riadky zdroja: 2209 2385 2507 3778 5553 6060 6129 6224 6280	caller type: PACKAGE BODY
api reference id: pur.api.reference.0135 caller name: C_OBJ_D_KOMBAJN	target package: D_OBJD_L member name raw: GetSkladUrcenia Počet výskytov: 3 Riadky zdroja: 656 1281 1290	caller type: PACKAGE BODY
api reference id: pur.api.reference.0136 caller name: C_OBJ_D_KOMBAJN	target package: D_OBJD_L member name raw: GetStavDOPR Počet výskytov: 1 Riadky zdroja: 2784	caller type: PACKAGE BODY

Identita a zdroj	Technické vlastnosti	Význam status a dôkazy
api reference id: pur.api.reference.0137 caller name: C_OBJ_D_KOMBAJN	target package: D_OBJD_L member name raw: InsC Počet výskytov: 3 Riadky zdroja: 2217 2391 2513	caller type: PACKAGE BODY
api reference id: pur.api.reference.0138 caller name: C_OBJ_D_KOMBAJN	target package: D_OBJD_L member name raw: PrepocitajObsahC Počet výskytov: 1 Riadky zdroja: 1854	caller type: PACKAGE BODY
api reference id: pur.api.reference.0139 caller name: C_OBJ_D_KOMBAJN	target package: D_OBJD_L member name raw: STAV_DOPR_Objednana Počet výskytov: 1 Riadky zdroja: 2793	caller type: PACKAGE BODY
api reference id: pur.api.reference.0140 caller name: C_OBJ_D_KOMBAJN	target package: D_OBJD_L member name raw: STAV_DOPR_ZaradenaNaObj Počet výskytov: 1 Riadky zdroja: 2785	caller type: PACKAGE BODY
api reference id: pur.api.reference.0141 caller name: C_OBJ_D_KOMBAJN	target package: D_OBJD_L member name raw: SetStavDOPR_NieJeObjednana Počet výskytov: 1 Riadky zdroja: 2789	caller type: PACKAGE BODY
api reference id: pur.api.reference.0142 caller name: C_OBJ_D_KOMBAJN	target package: D_OBJD_L member name raw: prepocitajobsahc Počet výskytov: 3 Riadky zdroja: 2327 2454 2565	caller type: PACKAGE BODY
api reference id: pur.api.reference.0143 caller name: C_OBJ_D_KOMBAJN	target package: D_OBJD_L member name raw: spracujinsc Počet výskytov: 1 Riadky zdroja: 2338	caller type: PACKAGE BODY
api reference id: pur.api.reference.0144 caller name: C_OBJ_D_KOMBAJN	target package: D_OBJD_O member name raw: CIS_OBJD_O Počet výskytov: 3 Riadky zdroja: 2316 2449 2560	caller type: PACKAGE BODY

Identita a zdroj	Technické vlastnosti	Význam status a dôkazy
api reference id: pur.api.reference.0145 caller name: C_OBJ_D_KOMBAJN	target package: D_OBJD_O member name raw: InsC Počet výskytov: 4 Riadky zdroja: 2274 2440 2552 2742	caller type: PACKAGE BODY
api reference id: pur.api.reference.0146 caller name: C_OBJ_D_KOMBAJN	target package: D_OBJD_O member name raw: PrepocetCeny Počet výskytov: 1 Riadky zdroja: 1845	caller type: PACKAGE BODY
api reference id: pur.api.reference.0147 caller name: C_OBJ_D_KOMBAJN	target package: D_OBJD_O member name raw: insc Počet výskytov: 1 Riadky zdroja: 1817	caller type: PACKAGE BODY
api reference id: pur.api.reference.0148 caller name: C_OBJ_D_KOMBAJN	target package: D_OBJD_O member name raw: makro_uplatni Počet výskytov: 1 Riadky zdroja: 2321	caller type: PACKAGE BODY
api reference id: pur.api.reference.0149 caller name: C_REZERVACIA	target package: C_OBJ_D_KOMBAJN member name raw: STAV_NAVRHU_OBJ_Navrhnuté Počet výskytov: 1 Riadky zdroja: 2239	caller type: PACKAGE BODY
api reference id: pur.api.reference.0150 caller name: C_REZERVACIA	target package: C_OBJ_D_KOMBAJN member name raw: ZDROJ_Z_Dokladu Počet výskytov: 1 Riadky zdroja: 2240	caller type: PACKAGE BODY
api reference id: pur.api.reference.0151 caller name: C_REZERVACIA	target package: C_OBJ_D_KOMBAJN member name raw: ZDROJ_Z_SpecialnaObj Počet výskytov: 1 Riadky zdroja: 2240	caller type: PACKAGE BODY
api reference id: pur.api.reference.0152 caller name: C_REZERVACIA	target package: C_OBJ_D_KOMBAJN member name raw: ZamietnutNavrh Počet výskytov: 1 Riadky zdroja: 2242	caller type: PACKAGE BODY
api reference id: pur.api.reference.0153 caller name: C_REZ_OBJ_DOD	target package: C_REZ_OBJ_DOD member name raw: insc Počet výskytov: 1 Riadky zdroja: 344	caller type: PACKAGE BODY

Identita a zdroj	Technické vlastnosti	Význam status a dôkazy
api reference id: pur.api.reference.0154 caller name: C_REZ_OBJ_L	target package: C_OBJ_D_KOMBAJN member name raw: GetFB_CenuDopravyDoSkladCeny Počet výskytov: 1 Riadky zdroja: 1616	caller type: PACKAGE BODY
api reference id: pur.api.reference.0155 caller name: C_REZ_OBJ_L	target package: C_OBJ_D_KOMBAJN member name raw: ObjSluzba_GetAdresaKam Počet výskytov: 1 Riadky zdroja: 1534	caller type: PACKAGE BODY
api reference id: pur.api.reference.0156 caller name: C_REZ_OBJ_L	target package: C_OBJ_D_KOMBAJN member name raw: ObjSluzba_GetAdresaOdkial Počet výskytov: 1 Riadky zdroja: 1533	caller type: PACKAGE BODY
api reference id: pur.api.reference.0157 caller name: C_REZ_OBJ_L	target package: C_OBJ_D_KOMBAJN member name raw: STAV_NAVRHU_OBJ_Navrhnuté Počet výskytov: 2 Riadky zdroja: 1620 1664	caller type: PACKAGE BODY
api reference id: pur.api.reference.0158 caller name: C_REZ_OBJ_L	target package: C_OBJ_D_KOMBAJN member name raw: STAV_NAVRHU_OBJ_Schvalene Počet výskytov: 2 Riadky zdroja: 1620 1664	caller type: PACKAGE BODY
api reference id: pur.api.reference.0159 caller name: C_REZ_OBJ_L	target package: C_OBJ_D_KOMBAJN member name raw: ZDROJ_PodlaFiltru Počet výskytov: 2 Riadky zdroja: 1618 1662	caller type: PACKAGE BODY
api reference id: pur.api.reference.0160 caller name: C_REZ_OBJ_L	target package: C_OBJ_D_KOMBAJN member name raw: ZDROJ_TransferoveDozasobenie Počet výskytov: 2 Riadky zdroja: 1618 1662	caller type: PACKAGE BODY
api reference id: pur.api.reference.0161 caller name: C_REZ_OBJ_L	target package: D_OBJD_L member name raw: CIS_OBJD_L Počet výskytov: 2 Riadky zdroja: 1614 1659	caller type: PACKAGE BODY

Identita a zdroj	Technické vlastnosti	Význam status a důkazy
api reference id: pur.api.reference.0162 caller name: C_REZ_OBJ_L	target package: D_OBJD_L member name raw: GetKartaDopravy Počet výskytov: 2 Riadky zdroja: 1615 1660	caller type: PACKAGE BODY
api reference id: pur.api.reference.0163 caller name: C_REZ_OBJ_L	target package: D_OBJD_L member name raw: SetStavDOPR_Objednana Počet výskytov: 1 Riadky zdroja: 1586	caller type: PACKAGE BODY
api reference id: pur.api.reference.0164 caller name: C_REZ_OBJ_O	target package: C_OBJ_D_KOMBAJN member name raw: STAV_NAVRHU_OBJ_Objednane Počet výskytov: 3 Riadky zdroja: 332 403 427	caller type: PACKAGE BODY
api reference id: pur.api.reference.0165 caller name: C_REZ_OBJ_O	target package: C_OBJ_D_KOMBAJN member name raw: STAV_NAVRHU_OBJ_Schvalene Počet výskytov: 3 Riadky zdroja: 321 337 453	caller type: PACKAGE BODY
api reference id: pur.api.reference.0166 caller name: C_REZ_OBJ_O	target package: C_OBJ_D_KOMBAJN member name raw: VlozNavrhObjRID Počet výskytov: 2 Riadky zdroja: 358 452	caller type: PACKAGE BODY
api reference id: pur.api.reference.0167 caller name: C_REZ_OBJ_O	target package: C_OBJ_D_KOMBAJN member name raw: ZDROJ_PodlaFiltru Počet výskytov: 1 Riadky zdroja: 337	caller type: PACKAGE BODY
api reference id: pur.api.reference.0168 caller name: C_REZ_OBJ_O	target package: D_OBJD_L member name raw: CIS_OBJD_L Počet výskytov: 2 Riadky zdroja: 339 465	caller type: PACKAGE BODY
api reference id: pur.api.reference.0169 caller name: C_REZ_OBJ_O	target package: D_OBJD_L member name raw: SetStavDOPR_Objednana Počet výskytov: 1 Riadky zdroja: 340	caller type: PACKAGE BODY

Identita a zdroj	Technické vlastnosti	Význam status a důkazy
api reference id: pur.api.reference.0170 caller name: C_REZ_OBJ_O	target package: D_OBJD_L member name raw: SetStavDOPR_ZaradenaNaObj Počet výskytov: 1 Riadky zdroja: 466	caller type: PACKAGE BODY
api reference id: pur.api.reference.0171 caller name: C_REZ_ZIAD_L	target package: C_OBJ_D_KOMBAJN member name raw: GetStavVlozNavrhINI Počet výskytov: 1 Riadky zdroja: 1474	caller type: PACKAGE BODY
api reference id: pur.api.reference.0172 caller name: C_REZ_ZIAD_L	target package: C_OBJ_D_KOMBAJN member name raw: VlozNavrhObjRID Počet výskytov: 1 Riadky zdroja: 1476	caller type: PACKAGE BODY
api reference id: pur.api.reference.0173 caller name: C_REZ_ZIAD_L	target package: C_OBJ_D_KOMBAJN member name raw: ZDROJ_Z_Dokladu Počet výskytov: 1 Riadky zdroja: 1478	caller type: PACKAGE BODY
api reference id: pur.api.reference.0174 caller name: C_RID	target package: D_OBJD_L member name raw: CIS_OBJD_L Počet výskytov: 2 Riadky zdroja: 800 824	caller type: PACKAGE BODY
api reference id: pur.api.reference.0175 caller name: C_ROZVOZ_QUE	target package: D_OBJD_L member name raw: CIS_OBJD_L Počet výskytov: 4 Riadky zdroja: 1292 1436 3103 5481	caller type: PACKAGE BODY
api reference id: pur.api.reference.0176 caller name: C_RZ_O	target package: C_OBJ_D_KOMBAJN member name raw: CIS_OBJ_D_NAVRH Počet výskytov: 2 Riadky zdroja: 3386 3508	caller type: PACKAGE BODY
api reference id: pur.api.reference.0177 caller name: C_RZ_O	target package: C_OBJ_D_KOMBAJN member name raw: FLAGS_B_DatNaSoloObjDod Počet výskytov: 1 Riadky zdroja: 3387	caller type: PACKAGE BODY

Identita a zdroj	Technické vlastnosti	Význam status a důkazy
api reference id: pur.api.reference.0178 caller name: C_RZ_O	target package: C_OBJ_D_KOMBAJN member name raw: FLAGS_B_FixnaCena Počet výskytov: 1 Riadky zdroja: 3509	caller type: PACKAGE BODY
api reference id: pur.api.reference.0179 caller name: C_RZ_O	target package: C_OBJ_D_KOMBAJN member name raw: GetStavVlozNavrhINI Počet výskytov: 1 Riadky zdroja: 3389	caller type: PACKAGE BODY
api reference id: pur.api.reference.0180 caller name: C_RZ_O	target package: C_OBJ_D_KOMBAJN member name raw: STAV_NAVRHU_OBJ_Navrhnuté Počet výskytov: 16 Riadky zdroja: 741 743 748 749 752 758 785 807 808 834 835 919 3197 3252 3510 3537	caller type: PACKAGE BODY
api reference id: pur.api.reference.0181 caller name: C_RZ_O	target package: C_OBJ_D_KOMBAJN member name raw: STAV_NAVRHU_OBJ_Objednane Počet výskytov: 1 Riadky zdroja: 3197	caller type: PACKAGE BODY

Identita a zdroj	Technické vlastnosti	Význam status a dôkazy
api reference id: pur.api.reference.0182 caller name: C_RZ_O	target package: C_OBJ_D_KOMBAJN member name raw: STAV_NAVRHU_OBJ_Schvalene Počet výskytov: 10 Riadky zdroja: 741 743 748 752 785 807 834 919 3197 3252	caller type: PACKAGE BODY
api reference id: pur.api.reference.0183 caller name: C_RZ_O	target package: C_OBJ_D_KOMBAJN member name raw: SchvalitNavrh Počet výskytov: 1 Riadky zdroja: 759	caller type: PACKAGE BODY
api reference id: pur.api.reference.0184 caller name: C_RZ_O	target package: C_OBJ_D_KOMBAJN member name raw: SchvalitNavrhRID Počet výskytov: 2 Riadky zdroja: 3408 3538	caller type: PACKAGE BODY
api reference id: pur.api.reference.0185 caller name: C_RZ_O	target package: C_OBJ_D_KOMBAJN member name raw: VlozNavrhObjRID Počet výskytov: 2 Riadky zdroja: 3391 3512	caller type: PACKAGE BODY
api reference id: pur.api.reference.0186 caller name: C_RZ_O	target package: C_OBJ_D_KOMBAJN member name raw: ZDROJ_PodlaFiltru Počet výskytov: 2 Riadky zdroja: 3195 3250	caller type: PACKAGE BODY
api reference id: pur.api.reference.0187 caller name: C_RZ_O	target package: C_OBJ_D_KOMBAJN member name raw: ZDROJ_TransferoveDozasobenie Počet výskytov: 2 Riadky zdroja: 3195 3250	caller type: PACKAGE BODY

Identita a zdroj	Technické vlastnosti	Význam status a důkazy
api reference id: pur.api.reference.0188 caller name: C_RZ_O	target package: C_OBJ_D_KOMBAJN member name raw: ZDROJ_Z_Dokladu Počet výskytov: 6 Riadky zdroja: 744 753 811 838 3392 3513	caller type: PACKAGE BODY
api reference id: pur.api.reference.0189 caller name: C_RZ_O	target package: C_OBJ_D_KOMBAJN member name raw: ZDROJ_Z_SpecialnaObj Počet výskytov: 4 Riadky zdroja: 744 753 811 838	caller type: PACKAGE BODY
api reference id: pur.api.reference.0190 caller name: C_RZ_O	target package: C_OBJ_D_KOMBAJN member name raw: ZamietnutNavrh Počet výskytov: 4 Riadky zdroja: 760 762 3211 3259	caller type: PACKAGE BODY
api reference id: pur.api.reference.0191 caller name: C_RZ_O	target package: D_OBJD_L member name raw: cis_objd_l Počet výskytov: 1 Riadky zdroja: 891	caller type: PACKAGE BODY
api reference id: pur.api.reference.0192 caller name: C_RZ_O	target package: D_OBJD_O member name raw: RezervujPolozkuPL_ID_R Počet výskytov: 1 Riadky zdroja: 3795	caller type: PACKAGE BODY
api reference id: pur.api.reference.0193 caller name: C_SARZA_TOKEN_DEF	target package: D_OBJD_L member name raw: STAV_VYB_Otvorena Počet výskytov: 1 Riadky zdroja: 651	caller type: PACKAGE BODY
api reference id: pur.api.reference.0194 caller name: C_SER_Z_TASK	target package: D_OBJD_L member name raw: CIS_OBJD_L Počet výskytov: 1 Riadky zdroja: 3576	caller type: PACKAGE BODY

Identita a zdroj	Technické vlastnosti	Význam status a dôkazy
api reference id: pur.api.reference.0195 caller name: C_SKLAD_KARTA	target package: D_OBJD_L member name raw: GetS_STAV Počet výskytov: 1 Riadky zdroja: 6728	caller type: PACKAGE BODY
api reference id: pur.api.reference.0196 caller name: C_SKLAD_ZASOB_P	target package: D_OBJD_L member name raw: GetS_STAV Počet výskytov: 2 Riadky zdroja: 112 163	caller type: PACKAGE BODY
api reference id: pur.api.reference.0197 caller name: C_SKLAD_ZASOB_P	target package: D_OBJD_L member name raw: GetSkladUrcenia Počet výskytov: 2 Riadky zdroja: 112 268	caller type: PACKAGE BODY
api reference id: pur.api.reference.0198 caller name: C_SKLAD_ZASOB_P	target package: D_OBJD_L member name raw: STAV_Vybavene Počet výskytov: 2 Riadky zdroja: 112 163	caller type: PACKAGE BODY
api reference id: pur.api.reference.0199 caller name: C_TYP_NAKLADU	target package: D_OBJD_L member name raw: CIS_OBJD_L Počet výskytov: 8 Riadky zdroja: 124 136 142 276 286 313 319 328	caller type: PACKAGE BODY
api reference id: pur.api.reference.0200 caller name: C_VARIANT_RB_L	target package: C_OBJ_D_KOMBAJN member name raw: VlozNavrhObj Počet výskytov: 1 Riadky zdroja: 814	caller type: PACKAGE BODY
api reference id: pur.api.reference.0201 caller name: C_VARIANT_RB_L	target package: C_OBJ_D_KOMBAJN member name raw: ZDROJ_Z_ZmenaRegalu Počet výskytov: 1 Riadky zdroja: 815	caller type: PACKAGE BODY

Identita a zdroj	Technické vlastnosti	Význam status a dôkazy
api reference id: pur.api.reference.0202 caller name: C_VARIANT_RB_L	target package: D_OBJD_L member name raw: CIS_OBJD_L Počet výskytov: 1 Riadky zdroja: 666	caller type: PACKAGE BODY
api reference id: pur.api.reference.0203 caller name: C_VYR_PLAN_PREPOCET	target package: C_OBJ_D_KOMBAJN member name raw: CIS_OBJ_D_NAVRH Počet výskytov: 1 Riadky zdroja: 3277	caller type: PACKAGE BODY
api reference id: pur.api.reference.0204 caller name: C_VYR_PLAN_PREPOCET	target package: C_OBJ_D_KOMBAJN member name raw: FLAGS_B_UzavretaVyr Počet výskytov: 3 Riadky zdroja: 3278 3306 3308	caller type: PACKAGE BODY
api reference id: pur.api.reference.0205 caller name: C_VYR_PLAN_PREPOCET	target package: C_OBJ_D_KOMBAJN member name raw: FLAGS_B_UzavretyPlanM Počet výskytov: 3 Riadky zdroja: 3279 3307 3309	caller type: PACKAGE BODY
api reference id: pur.api.reference.0206 caller name: C_VYR_PLAN_PREPOCET	target package: C_OBJ_D_KOMBAJN member name raw: STAV_NAVRHU_OBJ_Navrhnuté Počet výskytov: 13 Riadky zdroja: 3020 3032 3040 3135 3272 3282 3298 3322 3356 3362 3374 3416 3460	caller type: PACKAGE BODY

Identita a zdroj	Technické vlastnosti	Význam status a důkazy
api reference id: pur.api.reference.0207 caller name: C_VYR_PLAN_PREPOCET	target package: C_OBJ_D_KOMBAJN member name raw: STAV_NAVRHU_OBJ_Objednane Počet výskytov: 4 Riadky zdroja: 728 1134 3048 3066	caller type: PACKAGE BODY
api reference id: pur.api.reference.0208 caller name: C_VYR_PLAN_PREPOCET	target package: C_OBJ_D_KOMBAJN member name raw: STAV_NAVRHU_OBJ_Schvalene Počet výskytov: 8 Riadky zdroja: 795 841 1130 3020 3032 3040 3066 3416	caller type: PACKAGE BODY
api reference id: pur.api.reference.0209 caller name: C_VYR_PLAN_PREPOCET	target package: C_OBJ_D_KOMBAJN member name raw: VlozNavrhObjRID Počet výskytov: 1 Riadky zdroja: 3280	caller type: PACKAGE BODY
api reference id: pur.api.reference.0210 caller name: C_VYR_PLAN_PREPOCET	target package: C_OBJ_D_KOMBAJN member name raw: ZDROJ_Z_Vyroby Počet výskytov: 14 Riadky zdroja: 1154 3019 3031 3039 3047 3065 3134 3272 3281 3355 3361 3373 3415 3459	caller type: PACKAGE BODY

Identita a zdroj	Technické vlastnosti	Význam status a důkazy
api reference id: pur.api.reference.0211 caller name: C_VYR_PLAN_PREPOCET	target package: C_OBJ_D_KOMBAJN member name raw: vloznavrhobj Počet výskytov: 2 Riadky zdroja: 3133 3458	caller type: PACKAGE BODY
api reference id: pur.api.reference.0212 caller name: C_VYR_PLAN_PREPOCET	target package: D_OBJD_L member name raw: GetS_STAV Počet výskytov: 3 Riadky zdroja: 628 681 921	caller type: PACKAGE BODY
api reference id: pur.api.reference.0213 caller name: C_VYR_PLAN_PREPOCET2	target package: C_OBJ_D_KOMBAJN member name raw: STAV_NAVRHU_OBJ_Navrhnuté Počet výskytov: 4 Riadky zdroja: 2113 2167 2204 2246	caller type: PACKAGE BODY
api reference id: pur.api.reference.0214 caller name: C_VYR_PLAN_PREPOCET2	target package: C_OBJ_D_KOMBAJN member name raw: STAV_NAVRHU_OBJ_Schvalene Počet výskytov: 2 Riadky zdroja: 2113 2204	caller type: PACKAGE BODY
api reference id: pur.api.reference.0215 caller name: C_VYR_PLAN_PREPOCET2	target package: C_OBJ_D_KOMBAJN member name raw: ZDROJ_Z_Vyroby Počet výskytov: 4 Riadky zdroja: 2112 2166 2203 2245	caller type: PACKAGE BODY
api reference id: pur.api.reference.0216 caller name: C_VYR_PLAN_PREPOCET2	target package: C_OBJ_D_KOMBAJN member name raw: vloznavrhobj Počet výskytov: 2 Riadky zdroja: 2165 2244	caller type: PACKAGE BODY
api reference id: pur.api.reference.0217 caller name: C_VYR_PLAN_PREPOCET2	target package: D_OBJD_L member name raw: GetS_STAV Počet výskytov: 1 Riadky zdroja: 549	caller type: PACKAGE BODY

Identita a zdroj	Technické vlastnosti	Význam status a důkazy
api reference id: pur.api.reference.0218 caller name: C_VYR_SUPIS_PREPOCET	target package: D_OBJD_L member name raw: GetS_STAV Počet výskytov: 1 Riadky zdroja: 2287	caller type: PACKAGE BODY
api reference id: pur.api.reference.0219 caller name: D_ML_L	target package: D_OBJD_L member name raw: CIS_OBJD_L Počet výskytov: 1 Riadky zdroja: 5650	caller type: PACKAGE BODY
api reference id: pur.api.reference.0220 caller name: D_ML_L	target package: D_OBJD_L member name raw: STAV_VYB_Vybavena Počet výskytov: 1 Riadky zdroja: 7870	caller type: PACKAGE BODY
api reference id: pur.api.reference.0221 caller name: D_ML_O	target package: C_OBJ_D_KOMBAJN member name raw: CIS_OBJ_D_NAVRH Počet výskytov: 1 Riadky zdroja: 2404	caller type: PACKAGE BODY
api reference id: pur.api.reference.0222 caller name: D_ML_O	target package: C_OBJ_D_KOMBAJN member name raw: FLAGS_B_DatNaSoloObjDod Počet výskytov: 1 Riadky zdroja: 2405	caller type: PACKAGE BODY
api reference id: pur.api.reference.0223 caller name: D_ML_O	target package: C_OBJ_D_KOMBAJN member name raw: GetStavVlozNavrhINI Počet výskytov: 1 Riadky zdroja: 2407	caller type: PACKAGE BODY
api reference id: pur.api.reference.0224 caller name: D_ML_O	target package: C_OBJ_D_KOMBAJN member name raw: STAV_NAVRHU_OBJ_Navrhnut Počet výskytov: 11 Riadky zdroja: 1966 2513 2515 2522 2523 2526 2532 2560 2592 2593 2701	caller type: PACKAGE BODY

Identita a zdroj	Technické vlastnosti	Význam status a dôkazy
api reference id: pur.api.reference.0225 caller name: D_ML_O	target package: C_OBJ_D_KOMBAJN member name raw: STAV_NAVRHU_OBJ_Objednane Počet výskytov: 1 Riadky zdroja: 1966	caller type: PACKAGE BODY
api reference id: pur.api.reference.0226 caller name: D_ML_O	target package: C_OBJ_D_KOMBAJN member name raw: STAV_NAVRHU_OBJ_Schvalene Počet výskytov: 8 Riadky zdroja: 1966 2513 2515 2522 2526 2560 2592 2701	caller type: PACKAGE BODY
api reference id: pur.api.reference.0227 caller name: D_ML_O	target package: C_OBJ_D_KOMBAJN member name raw: SchvalitNavrh Počet výskytov: 1 Riadky zdroja: 2533	caller type: PACKAGE BODY
api reference id: pur.api.reference.0228 caller name: D_ML_O	target package: C_OBJ_D_KOMBAJN member name raw: SchvalitNavrhRID Počet výskytov: 1 Riadky zdroja: 2427	caller type: PACKAGE BODY
api reference id: pur.api.reference.0229 caller name: D_ML_O	target package: C_OBJ_D_KOMBAJN member name raw: VlozNavrhObjRID Počet výskytov: 1 Riadky zdroja: 2410	caller type: PACKAGE BODY
api reference id: pur.api.reference.0230 caller name: D_ML_O	target package: C_OBJ_D_KOMBAJN member name raw: ZDROJ_PodlaFiltru Počet výskytov: 1 Riadky zdroja: 1964	caller type: PACKAGE BODY
api reference id: pur.api.reference.0231 caller name: D_ML_O	target package: C_OBJ_D_KOMBAJN member name raw: ZDROJ_TransferoveDozasobenie Počet výskytov: 1 Riadky zdroja: 1964	caller type: PACKAGE BODY

Identita a zdroj	Technické vlastnosti	Význam status a dôkazy
api reference id: pur.api.reference.0232 caller name: D_ML_O	target package: C_OBJ_D_KOMBAJN member name raw: ZDROJ_Z_Dokladu Počet výskytov: 4 Riadky zdroja: 2411 2516 2527 2596	caller type: PACKAGE BODY
api reference id: pur.api.reference.0233 caller name: D_ML_O	target package: C_OBJ_D_KOMBAJN member name raw: ZDROJ_Z_SpecialnaObj Počet výskytov: 3 Riadky zdroja: 2516 2527 2596	caller type: PACKAGE BODY
api reference id: pur.api.reference.0234 caller name: D_ML_O	target package: C_OBJ_D_KOMBAJN member name raw: ZamietnutNavrh Počet výskytov: 3 Riadky zdroja: 1981 2534 2536	caller type: PACKAGE BODY
api reference id: pur.api.reference.0235 caller name: D_ML_O	target package: D_OBJD_L member name raw: cis_objd_l Počet výskytov: 1 Riadky zdroja: 2672	caller type: PACKAGE BODY
api reference id: pur.api.reference.0236 caller name: D_ML_O	target package: D_OBJD_O member name raw: RezervujPolozkuPL_ID_R Počet výskytov: 1 Riadky zdroja: 2760	caller type: PACKAGE BODY
api reference id: pur.api.reference.0237 caller name: D_OBJD_L	target package: C_OBJ_D_KOMBAJN member name raw: CIS_OBJ_D_NAVRH Počet výskytov: 1 Riadky zdroja: 8187	caller type: PACKAGE BODY
api reference id: pur.api.reference.0238 caller name: D_OBJD_L	target package: C_OBJ_D_KOMBAJN member name raw: FLAGS_B_CenuDopravyDoSkladCeny Počet výskytov: 1 Riadky zdroja: 8189	caller type: PACKAGE BODY
api reference id: pur.api.reference.0239 caller name: D_OBJD_L	target package: C_OBJ_D_KOMBAJN member name raw: FLAGS_B_FixnaCena Počet výskytov: 1 Riadky zdroja: 8188	caller type: PACKAGE BODY

Identita a zdroj	Technické vlastnosti	Význam status a důkazy
api reference id: pur.api.reference.0240 caller name: D_OBJD_L	target package: C_OBJ_D_KOMBAJN member name raw: GetPodmConstraintNavrh Počet výskytov: 1 Riadky zdroja: 9751	caller type: PACKAGE BODY
api reference id: pur.api.reference.0241 caller name: D_OBJD_L	target package: C_OBJ_D_KOMBAJN member name raw: ObjednatNavrh Počet výskytov: 1 Riadky zdroja: 1690	caller type: PACKAGE BODY
api reference id: pur.api.reference.0242 caller name: D_OBJD_L	target package: C_OBJ_D_KOMBAJN member name raw: STAV_NAVRHU_OBJ_NaCeste Počet výskytov: 2 Riadky zdroja: 4474 4492	caller type: PACKAGE BODY
api reference id: pur.api.reference.0243 caller name: D_OBJD_L	target package: C_OBJ_D_KOMBAJN member name raw: STAV_NAVRHU_OBJ_Navrhnuté Počet výskytov: 4 Riadky zdroja: 8190 8209 8278 8510	caller type: PACKAGE BODY
api reference id: pur.api.reference.0244 caller name: D_OBJD_L	target package: C_OBJ_D_KOMBAJN member name raw: STAV_NAVRHU_OBJ_Objednane Počet výskytov: 6 Riadky zdroja: 1697 4465 4477 4482 4495 4500	caller type: PACKAGE BODY
api reference id: pur.api.reference.0245 caller name: D_OBJD_L	target package: C_OBJ_D_KOMBAJN member name raw: STAV_NAVRHU_OBJ_Schvalene Počet výskytov: 5 Riadky zdroja: 4467 8278 8510 9747 9751	caller type: PACKAGE BODY
api reference id: pur.api.reference.0246 caller name: D_OBJD_L	target package: C_OBJ_D_KOMBAJN member name raw: STAV_NAVRHU_OBJ_Zamietnute Počet výskytov: 1 Riadky zdroja: 8366	caller type: PACKAGE BODY

Identita a zdroj	Technické vlastnosti	Význam status a dôkazy
api reference id: pur.api.reference.0247 caller name: D_OBJD_L	target package: C_OBJ_D_KOMBAJN member name raw: SchvalitNavrhRID Počet výskytov: 1 Riadky zdroja: 8210	caller type: PACKAGE BODY
api reference id: pur.api.reference.0248 caller name: D_OBJD_L	target package: C_OBJ_D_KOMBAJN member name raw: VlozNavrhObjRID Počet výskytov: 1 Riadky zdroja: 8192	caller type: PACKAGE BODY
api reference id: pur.api.reference.0249 caller name: D_OBJD_L	target package: C_OBJ_D_KOMBAJN member name raw: ZDROJ_PodlaFiltra Počet výskytov: 7 Riadky zdroja: 1698 4468 4483 4501 8276 8365 8508	caller type: PACKAGE BODY
api reference id: pur.api.reference.0250 caller name: D_OBJD_L	target package: C_OBJ_D_KOMBAJN member name raw: ZDROJ_TransferoveDozasobenie Počet výskytov: 3 Riadky zdroja: 8276 8365 8508	caller type: PACKAGE BODY
api reference id: pur.api.reference.0251 caller name: D_OBJD_L	target package: C_OBJ_D_KOMBAJN member name raw: ZDROJ_Z_Dokladu Počet výskytov: 1 Riadky zdroja: 8193	caller type: PACKAGE BODY
api reference id: pur.api.reference.0252 caller name: D_OBJD_L	target package: C_OBJ_D_KOMBAJN member name raw: ZamietnutNavrh Počet výskytov: 1 Riadky zdroja: 8283	caller type: PACKAGE BODY

Identita a zdroj	Technické vlastnosti	Význam status a důkazy
api reference id: pur.api.reference.0253 caller name: D_OBJD_L	target package: D_OBJD_L member name raw: CIS_OBJD_L Počet výskytov: 9 Riadky zdroja: 3949 4341 5426 6045 7090 7117 7255 7936 9697	caller type: PACKAGE BODY
api reference id: pur.api.reference.0254 caller name: D_OBJD_L	target package: D_OBJD_L member name raw: DodavaSaNaraz_ZrusNevybPol Počet výskytov: 1 Riadky zdroja: 1721	caller type: PACKAGE BODY
api reference id: pur.api.reference.0255 caller name: D_OBJD_L	target package: D_OBJD_L member name raw: GenerujObjIS Počet výskytov: 1 Riadky zdroja: 7744	caller type: PACKAGE BODY
api reference id: pur.api.reference.0256 caller name: D_OBJD_L	target package: D_OBJD_L member name raw: GenerujPrepravneObaly Počet výskytov: 1 Riadky zdroja: 1780	caller type: PACKAGE BODY
api reference id: pur.api.reference.0257 caller name: D_OBJD_L	target package: D_OBJD_L member name raw: GetFB_DodaSaNaViacKrat Počet výskytov: 1 Riadky zdroja: 1710	caller type: PACKAGE BODY
api reference id: pur.api.reference.0258 caller name: D_OBJD_L	target package: D_OBJD_L member name raw: GetKurz Počet výskytov: 1 Riadky zdroja: 3859	caller type: PACKAGE BODY
api reference id: pur.api.reference.0259 caller name: D_OBJD_L	target package: D_OBJD_L member name raw: GetMena Počet výskytov: 1 Riadky zdroja: 3757	caller type: PACKAGE BODY
api reference id: pur.api.reference.0260 caller name: D_OBJD_L	target package: D_OBJD_L member name raw: GetRID Počet výskytov: 1 Riadky zdroja: 3803	caller type: PACKAGE BODY

Identita a zdroj	Technické vlastnosti	Význam status a důkazy
api reference id: pur.api.reference.0261 caller name: D_OBJD_L	target package: D_OBJD_L member name raw: GetS_STAV Počet výskytov: 7 Riadky zdroja: 3960 3992 4010 4472 4490 7920 7921	caller type: PACKAGE BODY
api reference id: pur.api.reference.0262 caller name: D_OBJD_L	target package: D_OBJD_L member name raw: GetS_Stav Počet výskytov: 1 Riadky zdroja: 2468	caller type: PACKAGE BODY
api reference id: pur.api.reference.0263 caller name: D_OBJD_L	target package: D_OBJD_L member name raw: GetSklad Počet výskytov: 4 Riadky zdroja: 3768 3789 3843 3844	caller type: PACKAGE BODY
api reference id: pur.api.reference.0264 caller name: D_OBJD_L	target package: D_OBJD_L member name raw: GetUct_Str Počet výskytov: 1 Riadky zdroja: 3768	caller type: PACKAGE BODY
api reference id: pur.api.reference.0265 caller name: D_OBJD_L	target package: D_OBJD_L member name raw: Init Počet výskytov: 2 Riadky zdroja: 3755 3807	caller type: PACKAGE BODY
api reference id: pur.api.reference.0266 caller name: D_OBJD_L	target package: D_OBJD_L member name raw: Ins Počet výskytov: 1 Riadky zdroja: 3802	caller type: PACKAGE BODY
api reference id: pur.api.reference.0267 caller name: D_OBJD_L	target package: D_OBJD_L member name raw: InsC Počet výskytov: 2 Riadky zdroja: 3434 7940	caller type: PACKAGE BODY

Identita a zdroj	Technické vlastnosti	Význam status a důkazy
api reference id: pur.api.reference.0268 caller name: D_OBJD_L	target package: D_OBJD_L member name raw: Makra_Uplatni Počet výskytov: 1 Riadky zdroja: 7319	caller type: PACKAGE BODY
api reference id: pur.api.reference.0269 caller name: D_OBJD_L	target package: D_OBJD_L member name raw: NaPrijemku Počet výskytov: 2 Riadky zdroja: 2575 2650	caller type: PACKAGE BODY
api reference id: pur.api.reference.0270 caller name: D_OBJD_L	target package: D_OBJD_L member name raw: NaPrijemkuTMP_ZakazOtvorene Počet výskytov: 1 Riadky zdroja: 6216	caller type: PACKAGE BODY
api reference id: pur.api.reference.0271 caller name: D_OBJD_L	target package: D_OBJD_L member name raw: ObjDodL2PrijemAVratka Počet výskytov: 1 Riadky zdroja: 6530	caller type: PACKAGE BODY
api reference id: pur.api.reference.0272 caller name: D_OBJD_L	target package: D_OBJD_L member name raw: PoznacZaZruseny Počet výskytov: 1 Riadky zdroja: 3109	caller type: PACKAGE BODY
api reference id: pur.api.reference.0273 caller name: D_OBJD_L	target package: D_OBJD_L member name raw: PredplnNaObjD_NevybaveneTMP Počet výskytov: 7 Riadky zdroja: 9635 9693 9702 9746 9755 9757 9759	caller type: PACKAGE BODY
api reference id: pur.api.reference.0274 caller name: D_OBJD_L	target package: D_OBJD_L member name raw: PredplnNaObjDod Počet výskytov: 1 Riadky zdroja: 3423	caller type: PACKAGE BODY
api reference id: pur.api.reference.0275 caller name: D_OBJD_L	target package: D_OBJD_L member name raw: PrepocitajCLO_DP Počet výskytov: 2 Riadky zdroja: 5092 5334	caller type: PACKAGE BODY

Identita a zdroj	Technické vlastnosti	Význam status a dôkazy
api reference id: pur.api.reference.0276 caller name: D_OBJD_L	target package: D_OBJD_L member name raw: PrepocitajDoklNaklady Počet výskytov: 2 Riadky zdroja: 5096 5338	caller type: PACKAGE BODY
api reference id: pur.api.reference.0277 caller name: D_OBJD_L	target package: D_OBJD_L member name raw: PrepocitajObsahC Počet výskytov: 5 Riadky zdroja: 3656 3910 4946 5100 6708	caller type: PACKAGE BODY
api reference id: pur.api.reference.0278 caller name: D_OBJD_L	target package: D_OBJD_L member name raw: PreratajNaklady Počet výskytov: 1 Riadky zdroja: 5088	caller type: PACKAGE BODY
api reference id: pur.api.reference.0279 caller name: D_OBJD_L	target package: D_OBJD_L member name raw: PridajPolozkuNaPriamyZavoz_Int Počet výskytov: 1 Riadky zdroja: 7898	caller type: PACKAGE BODY
api reference id: pur.api.reference.0280 caller name: D_OBJD_L	target package: D_OBJD_L member name raw: PridajPolozkuR_Int Počet výskytov: 1 Riadky zdroja: 7958	caller type: PACKAGE BODY
api reference id: pur.api.reference.0281 caller name: D_OBJD_L	target package: D_OBJD_L member name raw: R_D_OBJD_L Počet výskytov: 1 Riadky zdroja: 3715	caller type: PACKAGE BODY
api reference id: pur.api.reference.0282 caller name: D_OBJD_L	target package: D_OBJD_L member name raw: STAV_DOPR_Objednana Počet výskytov: 1 Riadky zdroja: 8359	caller type: PACKAGE BODY
api reference id: pur.api.reference.0283 caller name: D_OBJD_L	target package: D_OBJD_L member name raw: STAV_DOPR_ZaradenaNaObj Počet výskytov: 1 Riadky zdroja: 8359	caller type: PACKAGE BODY

Identita a zdroj	Technické vlastnosti	Význam status a důkazy
api reference id: pur.api.reference.0284 caller name: D_OBJD_L	target package: D_OBJD_L member name raw: STAV_Nevybavene Počet výskytov: 1 Riadky zdroja: 7529	caller type: PACKAGE BODY
api reference id: pur.api.reference.0285 caller name: D_OBJD_L	target package: D_OBJD_L member name raw: STAV_Vybavene Počet výskytov: 6 Riadky zdroja: 3960 3992 4010 4473 4491 7525	caller type: PACKAGE BODY
api reference id: pur.api.reference.0286 caller name: D_OBJD_L	target package: D_OBJD_L member name raw: STAV_VybaveneZcasti Počet výskytov: 1 Riadky zdroja: 7531	caller type: PACKAGE BODY
api reference id: pur.api.reference.0287 caller name: D_OBJD_L	target package: D_OBJD_L member name raw: SetDatum Počet výskytov: 1 Riadky zdroja: 3760	caller type: PACKAGE BODY
api reference id: pur.api.reference.0288 caller name: D_OBJD_L	target package: D_OBJD_L member name raw: SetDatum_DPH Počet výskytov: 2 Riadky zdroja: 3758 3762	caller type: PACKAGE BODY
api reference id: pur.api.reference.0289 caller name: D_OBJD_L	target package: D_OBJD_L member name raw: SetDatum_P Počet výskytov: 1 Riadky zdroja: 3761	caller type: PACKAGE BODY
api reference id: pur.api.reference.0290 caller name: D_OBJD_L	target package: D_OBJD_L member name raw: SetFlags_S Počet výskytov: 1 Riadky zdroja: 3764	caller type: PACKAGE BODY
api reference id: pur.api.reference.0291 caller name: D_OBJD_L	target package: D_OBJD_L member name raw: SetPRE_SKLAD Počet výskytov: 1 Riadky zdroja: 3771	caller type: PACKAGE BODY

Identita a zdroj	Technické vlastnosti	Význam status a důkazy
api reference id: pur.api.reference.0292 caller name: D_OBJD_L	target package: D_OBJD_L member name raw: SetRID_V Počet výskytov: 1 Riadky zdroja: 3765	caller type: PACKAGE BODY
api reference id: pur.api.reference.0293 caller name: D_OBJD_L	target package: D_OBJD_L member name raw: SetSklad Počet výskytov: 1 Riadky zdroja: 3778	caller type: PACKAGE BODY
api reference id: pur.api.reference.0294 caller name: D_OBJD_L	target package: D_OBJD_L member name raw: SetSkratka Počet výskytov: 1 Riadky zdroja: 3763	caller type: PACKAGE BODY
api reference id: pur.api.reference.0295 caller name: D_OBJD_L	target package: D_OBJD_L member name raw: SetUct_Str Počet výskytov: 1 Riadky zdroja: 3779	caller type: PACKAGE BODY
api reference id: pur.api.reference.0296 caller name: D_OBJD_L	target package: D_OBJD_L member name raw: SpracujInsCInt Počet výskytov: 1 Riadky zdroja: 1861	caller type: PACKAGE BODY
api reference id: pur.api.reference.0297 caller name: D_OBJD_L	target package: D_OBJD_L member name raw: UkonciPrijemPL Počet výskytov: 1 Riadky zdroja: 4097	caller type: PACKAGE BODY
api reference id: pur.api.reference.0298 caller name: D_OBJD_L	target package: D_OBJD_L member name raw: UkonciPrijemPL_Vratka Počet výskytov: 1 Riadky zdroja: 4120	caller type: PACKAGE BODY
api reference id: pur.api.reference.0299 caller name: D_OBJD_L	target package: D_OBJD_L member name raw: UkonciPrijem_AutoKratChybMnoz Počet výskytov: 6 Riadky zdroja: 4045 4051 4059 4067 4081 4085	caller type: PACKAGE BODY

Identita a zdroj	Technické vlastnosti	Význam status a důkazy
api reference id: pur.api.reference.0300 caller name: D_OBJD_L	target package: D_OBJD_L member name raw: UpravCeny Počet výskytov: 1 Riadky zdroja: 5826	caller type: PACKAGE BODY
api reference id: pur.api.reference.0301 caller name: D_OBJD_L	target package: D_OBJD_L member name raw: ValidZmenaDopravy Počet výskytov: 2 Riadky zdroja: 8930 8932	caller type: PACKAGE BODY
api reference id: pur.api.reference.0302 caller name: D_OBJD_L	target package: D_OBJD_L member name raw: VlozDispoZasobu Počet výskytov: 3 Riadky zdroja: 7606 7610 7617	caller type: PACKAGE BODY
api reference id: pur.api.reference.0303 caller name: D_OBJD_L	target package: D_OBJD_L member name raw: VlozDispoZasobu_Int Počet výskytov: 2 Riadky zdroja: 7595 7598	caller type: PACKAGE BODY
api reference id: pur.api.reference.0304 caller name: D_OBJD_L	target package: D_OBJD_L member name raw: VlozDispoZasobu_IntPol Počet výskytov: 4 Riadky zdroja: 7550 7554 7561 7574	caller type: PACKAGE BODY
api reference id: pur.api.reference.0305 caller name: D_OBJD_L	target package: D_OBJD_L member name raw: ZlucPolozkyARezervujNaDispo Počet výskytov: 1 Riadky zdroja: 7653	caller type: PACKAGE BODY
api reference id: pur.api.reference.0306 caller name: D_OBJD_L	target package: D_OBJD_L member name raw: ZmenPocetSpracovane Počet výskytov: 1 Riadky zdroja: 5636	caller type: PACKAGE BODY
api reference id: pur.api.reference.0307 caller name: D_OBJD_L	target package: D_OBJD_L member name raw: ZrusNevybavene Počet výskytov: 1 Riadky zdroja: 5600	caller type: PACKAGE BODY

Identita a zdroj	Technické vlastnosti	Význam status a dôkazy
api reference id: pur.api.reference.0308 caller name: D_OBJD_L	target package: D_OBJD_L member name raw: ZrusNevybavenePolozky Počet výskytov: 1 Riadky zdroja: 5646	caller type: PACKAGE BODY
api reference id: pur.api.reference.0309 caller name: D_OBJD_L	target package: D_OBJD_L member name raw: cis_objd_l Počet výskytov: 2 Riadky zdroja: 5991 6036	caller type: PACKAGE BODY
api reference id: pur.api.reference.0310 caller name: D_OBJD_L	target package: D_OBJD_L member name raw: getFLAGS_S Počet výskytov: 1 Riadky zdroja: 3756	caller type: PACKAGE BODY
api reference id: pur.api.reference.0311 caller name: D_OBJD_L	target package: D_OBJD_L member name raw: prepocitajobsahc Počet výskytov: 1 Riadky zdroja: 3506	caller type: PACKAGE BODY
api reference id: pur.api.reference.0312 caller name: D_OBJD_L	target package: D_OBJD_L member name raw: settyp_cis Počet výskytov: 1 Riadky zdroja: 3780	caller type: PACKAGE BODY
api reference id: pur.api.reference.0313 caller name: D_OBJD_L	target package: D_OBJD_L member name raw: spracujinsc Počet výskytov: 1 Riadky zdroja: 3505	caller type: PACKAGE BODY
api reference id: pur.api.reference.0314 caller name: D_OBJD_L	target package: D_OBJD_O member name raw: CIS_OBJD_O Počet výskytov: 10 Riadky zdroja: 3502 3885 4574 4575 4801 6916 7018 7064 7065 8775	caller type: PACKAGE BODY

Identita a zdroj	Technické vlastnosti	Význam status a důkazy
api reference id: pur.api.reference.0315 caller name: D_OBJD_L	target package: D_OBJD_O member name raw: CIS_objd_o Počet výskytů: 4 Řádky zdroja: 1506 2636 2643 3849	caller type: PACKAGE BODY
api reference id: pur.api.reference.0316 caller name: D_OBJD_L	target package: D_OBJD_O member name raw: GetCENA Počet výskytů: 3 Řádky zdroja: 3853 3858 3859	caller type: PACKAGE BODY
api reference id: pur.api.reference.0317 caller name: D_OBJD_L	target package: D_OBJD_O member name raw: GetCENA_M Počet výskytů: 1 Řádky zdroja: 3884	caller type: PACKAGE BODY
api reference id: pur.api.reference.0318 caller name: D_OBJD_L	target package: D_OBJD_O member name raw: GetCENA_S2 Počet výskytů: 1 Řádky zdroja: 3858	caller type: PACKAGE BODY
api reference id: pur.api.reference.0319 caller name: D_OBJD_L	target package: D_OBJD_O member name raw: GetID_R Počet výskytů: 1 Řádky zdroja: 3875	caller type: PACKAGE BODY
api reference id: pur.api.reference.0320 caller name: D_OBJD_L	target package: D_OBJD_O member name raw: GetKOD_ID Počet výskytů: 1 Řádky zdroja: 3869	caller type: PACKAGE BODY
api reference id: pur.api.reference.0321 caller name: D_OBJD_L	target package: D_OBJD_O member name raw: GetMinDatExp Počet výskytů: 2 Řádky zdroja: 5070 5321	caller type: PACKAGE BODY
api reference id: pur.api.reference.0322 caller name: D_OBJD_L	target package: D_OBJD_O member name raw: GetPOCET Počet výskytů: 2 Řádky zdroja: 3823 3827	caller type: PACKAGE BODY

Identita a zdroj	Technické vlastnosti	Význam status a dôkazy
api reference id: pur.api.reference.0323 caller name: D_OBJD_L	target package: D_OBJD_O member name raw: GetP_DEL Počet výskytov: 1 Riadky zdroja: 3823	caller type: PACKAGE BODY
api reference id: pur.api.reference.0324 caller name: D_OBJD_L	target package: D_OBJD_O member name raw: GetP_PL Počet výskytov: 1 Riadky zdroja: 3823	caller type: PACKAGE BODY
api reference id: pur.api.reference.0325 caller name: D_OBJD_L	target package: D_OBJD_O member name raw: GetP_PRIJ Počet výskytov: 1 Riadky zdroja: 3823	caller type: PACKAGE BODY
api reference id: pur.api.reference.0326 caller name: D_OBJD_L	target package: D_OBJD_O member name raw: GetVazbaNaML Počet výskytov: 1 Riadky zdroja: 1480	caller type: PACKAGE BODY
api reference id: pur.api.reference.0327 caller name: D_OBJD_L	target package: D_OBJD_O member name raw: GetXmlGN Počet výskytov: 7 Riadky zdroja: 3689 3707 3812 4327 4332 6062 9710	caller type: PACKAGE BODY
api reference id: pur.api.reference.0328 caller name: D_OBJD_L	target package: D_OBJD_O member name raw: Init Počet výskytov: 1 Riadky zdroja: 3818	caller type: PACKAGE BODY
api reference id: pur.api.reference.0329 caller name: D_OBJD_L	target package: D_OBJD_O member name raw: Ins Počet výskytov: 1 Riadky zdroja: 3874	caller type: PACKAGE BODY

Identita a zdroj	Technické vlastnosti	Význam status a důkazy
api reference id: pur.api.reference.0330 caller name: D_OBJD_L	target package: D_OBJD_O member name raw: InsC Počet výskytov: 5 Riadky zdroja: 1410 1800 4563 7052 7685	caller type: PACKAGE BODY
api reference id: pur.api.reference.0331 caller name: D_OBJD_L	target package: D_OBJD_O member name raw: KontrolaPolozkyNaNakupnuCT_Par Počet výskytov: 1 Riadky zdroja: 6481	caller type: PACKAGE BODY
api reference id: pur.api.reference.0332 caller name: D_OBJD_L	target package: D_OBJD_O member name raw: Makro_Uplatni Počet výskytov: 3 Riadky zdroja: 4951 5341 7327	caller type: PACKAGE BODY
api reference id: pur.api.reference.0333 caller name: D_OBJD_L	target package: D_OBJD_O member name raw: Makro_ZmenaPoctu Počet výskytov: 1 Riadky zdroja: 5634	caller type: PACKAGE BODY
api reference id: pur.api.reference.0334 caller name: D_OBJD_L	target package: D_OBJD_O member name raw: PL_SparujPolozkuNaObjD Počet výskytov: 2 Riadky zdroja: 9513 9517	caller type: PACKAGE BODY
api reference id: pur.api.reference.0335 caller name: D_OBJD_L	target package: D_OBJD_O member name raw: PrepocetCeny Počet výskytov: 1 Riadky zdroja: 1808	caller type: PACKAGE BODY
api reference id: pur.api.reference.0336 caller name: D_OBJD_L	target package: D_OBJD_O member name raw: PrepocetCenyInt Počet výskytov: 4 Riadky zdroja: 4830 4836 4892 6371	caller type: PACKAGE BODY

Identita a zdroj	Technické vlastnosti	Význam status a důkazy
api reference id: pur.api.reference.0337 caller name: D_OBJD_L	target package: D_OBJD_O member name raw: R_D_OBJD_O Počet výskytov: 1 Riadky zdroja: 3720	caller type: PACKAGE BODY
api reference id: pur.api.reference.0338 caller name: D_OBJD_L	target package: D_OBJD_O member name raw: SetCENA Počet výskytov: 2 Riadky zdroja: 3854 3858	caller type: PACKAGE BODY
api reference id: pur.api.reference.0339 caller name: D_OBJD_L	target package: D_OBJD_O member name raw: SetCENA_M Počet výskytov: 2 Riadky zdroja: 3855 3859	caller type: PACKAGE BODY
api reference id: pur.api.reference.0340 caller name: D_OBJD_L	target package: D_OBJD_O member name raw: SetCENA_S2 Počet výskytov: 3 Riadky zdroja: 3853 3860 3864	caller type: PACKAGE BODY
api reference id: pur.api.reference.0341 caller name: D_OBJD_L	target package: D_OBJD_O member name raw: SetDph Počet výskytov: 3 Riadky zdroja: 3841 3843 3844	caller type: PACKAGE BODY
api reference id: pur.api.reference.0342 caller name: D_OBJD_L	target package: D_OBJD_O member name raw: SetID_R Počet výskytov: 1 Riadky zdroja: 3819	caller type: PACKAGE BODY
api reference id: pur.api.reference.0343 caller name: D_OBJD_L	target package: D_OBJD_O member name raw: SetMinPocetDniExp Počet výskytov: 3 Riadky zdroja: 5076 5327 9202	caller type: PACKAGE BODY
api reference id: pur.api.reference.0344 caller name: D_OBJD_L	target package: D_OBJD_O member name raw: SetOdpis Počet výskytov: 1 Riadky zdroja: 3837	caller type: PACKAGE BODY

Identita a zdroj	Technické vlastnosti	Význam status a důkazy
api reference id: pur.api.reference.0345 caller name: D_OBJD_L	target package: D_OBJD_O member name raw: SetPOCET Počet výskytov: 1 Riadky zdroja: 3824	caller type: PACKAGE BODY
api reference id: pur.api.reference.0346 caller name: D_OBJD_L	target package: D_OBJD_O member name raw: SetP_DEL Počet výskytov: 1 Riadky zdroja: 3832	caller type: PACKAGE BODY
api reference id: pur.api.reference.0347 caller name: D_OBJD_L	target package: D_OBJD_O member name raw: SetP_PL Počet výskytov: 1 Riadky zdroja: 3834	caller type: PACKAGE BODY
api reference id: pur.api.reference.0348 caller name: D_OBJD_L	target package: D_OBJD_O member name raw: SetP_PRIJ Počet výskytov: 1 Riadky zdroja: 3833	caller type: PACKAGE BODY
api reference id: pur.api.reference.0349 caller name: D_OBJD_L	target package: D_OBJD_O member name raw: SetP_REZ_ODB_OBJ Počet výskytov: 1 Riadky zdroja: 3835	caller type: PACKAGE BODY
api reference id: pur.api.reference.0350 caller name: D_OBJD_L	target package: D_OBJD_O member name raw: SetRID_LB Počet výskytov: 1 Riadky zdroja: 3870	caller type: PACKAGE BODY
api reference id: pur.api.reference.0351 caller name: D_OBJD_L	target package: D_OBJD_O member name raw: SetRID_N Počet výskytov: 1 Riadky zdroja: 3839	caller type: PACKAGE BODY
api reference id: pur.api.reference.0352 caller name: D_OBJD_L	target package: D_OBJD_O member name raw: SetRID_O Počet výskytov: 1 Riadky zdroja: 3820	caller type: PACKAGE BODY
api reference id: pur.api.reference.0353 caller name: D_OBJD_L	target package: D_OBJD_O member name raw: SetRID_V Počet výskytov: 1 Riadky zdroja: 3838	caller type: PACKAGE BODY

Identita a zdroj	Technické vlastnosti	Význam status a důkazy
api reference id: pur.api.reference.0354 caller name: D_OBJD_L	target package: D_OBJD_O member name raw: StornoTMP Počet výskytov: 1 Riadky zdroja: 6331	caller type: PACKAGE BODY
api reference id: pur.api.reference.0355 caller name: D_OBJD_L	target package: D_OBJD_O member name raw: UpdateTMP Počet výskytov: 3 Riadky zdroja: 5763 5801 5889	caller type: PACKAGE BODY
api reference id: pur.api.reference.0356 caller name: D_OBJD_L	target package: D_OBJD_O member name raw: ZamenPolozkuD Počet výskytov: 1 Riadky zdroja: 8483	caller type: PACKAGE BODY
api reference id: pur.api.reference.0357 caller name: D_OBJD_L	target package: D_OBJD_O member name raw: ZmenCenu Počet výskytov: 2 Riadky zdroja: 4833 4841	caller type: PACKAGE BODY
api reference id: pur.api.reference.0358 caller name: D_OBJD_L	target package: D_OBJD_O member name raw: ZrusMnozstvo Počet výskytov: 1 Riadky zdroja: 9738	caller type: PACKAGE BODY
api reference id: pur.api.reference.0359 caller name: D_OBJD_L	target package: D_OBJD_O member name raw: ZrusPocetNavrhTrig Počet výskytov: 1 Riadky zdroja: 9740	caller type: PACKAGE BODY
api reference id: pur.api.reference.0360 caller name: D_OBJD_L	target package: D_OBJD_O member name raw: ZrusPocetNavrhTrig_ParamNewRow Počet výskytov: 1 Riadky zdroja: 9749	caller type: PACKAGE BODY
api reference id: pur.api.reference.0361 caller name: D_OBJD_L	target package: D_OBJD_O member name raw: ZrusPolozku Počet výskytov: 1 Riadky zdroja: 1725	caller type: PACKAGE BODY

Identita a zdroj	Technické vlastnosti	Význam status a důkazy
api reference id: pur.api.reference.0362 caller name: D_OBJD_L	target package: D_OBJD_O member name raw: cis_objd_o Počet výskytů: 3 Řádky zdroja: 6095 6103 9715	caller type: PACKAGE BODY
api reference id: pur.api.reference.0363 caller name: D_OBJD_L	target package: D_OBJD_O member name raw: getkod_id Počet výskytů: 1 Řádky zdroja: 3844	caller type: PACKAGE BODY
api reference id: pur.api.reference.0364 caller name: D_OBJD_L	target package: D_OBJD_O member name raw: insc Počet výskytů: 3 Řádky zdroja: 3494 4813 4880	caller type: PACKAGE BODY
api reference id: pur.api.reference.0365 caller name: D_OBJD_O	target package: D_OBJD_L member name raw: R_D_OBJD_L Počet výskytů: 1 Řádky zdroja: 319	caller type: PACKAGE
api reference id: pur.api.reference.0366 caller name: D_OBJD_O	target package: C_OBJ_D_KOMBAJN member name raw: CIS_OBJ_D_NAVRH Počet výskytů: 3 Řádky zdroja: 4707 7389 7427	caller type: PACKAGE BODY
api reference id: pur.api.reference.0367 caller name: D_OBJD_O	target package: C_OBJ_D_KOMBAJN member name raw: GetFB_DatNaSoloObjDod Počet výskytů: 4 Řádky zdroja: 2447 2456 2492 8088	caller type: PACKAGE BODY
api reference id: pur.api.reference.0368 caller name: D_OBJD_O	target package: C_OBJ_D_KOMBAJN member name raw: GetPodmConstraintNavrh Počet výskytů: 1 Řádky zdroja: 8118	caller type: PACKAGE BODY
api reference id: pur.api.reference.0369 caller name: D_OBJD_O	target package: C_OBJ_D_KOMBAJN member name raw: ObjednatNavrh Počet výskytů: 1 Řádky zdroja: 4712	caller type: PACKAGE BODY

Identita a zdroj	Technické vlastnosti	Význam status a dôkazy
api reference id: pur.api.reference.0370 caller name: D_OBJD_O	target package: C_OBJ_D_KOMBAJN member name raw: STAV_NAVRHU_OBJ_Navrhnute Počet výskytov: 4 Riadky zdroja: 269 270 6045 6556	caller type: PACKAGE BODY
api reference id: pur.api.reference.0371 caller name: D_OBJD_O	target package: C_OBJ_D_KOMBAJN member name raw: STAV_NAVRHU_OBJ_Objednane Počet výskytov: 6 Riadky zdroja: 5196 5202 5284 8117 8118 8365	caller type: PACKAGE BODY
api reference id: pur.api.reference.0372 caller name: D_OBJD_O	target package: C_OBJ_D_KOMBAJN member name raw: STAV_NAVRHU_OBJ_Schvalene Počet výskytov: 10 Riadky zdroja: 269 2493 2525 5211 5240 5264 5286 6045 6556 8082	caller type: PACKAGE BODY
api reference id: pur.api.reference.0373 caller name: D_OBJD_O	target package: C_OBJ_D_KOMBAJN member name raw: SchvalitNavrh Počet výskytov: 1 Riadky zdroja: 271	caller type: PACKAGE BODY
api reference id: pur.api.reference.0374 caller name: D_OBJD_O	target package: C_OBJ_D_KOMBAJN member name raw: VlozNavrhObjRID Počet výskytov: 3 Riadky zdroja: 5207 5236 5260	caller type: PACKAGE BODY

Identita a zdroj	Technické vlastnosti	Význam status a dôkazy
api reference id: pur.api.reference.0375 caller name: D_OBJD_O	target package: C_OBJ_D_KOMBAJN member name raw: VratObjednanyNavrh Počet výskytov: 2 Riadky zdroja: 4724 4731	caller type: PACKAGE BODY
api reference id: pur.api.reference.0376 caller name: D_OBJD_O	target package: C_OBJ_D_KOMBAJN member name raw: ZDROJ_ChyaMinMax Počet výskytov: 2 Riadky zdroja: 5205 5258	caller type: PACKAGE BODY
api reference id: pur.api.reference.0377 caller name: D_OBJD_O	target package: C_OBJ_D_KOMBAJN member name raw: ZDROJ_Manualne Počet výskytov: 2 Riadky zdroja: 5228 8406	caller type: PACKAGE BODY
api reference id: pur.api.reference.0378 caller name: D_OBJD_O	target package: C_OBJ_D_KOMBAJN member name raw: ZDROJ_PodlaFiltra Počet výskytov: 1 Riadky zdroja: 5287	caller type: PACKAGE BODY
api reference id: pur.api.reference.0379 caller name: D_OBJD_O	target package: C_OBJ_D_KOMBAJN member name raw: ZDROJ_PodlaMinMax Počet výskytov: 2 Riadky zdroja: 5205 5258	caller type: PACKAGE BODY
api reference id: pur.api.reference.0380 caller name: D_OBJD_O	target package: C_OBJ_D_KOMBAJN member name raw: ZDROJ_Z_Dokladu Počet výskytov: 6 Riadky zdroja: 5223 5226 6046 6557 8401 8404	caller type: PACKAGE BODY
api reference id: pur.api.reference.0381 caller name: D_OBJD_O	target package: C_OBJ_D_KOMBAJN member name raw: ZDROJ_Z_SpecialnaObj Počet výskytov: 2 Riadky zdroja: 6046 6557	caller type: PACKAGE BODY

Identita a zdroj	Technické vlastnosti	Význam status a důkazy
api reference id: pur.api.reference.0382 caller name: D_OBJD_O	target package: D_OBJD_L member name raw: CIS_OBJD_L Počet výskytov: 35 Riadky zdroja: 1318 1383 1389 1672 2001 4214 4489 4955 5350 5356 5892 5971 5975 6034 6134 6190 6804 6826 6850 6863 6881 6946 7014 7045 7091 7117 7146 7162 7199 8173 8179 8208 8214 8319 8325	caller type: PACKAGE BODY
api reference id: pur.api.reference.0383 caller name: D_OBJD_O	target package: D_OBJD_L member name raw: GetDATUM_P Počet výskytov: 2 Riadky zdroja: 4969 4983	caller type: PACKAGE BODY

Identita a zdroj	Technické vlastnosti	Význam status a důkazy
api reference id: pur.api.reference.0384 caller name: D_OBJD_O	target package: D_OBJD_L member name raw: GetFB_DodMaCrossDocking Počet výskytov: 2 Riadky zdroja: 5311 5313	caller type: PACKAGE BODY
api reference id: pur.api.reference.0385 caller name: D_OBJD_O	target package: D_OBJD_L member name raw: GetKURZ Počet výskytov: 2 Riadky zdroja: 5015 5020	caller type: PACKAGE BODY
api reference id: pur.api.reference.0386 caller name: D_OBJD_O	target package: D_OBJD_L member name raw: GetS_STAV Počet výskytov: 1 Riadky zdroja: 6444	caller type: PACKAGE BODY
api reference id: pur.api.reference.0387 caller name: D_OBJD_O	target package: D_OBJD_L member name raw: GetSklad Počet výskytov: 1 Riadky zdroja: 4954	caller type: PACKAGE BODY
api reference id: pur.api.reference.0388 caller name: D_OBJD_O	target package: D_OBJD_L member name raw: GetStp_ZobrazRozpDodMnozstva Počet výskytov: 3 Riadky zdroja: 3065 3067 3074	caller type: PACKAGE BODY
api reference id: pur.api.reference.0389 caller name: D_OBJD_O	target package: D_OBJD_L member name raw: Init Počet výskytov: 2 Riadky zdroja: 5037 5064	caller type: PACKAGE BODY
api reference id: pur.api.reference.0390 caller name: D_OBJD_O	target package: D_OBJD_L member name raw: JeZakazMenitUzavretuObjD Počet výskytov: 1 Riadky zdroja: 7467	caller type: PACKAGE BODY
api reference id: pur.api.reference.0391 caller name: D_OBJD_O	target package: D_OBJD_L member name raw: NastavStav Počet výskytov: 1 Riadky zdroja: 6084	caller type: PACKAGE BODY

Identita a zdroj	Technické vlastnosti	Význam status a důkazy
api reference id: pur.api.reference.0392 caller name: D_OBJD_O	target package: D_OBJD_L member name raw: PrepocitajDoklNaklady Počet výskytov: 1 Riadky zdroja: 4874	caller type: PACKAGE BODY
api reference id: pur.api.reference.0393 caller name: D_OBJD_O	target package: D_OBJD_L member name raw: PrepocitajObsahC Počet výskytov: 11 Riadky zdroja: 2341 4531 4560 4892 5029 6537 7147 7592 7648 7920 8034	caller type: PACKAGE BODY
api reference id: pur.api.reference.0394 caller name: D_OBJD_O	target package: D_OBJD_L member name raw: PridajPolozkuR_Int Počet výskytov: 1 Riadky zdroja: 6510	caller type: PACKAGE BODY
api reference id: pur.api.reference.0395 caller name: D_OBJD_O	target package: D_OBJD_L member name raw: PridajPolozkuTMP Počet výskytov: 1 Riadky zdroja: 3402	caller type: PACKAGE BODY
api reference id: pur.api.reference.0396 caller name: D_OBJD_O	target package: D_OBJD_L member name raw: R_D_OBJD_L Počet výskytov: 3 Riadky zdroja: 4916 5035 5044	caller type: PACKAGE BODY
api reference id: pur.api.reference.0397 caller name: D_OBJD_O	target package: D_OBJD_L member name raw: STAV_Odoslane Počet výskytov: 1 Riadky zdroja: 6445	caller type: PACKAGE BODY
api reference id: pur.api.reference.0398 caller name: D_OBJD_O	target package: D_OBJD_L member name raw: STAV_VYB_Otvorena Počet výskytov: 3 Riadky zdroja: 3713 5824 7460	caller type: PACKAGE BODY

Identita a zdroj	Technické vlastnosti	Význam status a dôkazy
api reference id: pur.api.reference.0399 caller name: D_OBJD_O	target package: D_OBJD_L member name raw: STAV_VYB_Uzavreta Počet výskytov: 4 Riadky zdroja: 3859 7016 7241 7490	caller type: PACKAGE BODY
api reference id: pur.api.reference.0400 caller name: D_OBJD_O	target package: D_OBJD_L member name raw: STAV_VYB_Vybavena Počet výskytov: 9 Riadky zdroja: 3704 3707 4344 5844 7018 7241 7247 7463 7490	caller type: PACKAGE BODY
api reference id: pur.api.reference.0401 caller name: D_OBJD_O	target package: D_OBJD_L member name raw: STAV_VYB_VybavenaZcasti Počet výskytov: 4 Riadky zdroja: 3859 7020 7241 7490	caller type: PACKAGE BODY
api reference id: pur.api.reference.0402 caller name: D_OBJD_O	target package: D_OBJD_L member name raw: ZOBR_ROZPOCET_NezobrazitNikdy Počet výskytov: 1 Riadky zdroja: 3065	caller type: PACKAGE BODY
api reference id: pur.api.reference.0403 caller name: D_OBJD_O	target package: D_OBJD_L member name raw: ZOBR_ROZPOCET_ZobrazAkRozdiel Počet výskytov: 1 Riadky zdroja: 3067	caller type: PACKAGE BODY
api reference id: pur.api.reference.0404 caller name: D_OBJD_O	target package: D_OBJD_L member name raw: ZOBR_ROZPOCET_ZobrazitVzdly Počet výskytov: 1 Riadky zdroja: 3074	caller type: PACKAGE BODY

Identita a zdroj	Technické vlastnosti	Význam status a důkazy
api reference id: pur.api.reference.0405 caller name: D_OBJD_O	target package: D_OBJD_L member name raw: ZmenPocetSpracovane Počet výskytov: 7 Riadky zdroja: 2328 4497 4502 4580 4804 4819 5904	caller type: PACKAGE BODY
api reference id: pur.api.reference.0406 caller name: D_OBJD_O	target package: D_OBJD_L member name raw: cis_ObjD_L Počet výskytov: 1 Riadky zdroja: 4621	caller type: PACKAGE BODY
api reference id: pur.api.reference.0407 caller name: D_OBJD_O	target package: D_OBJD_L member name raw: cis_objd_l Počet výskytov: 6 Riadky zdroja: 1444 1634 1831 1964 2105 2251	caller type: PACKAGE BODY
api reference id: pur.api.reference.0408 caller name: D_OBJD_O	target package: D_OBJD_L member name raw: getdatum_p Počet výskytov: 1 Riadky zdroja: 4955	caller type: PACKAGE BODY
api reference id: pur.api.reference.0409 caller name: D_OBJD_O	target package: D_OBJD_L member name raw: getdoprava Počet výskytov: 2 Riadky zdroja: 4966 4980	caller type: PACKAGE BODY
api reference id: pur.api.reference.0410 caller name: D_OBJD_O	target package: D_OBJD_L member name raw: getkurz Počet výskytov: 5 Riadky zdroja: 4955 4967 4976 4981 5025	caller type: PACKAGE BODY

Identita a zdroj	Technické vlastnosti	Význam status a dôkazy
api reference id: pur.api.reference.0411 caller name: D_OBJD_O	target package: D_OBJD_L member name raw: getmena Počet výskytov: 3 Riadky zdroja: 4955 4967 4981	caller type: PACKAGE BODY
api reference id: pur.api.reference.0412 caller name: D_OBJD_O	target package: D_OBJD_L member name raw: getmiesto_dod Počet výskytov: 2 Riadky zdroja: 4965 4979	caller type: PACKAGE BODY
api reference id: pur.api.reference.0413 caller name: D_OBJD_O	target package: D_OBJD_L member name raw: getpartner Počet výskytov: 2 Riadky zdroja: 4965 4979	caller type: PACKAGE BODY
api reference id: pur.api.reference.0414 caller name: D_OBJD_O	target package: D_OBJD_L member name raw: getrid Počet výskytov: 1 Riadky zdroja: 4949	caller type: PACKAGE BODY
api reference id: pur.api.reference.0415 caller name: D_OBJD_O	target package: D_OBJD_L member name raw: getsklad Počet výskytov: 3 Riadky zdroja: 4969 4983 4985	caller type: PACKAGE BODY
api reference id: pur.api.reference.0416 caller name: D_OBJD_O	target package: D_OBJD_L member name raw: getsposob_kont Počet výskytov: 2 Riadky zdroja: 4968 4982	caller type: PACKAGE BODY
api reference id: pur.api.reference.0417 caller name: D_OBJD_O	target package: D_OBJD_L member name raw: getsposob_obj Počet výskytov: 2 Riadky zdroja: 4968 4982	caller type: PACKAGE BODY
api reference id: pur.api.reference.0418 caller name: D_OBJD_O	target package: D_OBJD_L member name raw: gettyp_cis Počet výskytov: 1 Riadky zdroja: 5025	caller type: PACKAGE BODY

Identita a zdroj	Technické vlastnosti	Význam status a důkazy
api reference id: pur.api.reference.0419 caller name: D_OBJD_O	target package: D_OBJD_L member name raw: getzakazka Počet výskytů: 2 Řádky zdroja: 4974 4987	caller type: PACKAGE BODY
api reference id: pur.api.reference.0420 caller name: D_OBJD_O	target package: D_OBJD_L member name raw: prepocitajobsahc Počet výskytů: 1 Řádky zdroja: 6414	caller type: PACKAGE BODY
api reference id: pur.api.reference.0421 caller name: D_OBJD_O	target package: D_OBJD_O member name raw: CIS_OBJD_O Počet výskytů: 5 Řádky zdroja: 1044 1053 5860 5922 5923	caller type: PACKAGE BODY
api reference id: pur.api.reference.0422 caller name: D_OBJD_O	target package: D_OBJD_O member name raw: ChangePocetTMP Počet výskytů: 10 Řádky zdroja: 4617 4630 4664 4688 4694 4716 4728 4735 4747 8132	caller type: PACKAGE BODY
api reference id: pur.api.reference.0423 caller name: D_OBJD_O	target package: D_OBJD_O member name raw: GetMinPocetDniExp Počet výskytů: 5 Řádky zdroja: 7164 7165 7170 7201 7206	caller type: PACKAGE BODY

Identita a zdroj	Technické vlastnosti	Význam status a dôkazy
api reference id: pur.api.reference.0424 caller name: D_OBJD_O	target package: D_OBJD_O member name raw: InsFromNavrhD Počet výskytov: 4 Riadky zdroja: 8062 8093 8108 8156	caller type: PACKAGE BODY
api reference id: pur.api.reference.0425 caller name: D_OBJD_O	target package: D_OBJD_O member name raw: InsFromNavrh_RID Počet výskytov: 4 Riadky zdroja: 8125 8127 8133 8153	caller type: PACKAGE BODY
api reference id: pur.api.reference.0426 caller name: D_OBJD_O	target package: D_OBJD_O member name raw: Makro_UmozniVymazanie Počet výskytov: 1 Riadky zdroja: 5097	caller type: PACKAGE BODY
api reference id: pur.api.reference.0427 caller name: D_OBJD_O	target package: D_OBJD_O member name raw: Makro_Uplatni Počet výskytov: 2 Riadky zdroja: 1957 1972	caller type: PACKAGE BODY
api reference id: pur.api.reference.0428 caller name: D_OBJD_O	target package: D_OBJD_O member name raw: Makro_UplatniLogist Počet výskytov: 2 Riadky zdroja: 1823 1842	caller type: PACKAGE BODY
api reference id: pur.api.reference.0429 caller name: D_OBJD_O	target package: D_OBJD_O member name raw: Makro_VymazPolozkyMakra Počet výskytov: 1 Riadky zdroja: 5090	caller type: PACKAGE BODY
api reference id: pur.api.reference.0430 caller name: D_OBJD_O	target package: D_OBJD_O member name raw: Makro_ZmenaCeny Počet výskytov: 1 Riadky zdroja: 4889	caller type: PACKAGE BODY

Identita a zdroj	Technické vlastnosti	Význam status a důkazy
api reference id: pur.api.reference.0431 caller name: D_OBJD_O	target package: D_OBJD_O member name raw: Makro_ZmenaPocet Počet výskytov: 15 Riadky zdroja: 2691 2841 2874 2950 2975 3251 3280 3410 3438 4425 4449 4478 4505 4828 4834	caller type: PACKAGE BODY
api reference id: pur.api.reference.0432 caller name: D_OBJD_O	target package: D_OBJD_O member name raw: ObjD_NastavPocetPodlaMNM_ND Počet výskytov: 3 Riadky zdroja: 7952 8005 8015	caller type: PACKAGE BODY
api reference id: pur.api.reference.0433 caller name: D_OBJD_O	target package: D_OBJD_O member name raw: ObjD_NastavTerminDodTMP Počet výskytov: 1 Riadky zdroja: 3155	caller type: PACKAGE BODY
api reference id: pur.api.reference.0434 caller name: D_OBJD_O	target package: D_OBJD_O member name raw: SetMinPocetDniExp Počet výskytov: 1 Riadky zdroja: 6512	caller type: PACKAGE BODY
api reference id: pur.api.reference.0435 caller name: D_OBJD_O	target package: D_OBJD_O member name raw: UpdSumPocet Počet výskytov: 1 Riadky zdroja: 4349	caller type: PACKAGE BODY
api reference id: pur.api.reference.0436 caller name: D_OBJD_O	target package: D_OBJD_O member name raw: UpdSumPocetTMP Počet výskytov: 1 Riadky zdroja: 3196	caller type: PACKAGE BODY

Identita a zdroj	Technické vlastnosti	Význam status a dôkazy
api reference id: pur.api.reference.0437 caller name: D_OBJD_O	target package: D_OBJD_O member name raw: ValidT Počet výskytov: 1 Riadky zdroja: 5679	caller type: PACKAGE BODY
api reference id: pur.api.reference.0438 caller name: D_OBJD_O	target package: D_OBJD_O member name raw: VlozPolozkuTMP Počet výskytov: 1 Riadky zdroja: 3404	caller type: PACKAGE BODY
api reference id: pur.api.reference.0439 caller name: D_OBJD_O	target package: D_OBJD_O member name raw: ZaokruhliMnozstvoNaBalenie Počet výskytov: 1 Riadky zdroja: 8442	caller type: PACKAGE BODY
api reference id: pur.api.reference.0440 caller name: D_OBJD_O	target package: D_OBJD_O member name raw: ZaokruhliPocetNaDavku Počet výskytov: 1 Riadky zdroja: 5322	caller type: PACKAGE BODY
api reference id: pur.api.reference.0441 caller name: D_OBJD_O	target package: D_OBJD_O member name raw: ZrusMnozstvo Počet výskytov: 1 Riadky zdroja: 8286	caller type: PACKAGE BODY
api reference id: pur.api.reference.0442 caller name: D_OBJD_O	target package: D_OBJD_O member name raw: ZrusPocetNavrhTrig Počet výskytov: 2 Riadky zdroja: 5187 5252	caller type: PACKAGE BODY
api reference id: pur.api.reference.0443 caller name: D_OBJD_O	target package: D_OBJD_O member name raw: ZrusPocetNavrhTrig_ParamNewRow Počet výskytov: 1 Riadky zdroja: 8352	caller type: PACKAGE BODY
api reference id: pur.api.reference.0444 caller name: D_OBJD_O	target package: D_OBJD_O member name raw: ZrusPolozku Počet výskytov: 1 Riadky zdroja: 8300	caller type: PACKAGE BODY
api reference id: pur.api.reference.0445 caller name: D_OBJ_DOD_L	target package: D_OBJD_L member name raw: PrepocitajObsahC Počet výskytov: 1 Riadky zdroja: 10	caller type: PACKAGE BODY

Identita a zdroj	Technické vlastnosti	Význam status a důkazy
api reference id: pur.api.reference.0446 caller name: D_OBJ_DOD_L	target package: D_OBJD_L member name raw: PrepocitajPrijemMakra Počet výskytov: 1 Riadky zdroja: 13	caller type: PACKAGE BODY
api reference id: pur.api.reference.0447 caller name: D_OBJ_ODB_L	target package: C_OBJ_D_KOMBAJN member name raw: CIS_OBJ_D_NAVRH Počet výskytov: 4 Riadky zdroja: 4309 4312 4404 12669	caller type: PACKAGE BODY
api reference id: pur.api.reference.0448 caller name: D_OBJ_ODB_L	target package: C_OBJ_D_KOMBAJN member name raw: FLAGS_B_DatNaSoloObjDod Počet výskytov: 1 Riadky zdroja: 12676	caller type: PACKAGE BODY
api reference id: pur.api.reference.0449 caller name: D_OBJ_ODB_L	target package: C_OBJ_D_KOMBAJN member name raw: GenerujBlokaciNaSegment Počet výskytov: 1 Riadky zdroja: 14106	caller type: PACKAGE BODY
api reference id: pur.api.reference.0450 caller name: D_OBJ_ODB_L	target package: C_OBJ_D_KOMBAJN member name raw: GetStavVlozNavrhINI Počet výskytov: 3 Riadky zdroja: 12555 12686 12774	caller type: PACKAGE BODY
api reference id: pur.api.reference.0451 caller name: D_OBJ_ODB_L	target package: C_OBJ_D_KOMBAJN member name raw: STAV_NAVRHU_OBJ_Nacenena Počet výskytov: 2 Riadky zdroja: 11908 12064	caller type: PACKAGE BODY
api reference id: pur.api.reference.0452 caller name: D_OBJ_ODB_L	target package: C_OBJ_D_KOMBAJN member name raw: STAV_NAVRHU_OBJ_Naceni Počet výskytov: 3 Riadky zdroja: 11875 11902 12064	caller type: PACKAGE BODY
api reference id: pur.api.reference.0453 caller name: D_OBJ_ODB_L	target package: C_OBJ_D_KOMBAJN member name raw: STAV_NAVRHU_OBJ_Navrhnut Počet výskytov: 2 Riadky zdroja: 2399 11700	caller type: PACKAGE BODY

Identita a zdroj	Technické vlastnosti	Význam status a důkazy
api reference id: pur.api.reference.0454 caller name: D_OBJ_ODB_L	target package: C_OBJ_D_KOMBAJN member name raw: STAV_NAVRHU_OBJ_Schvalene Počet výskytov: 1 Riadky zdroja: 2399	caller type: PACKAGE BODY
api reference id: pur.api.reference.0455 caller name: D_OBJ_ODB_L	target package: C_OBJ_D_KOMBAJN member name raw: VlozNavrhObj Počet výskytov: 4 Riadky zdroja: 11698 12556 12687 12775	caller type: PACKAGE BODY
api reference id: pur.api.reference.0456 caller name: D_OBJ_ODB_L	target package: C_OBJ_D_KOMBAJN member name raw: VlozNavrhObjRID Počet výskytov: 1 Riadky zdroja: 11873	caller type: PACKAGE BODY
api reference id: pur.api.reference.0457 caller name: D_OBJ_ODB_L	target package: C_OBJ_D_KOMBAJN member name raw: ZDROJ_ChybaMinMax Počet výskytov: 1 Riadky zdroja: 12787	caller type: PACKAGE BODY
api reference id: pur.api.reference.0458 caller name: D_OBJ_ODB_L	target package: C_OBJ_D_KOMBAJN member name raw: ZDROJ_Z_Dokladu Počet výskytov: 5 Riadky zdroja: 11699 11874 12757 12776 13238	caller type: PACKAGE BODY
api reference id: pur.api.reference.0459 caller name: D_OBJ_ODB_L	target package: C_OBJ_D_KOMBAJN member name raw: ZDROJ_Z_SpecialnaObj Počet výskytov: 1 Riadky zdroja: 13236	caller type: PACKAGE BODY
api reference id: pur.api.reference.0460 caller name: D_OBJ_ODB_L	target package: D_OBJD_L member name raw: CIS_OBJD_L Počet výskytov: 6 Riadky zdroja: 4309 4312 4319 4325 4333 4398	caller type: PACKAGE BODY

Identita a zdroj	Technické vlastnosti	Význam status a důkazy
api reference id: pur.api.reference.0461 caller name: D_OBJ_ODB_L_F	target package: D_OBJD_L member name raw: GetS_STAV Počet výskytov: 1 Riadky zdroja: 1376	caller type: PACKAGE BODY
api reference id: pur.api.reference.0462 caller name: D_OBJ_ODB_L_F	target package: D_OBJD_L member name raw: STAV_Vybavene Počet výskytov: 1 Riadky zdroja: 1376	caller type: PACKAGE BODY
api reference id: pur.api.reference.0463 caller name: D_OBJ_ODB_O	target package: C_OBJ_D_KOMBAJN member name raw: CIS_OBJ_D_NAVRH Počet výskytov: 3 Riadky zdroja: 9711 12077 12725	caller type: PACKAGE BODY
api reference id: pur.api.reference.0464 caller name: D_OBJ_ODB_O	target package: C_OBJ_D_KOMBAJN member name raw: FLAGS_B_DatNaSoloObjDod Počet výskytov: 1 Riadky zdroja: 12726	caller type: PACKAGE BODY
api reference id: pur.api.reference.0465 caller name: D_OBJ_ODB_O	target package: C_OBJ_D_KOMBAJN member name raw: FLAGS_B_FixnaCena Počet výskytov: 1 Riadky zdroja: 12078	caller type: PACKAGE BODY
api reference id: pur.api.reference.0466 caller name: D_OBJ_ODB_O	target package: C_OBJ_D_KOMBAJN member name raw: GetStavVlozNavrhINI Počet výskytov: 4 Riadky zdroja: 7025 7180 7398 12728	caller type: PACKAGE BODY
api reference id: pur.api.reference.0467 caller name: D_OBJ_ODB_O	target package: C_OBJ_D_KOMBAJN member name raw: ObjednatNavrh Počet výskytov: 1 Riadky zdroja: 9713	caller type: PACKAGE BODY

Identita a zdroj	Technické vlastnosti	Význam status a dôkazy
api reference id: pur.api.reference.0468 caller name: D_OBJ_ODB_O	target package: C_OBJ_D_KOMBAJN member name raw: STAV_NAVRHU_OBJ_Navrhnuté Počet výskytov: 11 Riadky zdroja: 279 5637 5697 5805 5809 5838 12079 12108 12173 12776 12912	caller type: PACKAGE BODY
api reference id: pur.api.reference.0469 caller name: D_OBJ_ODB_O	target package: C_OBJ_D_KOMBAJN member name raw: STAV_NAVRHU_OBJ_Objednane Počet výskytov: 2 Riadky zdroja: 12776 12912	caller type: PACKAGE BODY
api reference id: pur.api.reference.0470 caller name: D_OBJ_ODB_O	target package: C_OBJ_D_KOMBAJN member name raw: STAV_NAVRHU_OBJ_Schvalene Počet výskytov: 8 Riadky zdroja: 5637 5697 5805 5809 5838 12173 12776 12912	caller type: PACKAGE BODY
api reference id: pur.api.reference.0471 caller name: D_OBJ_ODB_O	target package: C_OBJ_D_KOMBAJN member name raw: SchvalitNavrhRID Počet výskytov: 2 Riadky zdroja: 12109 12747	caller type: PACKAGE BODY
api reference id: pur.api.reference.0472 caller name: D_OBJ_ODB_O	target package: C_OBJ_D_KOMBAJN member name raw: VlozNavrhObj Počet výskytov: 1 Riadky zdroja: 274	caller type: PACKAGE BODY

Identita a zdroj	Technické vlastnosti	Význam status a dôkazy
api reference id: pur.api.reference.0473 caller name: D_OBJ_ODB_O	target package: C_OBJ_D_KOMBAJN member name raw: VlozNavrhObjRID Počet výskytov: 5 Riadky zdroja: 7026 7181 7399 12081 12730	caller type: PACKAGE BODY
api reference id: pur.api.reference.0474 caller name: D_OBJ_ODB_O	target package: C_OBJ_D_KOMBAJN member name raw: VratObjednanyNavrh Počet výskytov: 1 Riadky zdroja: 9715	caller type: PACKAGE BODY
api reference id: pur.api.reference.0475 caller name: D_OBJ_ODB_O	target package: C_OBJ_D_KOMBAJN member name raw: ZDROJ_ChychaMinMax Počet výskytov: 1 Riadky zdroja: 7806	caller type: PACKAGE BODY
api reference id: pur.api.reference.0476 caller name: D_OBJ_ODB_O	target package: C_OBJ_D_KOMBAJN member name raw: ZDROJ_PodlaFiltru Počet výskytov: 3 Riadky zdroja: 12171 12774 12913	caller type: PACKAGE BODY
api reference id: pur.api.reference.0477 caller name: D_OBJ_ODB_O	target package: C_OBJ_D_KOMBAJN member name raw: ZDROJ_TransferoveDozasobenie Počet výskytov: 3 Riadky zdroja: 12171 12774 12913	caller type: PACKAGE BODY
api reference id: pur.api.reference.0478 caller name: D_OBJ_ODB_O	target package: C_OBJ_D_KOMBAJN member name raw: ZDROJ_Z_Dokladu Počet výskytov: 6 Riadky zdroja: 278 5806 5810 7801 12082 12731	caller type: PACKAGE BODY
api reference id: pur.api.reference.0479 caller name: D_OBJ_ODB_O	target package: C_OBJ_D_KOMBAJN member name raw: ZDROJ_Z_SpecialnaObj Počet výskytov: 2 Riadky zdroja: 5806 5810	caller type: PACKAGE BODY

Identita a zdroj	Technické vlastnosti	Význam status a dôkazy
api reference id: pur.api.reference.0480 caller name: D_OBJ_ODB_O	target package: C_OBJ_D_KOMBAJN member name raw: ZamietnutNavrh Počet výskytov: 3 Riadky zdroja: 5815 12180 12790	caller type: PACKAGE BODY
api reference id: pur.api.reference.0481 caller name: D_OBJ_ODB_O	target package: D_OBJD_L member name raw: CIS_OBJD_L Počet výskytov: 3 Riadky zdroja: 7669 7681 7724	caller type: PACKAGE BODY
api reference id: pur.api.reference.0482 caller name: D_OBJ_ODB_O	target package: D_OBJD_L member name raw: GetS_Stav Počet výskytov: 1 Riadky zdroja: 9157	caller type: PACKAGE BODY
api reference id: pur.api.reference.0483 caller name: D_OBJ_ODB_O	target package: D_OBJD_L member name raw: STAV_Nevybavene Počet výskytov: 1 Riadky zdroja: 9157	caller type: PACKAGE BODY
api reference id: pur.api.reference.0484 caller name: D_OBJ_ODB_O	target package: D_OBJD_L member name raw: STAV_VYB_PotvrdenieDodanie Počet výskytov: 3 Riadky zdroja: 13075 13100 13116	caller type: PACKAGE BODY
api reference id: pur.api.reference.0485 caller name: D_OBJ_ODB_O	target package: D_OBJD_L member name raw: cis_objd_l Počet výskytov: 1 Riadky zdroja: 5668	caller type: PACKAGE BODY
api reference id: pur.api.reference.0486 caller name: D_OBJ_ODB_O	target package: D_OBJD_O member name raw: RezervujPolozkuPL_ID_R Počet výskytov: 1 Riadky zdroja: 5510	caller type: PACKAGE BODY
api reference id: pur.api.reference.0487 caller name: D_PRIJEMKA_L	target package: C_OBJ_D_KOMBAJN member name raw: STAV_NAVRHU_OBJ_NaCeste Počet výskytov: 4 Riadky zdroja: 8068 8078 8104 8114	caller type: PACKAGE BODY

Identita a zdroj	Technické vlastnosti	Význam status a dôkazy
api reference id: pur.api.reference.0488 caller name: D_PRIJEMKA_L	target package: C_OBJ_D_KOMBAJN member name raw: STAV_NAVRHU_OBJ_Prijate Počet výskytov: 2 Riadky zdroja: 8075 8099	caller type: PACKAGE BODY
api reference id: pur.api.reference.0489 caller name: D_PRIJEMKA_L	target package: C_OBJ_D_KOMBAJN member name raw: STAV_NAVRHU_OBJ_Schvalene Počet výskytov: 2 Riadky zdroja: 8955 8972	caller type: PACKAGE BODY
api reference id: pur.api.reference.0490 caller name: D_PRIJEMKA_L	target package: C_OBJ_D_KOMBAJN member name raw: VlozNavrhObj Počet výskytov: 2 Riadky zdroja: 8953 8970	caller type: PACKAGE BODY
api reference id: pur.api.reference.0491 caller name: D_PRIJEMKA_L	target package: C_OBJ_D_KOMBAJN member name raw: ZDROJ_PodlaFiltru Počet výskytov: 1 Riadky zdroja: 8068	caller type: PACKAGE BODY
api reference id: pur.api.reference.0492 caller name: D_PRIJEMKA_L	target package: D_OBJD_L member name raw: CIS_OBJD_L Počet výskytov: 12 Riadky zdroja: 1884 1892 1902 1908 1910 1911 4359 7754 7971 9156 13493 13531	caller type: PACKAGE BODY
api reference id: pur.api.reference.0493 caller name: D_PRIJEMKA_L	target package: D_OBJD_L member name raw: GetFB_DodaSaNaViacKrat Počet výskytov: 2 Riadky zdroja: 13501 14053	caller type: PACKAGE BODY

Identita a zdroj	Technické vlastnosti	Význam status a dôkazy
api reference id: pur.api.reference.0494 caller name: D_PRIJEMKA_L	target package: D_OBJD_L member name raw: GetS_STAV Počet výskytov: 1 Riadky zdroja: 8073	caller type: PACKAGE BODY
api reference id: pur.api.reference.0495 caller name: D_PRIJEMKA_L	target package: D_OBJD_L member name raw: GetS_Stav Počet výskytov: 1 Riadky zdroja: 7160	caller type: PACKAGE BODY
api reference id: pur.api.reference.0496 caller name: D_PRIJEMKA_L	target package: D_OBJD_L member name raw: NastavStav Počet výskytov: 1 Riadky zdroja: 12126	caller type: PACKAGE BODY
api reference id: pur.api.reference.0497 caller name: D_PRIJEMKA_L	target package: D_OBJD_L member name raw: PrepocitajObsahC Počet výskytov: 2 Riadky zdroja: 3750 3936	caller type: PACKAGE BODY
api reference id: pur.api.reference.0498 caller name: D_PRIJEMKA_L	target package: D_OBJD_L member name raw: STAV_Vybavene Počet výskytov: 3 Riadky zdroja: 7160 8074 12110	caller type: PACKAGE BODY
api reference id: pur.api.reference.0499 caller name: D_PRIJEMKA_L	target package: D_OBJD_L member name raw: cis_objd_l Počet výskytov: 1 Riadky zdroja: 13268	caller type: PACKAGE BODY
api reference id: pur.api.reference.0500 caller name: D_PRIJEMKA_L	target package: D_OBJD_L member name raw: prepocitajobsahc Počet výskytov: 1 Riadky zdroja: 5020	caller type: PACKAGE BODY
api reference id: pur.api.reference.0501 caller name: D_PRIJEMKA_L	target package: D_OBJD_O member name raw: VybavRiadok Počet výskytov: 1 Riadky zdroja: 11972	caller type: PACKAGE BODY
api reference id: pur.api.reference.0502 caller name: D_PRIJEMKA_L	target package: D_OBJD_O member name raw: ZrusPolozku Počet výskytov: 1 Riadky zdroja: 14057	caller type: PACKAGE BODY

Identita a zdroj	Technické vlastnosti	Význam status a důkazy
api reference id: pur.api.reference.0503 caller name: D_PRIJEMKA_L	target package: D_OBJD_O member name raw: getvazbanaobjodb Počet výskytov: 1 Riadky zdroja: 8798	caller type: PACKAGE BODY
api reference id: pur.api.reference.0504 caller name: D_PRIJEMKA_O	target package: D_OBJD_L member name raw: CIS_OBJD_L Počet výskytov: 2 Riadky zdroja: 1352 4637	caller type: PACKAGE BODY
api reference id: pur.api.reference.0505 caller name: D_PRIJEMKA_O	target package: D_OBJD_L member name raw: cis_ObjD_L Počet výskytov: 1 Riadky zdroja: 4028	caller type: PACKAGE BODY
api reference id: pur.api.reference.0506 caller name: D_PRIJEMKA_O	target package: D_OBJD_O member name raw: ValidZmenaRabatov Počet výskytov: 1 Riadky zdroja: 4808	caller type: PACKAGE BODY
api reference id: pur.api.reference.0507 caller name: D_SER_ZAK_L	target package: D_OBJD_L member name raw: GetFlags_s Počet výskytov: 1 Riadky zdroja: 4659	caller type: PACKAGE BODY
api reference id: pur.api.reference.0508 caller name: D_SER_ZAK_L	target package: D_OBJD_L member name raw: GetPozn Počet výskytov: 1 Riadky zdroja: 4640	caller type: PACKAGE BODY
api reference id: pur.api.reference.0509 caller name: D_SER_ZAK_L	target package: D_OBJD_L member name raw: GetRID Počet výskytov: 1 Riadky zdroja: 4672	caller type: PACKAGE BODY
api reference id: pur.api.reference.0510 caller name: D_SER_ZAK_L	target package: D_OBJD_L member name raw: GetSklad Počet výskytov: 1 Riadky zdroja: 4635	caller type: PACKAGE BODY
api reference id: pur.api.reference.0511 caller name: D_SER_ZAK_L	target package: D_OBJD_L member name raw: GetUct_Str Počet výskytov: 1 Riadky zdroja: 4635	caller type: PACKAGE BODY

Identita a zdroj	Technické vlastnosti	Význam status a důkazy
api reference id: pur.api.reference.0512 caller name: D_SER_ZAK_L	target package: D_OBJD_L member name raw: Init Počet výskytov: 1 Riadky zdroja: 4631	caller type: PACKAGE BODY
api reference id: pur.api.reference.0513 caller name: D_SER_ZAK_L	target package: D_OBJD_L member name raw: Ins Počet výskytov: 1 Riadky zdroja: 4671	caller type: PACKAGE BODY
api reference id: pur.api.reference.0514 caller name: D_SER_ZAK_L	target package: D_OBJD_L member name raw: PrepocitajObsahC Počet výskytov: 1 Riadky zdroja: 4695	caller type: PACKAGE BODY
api reference id: pur.api.reference.0515 caller name: D_SER_ZAK_L	target package: D_OBJD_L member name raw: R_D_OBJD_L Počet výskytov: 1 Riadky zdroja: 4602	caller type: PACKAGE BODY
api reference id: pur.api.reference.0516 caller name: D_SER_ZAK_L	target package: D_OBJD_L member name raw: SetDatum Počet výskytov: 1 Riadky zdroja: 4656	caller type: PACKAGE BODY
api reference id: pur.api.reference.0517 caller name: D_SER_ZAK_L	target package: D_OBJD_L member name raw: SetDatum_DPH Počet výskytov: 1 Riadky zdroja: 4658	caller type: PACKAGE BODY
api reference id: pur.api.reference.0518 caller name: D_SER_ZAK_L	target package: D_OBJD_L member name raw: SetDatum_P Počet výskytov: 1 Riadky zdroja: 4657	caller type: PACKAGE BODY
api reference id: pur.api.reference.0519 caller name: D_SER_ZAK_L	target package: D_OBJD_L member name raw: SetFlags_s Počet výskytov: 1 Riadky zdroja: 4660	caller type: PACKAGE BODY
api reference id: pur.api.reference.0520 caller name: D_SER_ZAK_L	target package: D_OBJD_L member name raw: SetIDTree Počet výskytov: 1 Riadky zdroja: 4648	caller type: PACKAGE BODY

Identita a zdroj	Technické vlastnosti	Význam status a dôkazy
api reference id: pur.api.reference.0521 caller name: D_SER_ZAK_L	target package: D_OBJD_L member name raw: SetKurz Počet výskytov: 1 Riadky zdroja: 4647	caller type: PACKAGE BODY
api reference id: pur.api.reference.0522 caller name: D_SER_ZAK_L	target package: D_OBJD_L member name raw: SetMena Počet výskytov: 1 Riadky zdroja: 4646	caller type: PACKAGE BODY
api reference id: pur.api.reference.0523 caller name: D_SER_ZAK_L	target package: D_OBJD_L member name raw: SetPozn Počet výskytov: 1 Riadky zdroja: 4640	caller type: PACKAGE BODY
api reference id: pur.api.reference.0524 caller name: D_SER_ZAK_L	target package: D_OBJD_L member name raw: SetRID_V Počet výskytov: 1 Riadky zdroja: 4654	caller type: PACKAGE BODY
api reference id: pur.api.reference.0525 caller name: D_SER_ZAK_L	target package: D_OBJD_L member name raw: SetSKratka Počet výskytov: 1 Riadky zdroja: 4661	caller type: PACKAGE BODY
api reference id: pur.api.reference.0526 caller name: D_SER_ZAK_L	target package: D_OBJD_L member name raw: SetSplatnost Počet výskytov: 1 Riadky zdroja: 4652	caller type: PACKAGE BODY
api reference id: pur.api.reference.0527 caller name: D_SER_ZAK_L	target package: D_OBJD_L member name raw: SetTYP_CIS Počet výskytov: 1 Riadky zdroja: 4662	caller type: PACKAGE BODY
api reference id: pur.api.reference.0528 caller name: D_SER_ZAK_L	target package: D_OBJD_L member name raw: SetUct_Str Počet výskytov: 1 Riadky zdroja: 4641	caller type: PACKAGE BODY
api reference id: pur.api.reference.0529 caller name: D_SER_ZAK_L	target package: D_OBJD_L member name raw: getsklad Počet výskytov: 1 Riadky zdroja: 4636	caller type: PACKAGE BODY

Identita a zdroj	Technické vlastnosti	Význam status a důkazy
api reference id: pur.api.reference.0530 caller name: D_SER_ZAK_L	target package: D_OBJD_L member name raw: setpre_sklad Počet výskytov: 1 Riadky zdroja: 4655	caller type: PACKAGE BODY
api reference id: pur.api.reference.0531 caller name: D_SER_ZAK_L	target package: D_OBJD_L member name raw: setsuma_clo Počet výskytov: 1 Riadky zdroja: 4667	caller type: PACKAGE BODY
api reference id: pur.api.reference.0532 caller name: D_SER_ZAK_L	target package: D_OBJD_L member name raw: setsuma_dp Počet výskytov: 1 Riadky zdroja: 4668	caller type: PACKAGE BODY
api reference id: pur.api.reference.0533 caller name: D_SER_ZAK_L	target package: D_OBJD_L member name raw: setsuma_lb Počet výskytov: 1 Riadky zdroja: 4670	caller type: PACKAGE BODY
api reference id: pur.api.reference.0534 caller name: D_SER_ZAK_L	target package: D_OBJD_L member name raw: setsuma_n0 Počet výskytov: 1 Riadky zdroja: 4663	caller type: PACKAGE BODY
api reference id: pur.api.reference.0535 caller name: D_SER_ZAK_L	target package: D_OBJD_L member name raw: setsuma_n1 Počet výskytov: 1 Riadky zdroja: 4664	caller type: PACKAGE BODY
api reference id: pur.api.reference.0536 caller name: D_SER_ZAK_L	target package: D_OBJD_L member name raw: setsuma_n2 Počet výskytov: 1 Riadky zdroja: 4665	caller type: PACKAGE BODY
api reference id: pur.api.reference.0537 caller name: D_SER_ZAK_L	target package: D_OBJD_L member name raw: setsuma_n3 Počet výskytov: 1 Riadky zdroja: 4666	caller type: PACKAGE BODY
api reference id: pur.api.reference.0538 caller name: D_SER_ZAK_L	target package: D_OBJD_L member name raw: setsuma_no Počet výskytov: 1 Riadky zdroja: 4669	caller type: PACKAGE BODY

Identita a zdroj	Technické vlastnosti	Význam status a důkazy
api reference id: pur.api.reference.0539 caller name: D_SER_ZAK_L	target package: D_OBJD_O member name raw: GetID_R Počet výskytov: 1 Riadky zdroja: 4586	caller type: PACKAGE BODY
api reference id: pur.api.reference.0540 caller name: D_SER_ZAK_L	target package: D_OBJD_O member name raw: Init Počet výskytov: 1 Riadky zdroja: 4546	caller type: PACKAGE BODY
api reference id: pur.api.reference.0541 caller name: D_SER_ZAK_L	target package: D_OBJD_O member name raw: Ins Počet výskytov: 1 Riadky zdroja: 4585	caller type: PACKAGE BODY
api reference id: pur.api.reference.0542 caller name: D_SER_ZAK_L	target package: D_OBJD_O member name raw: R_D_OBJD_O Počet výskytov: 1 Riadky zdroja: 4508	caller type: PACKAGE BODY
api reference id: pur.api.reference.0543 caller name: D_SER_ZAK_L	target package: D_OBJD_O member name raw: SetCENA_CLO Počet výskytov: 1 Riadky zdroja: 4560	caller type: PACKAGE BODY
api reference id: pur.api.reference.0544 caller name: D_SER_ZAK_L	target package: D_OBJD_O member name raw: SetCENA_DP Počet výskytov: 1 Riadky zdroja: 4559	caller type: PACKAGE BODY
api reference id: pur.api.reference.0545 caller name: D_SER_ZAK_L	target package: D_OBJD_O member name raw: SetCENA_LB Počet výskytov: 1 Riadky zdroja: 4583	caller type: PACKAGE BODY
api reference id: pur.api.reference.0546 caller name: D_SER_ZAK_L	target package: D_OBJD_O member name raw: SetCENA_N0 Počet výskytov: 1 Riadky zdroja: 4561	caller type: PACKAGE BODY
api reference id: pur.api.reference.0547 caller name: D_SER_ZAK_L	target package: D_OBJD_O member name raw: SetCENA_N1 Počet výskytov: 1 Riadky zdroja: 4562	caller type: PACKAGE BODY

Identita a zdroj	Technické vlastnosti	Význam status a důkazy
api reference id: pur.api.reference.0548 caller name: D_SER_ZAK_L	target package: D_OBJD_O member name raw: SetCENA_N2 Počet výskytov: 1 Riadky zdroja: 4563	caller type: PACKAGE BODY
api reference id: pur.api.reference.0549 caller name: D_SER_ZAK_L	target package: D_OBJD_O member name raw: SetCENA_N3 Počet výskytov: 1 Riadky zdroja: 4564	caller type: PACKAGE BODY
api reference id: pur.api.reference.0550 caller name: D_SER_ZAK_L	target package: D_OBJD_O member name raw: SetCENA_NO Počet výskytov: 1 Riadky zdroja: 4582	caller type: PACKAGE BODY
api reference id: pur.api.reference.0551 caller name: D_SER_ZAK_L	target package: D_OBJD_O member name raw: SetDPH Počet výskytov: 2 Riadky zdroja: 4551 4552	caller type: PACKAGE BODY
api reference id: pur.api.reference.0552 caller name: D_SER_ZAK_L	target package: D_OBJD_O member name raw: SetDatum_exp Počet výskytov: 1 Riadky zdroja: 4569	caller type: PACKAGE BODY
api reference id: pur.api.reference.0553 caller name: D_SER_ZAK_L	target package: D_OBJD_O member name raw: SetID_R Počet výskytov: 1 Riadky zdroja: 4549	caller type: PACKAGE BODY
api reference id: pur.api.reference.0554 caller name: D_SER_ZAK_L	target package: D_OBJD_O member name raw: SetP_Del Počet výskytov: 1 Riadky zdroja: 4556	caller type: PACKAGE BODY
api reference id: pur.api.reference.0555 caller name: D_SER_ZAK_L	target package: D_OBJD_O member name raw: SetP_PI Počet výskytov: 1 Riadky zdroja: 4558	caller type: PACKAGE BODY
api reference id: pur.api.reference.0556 caller name: D_SER_ZAK_L	target package: D_OBJD_O member name raw: SetP_Prij Počet výskytov: 1 Riadky zdroja: 4557	caller type: PACKAGE BODY

Identita a zdroj	Technické vlastnosti	Význam status a důkazy
api reference id: pur.api.reference.0557 caller name: D_SER_ZAK_L	target package: D_OBJD_O member name raw: SetP_REZ_ODB_OBJ Počet výskytov: 1 Riadky zdroja: 4565	caller type: PACKAGE BODY
api reference id: pur.api.reference.0558 caller name: D_SER_ZAK_L	target package: D_OBJD_O member name raw: SetPocet Počet výskytov: 1 Riadky zdroja: 4553	caller type: PACKAGE BODY
api reference id: pur.api.reference.0559 caller name: D_SER_ZAK_L	target package: D_OBJD_O member name raw: SetRID_O Počet výskytov: 1 Riadky zdroja: 4550	caller type: PACKAGE BODY
api reference id: pur.api.reference.0560 caller name: D_SER_ZAK_L	target package: D_OBJD_O member name raw: SetRID_V Počet výskytov: 1 Riadky zdroja: 4548	caller type: PACKAGE BODY
api reference id: pur.api.reference.0561 caller name: D_SER_ZAK_L	target package: D_OBJD_O member name raw: SetSarza Počet výskytov: 1 Riadky zdroja: 4568	caller type: PACKAGE BODY
api reference id: pur.api.reference.0562 caller name: D_SER_ZAK_L	target package: D_OBJD_O member name raw: SetTERMIN_DOD Počet výskytov: 1 Riadky zdroja: 4570	caller type: PACKAGE BODY
api reference id: pur.api.reference.0563 caller name: D_SER_ZAK_L	target package: D_OBJD_O member name raw: getkod_id Počet výskytov: 1 Riadky zdroja: 4552	caller type: PACKAGE BODY
api reference id: pur.api.reference.0564 caller name: D_SER_ZAK_L	target package: D_OBJD_O member name raw: getpocet Počet výskytov: 1 Riadky zdroja: 4555	caller type: PACKAGE BODY
api reference id: pur.api.reference.0565 caller name: D_SER_ZAK_L	target package: D_OBJD_O member name raw: setcena Počet výskytov: 1 Riadky zdroja: 4577	caller type: PACKAGE BODY

Identita a zdroj	Technické vlastnosti	Význam status a důkazy
api reference id: pur.api.reference.0566 caller name: D_SER_ZAK_L	target package: D_OBJD_O member name raw: setcena_m Počet výskytov: 1 Riadky zdroja: 4578	caller type: PACKAGE BODY
api reference id: pur.api.reference.0567 caller name: D_SER_ZAK_L	target package: D_OBJD_O member name raw: setcena_s2 Počet výskytov: 1 Riadky zdroja: 4579	caller type: PACKAGE BODY
api reference id: pur.api.reference.0568 caller name: D_SER_ZAK_L	target package: D_OBJD_O member name raw: setzlavy Počet výskytov: 1 Riadky zdroja: 4580	caller type: PACKAGE BODY
api reference id: pur.api.reference.0569 caller name: D_SER_ZAK_O	target package: D_OBJD_L member name raw: CIS_OBJD_L Počet výskytov: 1 Riadky zdroja: 1906	caller type: PACKAGE BODY
api reference id: pur.api.reference.0570 caller name: D_SER_Z_L	target package: C_OBJ_D_KOMBAJN member name raw: GetStavVlozNavrhINI Počet výskytov: 1 Riadky zdroja: 6055	caller type: PACKAGE BODY
api reference id: pur.api.reference.0571 caller name: D_SER_Z_L	target package: C_OBJ_D_KOMBAJN member name raw: VlozNavrhObj Počet výskytov: 1 Riadky zdroja: 6056	caller type: PACKAGE BODY
api reference id: pur.api.reference.0572 caller name: D_SER_Z_L	target package: C_OBJ_D_KOMBAJN member name raw: ZDROJ_ChychaMinMax Počet výskytov: 1 Riadky zdroja: 6066	caller type: PACKAGE BODY
api reference id: pur.api.reference.0573 caller name: D_SER_Z_L	target package: C_OBJ_D_KOMBAJN member name raw: ZDROJ_Z_Dokladu Počet výskytov: 3 Riadky zdroja: 6028 6038 6057	caller type: PACKAGE BODY

Identita a zdroj	Technické vlastnosti	Význam status a důkazy
api reference id: pur.api.reference.0574 caller name: D_SER_Z_O	target package: C_OBJ_D_KOMBAJN member name raw: STAV_NAVRHU_OBJ_Navrhnuté Počet výskytů: 14 Řádky zdroje: 2232 5830 5832 5837 5838 5841 5847 5876 5935 5991 6205 6206 7374 7375	caller type: PACKAGE BODY
api reference id: pur.api.reference.0575 caller name: D_SER_Z_O	target package: C_OBJ_D_KOMBAJN member name raw: STAV_NAVRHU_OBJ_Schválené Počet výskytů: 9 Řádky zdroje: 5830 5832 5837 5841 5876 5935 5991 6205 7374	caller type: PACKAGE BODY
api reference id: pur.api.reference.0576 caller name: D_SER_Z_O	target package: C_OBJ_D_KOMBAJN member name raw: SchválitNavrh Počet výskytů: 1 Řádky zdroje: 5848	caller type: PACKAGE BODY
api reference id: pur.api.reference.0577 caller name: D_SER_Z_O	target package: C_OBJ_D_KOMBAJN member name raw: VlozNavrhObj Počet výskytů: 1 Řádky zdroje: 2230	caller type: PACKAGE BODY

Identita a zdroj	Technické vlastnosti	Význam status a dôkazy
api reference id: pur.api.reference.0578 caller name: D_SER_Z_O	target package: C_OBJ_D_KOMBAJN member name raw: ZDROJ_Z_Dokladu Počet výskytov: 5 Riadky zdroja: 2231 5833 5842 6209 7378	caller type: PACKAGE BODY
api reference id: pur.api.reference.0579 caller name: D_SER_Z_O	target package: C_OBJ_D_KOMBAJN member name raw: ZDROJ_Z_SpecialnaObj Počet výskytov: 4 Riadky zdroja: 5833 5842 6209 7378	caller type: PACKAGE BODY
api reference id: pur.api.reference.0580 caller name: D_SER_Z_O	target package: C_OBJ_D_KOMBAJN member name raw: ZamietnutNavrh Počet výskytov: 2 Riadky zdroja: 5849 5851	caller type: PACKAGE BODY
api reference id: pur.api.reference.0581 caller name: D_SER_Z_O	target package: D_OBJD_L member name raw: CIS_OBJD_L Počet výskytov: 2 Riadky zdroja: 4425 4967	caller type: PACKAGE BODY
api reference id: pur.api.reference.0582 caller name: D_SER_Z_O	target package: D_OBJD_L member name raw: GetS_Stav Počet výskytov: 1 Riadky zdroja: 6085	caller type: PACKAGE BODY
api reference id: pur.api.reference.0583 caller name: D_SER_Z_O	target package: D_OBJD_L member name raw: STAV_Nevybavene Počet výskytov: 1 Riadky zdroja: 6085	caller type: PACKAGE BODY
api reference id: pur.api.reference.0584 caller name: D_SER_Z_O	target package: D_OBJD_L member name raw: cis_objd_l Počet výskytov: 1 Riadky zdroja: 5963	caller type: PACKAGE BODY
api reference id: pur.api.reference.0585 caller name: D_SER_Z_O	target package: D_OBJD_O member name raw: Makro_UmozniVymazanie Počet výskytov: 1 Riadky zdroja: 6124	caller type: PACKAGE BODY

Identita a zdroj	Technické vlastnosti	Význam status a důkazy
api reference id: pur.api.reference.0586 caller name: D_SER_Z_O	target package: D_OBJD_O member name raw: Makro_VymazPolozkyMakra Počet výskytov: 1 Riadky zdroja: 6118	caller type: PACKAGE BODY
api reference id: pur.api.reference.0587 caller name: D_SER_Z_O	target package: D_OBJD_O member name raw: RezervujPolozkuPL_ID_R Počet výskytov: 1 Riadky zdroja: 6242	caller type: PACKAGE BODY
api reference id: pur.api.reference.0588 caller name: D_T_DOKL_L	target package: D_OBJD_L member name raw: BeforeDeleteTMP Počet výskytov: 1 Riadky zdroja: 2752	caller type: PACKAGE BODY
api reference id: pur.api.reference.0589 caller name: D_T_DOKL_L	target package: D_OBJD_L member name raw: CIS_OBJD_L Počet výskytov: 4 Riadky zdroja: 2899 3220 3242 10086	caller type: PACKAGE BODY
api reference id: pur.api.reference.0590 caller name: D_T_DOKL_L	target package: D_OBJD_L member name raw: SpracujTMP Počet výskytov: 1 Riadky zdroja: 2900	caller type: PACKAGE BODY
api reference id: pur.api.reference.0591 caller name: D_T_DOKL_L	target package: D_OBJD_L member name raw: najdiobjd Počet výskytov: 1 Riadky zdroja: 5815	caller type: PACKAGE BODY
api reference id: pur.api.reference.0592 caller name: D_T_DOKL_L	target package: D_OBJD_O member name raw: CIS_OBJD_O Počet výskytov: 1 Riadky zdroja: 12197	caller type: PACKAGE BODY

Identita a zdroj	Technické vlastnosti	Význam status a důkazy
api reference id: pur.api.reference.0593 caller name: D_T_DOKL_O	target package: D_OBJD_L member name raw: CIS_OBJD_L Počet výskytov: 9 Riadky zdroja: 364 7755 8386 8550 8613 8623 8732 9112 9156	caller type: PACKAGE BODY
api reference id: pur.api.reference.0594 caller name: D_T_DOKL_O	target package: D_OBJD_O member name raw: GetCenu_PodlaKombajnuACP Počet výskytov: 1 Riadky zdroja: 2391	caller type: PACKAGE BODY
api reference id: pur.api.reference.0595 caller name: D_VYDAJ_L	target package: D_OBJD_L member name raw: CIS_OBJD_L Počet výskytov: 2 Riadky zdroja: 7073 14892	caller type: PACKAGE BODY
api reference id: pur.api.reference.0596 caller name: D_VYDAJ_L	target package: D_OBJD_L member name raw: InsC Počet výskytov: 1 Riadky zdroja: 7072	caller type: PACKAGE BODY
api reference id: pur.api.reference.0597 caller name: D_VYDAJ_L	target package: D_OBJD_L member name raw: PrepocitajObsahC Počet výskytov: 1 Riadky zdroja: 7179	caller type: PACKAGE BODY
api reference id: pur.api.reference.0598 caller name: D_VYDAJ_L	target package: D_OBJD_L member name raw: spracujinsc Počet výskytov: 1 Riadky zdroja: 7183	caller type: PACKAGE BODY
api reference id: pur.api.reference.0599 caller name: D_VYDAJ_L	target package: D_OBJD_O member name raw: InsC Počet výskytov: 2 Riadky zdroja: 7127 7142	caller type: PACKAGE BODY

Identita a zdroj	Technické vlastnosti	Význam status a důkazy
api reference id: pur.api.reference.0600 caller name: GETOBJDOD_MC	target package: D_OBJD_L member name raw: GetS_STAV Počet výskytů: 1 Řádky zdroja: 12	caller type: FUNCTION
api reference id: pur.api.reference.0601 caller name: HANDYGO	target package: D_OBJD_L member name raw: UkonciPrijemPL Počet výskytů: 1 Řádky zdroja: 5027	caller type: PACKAGE BODY
api reference id: pur.api.reference.0602 caller name: HANDYGO	target package: D_OBJD_O member name raw: InsC Počet výskytů: 1 Řádky zdroja: 3444	caller type: PACKAGE BODY
api reference id: pur.api.reference.0603 caller name: MCCARTER_PLAN_OT	target package: C_OBJ_D_KOMBAJN member name raw: STAV_NAVRHU_OBJ_Navrhnuté Počet výskytů: 2 Řádky zdroja: 564 608	caller type: PACKAGE BODY
api reference id: pur.api.reference.0604 caller name: MCCARTER_PLAN_OT	target package: C_OBJ_D_KOMBAJN member name raw: STAV_NAVRHU_OBJ_Schvalené Počet výskytů: 1 Řádky zdroja: 564	caller type: PACKAGE BODY
api reference id: pur.api.reference.0605 caller name: MCCARTER_PLAN_OT	target package: C_OBJ_D_KOMBAJN member name raw: ZDROJ_PodlaFiltru Počet výskytů: 3 Řádky zdroja: 560 563 607	caller type: PACKAGE BODY
api reference id: pur.api.reference.0606 caller name: MCCARTER_PLAN_OT	target package: C_OBJ_D_KOMBAJN member name raw: vloznavrhobj Počet výskytů: 1 Řádky zdroja: 606	caller type: PACKAGE BODY
api reference id: pur.api.reference.0607 caller name: ODOKLADJ	target package: D_OBJD_L member name raw: InsC Počet výskytů: 2 Řádky zdroja: 1304 1543	caller type: TYPE BODY

Identita a zdroj	Technické vlastnosti	Význam status a důkazy
api reference id: pur.api.reference.0608 caller name: ODOKLADJ	target package: D_OBJD_L member name raw: PridajPolozkuR_Int Počet výskytov: 2 Riadky zdroja: 1416 1655	caller type: TYPE BODY
api reference id: pur.api.reference.0609 caller name: ODOKLADJ	target package: D_OBJD_L member name raw: SpracujInsC Počet výskytov: 2 Riadky zdroja: 1434 1673	caller type: TYPE BODY
api reference id: pur.api.reference.0610 caller name: ODOKLADJ	target package: D_OBJD_O member name raw: PrepocetCeny Počet výskytov: 2 Riadky zdroja: 1426 1665	caller type: TYPE BODY
api reference id: pur.api.reference.0611 caller name: ODOKLADJ	target package: D_OBJD_O member name raw: insc Počet výskytov: 2 Riadky zdroja: 1412 1651	caller type: TYPE BODY
api reference id: pur.api.reference.0612 caller name: PCK_BIMPORTER	target package: D_OBJD_L member name raw: PrepocitajObsahC Počet výskytov: 1 Riadky zdroja: 137	caller type: PACKAGE BODY
api reference id: pur.api.reference.0613 caller name: PCK_BIMPORTER	target package: D_OBJD_L member name raw: insc Počet výskytov: 1 Riadky zdroja: 100	caller type: PACKAGE BODY
api reference id: pur.api.reference.0614 caller name: PCK_BIMPORTER	target package: D_OBJD_O member name raw: insc Počet výskytov: 1 Riadky zdroja: 120	caller type: PACKAGE BODY
api reference id: pur.api.reference.0615 caller name: PCK_DREAMER	target package: D_OBJD_L member name raw: CIS_OBJD_L Počet výskytov: 1 Riadky zdroja: 88	caller type: PACKAGE BODY
api reference id: pur.api.reference.0616 caller name: PCK_MC_REF	target package: D_OBJD_L member name raw: CIS_OBJD_L Počet výskytov: 1 Riadky zdroja: 3912	caller type: PACKAGE BODY

Identita a zdroj	Technické vlastnosti	Význam status a dôkazy
api reference id: pur.api.reference.0617 caller name: PCK_MC_REF	target package: D_OBJD_L member name raw: insc Počet výskytov: 2 Riadky zdroja: 1044 3911	caller type: PACKAGE BODY
api reference id: pur.api.reference.0618 caller name: PCK_MC_REF	target package: D_OBJD_L member name raw: prepocitajceny Počet výskytov: 1 Riadky zdroja: 3961	caller type: PACKAGE BODY
api reference id: pur.api.reference.0619 caller name: PCK_MC_REF	target package: D_OBJD_L member name raw: prepocitajobsahc Počet výskytov: 1 Riadky zdroja: 1081	caller type: PACKAGE BODY
api reference id: pur.api.reference.0620 caller name: PCK_MC_REF	target package: D_OBJD_L member name raw: spracujinsc Počet výskytov: 1 Riadky zdroja: 3957	caller type: PACKAGE BODY
api reference id: pur.api.reference.0621 caller name: PCK_MC_REF	target package: D_OBJD_O member name raw: InsC Počet výskytov: 1 Riadky zdroja: 3938	caller type: PACKAGE BODY
api reference id: pur.api.reference.0622 caller name: PCK_MC_REF	target package: D_OBJD_O member name raw: insc Počet výskytov: 1 Riadky zdroja: 1065	caller type: PACKAGE BODY
api reference id: pur.api.reference.0623 caller name: PCK_MONET	target package: D_OBJD_L member name raw: spracujinsc Počet výskytov: 1 Riadky zdroja: 1280	caller type: PACKAGE BODY
api reference id: pur.api.reference.0624 caller name: PCK_REFAKTURACIA	target package: D_OBJD_L member name raw: CIS_OBJD_L Počet výskytov: 5 Riadky zdroja: 7126 7127 7128 10340 10352	caller type: PACKAGE BODY

Identita a zdroj	Technické vlastnosti	Význam status a důkazy
api reference id: pur.api.reference.0625 caller name: PCK_REFAKTURACIA	target package: D_OBJD_L member name raw: Insc Počet výskytov: 1 Riadky zdroja: 10346	caller type: PACKAGE BODY
api reference id: pur.api.reference.0626 caller name: PCK_REFAKTURACIA	target package: D_OBJD_L member name raw: PrepocitajObsahC Počet výskytov: 1 Riadky zdroja: 10681	caller type: PACKAGE BODY
api reference id: pur.api.reference.0627 caller name: PCK_REFAKTURACIA	target package: D_OBJD_L member name raw: PrepocitajObsahc Počet výskytov: 1 Riadky zdroja: 10865	caller type: PACKAGE BODY
api reference id: pur.api.reference.0628 caller name: PCK_REFAKTURACIA	target package: D_OBJD_L member name raw: STAV_ODOSL_Neodoslana Počet výskytov: 1 Riadky zdroja: 10914	caller type: PACKAGE BODY
api reference id: pur.api.reference.0629 caller name: PCK_REFAKTURACIA	target package: D_OBJD_L member name raw: SpracujInsc Počet výskytov: 1 Riadky zdroja: 8530	caller type: PACKAGE BODY
api reference id: pur.api.reference.0630 caller name: PCK_REFAKTURACIA	target package: D_OBJD_L member name raw: insc Počet výskytov: 3 Riadky zdroja: 1430 7120 8367	caller type: PACKAGE BODY
api reference id: pur.api.reference.0631 caller name: PCK_REFAKTURACIA	target package: D_OBJD_L member name raw: prepocitajceny Počet výskytov: 2 Riadky zdroja: 7293 8528	caller type: PACKAGE BODY
api reference id: pur.api.reference.0632 caller name: PCK_REFAKTURACIA	target package: D_OBJD_L member name raw: prepocitajobsahc Počet výskytov: 2 Riadky zdroja: 1542 8529	caller type: PACKAGE BODY

Identita a zdroj	Technické vlastnosti	Význam status a důkazy
api reference id: pur.api.reference.0633 caller name: PCK_REFAKTURACIA	target package: D_OBJD_L member name raw: spracujnsc Počet výskytov: 2 Riadky zdroja: 7290 10685	caller type: PACKAGE BODY
api reference id: pur.api.reference.0634 caller name: PCK_REFAKTURACIA	target package: D_OBJD_O member name raw: Insc Počet výskytov: 3 Riadky zdroja: 7231 10527 10597	caller type: PACKAGE BODY
api reference id: pur.api.reference.0635 caller name: PCK_REFAKTURACIA	target package: D_OBJD_O member name raw: insc Počet výskytov: 2 Riadky zdroja: 1496 8434	caller type: PACKAGE BODY
api reference id: pur.api.reference.0636 caller name: PCK_REFAKTURACIA2	target package: D_OBJD_L member name raw: CIS_OBJD_L Počet výskytov: 1 Riadky zdroja: 3895	caller type: PACKAGE BODY
api reference id: pur.api.reference.0637 caller name: PCK_REFAKTURACIA2	target package: D_OBJD_L member name raw: insc Počet výskytov: 2 Riadky zdroja: 1044 3894	caller type: PACKAGE BODY
api reference id: pur.api.reference.0638 caller name: PCK_REFAKTURACIA2	target package: D_OBJD_L member name raw: prepocitajceny Počet výskytov: 1 Riadky zdroja: 3944	caller type: PACKAGE BODY
api reference id: pur.api.reference.0639 caller name: PCK_REFAKTURACIA2	target package: D_OBJD_L member name raw: prepocitajobsahc Počet výskytov: 1 Riadky zdroja: 1081	caller type: PACKAGE BODY
api reference id: pur.api.reference.0640 caller name: PCK_REFAKTURACIA2	target package: D_OBJD_L member name raw: spracujnsc Počet výskytov: 1 Riadky zdroja: 3940	caller type: PACKAGE BODY

Identita a zdroj	Technické vlastnosti	Význam status a důkazy
api reference id: pur.api.reference.0641 caller name: PCK_REFAKTURACIA2	target package: D_OBJD_O member name raw: Insc Počet výskytov: 1 Riadky zdroja: 3921	caller type: PACKAGE BODY
api reference id: pur.api.reference.0642 caller name: PCK_REFAKTURACIA2	target package: D_OBJD_O member name raw: insc Počet výskytov: 1 Riadky zdroja: 1065	caller type: PACKAGE BODY
api reference id: pur.api.reference.0643 caller name: PCK_XMIT	target package: D_OBJD_L member name raw: CIS_OBJD_L Počet výskytov: 1 Riadky zdroja: 2190	caller type: PACKAGE BODY
api reference id: pur.api.reference.0644 caller name: PREKLAPANIA	target package: D_OBJD_L member name raw: CIS_OBJD_L Počet výskytov: 9 Riadky zdroja: 14078 14096 17318 17381 17513 17575 17594 17941 17990	caller type: PACKAGE BODY
api reference id: pur.api.reference.0645 caller name: PREKLAPANIA	target package: D_OBJD_L member name raw: INSC Počet výskytov: 1 Riadky zdroja: 18036	caller type: PACKAGE BODY
api reference id: pur.api.reference.0646 caller name: PREKLAPANIA	target package: D_OBJD_L member name raw: PredplnNaPrijemkuTMP Počet výskytov: 1 Riadky zdroja: 14793	caller type: PACKAGE BODY
api reference id: pur.api.reference.0647 caller name: PREKLAPANIA	target package: D_OBJD_L member name raw: PrepocitajDoklNaklady Počet výskytov: 1 Riadky zdroja: 14215	caller type: PACKAGE BODY

Identita a zdroj	Technické vlastnosti	Význam status a dôkazy
api reference id: pur.api.reference.0648 caller name: PREKLAPANIA	target package: D_OBJD_L member name raw: PrepocitajObsahC Počet výskytov: 3 Riadky zdroja: 14219 17479 18127	caller type: PACKAGE BODY
api reference id: pur.api.reference.0649 caller name: PREKLAPANIA	target package: D_OBJD_L member name raw: PridajPolozkuR_Int Počet výskytov: 1 Riadky zdroja: 17451	caller type: PACKAGE BODY
api reference id: pur.api.reference.0650 caller name: PREKLAPANIA	target package: D_OBJD_L member name raw: insc Počet výskytov: 2 Riadky zdroja: 14095 17395	caller type: PACKAGE BODY
api reference id: pur.api.reference.0651 caller name: PREKLAPANIA	target package: D_OBJD_L member name raw: spracujinsc Počet výskytov: 1 Riadky zdroja: 18134	caller type: PACKAGE BODY
api reference id: pur.api.reference.0652 caller name: PREKLAPANIA	target package: D_OBJD_O member name raw: CIS_OBJD_O Počet výskytov: 1 Riadky zdroja: 14168	caller type: PACKAGE BODY
api reference id: pur.api.reference.0653 caller name: PREKLAPANIA	target package: D_OBJD_O member name raw: CN_ZachovajNuloveRiadky Počet výskytov: 1 Riadky zdroja: 14115	caller type: PACKAGE BODY
api reference id: pur.api.reference.0654 caller name: PREKLAPANIA	target package: D_OBJD_O member name raw: InsC Počet výskytov: 1 Riadky zdroja: 14180	caller type: PACKAGE BODY
api reference id: pur.api.reference.0655 caller name: PREKLAPANIA	target package: D_OBJD_O member name raw: insc Počet výskytov: 2 Riadky zdroja: 17458 18093	caller type: PACKAGE BODY

Identita a zdroj	Technické vlastnosti	Význam status a dôkazy
api reference id: pur.api.reference.0656 caller name: PREKLAPANIA2	target package: D_OBJD_L member name raw: CIS_OBJD_L Počet výskytov: 5 Riadky zdroja: 10433 12655 12718 13080 13119	caller type: PACKAGE BODY
api reference id: pur.api.reference.0657 caller name: PREKLAPANIA2	target package: D_OBJD_L member name raw: PrepocitajObsahC Počet výskytov: 3 Riadky zdroja: 10540 12796 13229	caller type: PACKAGE BODY
api reference id: pur.api.reference.0658 caller name: PREKLAPANIA2	target package: D_OBJD_L member name raw: insc Počet výskytov: 3 Riadky zdroja: 10450 12732 13165	caller type: PACKAGE BODY
api reference id: pur.api.reference.0659 caller name: PREKLAPANIA2	target package: D_OBJD_L member name raw: spracujinsc Počet výskytov: 1 Riadky zdroja: 13236	caller type: PACKAGE BODY
api reference id: pur.api.reference.0660 caller name: PREKLAPANIA2	target package: D_OBJD_O member name raw: InsC Počet výskytov: 1 Riadky zdroja: 10518	caller type: PACKAGE BODY
api reference id: pur.api.reference.0661 caller name: PREKLAPANIA2	target package: D_OBJD_O member name raw: insc Počet výskytov: 2 Riadky zdroja: 12777 13209	caller type: PACKAGE BODY
api reference id: pur.api.reference.0662 caller name: T_HZ_OBJD_O_14	target package: D_OBJD_O member name raw: JePovolenneLogovanieZmien Počet výskytov: 1 Riadky zdroja: 8	caller type: TRIGGER
api reference id: pur.api.reference.0663 caller name: T_OBJD_L_LOG_ZMIEN	target package: D_OBJD_O member name raw: LOG_ZmenaTerminuDodPolozky Počet výskytov: 1 Riadky zdroja: 14	caller type: TRIGGER

Identita a zdroj	Technické vlastnosti	Význam status a dôkazy
api reference id: pur.api.reference.0664 caller name: T_OBJD_O_BLOK_PL	target package: D_OBJD_L member name raw: PrehodenieBlokacii Počet výskytov: 3 Riadky zdroja: 15 20 25	caller type: TRIGGER
api reference id: pur.api.reference.0665 caller name: T_OBJD_O_BLOK_PL	target package: D_OBJD_L member name raw: kontrolablokacii Počet výskytov: 1 Riadky zdroja: 30	caller type: TRIGGER
api reference id: pur.api.reference.0666 caller name: T_OBJD_O_DISPO_ZASOBY	target package: D_OBJD_L member name raw: STAV_VYB_Otvorena Počet výskytov: 1 Riadky zdroja: 19	caller type: TRIGGER
api reference id: pur.api.reference.0667 caller name: T_OBJD_O_DISPO_ZASOBY	target package: D_OBJD_L member name raw: VlozDispoZasobu Počet výskytov: 2 Riadky zdroja: 28 64	caller type: TRIGGER
api reference id: pur.api.reference.0668 caller name: T_OBJD_O_LOG_ZMIEN	target package: D_OBJD_O member name raw: LOG_ZmenaTerminuDodPolozky Počet výskytov: 2 Riadky zdroja: 10 20	caller type: TRIGGER
api reference id: pur.api.reference.0669 caller name: T_OBJD_O_P_OBJ_D	target package: D_OBJD_O member name raw: GetVazbaNaML Počet výskytov: 5 Riadky zdroja: 37 94 194 287 479	caller type: TRIGGER
api reference id: pur.api.reference.0670 caller name: T_OBJD_O_P_OBJ_D	target package: D_OBJD_O member name raw: GetVazbaNaObjOdb Počet výskytov: 6 Riadky zdroja: 34 91 191 284 376 476	caller type: TRIGGER

Identita a zdroj	Technické vlastnosti	Význam status a dôkazy
api reference id: pur.api.reference.0671 caller name: T_OBJD_O_P_OBJ_D	target package: D_OBJD_O member name raw: GetVazbaNaRealZak Počet výskytov: 5 Riadky zdroja: 36 93 193 286 478	caller type: TRIGGER
api reference id: pur.api.reference.0672 caller name: T_OBJD_O_P_OBJ_D	target package: D_OBJD_O member name raw: GetVazbaNaRezZiad Počet výskytov: 5 Riadky zdroja: 38 95 195 288 480	caller type: TRIGGER
api reference id: pur.api.reference.0673 caller name: T_OBJD_O_P_OBJ_D	target package: D_OBJD_O member name raw: GetVazbaNaSerZak Počet výskytov: 6 Riadky zdroja: 35 92 192 285 377 477	caller type: TRIGGER
api reference id: pur.api.reference.0674 caller name: T_OBJD_O_P_OBJ_D	target package: D_OBJD_O member name raw: GetVazbaPL Počet výskytov: 1 Riadky zdroja: 214	caller type: TRIGGER
api reference id: pur.api.reference.0675 caller name: T_OBJD_O_P_OBJ_D	target package: D_OBJD_O member name raw: ZmazPolozkuNavrhTrig Počet výskytov: 1 Riadky zdroja: 229	caller type: TRIGGER
api reference id: pur.api.reference.0676 caller name: T_OBJD_O_P_OBJ_D	target package: D_OBJD_O member name raw: ZrusPocetNavrhTrig Počet výskytov: 1 Riadky zdroja: 143	caller type: TRIGGER
api reference id: pur.api.reference.0677 caller name: T_OBJD_O_P_OBJ_D	target package: D_OBJD_O member name raw: getpocetpl Počet výskytov: 1 Riadky zdroja: 197	caller type: TRIGGER

Identita a zdroj	Technické vlastnosti	Význam status a důkazy
api reference id: pur.api.reference.0678 caller name: T_OBJ_DOD_L_IO	target package: D_OBJD_L member name raw: prepocitajobsahc Počet výskytov: 1 Riadky zdroja: 44	caller type: TRIGGER
api reference id: pur.api.reference.0679 caller name: T_OBJ_DOD_O_IO	target package: D_OBJD_L member name raw: prepocitajobsahc Počet výskytov: 1 Riadky zdroja: 42	caller type: TRIGGER
api reference id: pur.api.reference.0680 caller name: T_OBJ_D_NAVRH_VYR_LOG	target package: C_OBJ_D_KOMBAJN member name raw: FLAGS_B_UzavretaVyr Počet výskytov: 3 Riadky zdroja: 21 35 49	caller type: TRIGGER
api reference id: pur.api.reference.0681 caller name: T_S_OBJD_L	target package: D_OBJD_L member name raw: FLAGS_S_STAV Počet výskytov: 3 Riadky zdroja: 11 54 55	caller type: TRIGGER
api reference id: pur.api.reference.0682 caller name: T_S_OBJD_L	target package: D_OBJD_L member name raw: GetS_STAV Počet výskytov: 4 Riadky zdroja: 27 37 38 41	caller type: TRIGGER
api reference id: pur.api.reference.0683 caller name: T_S_OBJD_L	target package: D_OBJD_L member name raw: LOG_STAV_Ocakavany Počet výskytov: 1 Riadky zdroja: 15	caller type: TRIGGER
api reference id: pur.api.reference.0684 caller name: T_S_OBJD_L	target package: D_OBJD_L member name raw: STAV_Nevybavene Počet výskytov: 2 Riadky zdroja: 27 30	caller type: TRIGGER
api reference id: pur.api.reference.0685 caller name: T_S_OBJD_L	target package: D_OBJD_L member name raw: STAV_ODOSL_Neodoslana Počet výskytov: 1 Riadky zdroja: 29	caller type: TRIGGER

Identita a zdroj	Technické vlastnosti	Význam status a dôkazy
api reference id: pur.api.reference.0686 caller name: T_S_OBJD_L	target package: D_OBJD_L member name raw: STAV_ODOSL_OdoslanaAut Počet výskytov: 1 Riadky zdroja: 27	caller type: TRIGGER
api reference id: pur.api.reference.0687 caller name: T_S_OBJD_L	target package: D_OBJD_L member name raw: STAV_ODOSL_OdoslanaMan Počet výskytov: 2 Riadky zdroja: 27 39	caller type: TRIGGER
api reference id: pur.api.reference.0688 caller name: T_S_OBJD_L	target package: D_OBJD_L member name raw: STAV_Odoslane Počet výskytov: 4 Riadky zdroja: 11 28 38 55	caller type: TRIGGER
api reference id: pur.api.reference.0689 caller name: T_S_OBJD_L	target package: D_OBJD_L member name raw: STAV_VYB_Vybavena Počet výskytov: 1 Riadky zdroja: 45	caller type: TRIGGER
api reference id: pur.api.reference.0690 caller name: T_S_OBJD_L	target package: D_OBJD_L member name raw: SetS_STAV Počet výskytov: 3 Riadky zdroja: 28 30 35	caller type: TRIGGER
api reference id: pur.api.reference.0691 caller name: T_S_OBJD_L	target package: D_OBJD_L member name raw: StavToStavVybavenia Počet výskytov: 1 Riadky zdroja: 41	caller type: TRIGGER
api reference id: pur.api.reference.0692 caller name: T_S_OBJD_L	target package: D_OBJD_L member name raw: StavVybaveniaToStav Počet výskytov: 1 Riadky zdroja: 35	caller type: TRIGGER
api reference id: pur.api.reference.0693 caller name: T_S_OBJ_D_NAVRH	target package: C_OBJ_D_KOMBAJN member name raw: STAV_NAVRHU_OBJ_Nacenena Počet výskytov: 3 Riadky zdroja: 39 67 94	caller type: TRIGGER

Identita a zdroj	Technické vlastnosti	Význam status a důkazy
api reference id: pur.api.reference.0694 caller name: T_S_OBJ_D_NAVRH	target package: C_OBJ_D_KOMBAJN member name raw: STAV_NAVRHU_OBJ_Nacenit Počet výskytov: 3 Riadky zdroja: 39 67 94	caller type: TRIGGER
api reference id: pur.api.reference.0695 caller name: T_S_OBJ_D_NAVRH	target package: C_OBJ_D_KOMBAJN member name raw: STAV_NAVRHU_OBJ_Objednane Počet výskytov: 5 Riadky zdroja: 26 29 53 81 108	caller type: TRIGGER
api reference id: pur.api.reference.0696 caller name: T_S_OBJ_D_NAVRH_INS	target package: C_OBJ_D_KOMBAJN member name raw: STAV_NAVRHU_OBJ_Nacenena Počet výskytov: 5 Riadky zdroja: 33 38 43 48 52	caller type: TRIGGER
api reference id: pur.api.reference.0697 caller name: T_S_OBJ_D_NAVRH_INS	target package: C_OBJ_D_KOMBAJN member name raw: STAV_NAVRHU_OBJ_Nacenit Počet výskytov: 5 Riadky zdroja: 33 38 43 48 52	caller type: TRIGGER
api reference id: pur.api.reference.0698 caller name: T_S_REZ_OBJ_DOD	target package: C_REZ_OBJ_DOD member name raw: SpracujTrigg Počet výskytov: 4 Riadky zdroja: 9 14 15 19	caller type: TRIGGER
api reference id: pur.api.reference.0699 caller name: VENTUS	target package: D_OBJD_L member name raw: GetS_STAV Počet výskytov: 2 Riadky zdroja: 984 997	caller type: PACKAGE BODY

Identita a zdroj	Technické vlastnosti	Význam status a dôkazy
api reference id: pur.api.reference.0700 caller name: VENTUS	target package: D_OBJD_L member name raw: STAV_Vybavene Počet výskytov: 2 Riadky zdroja: 984 997	caller type: PACKAGE BODY

Dependencies a source potvrdené hranice

Canonical source: catalog/purchasing/dependencies.yaml

schema version: 1.0

kind: dependencies

id: pur.dependencies.001

Skupina 1

Spoločné vlastnosti všetkých záznamov nasledujúcej tabuľky

direction: SOURCE TO REFERENCED

depth: 1

Role: DEPENDENCY ONLY

discovery method: ALL_DEPENDENCIES

source visible: true

runtime boundary: false

Status: DEPENDENCY ONLY

Dôkazy: pur.evidence.mp01_e

Obmedzenia: HARD

Compile-time dependency nepreukazuje reader/writer/caller.

Identita a zdroj	Technické vlastnosti
dependency id: pur.dependency.metadata.0000 Zdroj: pur.oracle.mc.bp_monet.package_body	Ciel': pur.oracle.mc.d_objd_l.package
dependency id: pur.dependency.metadata.0001 Zdroj: pur.oracle.mc.cenotvorba.package_body	Ciel': mc.object.objd_l
dependency id: pur.dependency.metadata.0002 Zdroj: pur.oracle.mc.cenotvorba.package_body	Ciel': mc.object.objd_o

Identita a zdroj	Technické vlastnosti
dependency id: pur.dependency.metadata.0003 Zdroj: pur.oracle.mc.cenotvorba.package_body	Ciel': mc.object.obj_d_rozd_blokacii
dependency id: pur.dependency.metadata.0004 Zdroj: pur.oracle.mc.copy.package_body	Ciel': pur.oracle.mc.d_objd_l.package
dependency id: pur.dependency.metadata.0005 Zdroj: pur.oracle.mc.copy.package_body	Ciel': pur.oracle.mc.d_objd_o.package
dependency id: pur.dependency.metadata.0006 Zdroj: pur.oracle.mc.c_cenotvorba_o.package_body	Ciel': pur.oracle.mc.d_objd_l.package
dependency id: pur.dependency.metadata.0007 Zdroj: pur.oracle.mc.c_cenotvorba_o.package_body	Ciel': pur.oracle.mc.d_objd_o.package
dependency id: pur.dependency.metadata.0008 Zdroj: pur.oracle.mc.c_cenotvorba_o.package_body	Ciel': mc.object.objd_l
dependency id: pur.dependency.metadata.0009 Zdroj: pur.oracle.mc.c_cenotvorba_o.package_body	Ciel': mc.object.objd_o
dependency id: pur.dependency.metadata.0010 Zdroj: mc.oracle.mc.c_cestovne_pr_trasa.package_body	Ciel': pur.oracle.mc.d_objd_l.package
dependency id: pur.dependency.metadata.0011 Zdroj: pur.oracle.mc.c_ctp_l.package_body	Ciel': pur.oracle.mc.c_obj_d_kombajn.package
dependency id: pur.dependency.metadata.0012 Zdroj: pur.oracle.mc.c_ctp_l.package_body	Ciel': pur.oracle.mc.d_objd_l.package
dependency id: pur.dependency.metadata.0013 Zdroj: pur.oracle.mc.c_ctp_l.package_body	Ciel': pur.oracle.mc.d_objd_o.package
dependency id: pur.dependency.metadata.0014 Zdroj: pur.oracle.mc.c_ctp_l.package_body	Ciel': mc.object.obj_d_navrh
dependency id: pur.dependency.metadata.0015 Zdroj: pur.oracle.mc.c_dispo_zasoba.package_body	Ciel': pur.oracle.mc.d_objd_l.package
dependency id: pur.dependency.metadata.0016 Zdroj: pur.oracle.mc.c_dispo_zasoba.package_body	Ciel': pur.oracle.mc.d_objd_o.package
dependency id: pur.dependency.metadata.0017 Zdroj: pur.oracle.mc.c_dispo_zasoba.package_body	Ciel': mc.object.objd_l
dependency id: pur.dependency.metadata.0018 Zdroj: pur.oracle.mc.c_dispo_zasoba.package_body	Ciel': mc.object.objd_o
dependency id: pur.dependency.metadata.0019 Zdroj: pur.oracle.mc.c_dobd_l.package_body	Ciel': mc.object.objd_l

Identita a zdroj	Technické vlastnosti
dependency id: pur.dependency.metadata.0020 Zdroj: pur.oracle.mc.c_dodf_l.package_body	Ciel: mc.object.objd_l
dependency id: pur.dependency.metadata.0021 Zdroj: mc.oracle.mc.c_dokl_l.package_body	Ciel: pur.oracle.mc.d_objd_l.package
dependency id: pur.dependency.metadata.0022 Zdroj: mc.oracle.mc.c_dokl_l.package_body	Ciel: pur.oracle.mc.d_objd_o.package
dependency id: pur.dependency.metadata.0023 Zdroj: mc.oracle.mc.c_dokl_l.package_body	Ciel: mc.object.objd_l
dependency id: pur.dependency.metadata.0024 Zdroj: mc.oracle.mc.c_dokl_l.package_body	Ciel: mc.object.objd_o
dependency id: pur.dependency.metadata.0025 Zdroj: pur.oracle.mc.c_dokl_naklad.package_body	Ciel: pur.oracle.mc.d_objd_l.package
dependency id: pur.dependency.metadata.0026 Zdroj: pur.oracle.mc.c_dokl_naklad.package_body	Ciel: mc.object.objd_o
dependency id: pur.dependency.metadata.0027 Zdroj: pur.oracle.mc.c_dokl_o.package_body	Ciel: pur.oracle.mc.d_objd_l.package
dependency id: pur.dependency.metadata.0028 Zdroj: pur.oracle.mc.c_dokl_o.package_body	Ciel: pur.oracle.mc.d_objd_o.package
dependency id: pur.dependency.metadata.0029 Zdroj: pur.oracle.mc.c_dokl_prilohy_vytaz.package_body	Ciel: mc.object.objd_l
dependency id: pur.dependency.metadata.0030 Zdroj: pur.oracle.mc.c_dokl_vazba.package_body	Ciel: mc.object.objd_l
dependency id: pur.dependency.metadata.0031 Zdroj: pur.oracle.mc.c_dokl_vykryte.package_body	Ciel: pur.oracle.mc.c_obj_d_kombajn.package
dependency id: pur.dependency.metadata.0032 Zdroj: pur.oracle.mc.c_dokl_vykryte.package_body	Ciel: pur.oracle.mc.d_objd_l.package
dependency id: pur.dependency.metadata.0033 Zdroj: pur.oracle.mc.c_dokl_vykryte.package_body	Ciel: mc.object.objd_l
dependency id: pur.dependency.metadata.0034 Zdroj: mc.oracle.mc.c_elkomoutdef.package_body	Ciel: pur.oracle.mc.d_objd_l.package
dependency id: pur.dependency.metadata.0035 Zdroj: mc.oracle.mc.c_el_kom_out.package_body	Ciel: pur.oracle.mc.d_objd_l.package
dependency id: pur.dependency.metadata.0036 Zdroj: mc.oracle.mc.c_el_kom_out.package_body	Ciel: mc.object.objd_l

Identita a zdroj	Technické vlastnosti
dependency id: pur.dependency.metadata.0037 Zdroj: pur.oracle.mc.c_import_temp_l.package_body	Ciel': pur.oracle.mc.d_objd_l.package
dependency id: pur.dependency.metadata.0038 Zdroj: pur.oracle.mc.c_import_temp_l.package_body	Ciel': pur.oracle.mc.d_objd_o.package
dependency id: pur.dependency.metadata.0039 Zdroj: pur.oracle.mc.c_import_temp_l.package_body	Ciel': mc.object.objd_l
dependency id: pur.dependency.metadata.0040 Zdroj: pur.oracle.mc.c_import_temp_l.package_body	Ciel': mc.object.objd_o
dependency id: pur.dependency.metadata.0041 Zdroj: pur.oracle.mc.c_m_dod.package_body	Ciel': mc.object.objd_l
dependency id: pur.dependency.metadata.0042 Zdroj: pur.oracle.mc.c_m_dod.package_body	Ciel': mc.object.objd_o
dependency id: pur.dependency.metadata.0043 Zdroj: pur.oracle.mc.c_naklad_prijem.package_body	Ciel': pur.oracle.mc.d_objd_l.package
dependency id: pur.dependency.metadata.0044 Zdroj: pur.oracle.mc.c_naklad_prijem.package_body	Ciel': mc.object.objd_l
dependency id: pur.dependency.metadata.0045 Zdroj: pur.oracle.mc.c_obj_d_kombajn.package_body	Ciel': pur.oracle.mc.apd_setup.table
dependency id: pur.dependency.metadata.0046 Zdroj: pur.oracle.mc.c_obj_d_kombajn.package_body	Ciel': pur.oracle.mc.baris_ciselnik.package
dependency id: pur.dependency.metadata.0047 Zdroj: pur.oracle.mc.c_obj_d_kombajn.package_body	Ciel': mc.oracle.mc_bartex_pobocky
dependency id: pur.dependency.metadata.0048 Zdroj: pur.oracle.mc.c_obj_d_kombajn.package_body	Ciel': pur.oracle.mc.cenotvorba.package
dependency id: pur.dependency.metadata.0049 Zdroj: pur.oracle.mc.c_obj_d_kombajn.package_body	Ciel': pur.oracle.mc.cis_def.table
dependency id: pur.dependency.metadata.0050 Zdroj: pur.oracle.mc.c_obj_d_kombajn.package_body	Ciel': pur.oracle.mc.clipboard.table
dependency id: pur.dependency.metadata.0051 Zdroj: pur.oracle.mc.c_obj_d_kombajn.package_body	Ciel': pur.oracle.mc.c_cennik_popis.package
dependency id: pur.dependency.metadata.0052 Zdroj: pur.oracle.mc.c_obj_d_kombajn.package_body	Ciel': pur.oracle.mc.c_cis.package
dependency id: pur.dependency.metadata.0053 Zdroj: pur.oracle.mc.c_obj_d_kombajn.package_body	Ciel': pur.oracle.mc.c_cis_def.package

Identita a zdroj	Technické vlastnosti
dependency id: pur.dependency.metadata.0054 Zdroj: pur.oracle.mc.c_obj_d_kombajn.package	Ciel': pur.oracle.mc.c_cis_def.package
dependency id: pur.dependency.metadata.0055 Zdroj: pur.oracle.mc.c_obj_d_kombajn.package_body	Ciel': pur.oracle.mc.c_cis_nastavenia.package
dependency id: pur.dependency.metadata.0056 Zdroj: pur.oracle.mc.c_obj_d_kombajn.package_body	Ciel': pur.oracle.mc.c_cmd.package
dependency id: pur.dependency.metadata.0057 Zdroj: pur.oracle.mc.c_obj_d_kombajn.package_body	Ciel': pur.oracle.mc.c_const.package
dependency id: pur.dependency.metadata.0058 Zdroj: pur.oracle.mc.c_obj_d_kombajn.package_body	Ciel': pur.oracle.mc.c_dokl_l.package
dependency id: pur.dependency.metadata.0059 Zdroj: pur.oracle.mc.c_obj_d_kombajn.package_body	Ciel': pur.oracle.mc.c_exc.package
dependency id: pur.dependency.metadata.0060 Zdroj: pur.oracle.mc.c_obj_d_kombajn.package_body	Ciel': pur.oracle.mc.c_flags.package
dependency id: pur.dependency.metadata.0061 Zdroj: pur.oracle.mc.c_obj_d_kombajn.package_body	Ciel': pur.oracle.mc.c_flags_b_def.package
dependency id: pur.dependency.metadata.0062 Zdroj: pur.oracle.mc.c_obj_d_kombajn.package_body	Ciel': pur.oracle.mc.c_flags_def.package
dependency id: pur.dependency.metadata.0063 Zdroj: pur.oracle.mc.c_obj_d_kombajn.package_body	Ciel': pur.oracle.mc.c_ini.package
dependency id: pur.dependency.metadata.0064 Zdroj: pur.oracle.mc.c_obj_d_kombajn.package_body	Ciel': pur.oracle.mc.c_makro.package
dependency id: pur.dependency.metadata.0065 Zdroj: pur.oracle.mc.c_obj_d_kombajn.package_body	Ciel': pur.oracle.mc.c_m_dod.package
dependency id: pur.dependency.metadata.0066 Zdroj: pur.oracle.mc.c_obj_d_kombajn.package_body	Ciel': pur.oracle.mc.c_obj_d_kombajn.package
dependency id: pur.dependency.metadata.0067 Zdroj: pur.oracle.mc.c_obj_d_kombajn.package_body	Ciel': pur.oracle.mc.c_obj_d_navrh.package
dependency id: pur.dependency.metadata.0068 Zdroj: pur.oracle.mc.c_obj_d_kombajn.package_body	Ciel': pur.oracle.mc.c_obj_d_navrh_vyr.package
dependency id: pur.dependency.metadata.0069 Zdroj: pur.oracle.mc.c_obj_d_kombajn.package_body	Ciel': pur.oracle.mc.c_partner.package
dependency id: pur.dependency.metadata.0070 Zdroj: pur.oracle.mc.c_obj_d_kombajn.package_body	Ciel': pur.oracle.mc.c_rez_obj_l.package

Identita a zdroj	Technické vlastnosti
dependency id: pur.dependency.metadata.0071 Zdroj: pur.oracle.mc.c_obj_d_kombajn.package	Ciel': pur.oracle.mc.c_rid.package
dependency id: pur.dependency.metadata.0072 Zdroj: pur.oracle.mc.c_obj_d_kombajn.package_body	Ciel': pur.oracle.mc.c_rid.package
dependency id: pur.dependency.metadata.0073 Zdroj: pur.oracle.mc.c_obj_d_kombajn.package_body	Ciel': mc.oracle.mc.c_rozvoz_que.package
dependency id: pur.dependency.metadata.0074 Zdroj: pur.oracle.mc.c_obj_d_kombajn.package_body	Ciel': pur.oracle.mc.c_session.package
dependency id: pur.dependency.metadata.0075 Zdroj: pur.oracle.mc.c_obj_d_kombajn.package_body	Ciel': pur.oracle.mc.c_sklad.package
dependency id: pur.dependency.metadata.0076 Zdroj: pur.oracle.mc.c_obj_d_kombajn.package_body	Ciel': pur.oracle.mc.c_sklad_karta.package
dependency id: pur.dependency.metadata.0077 Zdroj: pur.oracle.mc.c_obj_d_kombajn.package_body	Ciel': pur.oracle.mc.c_sklad_minmax_l.package
dependency id: pur.dependency.metadata.0078 Zdroj: pur.oracle.mc.c_obj_d_kombajn.package_body	Ciel': pur.oracle.mc.c_stamp.package
dependency id: pur.dependency.metadata.0079 Zdroj: pur.oracle.mc.c_obj_d_kombajn.package_body	Ciel': pur.oracle.mc.c_sz.package
dependency id: pur.dependency.metadata.0080 Zdroj: pur.oracle.mc.c_obj_d_kombajn.package_body	Ciel': pur.oracle.mc.c_typy_cis.package
dependency id: pur.dependency.metadata.0081 Zdroj: pur.oracle.mc.c_obj_d_kombajn.package_body	Ciel': pur.oracle.mc.c_var.package
dependency id: pur.dependency.metadata.0082 Zdroj: pur.oracle.mc.c_obj_d_kombajn.package_body	Ciel': pur.oracle.mc.c_vyr_plan_l.package
dependency id: pur.dependency.metadata.0083 Zdroj: pur.oracle.mc.c_obj_d_kombajn.package_body	Ciel': pur.oracle.mc.c_xml_tags.package
dependency id: pur.dependency.metadata.0084 Zdroj: pur.oracle.mc.c_obj_d_kombajn.package_body	Ciel': pur.oracle.mc.debugpck.procedure
dependency id: pur.dependency.metadata.0085 Zdroj: pur.oracle.mc.c_obj_d_kombajn.package_body	Ciel': pur.oracle.mc.d_ml_l.package
dependency id: pur.dependency.metadata.0086 Zdroj: pur.oracle.mc.c_obj_d_kombajn.package_body	Ciel': pur.oracle.mc.d_objd_l.package
dependency id: pur.dependency.metadata.0087 Zdroj: pur.oracle.mc.c_obj_d_kombajn.package_body	Ciel': pur.oracle.mc.d_objd_o.package

Identita a zdroj	Technické vlastnosti
dependency id: pur.dependency.metadata.0088 Zdroj: pur.oracle.mc.c_obj_d_kombajn.package_body	Ciel': pur.oracle.mc.d_obj_odb_l.package
dependency id: pur.dependency.metadata.0089 Zdroj: pur.oracle.mc.c_obj_d_kombajn.package_body	Ciel': pur.oracle.mc.d_obj_odb_l_b.package
dependency id: pur.dependency.metadata.0090 Zdroj: pur.oracle.mc.c_obj_d_kombajn.package_body	Ciel': pur.oracle.mc.d_obj_odb_o.package
dependency id: pur.dependency.metadata.0091 Zdroj: pur.oracle.mc.c_obj_d_kombajn.package_body	Ciel': pur.oracle.mc.d_ser_z_l.package
dependency id: pur.dependency.metadata.0092 Zdroj: pur.oracle.mc.c_obj_d_kombajn.package_body	Ciel': pur.oracle.mc.d_ser_z_o.package
dependency id: pur.dependency.metadata.0093 Zdroj: pur.oracle.mc.c_obj_d_kombajn.package_body	Ciel': pur.oracle.mc.d_t_dokl_l.package
dependency id: pur.dependency.metadata.0094 Zdroj: pur.oracle.mc.c_obj_d_kombajn.package_body	Ciel': pur.oracle.mc.d_t_dokl_o.package
dependency id: pur.dependency.metadata.0095 Zdroj: pur.oracle.mc.c_obj_d_kombajn.package_body	Ciel': pur.oracle.mc.listagg_clob.function
dependency id: pur.dependency.metadata.0096 Zdroj: pur.oracle.mc.c_obj_d_kombajn.package_body	Ciel': mc.oracle.mc_miesta_dodania
dependency id: pur.dependency.metadata.0097 Zdroj: pur.oracle.mc.c_obj_d_kombajn.package_body	Ciel': mc.oracle.mc_miesta_zaujmu
dependency id: pur.dependency.metadata.0098 Zdroj: pur.oracle.mc.c_obj_d_kombajn.package_body	Ciel': pur.oracle.mc.ml_l.table
dependency id: pur.dependency.metadata.0099 Zdroj: pur.oracle.mc.c_obj_d_kombajn.package_body	Ciel': pur.oracle.mc.ml_o.table
dependency id: pur.dependency.metadata.0100 Zdroj: pur.oracle.mc.c_obj_d_kombajn.package_body	Ciel': mc.oracle.mc_obch_partneri
dependency id: pur.dependency.metadata.0101 Zdroj: pur.oracle.mc.c_obj_d_kombajn.package_body	Ciel': pur.oracle.mc.obch_plany_o.table
dependency id: pur.dependency.metadata.0102 Zdroj: pur.oracle.mc.c_obj_d_kombajn.package_body	Ciel': mc.object.objd_l
dependency id: pur.dependency.metadata.0103 Zdroj: pur.oracle.mc.c_obj_d_kombajn.package_body	Ciel': mc.object.objd_o
dependency id: pur.dependency.metadata.0104 Zdroj: pur.oracle.mc.c_obj_d_kombajn.package	Ciel': mc.object.obj_d_kombajn

Identita a zdroj	Technické vlastnosti
dependency id: pur.dependency.metadata.0105 Zdroj: pur.oracle.mc.c_obj_d_kombajn.package_body	Ciel': mc.object.obj_d_kombajn
dependency id: pur.dependency.metadata.0106 Zdroj: pur.oracle.mc.c_obj_d_kombajn.package_body	Ciel': mc.object.obj_d_navrh
dependency id: pur.dependency.metadata.0107 Zdroj: pur.oracle.mc.c_obj_d_kombajn.package_body	Ciel': mc.object.obj_d_navrh_dokl
dependency id: pur.dependency.metadata.0108 Zdroj: pur.oracle.mc.c_obj_d_kombajn.package_body	Ciel': mc.object.obj_d_navrh_l
dependency id: pur.dependency.metadata.0109 Zdroj: pur.oracle.mc.c_obj_d_kombajn.package	Ciel': mc.object.obj_d_podklad
dependency id: pur.dependency.metadata.0110 Zdroj: pur.oracle.mc.c_obj_d_kombajn.package_body	Ciel': mc.object.obj_d_podklad
dependency id: pur.dependency.metadata.0111 Zdroj: pur.oracle.mc.c_obj_d_kombajn.package_body	Ciel': pur.oracle.mc.obj_odb_l.table
dependency id: pur.dependency.metadata.0112 Zdroj: pur.oracle.mc.c_obj_d_kombajn.package_body	Ciel': pur.oracle.mc.obj_odb_o.table
dependency id: pur.dependency.metadata.0113 Zdroj: pur.oracle.mc.c_obj_d_kombajn.package_body	Ciel': pur.oracle.mc.pck_st_stats.synonym
dependency id: pur.dependency.metadata.0114 Zdroj: pur.oracle.mc.c_obj_d_kombajn.package_body	Ciel': pur.oracle.mc.pck_tools.package
dependency id: pur.dependency.metadata.0115 Zdroj: pur.oracle.mc.c_obj_d_kombajn.package_body	Ciel': pur.oracle.mc.ppf.package
dependency id: pur.dependency.metadata.0116 Zdroj: pur.oracle.mc.c_obj_d_kombajn.package_body	Ciel': pur.oracle.mc.ser_z_l.table
dependency id: pur.dependency.metadata.0117 Zdroj: pur.oracle.mc.c_obj_d_kombajn.package_body	Ciel': pur.oracle.mc.ser_z_o.table
dependency id: pur.dependency.metadata.0118 Zdroj: pur.oracle.mc.c_obj_d_kombajn.package_body	Ciel': pur.oracle.mc.ser_z_tasks.table
dependency id: pur.dependency.metadata.0119 Zdroj: pur.oracle.mc.c_obj_d_kombajn.package_body	Ciel': pur.oracle.mc.sklad_karta.table
dependency id: pur.dependency.metadata.0120 Zdroj: pur.oracle.mc.c_obj_d_kombajn.package_body	Ciel': pur.oracle.mc.sklad_zasob.table
dependency id: pur.dependency.metadata.0121 Zdroj: pur.oracle.mc.c_obj_d_kombajn.package_body	Ciel': pur.oracle.mc.sklad_zasob_stat.synonym

Identita a zdroj	Technické vlastnosti
dependency id: pur.dependency.metadata.0122 Zdroj: pur.oracle.mc.c_obj_d_kombajn.package_body	Ciel': pur.oracle.mc.sk_typy_makier.table
dependency id: pur.dependency.metadata.0123 Zdroj: pur.oracle.mc.c_obj_d_kombajn.package_body	Ciel': pur.oracle.mc.sq_obj_d_kombajn_id.sequence
dependency id: pur.dependency.metadata.0124 Zdroj: pur.oracle.mc.c_obj_d_kombajn.package_body	Ciel': pur.oracle.mc.sq_obj_d_navrh_l.sequence
dependency id: pur.dependency.metadata.0125 Zdroj: pur.oracle.mc.c_obj_d_kombajn.package_body	Ciel': pur.oracle.mc.sq_obj_d_podklad_id.sequence
dependency id: pur.dependency.metadata.0126 Zdroj: pur.oracle.mc.c_obj_d_kombajn.package	Ciel': pur.oracle.mc.str_pole.type
dependency id: pur.dependency.metadata.0127 Zdroj: pur.oracle.mc.c_obj_d_kombajn.package_body	Ciel': pur.oracle.mc.str_pole.type
dependency id: pur.dependency.metadata.0128 Zdroj: pur.oracle.mc.c_obj_d_kombajn.package_body	Ciel': pur.oracle.mc.todate.function
dependency id: pur.dependency.metadata.0129 Zdroj: pur.oracle.mc.c_obj_d_kombajn.package_body	Ciel': pur.oracle.mc.tonumber.function
dependency id: pur.dependency.metadata.0130 Zdroj: pur.oracle.mc.c_obj_d_kombajn.package_body	Ciel': pur.oracle.mc.t_dokl_l.table
dependency id: pur.dependency.metadata.0131 Zdroj: pur.oracle.mc.c_obj_d_kombajn.package_body	Ciel': pur.oracle.mc.t_dokl_o.table
dependency id: pur.dependency.metadata.0132 Zdroj: pur.oracle.mc.c_obj_d_kombajn.package_body	Ciel': pur.oracle.mc.t_tmp_navrh.table
dependency id: pur.dependency.metadata.0133 Zdroj: pur.oracle.mc.c_obj_d_kombajn.package_body	Ciel': mc.oracle.mc_vyd_l
dependency id: pur.dependency.metadata.0134 Zdroj: pur.oracle.mc.c_obj_d_kombajn.package_body	Ciel': pur.oracle.mc.vyd_o.table
dependency id: pur.dependency.metadata.0135 Zdroj: pur.oracle.mc.c_obj_d_kombajn.package_body	Ciel': pur.oracle.public.dbms_output.synonym
dependency id: pur.dependency.metadata.0136 Zdroj: pur.oracle.mc.c_obj_d_kombajn.package_body	Ciel': pur.oracle.public.dual.synonym
dependency id: pur.dependency.metadata.0137 Zdroj: pur.oracle.mc.c_obj_d_kombajn.package_body	Ciel': pur.oracle.public.plitblm.synonym
dependency id: pur.dependency.metadata.0138 Zdroj: pur.oracle.mc.c_obj_d_kombajn.package_body	Ciel': pur.oracle.public.xmltype.synonym

Identita a zdroj	Technické vlastnosti
dependency id: pur.dependency.metadata.0139 Zdroj: pur.oracle.mc.c_obj_d_kombajn.package_body	Ciel': pur.oracle.public.xqsequence.synonym
dependency id: pur.dependency.metadata.0140 Zdroj: pur.oracle.mc.c_obj_d_kombajn.package_body	Ciel': pur.oracle.sys.standard.package
dependency id: pur.dependency.metadata.0141 Zdroj: pur.oracle.mc.c_obj_d_kombajn.package	Ciel': pur.oracle.sys.standard.package
dependency id: pur.dependency.metadata.0142 Zdroj: pur.oracle.mc.c_obj_d_kombajn.package_body	Ciel': pur.oracle.sys.xmltype.type
dependency id: pur.dependency.metadata.0143 Zdroj: pur.oracle.mc.c_obj_d_kombajn.package_body	Ciel': pur.oracle.sys.xqsequence.operator
dependency id: pur.dependency.metadata.0144 Zdroj: pur.oracle.mc.c_obj_d_navrh.package_body	Ciel': mc.object.obj_d_navrh
dependency id: pur.dependency.metadata.0145 Zdroj: pur.oracle.mc.c_obj_d_navrh_vyr.package_body	Ciel': mc.object.obj_d_navrh_vyr
dependency id: pur.dependency.metadata.0146 Zdroj: pur.oracle.mc.c_obj_d_rozd_blokacii.package_body	Ciel': mc.object.obj_d_rozd_blokacii
dependency id: pur.dependency.metadata.0147 Zdroj: pur.oracle.mc.c_obj_d_rozd_blokacii.package	Ciel': mc.object.obj_d_rozd_blokacii
dependency id: pur.dependency.metadata.0148 Zdroj: pur.oracle.mc.c_rezervacia.package_body	Ciel': pur.oracle.mc.c_obj_d_kombajn.package
dependency id: pur.dependency.metadata.0149 Zdroj: pur.oracle.mc.c_rezervacia.package_body	Ciel': mc.object.objd_o
dependency id: pur.dependency.metadata.0150 Zdroj: pur.oracle.mc.c_rezervacia.package_body	Ciel': mc.object.obj_d_navrh
dependency id: pur.dependency.metadata.0151 Zdroj: pur.oracle.mc.c_rez_obj_dod.package_body	Ciel': pur.oracle.mc.c_cis_def.package
dependency id: pur.dependency.metadata.0152 Zdroj: pur.oracle.mc.c_rez_obj_dod.package_body	Ciel': pur.oracle.mc.c_cis_id.package
dependency id: pur.dependency.metadata.0153 Zdroj: pur.oracle.mc.c_rez_obj_dod.package	Ciel': pur.oracle.mc.c_cis_id.package
dependency id: pur.dependency.metadata.0154 Zdroj: pur.oracle.mc.c_rez_obj_dod.package_body	Ciel': pur.oracle.mc.c_exc.package
dependency id: pur.dependency.metadata.0155 Zdroj: pur.oracle.mc.c_rez_obj_dod.package_body	Ciel': pur.oracle.mc.c_rez_obj_dod.package

Identita a zdroj	Technické vlastnosti
dependency id: pur.dependency.metadata.0156 Zdroj: pur.oracle.mc.c_rez_obj_dod.package_body	Ciel': pur.oracle.mc.c_stamp.package
dependency id: pur.dependency.metadata.0157 Zdroj: pur.oracle.mc.c_rez_obj_dod.package	Ciel': pur.oracle.mc.c_stamp.package
dependency id: pur.dependency.metadata.0158 Zdroj: pur.oracle.mc.c_rez_obj_dod.package_body	Ciel': pur.oracle.mc.obj_dod_o.view
dependency id: pur.dependency.metadata.0159 Zdroj: pur.oracle.mc.c_rez_obj_dod.package_body	Ciel': pur.oracle.mc.rez_obj_dod.table
dependency id: pur.dependency.metadata.0160 Zdroj: pur.oracle.mc.c_rez_obj_dod.package	Ciel': pur.oracle.mc.rez_obj_dod.table
dependency id: pur.dependency.metadata.0161 Zdroj: pur.oracle.mc.c_rez_obj_dod.package	Ciel': pur.oracle.public.utl_file.synonym
dependency id: pur.dependency.metadata.0162 Zdroj: pur.oracle.mc.c_rez_obj_dod.package_body	Ciel': pur.oracle.public.utl_file.synonym
dependency id: pur.dependency.metadata.0163 Zdroj: pur.oracle.mc.c_rez_obj_dod.package_body	Ciel': pur.oracle.sys.standard.package
dependency id: pur.dependency.metadata.0164 Zdroj: pur.oracle.mc.c_rez_obj_dod.package	Ciel': pur.oracle.sys.standard.package
dependency id: pur.dependency.metadata.0165 Zdroj: pur.oracle.mc.c_rez_obj_l.package_body	Ciel': pur.oracle.mc.c_obj_d_kombajn.package
dependency id: pur.dependency.metadata.0166 Zdroj: pur.oracle.mc.c_rez_obj_l.package_body	Ciel': pur.oracle.mc.d_objd_l.package
dependency id: pur.dependency.metadata.0167 Zdroj: pur.oracle.mc.c_rez_obj_l.package_body	Ciel': mc.object.obj_d_navrh
dependency id: pur.dependency.metadata.0168 Zdroj: pur.oracle.mc.c_rez_obj_o.package_body	Ciel': pur.oracle.mc.c_obj_d_kombajn.package
dependency id: pur.dependency.metadata.0169 Zdroj: pur.oracle.mc.c_rez_obj_o.package_body	Ciel': pur.oracle.mc.d_objd_l.package
dependency id: pur.dependency.metadata.0170 Zdroj: pur.oracle.mc.c_rez_obj_o.package_body	Ciel': mc.object.obj_d_navrh
dependency id: pur.dependency.metadata.0171 Zdroj: pur.oracle.mc.c_rez_obj_o.package_body	Ciel': mc.object.obj_d_navrh_log
dependency id: pur.dependency.metadata.0172 Zdroj: pur.oracle.mc.c_rez_ziad_l.package_body	Ciel': pur.oracle.mc.c_obj_d_kombajn.package

Identita a zdroj	Technické vlastnosti
dependency id: pur.dependency.metadata.0173 Zdroj: pur.oracle.mc.c_rid.package_body	Ciel': pur.oracle.mc.d_objd_l.package
dependency id: pur.dependency.metadata.0174 Zdroj: pur.oracle.mc.c_rid.package_body	Ciel': mc.object.objd_l
dependency id: pur.dependency.metadata.0175 Zdroj: mc.oracle.mc.c_rozvoz_que.package_body	Ciel': pur.oracle.mc.d_objd_l.package
dependency id: pur.dependency.metadata.0176 Zdroj: mc.oracle.mc.c_rozvoz_que.package_body	Ciel': mc.object.objd_l
dependency id: pur.dependency.metadata.0177 Zdroj: mc.oracle.mc.c_rozvoz_que.package_body	Ciel': mc.object.objd_o
dependency id: pur.dependency.metadata.0178 Zdroj: pur.oracle.mc.c_rz_o.package_body	Ciel': pur.oracle.mc.c_obj_d_kombajn.package
dependency id: pur.dependency.metadata.0179 Zdroj: pur.oracle.mc.c_rz_o.package_body	Ciel': pur.oracle.mc.d_objd_l.package
dependency id: pur.dependency.metadata.0180 Zdroj: pur.oracle.mc.c_rz_o.package_body	Ciel': pur.oracle.mc.d_objd_o.package
dependency id: pur.dependency.metadata.0181 Zdroj: pur.oracle.mc.c_rz_o.package_body	Ciel': mc.object.objd_l
dependency id: pur.dependency.metadata.0182 Zdroj: pur.oracle.mc.c_rz_o.package_body	Ciel': mc.object.objd_o
dependency id: pur.dependency.metadata.0183 Zdroj: pur.oracle.mc.c_rz_o.package_body	Ciel': mc.object.obj_d_navrh
dependency id: pur.dependency.metadata.0184 Zdroj: pur.oracle.mc.c_sarza_token_def.package_body	Ciel': pur.oracle.mc.d_objd_l.package
dependency id: pur.dependency.metadata.0185 Zdroj: pur.oracle.mc.c_ser_z_task.package_body	Ciel': pur.oracle.mc.d_objd_l.package
dependency id: pur.dependency.metadata.0186 Zdroj: pur.oracle.mc.c_ser_z_task.package_body	Ciel': mc.object.objd_o
dependency id: pur.dependency.metadata.0187 Zdroj: pur.oracle.mc.c_ser_z_task.package_body	Ciel': mc.object.obj_d_navrh
dependency id: pur.dependency.metadata.0188 Zdroj: pur.oracle.mc.c_sklad_zasob_p.package_body	Ciel': pur.oracle.mc.d_objd_l.package
dependency id: pur.dependency.metadata.0189 Zdroj: pur.oracle.mc.c_sk_sarza_token.package_body	Ciel': mc.object.objd_l

Identita a zdroj	Technické vlastnosti
dependency id: pur.dependency.metadata.0190 Zdroj: pur.oracle.mc.c_sk_sarza_token.package_body	Ciel': mc.object.objd_o
dependency id: pur.dependency.metadata.0191 Zdroj: pur.oracle.mc.c_tlac_nastavenie.package_body	Ciel': mc.object.objd_l
dependency id: pur.dependency.metadata.0192 Zdroj: pur.oracle.mc.c_typ_nakladu.package_body	Ciel': pur.oracle.mc.d_objd_l.package
dependency id: pur.dependency.metadata.0193 Zdroj: pur.oracle.mc.c_variant_rb_l.package_body	Ciel': pur.oracle.mc.c_obj_d_kombajn.package
dependency id: pur.dependency.metadata.0194 Zdroj: pur.oracle.mc.c_variant_rb_l.package_body	Ciel': pur.oracle.mc.d_objd_l.package
dependency id: pur.dependency.metadata.0195 Zdroj: pur.oracle.mc.c_vyd_o_p_prij.package_body	Ciel': mc.object.objd_o
dependency id: pur.dependency.metadata.0196 Zdroj: pur.oracle.mc.c_vyr_plan_prepocet.package_body	Ciel': pur.oracle.mc.c_obj_d_kombajn.package
dependency id: pur.dependency.metadata.0197 Zdroj: pur.oracle.mc.c_vyr_plan_prepocet.package_body	Ciel': mc.object.objd_o
dependency id: pur.dependency.metadata.0198 Zdroj: pur.oracle.mc.c_vyr_plan_prepocet.package_body	Ciel': mc.object.obj_d_navrh
dependency id: pur.dependency.metadata.0199 Zdroj: pur.oracle.mc.c_vyr_plan_prepocet.package_body	Ciel': mc.object.obj_d_navrh_vyr
dependency id: pur.dependency.metadata.0200 Zdroj: pur.oracle.mc.c_vyr_plan_prepocet2.package_body	Ciel': pur.oracle.mc.c_obj_d_kombajn.package
dependency id: pur.dependency.metadata.0201 Zdroj: pur.oracle.mc.c_vyr_plan_prepocet2.package_body	Ciel': mc.object.objd_o
dependency id: pur.dependency.metadata.0202 Zdroj: pur.oracle.mc.c_vyr_plan_prepocet2.package_body	Ciel': mc.object.obj_d_navrh
dependency id: pur.dependency.metadata.0203 Zdroj: pur.oracle.mc.c_vyr_supis_l.package_body	Ciel': mc.object.objd_l
dependency id: pur.dependency.metadata.0204 Zdroj: pur.oracle.mc.c_vyr_supis_l.package_body	Ciel': mc.object.objd_o
dependency id: pur.dependency.metadata.0205 Zdroj: pur.oracle.mc.d_ml_l.package_body	Ciel': pur.oracle.mc.d_objd_l.package
dependency id: pur.dependency.metadata.0206 Zdroj: pur.oracle.mc.d_ml_l.package_body	Ciel': mc.object.objd_l

Identita a zdroj	Technické vlastnosti
dependency id: pur.dependency.metadata.0207 Zdroj: pur.oracle.mc.d_ml_l.package_body	Ciel': mc.object.objd_o
dependency id: pur.dependency.metadata.0208 Zdroj: pur.oracle.mc.d_ml_o.package_body	Ciel': pur.oracle.mc.c_obj_d_kombajn.package
dependency id: pur.dependency.metadata.0209 Zdroj: pur.oracle.mc.d_ml_o.package_body	Ciel': pur.oracle.mc.d_objd_l.package
dependency id: pur.dependency.metadata.0210 Zdroj: pur.oracle.mc.d_ml_o.package_body	Ciel': pur.oracle.mc.d_objd_o.package
dependency id: pur.dependency.metadata.0211 Zdroj: pur.oracle.mc.d_ml_o.package_body	Ciel': mc.object.objd_l
dependency id: pur.dependency.metadata.0212 Zdroj: pur.oracle.mc.d_ml_o.package_body	Ciel': mc.object.objd_o
dependency id: pur.dependency.metadata.0213 Zdroj: pur.oracle.mc.d_ml_o.package_body	Ciel': mc.object.obj_d_navrh
dependency id: pur.dependency.metadata.0214 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': pur.oracle.mc.baris_ciselnik.package
dependency id: pur.dependency.metadata.0215 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': mc.oracle.mc_bartex_pobocky
dependency id: pur.dependency.metadata.0216 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': mc.oracle.mc_b_users
dependency id: pur.dependency.metadata.0217 Zdroj: pur.oracle.mc.d_objd_l.package	Ciel': pur.oracle.mc.cenotvorba.package
dependency id: pur.dependency.metadata.0218 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': pur.oracle.mc.cenotvorba.package
dependency id: pur.dependency.metadata.0219 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': pur.oracle.mc.ceny_o.table
dependency id: pur.dependency.metadata.0220 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': pur.oracle.mc.cestovne_pr_l.table
dependency id: pur.dependency.metadata.0221 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': pur.oracle.mc.cis_def.table
dependency id: pur.dependency.metadata.0222 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': pur.oracle.mc.cis_stavy_hist.table
dependency id: pur.dependency.metadata.0223 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': pur.oracle.mc.cis_vazby.table

Identita a zdroj	Technické vlastnosti
dependency id: pur.dependency.metadata.0224 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': pur.oracle.mc.cis_x.table
dependency id: pur.dependency.metadata.0225 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': pur.oracle.mc.col_sadzobnik.table
dependency id: pur.dependency.metadata.0226 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': pur.oracle.mc.ct_l.table
dependency id: pur.dependency.metadata.0227 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': pur.oracle.mc.ct_o.table
dependency id: pur.dependency.metadata.0228 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': pur.oracle.mc.c_barcode.package
dependency id: pur.dependency.metadata.0229 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': pur.oracle.mc.c_b_kod_u.package
dependency id: pur.dependency.metadata.0230 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': pur.oracle.mc.c_cennik_popis.package
dependency id: pur.dependency.metadata.0231 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': pur.oracle.mc.c_cenotvorba_l.package
dependency id: pur.dependency.metadata.0232 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': pur.oracle.mc.c_cenotvorba_o.package
dependency id: pur.dependency.metadata.0233 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': pur.oracle.mc.c_cis.package
dependency id: pur.dependency.metadata.0234 Zdroj: pur.oracle.mc.d_objd_l.package	Ciel': pur.oracle.mc.c_cis.package
dependency id: pur.dependency.metadata.0235 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': pur.oracle.mc.c_cis_def.package
dependency id: pur.dependency.metadata.0236 Zdroj: pur.oracle.mc.d_objd_l.package	Ciel': pur.oracle.mc.c_cis_def.package
dependency id: pur.dependency.metadata.0237 Zdroj: pur.oracle.mc.d_objd_l.package	Ciel': pur.oracle.mc.c_cis_id.package
dependency id: pur.dependency.metadata.0238 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': pur.oracle.mc.c_cis_id.package
dependency id: pur.dependency.metadata.0239 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': pur.oracle.mc.c_cis_nastavenia.package
dependency id: pur.dependency.metadata.0240 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': pur.oracle.mc.c_cis_poznamka.package

Identita a zdroj	Technické vlastnosti
dependency id: pur.dependency.metadata.0241 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': pur.oracle.mc.c_cis_rada.package
dependency id: pur.dependency.metadata.0242 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': pur.oracle.mc.c_cis_stav_hist.package
dependency id: pur.dependency.metadata.0243 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': pur.oracle.mc.c_cis_tree.package
dependency id: pur.dependency.metadata.0244 Zdroj: pur.oracle.mc.d_objd_l.package	Ciel': pur.oracle.mc.c_cis_tree.package
dependency id: pur.dependency.metadata.0245 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': pur.oracle.mc.c_const.package
dependency id: pur.dependency.metadata.0246 Zdroj: pur.oracle.mc.d_objd_l.package	Ciel': pur.oracle.mc.c_const.package
dependency id: pur.dependency.metadata.0247 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': pur.oracle.mc.c_delenie_dokl.package
dependency id: pur.dependency.metadata.0248 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': pur.oracle.mc.c_dispo_zasoba.package
dependency id: pur.dependency.metadata.0249 Zdroj: pur.oracle.mc.d_objd_l.package	Ciel': pur.oracle.mc.c_dokl_l.package
dependency id: pur.dependency.metadata.0250 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': pur.oracle.mc.c_dokl_l.package
dependency id: pur.dependency.metadata.0251 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': pur.oracle.mc.c_dokl_naklad.package
dependency id: pur.dependency.metadata.0252 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': pur.oracle.mc.c_dokl_o.package
dependency id: pur.dependency.metadata.0253 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': pur.oracle.mc.c_dokl_o_us.package
dependency id: pur.dependency.metadata.0254 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': pur.oracle.mc.c_du.package
dependency id: pur.dependency.metadata.0255 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': pur.oracle.mc.c_exc.package
dependency id: pur.dependency.metadata.0256 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': pur.oracle.mc.c_flags.package
dependency id: pur.dependency.metadata.0257 Zdroj: pur.oracle.mc.d_objd_l.package	Ciel': pur.oracle.mc.c_flags.package

Identita a zdroj	Technické vlastnosti
dependency id: pur.dependency.metadata.0258 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': pur.oracle.mc.c_flags_b_def.package
dependency id: pur.dependency.metadata.0259 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': pur.oracle.mc.c_import_file.package
dependency id: pur.dependency.metadata.0260 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': pur.oracle.mc.c_import_pravidla_par_sk.package
dependency id: pur.dependency.metadata.0261 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': pur.oracle.mc.c_import_temp_l.package
dependency id: pur.dependency.metadata.0262 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': pur.oracle.mc.c_ini.package
dependency id: pur.dependency.metadata.0263 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': pur.oracle.mc.c_komis_predaj.package
dependency id: pur.dependency.metadata.0264 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': pur.oracle.mc.c_krajina.package
dependency id: pur.dependency.metadata.0265 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': pur.oracle.mc.c_makro.package
dependency id: pur.dependency.metadata.0266 Zdroj: pur.oracle.mc.d_objd_l.package	Ciel': pur.oracle.mc.c_makro.package
dependency id: pur.dependency.metadata.0267 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': pur.oracle.mc.c_mena.package
dependency id: pur.dependency.metadata.0268 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': pur.oracle.mc.c_m_dod.package
dependency id: pur.dependency.metadata.0269 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': pur.oracle.mc.c_obj_d_kombajn.package
dependency id: pur.dependency.metadata.0270 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': pur.oracle.mc.c_obj_d_rozd_blokacii.package
dependency id: pur.dependency.metadata.0271 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': pur.oracle.mc.c_partner.package
dependency id: pur.dependency.metadata.0272 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': pur.oracle.mc.c_prava_na_sklady.package
dependency id: pur.dependency.metadata.0273 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': pur.oracle.mc.c_program.package
dependency id: pur.dependency.metadata.0274 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': pur.oracle.mc.c_rezervacia.package

Identita a zdroj	Technické vlastnosti
dependency id: pur.dependency.metadata.0275 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': pur.oracle.mc.c_rez_obj_l.package
dependency id: pur.dependency.metadata.0276 Zdroj: pur.oracle.mc.d_objd_l.package	Ciel': pur.oracle.mc.c_rid.package
dependency id: pur.dependency.metadata.0277 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': pur.oracle.mc.c_rid.package
dependency id: pur.dependency.metadata.0278 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': mc.oracle.mc.c_rozvoz_que.package
dependency id: pur.dependency.metadata.0279 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': pur.oracle.mc.c_session.package
dependency id: pur.dependency.metadata.0280 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': pur.oracle.mc.c_sklad.package
dependency id: pur.dependency.metadata.0281 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': pur.oracle.mc.c_sklad_dokladu.package
dependency id: pur.dependency.metadata.0282 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': pur.oracle.mc.c_sklad_dopyt.package
dependency id: pur.dependency.metadata.0283 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': pur.oracle.mc.c_sklad_karta.package
dependency id: pur.dependency.metadata.0284 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': pur.oracle.mc.c_sk_nakl_pol.package
dependency id: pur.dependency.metadata.0285 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': pur.oracle.mc.c_sk_sarza_token.package
dependency id: pur.dependency.metadata.0286 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': pur.oracle.mc.c_sk_typ_makra.package
dependency id: pur.dependency.metadata.0287 Zdroj: pur.oracle.mc.d_objd_l.package	Ciel': pur.oracle.mc.c_stamp.package
dependency id: pur.dependency.metadata.0288 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': pur.oracle.mc.c_stamp.package
dependency id: pur.dependency.metadata.0289 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': pur.oracle.mc.c_sz.package
dependency id: pur.dependency.metadata.0290 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': pur.oracle.mc.c_tlac.package
dependency id: pur.dependency.metadata.0291 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': pur.oracle.mc.c_typy_cis.package

Identita a zdroj	Technické vlastnosti
dependency id: pur.dependency.metadata.0292 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': pur.oracle.mc.c_typ_nakladu.package
dependency id: pur.dependency.metadata.0293 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': pur.oracle.mc.c_ucet.package
dependency id: pur.dependency.metadata.0294 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': pur.oracle.mc.c_var.package
dependency id: pur.dependency.metadata.0295 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': pur.oracle.mc.c_vratnik_udalost.package
dependency id: pur.dependency.metadata.0296 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': pur.oracle.mc.c_xml_tags.package
dependency id: pur.dependency.metadata.0297 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': pur.oracle.mc.debugpck.procedure
dependency id: pur.dependency.metadata.0298 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': pur.oracle.mc.debugpckerror.procedure
dependency id: pur.dependency.metadata.0299 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': pur.oracle.mc.delenia_dokl.table
dependency id: pur.dependency.metadata.0300 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': mc.oracle.mc_depa
dependency id: pur.dependency.metadata.0301 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': pur.oracle.mc.dispo_zasoby.table
dependency id: pur.dependency.metadata.0302 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': pur.oracle.mc.documents.table
dependency id: pur.dependency.metadata.0303 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': pur.oracle.mc.dokl_naklady.table
dependency id: pur.dependency.metadata.0304 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': mc.oracle.mc_druhy_dopravy
dependency id: pur.dependency.metadata.0305 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': pur.oracle.mc.dt.function
dependency id: pur.dependency.metadata.0306 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': pur.oracle.mc.d_ml_o.package
dependency id: pur.dependency.metadata.0307 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': pur.oracle.mc.d_objd_l.package
dependency id: pur.dependency.metadata.0308 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': pur.oracle.mc.d_objd_o.package

Identita a zdroj	Technické vlastnosti
dependency id: pur.dependency.metadata.0309 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': pur.oracle.mc.d_obj_odb_l.package
dependency id: pur.dependency.metadata.0310 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': pur.oracle.mc.d_obj_odb_l_b.package
dependency id: pur.dependency.metadata.0311 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': pur.oracle.mc.d_obj_odb_o.package
dependency id: pur.dependency.metadata.0312 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': pur.oracle.mc.d_prijemka_l.package
dependency id: pur.dependency.metadata.0313 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': pur.oracle.mc.d_prijemka_o.package
dependency id: pur.dependency.metadata.0314 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': pur.oracle.mc.d_rek_dod_l.package
dependency id: pur.dependency.metadata.0315 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': pur.oracle.mc.d_ser_z_l.package
dependency id: pur.dependency.metadata.0316 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': pur.oracle.mc.d_t_dokl_l.package
dependency id: pur.dependency.metadata.0317 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': pur.oracle.mc.d_t_dokl_o.package
dependency id: pur.dependency.metadata.0318 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': pur.oracle.mc.getres2.function
dependency id: pur.dependency.metadata.0319 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': pur.oracle.mc.getrespar.function
dependency id: pur.dependency.metadata.0320 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': pur.oracle.mc.getrespar2.function
dependency id: pur.dependency.metadata.0321 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': pur.oracle.mc.import_files.table
dependency id: pur.dependency.metadata.0322 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': pur.oracle.mc.isrid.function
dependency id: pur.dependency.metadata.0323 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': pur.oracle.mc.kody_baleni.table
dependency id: pur.dependency.metadata.0324 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': pur.oracle.mc.kody_operacii.view
dependency id: pur.dependency.metadata.0325 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': pur.oracle.mc.krajiny.table

Identita a zdroj	Technické vlastnosti
dependency id: pur.dependency.metadata.0326 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': pur.oracle.mc.listagg_clob.function
dependency id: pur.dependency.metadata.0327 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': mc.oracle.mc_miesta_dodania
dependency id: pur.dependency.metadata.0328 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': mc.oracle.mc_miesta_zaujmu
dependency id: pur.dependency.metadata.0329 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': pur.oracle.mc.num_pole.type
dependency id: pur.dependency.metadata.0330 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': mc.oracle.mc_obch_partneri
dependency id: pur.dependency.metadata.0331 Zdroj: pur.oracle.mc_d_objd_l.package	Ciel': mc.object.objd_l
dependency id: pur.dependency.metadata.0332 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': mc.object.objd_l
dependency id: pur.dependency.metadata.0333 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': mc.object.objd_o
dependency id: pur.dependency.metadata.0334 Zdroj: pur.oracle.mc_d_objd_l.package	Ciel': mc.object.objd_o
dependency id: pur.dependency.metadata.0335 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': mc.object.obj_d_navrh
dependency id: pur.dependency.metadata.0336 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': mc.object.obj_d_rozd_blokacii
dependency id: pur.dependency.metadata.0337 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': pur.oracle.mc.obj_odb_l.table
dependency id: pur.dependency.metadata.0338 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': pur.oracle.mc.obj_odb_o.table
dependency id: pur.dependency.metadata.0339 Zdroj: pur.oracle.mc_d_objd_l.package	Ciel': pur.oracle.mc.ocreatedoklad_params.type
dependency id: pur.dependency.metadata.0340 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': pur.oracle.mc.ocreatedoklad_params.type
dependency id: pur.dependency.metadata.0341 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': pur.oracle.mc.opridajpolozku_params.type
dependency id: pur.dependency.metadata.0342 Zdroj: pur.oracle.mc_d_objd_l.package	Ciel': pur.oracle.mc.opridajpolozku_params.type

Identita a zdroj	Technické vlastnosti
dependency id: pur.dependency.metadata.0343 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': pur.oracle.mc.pck_multilang.package
dependency id: pur.dependency.metadata.0344 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': pur.oracle.mc.pck_tools.package
dependency id: pur.dependency.metadata.0345 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': pur.oracle.mc.potreba_obj_dod.table
dependency id: pur.dependency.metadata.0346 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': pur.oracle.mc.potreba_obj_dod_log.table
dependency id: pur.dependency.metadata.0347 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': pur.oracle.mc.ppf.package
dependency id: pur.dependency.metadata.0348 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': pur.oracle.mc.preklapania.package
dependency id: pur.dependency.metadata.0349 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': mc.oracle.mc.prijemky_list
dependency id: pur.dependency.metadata.0350 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': pur.oracle.mc.prijemky_obsah.table
dependency id: pur.dependency.metadata.0351 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': pur.oracle.mc.rez_obj_l.table
dependency id: pur.dependency.metadata.0352 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': pur.oracle.mc.rez_obj_o.table
dependency id: pur.dependency.metadata.0353 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': pur.oracle.mc.rez_prij_o.table
dependency id: pur.dependency.metadata.0354 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': mc.oracle.mc.rozvoz_que
dependency id: pur.dependency.metadata.0355 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': pur.oracle.mc.ser_cisla.table
dependency id: pur.dependency.metadata.0356 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': pur.oracle.mc.ser_zak_o.table
dependency id: pur.dependency.metadata.0357 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': pur.oracle.mc.ser_z_l.table
dependency id: pur.dependency.metadata.0358 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': pur.oracle.mc.ser_z_o.table
dependency id: pur.dependency.metadata.0359 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': pur.oracle.mc.sklad_dodavatel.table

Identita a zdroj	Technické vlastnosti
dependency id: pur.dependency.metadata.0360 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': pur.oracle.mc.sklad_karta.table
dependency id: pur.dependency.metadata.0361 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': pur.oracle.mc.sklad_minmax_l.table
dependency id: pur.dependency.metadata.0362 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': pur.oracle.mc.sklad_minmax_o.table
dependency id: pur.dependency.metadata.0363 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': pur.oracle.mc.sklad_zasob.table
dependency id: pur.dependency.metadata.0364 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': pur.oracle.mc.sk_log_udaje.table
dependency id: pur.dependency.metadata.0365 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': pur.oracle.mc.stavy_sk.table
dependency id: pur.dependency.metadata.0366 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': pur.oracle.mc.str_pole.type
dependency id: pur.dependency.metadata.0367 Zdroj: pur.oracle.mc.d_objd_l.package	Ciel': pur.oracle.mc.str_pole.type
dependency id: pur.dependency.metadata.0368 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': pur.oracle.mc.tonumber.function
dependency id: pur.dependency.metadata.0369 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': pur.oracle.mc.typy_cis.table
dependency id: pur.dependency.metadata.0370 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': pur.oracle.mc.t_dokl_l.table
dependency id: pur.dependency.metadata.0371 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': pur.oracle.mc.t_dokl_l_del.table
dependency id: pur.dependency.metadata.0372 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': pur.oracle.mc.t_dokl_o.table
dependency id: pur.dependency.metadata.0373 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': pur.oracle.mc.t_tmp_imp_dl.table
dependency id: pur.dependency.metadata.0374 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': pur.oracle.mc.ucty_sk.table
dependency id: pur.dependency.metadata.0375 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': pur.oracle.mc.vratnik_udalosti.table
dependency id: pur.dependency.metadata.0376 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': mc.oracle.mc_vyd_l

Identita a zdroj	Technické vlastnosti
dependency id: pur.dependency.metadata.0377 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': pur.oracle.public.dbms_lob.synonym
dependency id: pur.dependency.metadata.0378 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': pur.oracle.public.dbms_output.synonym
dependency id: pur.dependency.metadata.0379 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': pur.oracle.public.dual.synonym
dependency id: pur.dependency.metadata.0380 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': pur.oracle.public.plitblm.synonym
dependency id: pur.dependency.metadata.0381 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': pur.oracle.public.utl_file.synonym
dependency id: pur.dependency.metadata.0382 Zdroj: pur.oracle.mc.d_objd_l.package	Ciel': pur.oracle.public.utl_file.synonym
dependency id: pur.dependency.metadata.0383 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': pur.oracle.public.xmltype.synonym
dependency id: pur.dependency.metadata.0384 Zdroj: pur.oracle.mc.d_objd_l.package	Ciel': pur.oracle.sys.standard.package
dependency id: pur.dependency.metadata.0385 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': pur.oracle.sys.standard.package
dependency id: pur.dependency.metadata.0386 Zdroj: pur.oracle.mc.d_objd_l.package	Ciel': pur.oracle.sys.xmltype.type
dependency id: pur.dependency.metadata.0387 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': pur.oracle.sys.xmltype.type
dependency id: pur.dependency.metadata.0388 Zdroj: pur.oracle.mc.d_objd_o.package_body	Ciel': mc.oracle.mc_bartex_pobocky
dependency id: pur.dependency.metadata.0389 Zdroj: pur.oracle.mc.d_objd_o.package_body	Ciel': pur.oracle.mc.cenniky_popis.table
dependency id: pur.dependency.metadata.0390 Zdroj: pur.oracle.mc.d_objd_o.package	Ciel': pur.oracle.mc.cenotvorba.package
dependency id: pur.dependency.metadata.0391 Zdroj: pur.oracle.mc.d_objd_o.package_body	Ciel': pur.oracle.mc.cenotvorba.package
dependency id: pur.dependency.metadata.0392 Zdroj: pur.oracle.mc.d_objd_o.package_body	Ciel': pur.oracle.mc.cen_ponuky_o.table
dependency id: pur.dependency.metadata.0393 Zdroj: pur.oracle.mc.d_objd_o.package_body	Ciel': pur.oracle.mc.cis_stavy_hist.table

Identita a zdroj	Technické vlastnosti
dependency id: pur.dependency.metadata.0394 Zdroj: pur.oracle.mc.d_objd_o.package_body	Ciel': mc.oracle.mc_cis_stavy_typy
dependency id: pur.dependency.metadata.0395 Zdroj: pur.oracle.mc.d_objd_o.package_body	Ciel': pur.oracle.mc.c_cas_cennik_l.package
dependency id: pur.dependency.metadata.0396 Zdroj: pur.oracle.mc.d_objd_o.package_body	Ciel': pur.oracle.mc.c_cennik_popis.package
dependency id: pur.dependency.metadata.0397 Zdroj: pur.oracle.mc.d_objd_o.package_body	Ciel': pur.oracle.mc.c_cis.package
dependency id: pur.dependency.metadata.0398 Zdroj: pur.oracle.mc.d_objd_o.package_body	Ciel': pur.oracle.mc.c_cis_def.package
dependency id: pur.dependency.metadata.0399 Zdroj: pur.oracle.mc.d_objd_o.package	Ciel': pur.oracle.mc.c_cis_def.package
dependency id: pur.dependency.metadata.0400 Zdroj: pur.oracle.mc.d_objd_o.package_body	Ciel': pur.oracle.mc.c_cis_field_formats_val.package
dependency id: pur.dependency.metadata.0401 Zdroj: pur.oracle.mc.d_objd_o.package_body	Ciel': pur.oracle.mc.c_cis_nastavenia.package
dependency id: pur.dependency.metadata.0402 Zdroj: pur.oracle.mc.d_objd_o.package	Ciel': pur.oracle.mc.c_const.package
dependency id: pur.dependency.metadata.0403 Zdroj: pur.oracle.mc.d_objd_o.package_body	Ciel': pur.oracle.mc.c_const.package
dependency id: pur.dependency.metadata.0404 Zdroj: pur.oracle.mc.d_objd_o.package_body	Ciel': pur.oracle.mc.c_def_hist_zmena.package
dependency id: pur.dependency.metadata.0405 Zdroj: pur.oracle.mc.d_objd_o.package	Ciel': pur.oracle.mc.c_def_hist_zmena.package
dependency id: pur.dependency.metadata.0406 Zdroj: pur.oracle.mc.d_objd_o.package_body	Ciel': pur.oracle.mc.c_dispo_zasoba.package
dependency id: pur.dependency.metadata.0407 Zdroj: pur.oracle.mc.d_objd_o.package_body	Ciel': pur.oracle.mc.c_dokl_l.package
dependency id: pur.dependency.metadata.0408 Zdroj: pur.oracle.mc.d_objd_o.package	Ciel': pur.oracle.mc.c_dokl_o.package
dependency id: pur.dependency.metadata.0409 Zdroj: pur.oracle.mc.d_objd_o.package_body	Ciel': pur.oracle.mc.c_dokl_o.package
dependency id: pur.dependency.metadata.0410 Zdroj: pur.oracle.mc.d_objd_o.package_body	Ciel': pur.oracle.mc.c_dokl_vykryte.package

Identita a zdroj	Technické vlastnosti
dependency id: pur.dependency.metadata.0411 Zdroj: pur.oracle.mc.d_objd_o.package_body	Ciel': pur.oracle.mc.c_exc.package
dependency id: pur.dependency.metadata.0412 Zdroj: pur.oracle.mc.d_objd_o.package_body	Ciel': pur.oracle.mc.c_flags.package
dependency id: pur.dependency.metadata.0413 Zdroj: pur.oracle.mc.d_objd_o.package_body	Ciel': pur.oracle.mc.c_ini.package
dependency id: pur.dependency.metadata.0414 Zdroj: pur.oracle.mc.d_objd_o.package_body	Ciel': pur.oracle.mc.c_makro.package
dependency id: pur.dependency.metadata.0415 Zdroj: pur.oracle.mc.d_objd_o.package	Ciel': pur.oracle.mc.c_makro.package
dependency id: pur.dependency.metadata.0416 Zdroj: pur.oracle.mc.d_objd_o.package_body	Ciel': pur.oracle.mc.c_manager_hist.package
dependency id: pur.dependency.metadata.0417 Zdroj: pur.oracle.mc.d_objd_o.package_body	Ciel': pur.oracle.mc.c_mena.package
dependency id: pur.dependency.metadata.0418 Zdroj: pur.oracle.mc.d_objd_o.package_body	Ciel': pur.oracle.mc.c_m_dod.package
dependency id: pur.dependency.metadata.0419 Zdroj: pur.oracle.mc.d_objd_o.package_body	Ciel': pur.oracle.mc.c_obj_d_kombajn.package
dependency id: pur.dependency.metadata.0420 Zdroj: pur.oracle.mc.d_objd_o.package_body	Ciel': pur.oracle.mc.c_rez_ziad_l.package
dependency id: pur.dependency.metadata.0421 Zdroj: pur.oracle.mc.d_objd_o.package	Ciel': pur.oracle.mc.c_rid.package
dependency id: pur.dependency.metadata.0422 Zdroj: pur.oracle.mc.d_objd_o.package_body	Ciel': pur.oracle.mc.c_rid.package
dependency id: pur.dependency.metadata.0423 Zdroj: pur.oracle.mc.d_objd_o.package_body	Ciel': pur.oracle.mc.c_rz_l.package
dependency id: pur.dependency.metadata.0424 Zdroj: pur.oracle.mc.d_objd_o.package_body	Ciel': pur.oracle.mc.c_rz_o.package
dependency id: pur.dependency.metadata.0425 Zdroj: pur.oracle.mc.d_objd_o.package_body	Ciel': pur.oracle.mc.c_session.package
dependency id: pur.dependency.metadata.0426 Zdroj: pur.oracle.mc.d_objd_o.package_body	Ciel': pur.oracle.mc.c_sklad.package
dependency id: pur.dependency.metadata.0427 Zdroj: pur.oracle.mc.d_objd_o.package_body	Ciel': pur.oracle.mc.c_sklad_karta.package

Identita a zdroj	Technické vlastnosti
dependency id: pur.dependency.metadata.0428 Zdroj: pur.oracle.mc.d_objd_o.package_body	Ciel': pur.oracle.mc.c_sk_sarza_token.package
dependency id: pur.dependency.metadata.0429 Zdroj: pur.oracle.mc.d_objd_o.package_body	Ciel': pur.oracle.mc.c_sk_typ_makra.package
dependency id: pur.dependency.metadata.0430 Zdroj: pur.oracle.mc.d_objd_o.package_body	Ciel': pur.oracle.mc.c_stamp.package
dependency id: pur.dependency.metadata.0431 Zdroj: pur.oracle.mc.d_objd_o.package_body	Ciel': pur.oracle.mc.c_termin_obj_d.package
dependency id: pur.dependency.metadata.0432 Zdroj: pur.oracle.mc.d_objd_o.package	Ciel': pur.oracle.mc.c_typy_cis.package
dependency id: pur.dependency.metadata.0433 Zdroj: pur.oracle.mc.d_objd_o.package_body	Ciel': pur.oracle.mc.c_typy_cis.package
dependency id: pur.dependency.metadata.0434 Zdroj: pur.oracle.mc.d_objd_o.package_body	Ciel': pur.oracle.mc.c_var.package
dependency id: pur.dependency.metadata.0435 Zdroj: pur.oracle.mc.d_objd_o.package_body	Ciel': pur.oracle.mc.c_xml_tags.package
dependency id: pur.dependency.metadata.0436 Zdroj: pur.oracle.mc.d_objd_o.package_body	Ciel': pur.oracle.mc.debugpck.procedure
dependency id: pur.dependency.metadata.0437 Zdroj: pur.oracle.mc.d_objd_o.package_body	Ciel': pur.oracle.mc.debugpckerror.procedure
dependency id: pur.dependency.metadata.0438 Zdroj: pur.oracle.mc.d_objd_o.package_body	Ciel': pur.oracle.mc.dokl_naklady.table
dependency id: pur.dependency.metadata.0439 Zdroj: pur.oracle.mc.d_objd_o.package_body	Ciel': pur.oracle.mc.d_cen_ponuka_l.package
dependency id: pur.dependency.metadata.0440 Zdroj: pur.oracle.mc.d_objd_o.package_body	Ciel': pur.oracle.mc.d_ml_o.package
dependency id: pur.dependency.metadata.0441 Zdroj: pur.oracle.mc.d_objd_o.package_body	Ciel': pur.oracle.mc.d_objd_l.package
dependency id: pur.dependency.metadata.0442 Zdroj: pur.oracle.mc.d_objd_o.package	Ciel': pur.oracle.mc.d_objd_l.package
dependency id: pur.dependency.metadata.0443 Zdroj: pur.oracle.mc.d_objd_o.package_body	Ciel': pur.oracle.mc.d_objd_o.package
dependency id: pur.dependency.metadata.0444 Zdroj: pur.oracle.mc.d_objd_o.package_body	Ciel': pur.oracle.mc.d_obj_odb_l.package

Identita a zdroj	Technické vlastnosti
dependency id: pur.dependency.metadata.0445 Zdroj: pur.oracle.mc.d_objd_o.package_body	Ciel': pur.oracle.mc.d_obj_odb_l_b.package
dependency id: pur.dependency.metadata.0446 Zdroj: pur.oracle.mc.d_objd_o.package_body	Ciel': pur.oracle.mc.d_obj_odb_o.package
dependency id: pur.dependency.metadata.0447 Zdroj: pur.oracle.mc.d_objd_o.package_body	Ciel': pur.oracle.mc.d_prijemka_o.package
dependency id: pur.dependency.metadata.0448 Zdroj: pur.oracle.mc.d_objd_o.package_body	Ciel': pur.oracle.mc.d_ser_zak_o.package
dependency id: pur.dependency.metadata.0449 Zdroj: pur.oracle.mc.d_objd_o.package_body	Ciel': pur.oracle.mc.d_ser_z_l.package
dependency id: pur.dependency.metadata.0450 Zdroj: pur.oracle.mc.d_objd_o.package_body	Ciel': pur.oracle.mc.d_ser_z_o.package
dependency id: pur.dependency.metadata.0451 Zdroj: pur.oracle.mc.d_objd_o.package_body	Ciel': pur.oracle.mc.d_t_dokl_l.package
dependency id: pur.dependency.metadata.0452 Zdroj: pur.oracle.mc.d_objd_o.package_body	Ciel': pur.oracle.mc.d_t_dokl_o.package
dependency id: pur.dependency.metadata.0453 Zdroj: pur.oracle.mc.d_objd_o.package_body	Ciel': pur.oracle.mc.getrespar2.function
dependency id: pur.dependency.metadata.0454 Zdroj: pur.oracle.mc.d_objd_o.package_body	Ciel': pur.oracle.mc.kody_baleni.table
dependency id: pur.dependency.metadata.0455 Zdroj: pur.oracle.mc.d_objd_o.package_body	Ciel': pur.oracle.mc.listagg_clob.function
dependency id: pur.dependency.metadata.0456 Zdroj: pur.oracle.mc.d_objd_o.package_body	Ciel': pur.oracle.mc.makro_obsah.table
dependency id: pur.dependency.metadata.0457 Zdroj: pur.oracle.mc.d_objd_o.package_body	Ciel': pur.oracle.mc.num_pole.type
dependency id: pur.dependency.metadata.0458 Zdroj: pur.oracle.mc.d_objd_o.package_body	Ciel': mc.object.objd_l
dependency id: pur.dependency.metadata.0459 Zdroj: pur.oracle.mc.d_objd_o.package	Ciel': mc.object.objd_o
dependency id: pur.dependency.metadata.0460 Zdroj: pur.oracle.mc.d_objd_o.package_body	Ciel': mc.object.objd_o
dependency id: pur.dependency.metadata.0461 Zdroj: pur.oracle.mc.d_objd_o.package	Ciel': mc.object.obj_d_navrh

Identita a zdroj	Technické vlastnosti
dependency id: pur.dependency.metadata.0462 Zdroj: pur.oracle.mc.d_objd_o.package_body	Ciel': mc.object.obj_d_navrh
dependency id: pur.dependency.metadata.0463 Zdroj: pur.oracle.mc.d_objd_o.package_body	Ciel': mc.object.obj_d_navrh_log
dependency id: pur.dependency.metadata.0464 Zdroj: pur.oracle.mc.d_objd_o.package_body	Ciel': pur.oracle.mc.obj_odb_l.table
dependency id: pur.dependency.metadata.0465 Zdroj: pur.oracle.mc.d_objd_o.package_body	Ciel': pur.oracle.mc.obj_odb_o.table
dependency id: pur.dependency.metadata.0466 Zdroj: pur.oracle.mc.d_objd_o.package_body	Ciel': pur.oracle.mc.pck_tools.package
dependency id: pur.dependency.metadata.0467 Zdroj: pur.oracle.mc.d_objd_o.package_body	Ciel': pur.oracle.mc.ppf.package
dependency id: pur.dependency.metadata.0468 Zdroj: pur.oracle.mc.d_objd_o.package_body	Ciel': pur.oracle.mc.prijemky_obsah.table
dependency id: pur.dependency.metadata.0469 Zdroj: pur.oracle.mc.d_objd_o.package_body	Ciel': pur.oracle.mc.rez_ziad_o.table
dependency id: pur.dependency.metadata.0470 Zdroj: pur.oracle.mc.d_objd_o.package_body	Ciel': pur.oracle.mc.rz_o.table
dependency id: pur.dependency.metadata.0471 Zdroj: pur.oracle.mc.d_objd_o.package_body	Ciel': pur.oracle.mc.ser_z_l.table
dependency id: pur.dependency.metadata.0472 Zdroj: pur.oracle.mc.d_objd_o.package_body	Ciel': pur.oracle.mc.ser_z_o.table
dependency id: pur.dependency.metadata.0473 Zdroj: pur.oracle.mc.d_objd_o.package_body	Ciel': pur.oracle.mc.sklad_karta.table
dependency id: pur.dependency.metadata.0474 Zdroj: pur.oracle.mc.d_objd_o.package_body	Ciel': pur.oracle.mc.str_pole.type
dependency id: pur.dependency.metadata.0475 Zdroj: pur.oracle.mc.d_objd_o.package	Ciel': pur.oracle.mc.str_pole.type
dependency id: pur.dependency.metadata.0476 Zdroj: pur.oracle.mc.d_objd_o.package_body	Ciel': pur.oracle.mc.todate.function
dependency id: pur.dependency.metadata.0477 Zdroj: pur.oracle.mc.d_objd_o.package_body	Ciel': pur.oracle.mc.tonumber.function
dependency id: pur.dependency.metadata.0478 Zdroj: pur.oracle.mc.d_objd_o.package_body	Ciel': pur.oracle.mc.t_dokl_l.table

Identita a zdroj	Technické vlastnosti
dependency id: pur.dependency.metadata.0479 Zdroj: pur.oracle.mc.d_objd_o.package_body	Ciel': pur.oracle.mc.t_dokl_o.table
dependency id: pur.dependency.metadata.0480 Zdroj: pur.oracle.mc.d_objd_o.package_body	Ciel': pur.oracle.public.dbms_lob.synonym
dependency id: pur.dependency.metadata.0481 Zdroj: pur.oracle.mc.d_objd_o.package_body	Ciel': pur.oracle.public.dbms_output.synonym
dependency id: pur.dependency.metadata.0482 Zdroj: pur.oracle.mc.d_objd_o.package_body	Ciel': pur.oracle.public.plitblm.synonym
dependency id: pur.dependency.metadata.0483 Zdroj: pur.oracle.mc.d_objd_o.package_body	Ciel': pur.oracle.public.utl_file.synonym
dependency id: pur.dependency.metadata.0484 Zdroj: pur.oracle.mc.d_objd_o.package	Ciel': pur.oracle.public.utl_file.synonym
dependency id: pur.dependency.metadata.0485 Zdroj: pur.oracle.mc.d_objd_o.package	Ciel': pur.oracle.public.xmltype.synonym
dependency id: pur.dependency.metadata.0486 Zdroj: pur.oracle.mc.d_objd_o.package_body	Ciel': pur.oracle.public.xmltype.synonym
dependency id: pur.dependency.metadata.0487 Zdroj: pur.oracle.mc.d_objd_o.package	Ciel': pur.oracle.sys.standard.package
dependency id: pur.dependency.metadata.0488 Zdroj: pur.oracle.mc.d_objd_o.package_body	Ciel': pur.oracle.sys.standard.package
dependency id: pur.dependency.metadata.0489 Zdroj: pur.oracle.mc.d_objd_o.package_body	Ciel': pur.oracle.sys.xmltype.type
dependency id: pur.dependency.metadata.0490 Zdroj: pur.oracle.mc.d_objd_o.package	Ciel': pur.oracle.sys.xmltype.type
dependency id: pur.dependency.metadata.0491 Zdroj: pur.oracle.mc.d_obj_dod_l.package_body	Ciel': pur.oracle.mc.d_objd_l.package
dependency id: pur.dependency.metadata.0492 Zdroj: pur.oracle.mc.d_obj_dod_l.package_body	Ciel': mc.object.obj_d_rozd_blokacii
dependency id: pur.dependency.metadata.0493 Zdroj: mc.oracle.mc_d_obj_odb_l.package_body	Ciel': pur.oracle.mc.c_obj_d_kombajn.package
dependency id: pur.dependency.metadata.0494 Zdroj: mc.oracle.mc_d_obj_odb_l.package_body	Ciel': pur.oracle.mc.d_objd_l.package
dependency id: pur.dependency.metadata.0495 Zdroj: mc.oracle.mc_d_obj_odb_l.package_body	Ciel': mc.object.objd_l

Identita a zdroj	Technické vlastnosti
dependency id: pur.dependency.metadata.0496 Zdroj: mc.oracle.mc_d_obj_odb_l.package_body	Ciel': mc.object.objd_o
dependency id: pur.dependency.metadata.0497 Zdroj: mc.oracle.mc_d_obj_odb_l.package_body	Ciel': mc.object.obj_d_navrh
dependency id: pur.dependency.metadata.0498 Zdroj: pur.oracle.mc.d_obj_odb_l_b.package_body	Ciel': mc.object.objd_o
dependency id: pur.dependency.metadata.0499 Zdroj: pur.oracle.mc.d_obj_odb_l_f.package_body	Ciel': pur.oracle.mc.d_objd_l.package
dependency id: pur.dependency.metadata.0500 Zdroj: pur.oracle.mc.d_obj_odb_l_f.package_body	Ciel': mc.object.objd_l
dependency id: pur.dependency.metadata.0501 Zdroj: pur.oracle.mc.d_obj_odb_l_f.package_body	Ciel': mc.object.objd_o
dependency id: pur.dependency.metadata.0502 Zdroj: pur.oracle.mc.d_obj_odb_o.package_body	Ciel': pur.oracle.mc.c_obj_d_kombajn.package
dependency id: pur.dependency.metadata.0503 Zdroj: pur.oracle.mc.d_obj_odb_o.package_body	Ciel': pur.oracle.mc.d_objd_l.package
dependency id: pur.dependency.metadata.0504 Zdroj: pur.oracle.mc.d_obj_odb_o.package_body	Ciel': pur.oracle.mc.d_objd_o.package
dependency id: pur.dependency.metadata.0505 Zdroj: pur.oracle.mc.d_obj_odb_o.package_body	Ciel': mc.object.objd_l
dependency id: pur.dependency.metadata.0506 Zdroj: pur.oracle.mc.d_obj_odb_o.package_body	Ciel': mc.object.objd_o
dependency id: pur.dependency.metadata.0507 Zdroj: pur.oracle.mc.d_obj_odb_o.package_body	Ciel': mc.object.obj_d_navrh
dependency id: pur.dependency.metadata.0508 Zdroj: mc.oracle.mc_d_prijemka_l.package_body	Ciel': pur.oracle.mc.c_obj_d_kombajn.package
dependency id: pur.dependency.metadata.0509 Zdroj: mc.oracle.mc_d_prijemka_l.package_body	Ciel': pur.oracle.mc.d_objd_l.package
dependency id: pur.dependency.metadata.0510 Zdroj: mc.oracle.mc_d_prijemka_l.package_body	Ciel': pur.oracle.mc.d_objd_o.package
dependency id: pur.dependency.metadata.0511 Zdroj: mc.oracle.mc_d_prijemka_l.package_body	Ciel': mc.object.objd_l
dependency id: pur.dependency.metadata.0512 Zdroj: mc.oracle.mc_d_prijemka_l.package_body	Ciel': mc.object.objd_o

Identita a zdroj	Technické vlastnosti
dependency id: pur.dependency.metadata.0513 Zdroj: mc.oracle.mc_d_prijemka_l.package_body	Ciel': mc.object.obj_d_navrh_log
dependency id: pur.dependency.metadata.0514 Zdroj: mc.oracle.mc_d_prijemka_l.package_body	Ciel': mc.object.obj_d_rozd_blokacii
dependency id: pur.dependency.metadata.0515 Zdroj: pur.oracle.mc.d_prijemka_o.package_body	Ciel': pur.oracle.mc.d_objd_l.package
dependency id: pur.dependency.metadata.0516 Zdroj: pur.oracle.mc.d_prijemka_o.package_body	Ciel': pur.oracle.mc.d_objd_o.package
dependency id: pur.dependency.metadata.0517 Zdroj: pur.oracle.mc.d_prijemka_o.package_body	Ciel': mc.object.objd_o
dependency id: pur.dependency.metadata.0518 Zdroj: pur.oracle.mc.d_ser_zak_l.package_body	Ciel': pur.oracle.mc.d_objd_l.package
dependency id: pur.dependency.metadata.0519 Zdroj: pur.oracle.mc.d_ser_zak_l.package_body	Ciel': pur.oracle.mc.d_objd_o.package
dependency id: pur.dependency.metadata.0520 Zdroj: pur.oracle.mc.d_ser_zak_o.package_body	Ciel': pur.oracle.mc.d_objd_l.package
dependency id: pur.dependency.metadata.0521 Zdroj: pur.oracle.mc.d_ser_zak_o.package_body	Ciel': mc.object.objd_l
dependency id: pur.dependency.metadata.0522 Zdroj: pur.oracle.mc.d_ser_zak_o.package_body	Ciel': mc.object.objd_o
dependency id: pur.dependency.metadata.0523 Zdroj: pur.oracle.mc.d_ser_z_l.package_body	Ciel': pur.oracle.mc.c_obj_d_kombajn.package
dependency id: pur.dependency.metadata.0524 Zdroj: pur.oracle.mc.d_ser_z_o.package_body	Ciel': pur.oracle.mc.c_obj_d_kombajn.package
dependency id: pur.dependency.metadata.0525 Zdroj: pur.oracle.mc.d_ser_z_o.package_body	Ciel': pur.oracle.mc.d_objd_l.package
dependency id: pur.dependency.metadata.0526 Zdroj: pur.oracle.mc.d_ser_z_o.package_body	Ciel': pur.oracle.mc.d_objd_o.package
dependency id: pur.dependency.metadata.0527 Zdroj: pur.oracle.mc.d_ser_z_o.package_body	Ciel': mc.object.objd_l
dependency id: pur.dependency.metadata.0528 Zdroj: pur.oracle.mc.d_ser_z_o.package_body	Ciel': mc.object.objd_o
dependency id: pur.dependency.metadata.0529 Zdroj: pur.oracle.mc.d_ser_z_o.package_body	Ciel': mc.object.obj_d_navrh

Identita a zdroj	Technické vlastnosti
dependency id: pur.dependency.metadata.0530 Zdroj: mc.oracle.mc_d_t_dokl_l.package_body	Ciel': pur.oracle.mc.d_objd_l.package
dependency id: pur.dependency.metadata.0531 Zdroj: mc.oracle.mc_d_t_dokl_l.package_body	Ciel': pur.oracle.mc.d_objd_o.package
dependency id: pur.dependency.metadata.0532 Zdroj: mc.oracle.mc_d_t_dokl_l.package_body	Ciel': mc.object.objd_l
dependency id: pur.dependency.metadata.0533 Zdroj: mc.oracle.mc_d_t_dokl_l.package_body	Ciel': mc.object.objd_o
dependency id: pur.dependency.metadata.0534 Zdroj: pur.oracle.mc.d_t_dokl_o.package_body	Ciel': pur.oracle.mc.d_objd_l.package
dependency id: pur.dependency.metadata.0535 Zdroj: pur.oracle.mc.d_t_dokl_o.package_body	Ciel': pur.oracle.mc.d_objd_o.package
dependency id: pur.dependency.metadata.0536 Zdroj: pur.oracle.mc.d_t_dokl_o.package_body	Ciel': mc.object.objd_l
dependency id: pur.dependency.metadata.0537 Zdroj: pur.oracle.mc.d_t_dokl_o.package_body	Ciel': mc.object.objd_o
dependency id: pur.dependency.metadata.0538 Zdroj: mc.oracle.mc_d_vydaj_l.package_body	Ciel': pur.oracle.mc.d_objd_l.package
dependency id: pur.dependency.metadata.0539 Zdroj: mc.oracle.mc_d_vydaj_l.package_body	Ciel': pur.oracle.mc.d_objd_o.package
dependency id: pur.dependency.metadata.0540 Zdroj: mc.oracle.mc_d_vydaj_l.package_body	Ciel': mc.object.objd_l
dependency id: pur.dependency.metadata.0541 Zdroj: mc.oracle.mc_d_vydaj_l.package_body	Ciel': mc.object.objd_o
dependency id: pur.dependency.metadata.0542 Zdroj: mc.oracle.mc_edi_komunikacia.package_body	Ciel': mc.object.objd_l
dependency id: pur.dependency.metadata.0543 Zdroj: mc.oracle.mc_edi_komunikacia.package_body	Ciel': mc.object.objd_o
dependency id: pur.dependency.metadata.0544 Zdroj: mc.oracle.mc_edi_komunikacia2.package_body	Ciel': mc.object.objd_l
dependency id: pur.dependency.metadata.0545 Zdroj: mc.oracle.mc_edi_komunikacia2.package_body	Ciel': mc.object.objd_o
dependency id: pur.dependency.metadata.0546 Zdroj: mc.oracle.mc_edi_komunikacia3.package_body	Ciel': mc.object.objd_l

Identita a zdroj	Technické vlastnosti
dependency id: pur.dependency.metadata.0547 Zdroj: mc.oracle.mc_edu_komunikacia3.package_body	Ciel': mc.object.objd_o
dependency id: pur.dependency.metadata.0548 Zdroj: mc.oracle.mc_edu_komunikacia_201770124.package_body	Ciel': mc.object.objd_l
dependency id: pur.dependency.metadata.0549 Zdroj: mc.oracle.mc_edu_komunikacia_201770124.package_body	Ciel': mc.object.objd_o
dependency id: pur.dependency.metadata.0550 Zdroj: mc.oracle.mc_edu_komunikacia_cz.package_body	Ciel': mc.object.objd_l
dependency id: pur.dependency.metadata.0551 Zdroj: mc.oracle.mc_edu_komunikacia_cz.package_body	Ciel': mc.object.objd_o
dependency id: pur.dependency.metadata.0552 Zdroj: pur.oracle.mc.edi_komunikacia_kaso.package_body	Ciel': mc.object.objd_l
dependency id: pur.dependency.metadata.0553 Zdroj: pur.oracle.mc.edi_komunikacia_kaso.package_body	Ciel': mc.object.objd_o
dependency id: pur.dependency.metadata.0554 Zdroj: mc.oracle.mc_edu_komunikacia_kaso2.package_body	Ciel': mc.object.objd_l
dependency id: pur.dependency.metadata.0555 Zdroj: mc.oracle.mc_edu_komunikacia_kaso2.package_body	Ciel': mc.object.objd_o
dependency id: pur.dependency.metadata.0556 Zdroj: mc.oracle.mc_edu_komunikacia_kaso3.package_body	Ciel': mc.object.objd_l
dependency id: pur.dependency.metadata.0557 Zdroj: mc.oracle.mc_edu_komunikacia_kaso3.package_body	Ciel': mc.object.objd_o
dependency id: pur.dependency.metadata.0558 Zdroj: mc.oracle.mc_edu_komunikacia_pp.package_body	Ciel': mc.object.objd_l
dependency id: pur.dependency.metadata.0559 Zdroj: mc.oracle.mc_edu_komunikacia_pp.package_body	Ciel': mc.object.objd_o
dependency id: pur.dependency.metadata.0560 Zdroj: mc.oracle.mc_edu_komunikacia_stevo.package_body	Ciel': mc.object.objd_l
dependency id: pur.dependency.metadata.0561 Zdroj: mc.oracle.mc_edu_komunikacia_stevo.package_body	Ciel': mc.object.objd_o
dependency id: pur.dependency.metadata.0562 Zdroj: mc.oracle.mc_edu_komunikacia_zaloha_11_9.package_body	Ciel': mc.object.objd_l
dependency id: pur.dependency.metadata.0563 Zdroj: mc.oracle.mc_edu_komunikacia_zaloha_11_9.package_body	Ciel': mc.object.objd_o

Identita a zdroj	Technické vlastnosti
dependency id: pur.dependency.metadata.0564 Zdroj: pur.oracle.mc.getobjdod_mc.function	Ciel': pur.oracle.mc.d_objd_l.package
dependency id: pur.dependency.metadata.0565 Zdroj: pur.oracle.mc.getobjdod_mc.function	Ciel': mc.object.objd_l
dependency id: pur.dependency.metadata.0566 Zdroj: pur.oracle.mc.getobjdod_mc.function	Ciel': mc.object.objd_o
dependency id: pur.dependency.metadata.0567 Zdroj: pur.oracle.mc.hamilton.package_body	Ciel': mc.object.objd_l
dependency id: pur.dependency.metadata.0568 Zdroj: pur.oracle.mc.hamilton.package_body	Ciel': mc.object.objd_o
dependency id: pur.dependency.metadata.0569 Zdroj: mc.oracle.mc_handygo.package_body	Ciel': pur.oracle.mc.d_objd_l.package
dependency id: pur.dependency.metadata.0570 Zdroj: mc.oracle.mc_handygo.package_body	Ciel': pur.oracle.mc.d_objd_o.package
dependency id: pur.dependency.metadata.0571 Zdroj: mc.oracle.mc_handygo.package_body	Ciel': mc.object.objd_l
dependency id: pur.dependency.metadata.0572 Zdroj: mc.oracle.mc_handygo.package_body	Ciel': mc.object.objd_o
dependency id: pur.dependency.metadata.0573 Zdroj: pur.oracle.mc.idoklad.package_body	Ciel': mc.object.objd_l
dependency id: pur.dependency.metadata.0574 Zdroj: pur.oracle.mc.idoklad.package_body	Ciel': mc.object.objd_o
dependency id: pur.dependency.metadata.0575 Zdroj: pur.oracle.mc.mccarter_plan.package_body	Ciel': mc.object.objd_l
dependency id: pur.dependency.metadata.0576 Zdroj: pur.oracle.mc.mccarter_plan.package_body	Ciel': mc.object.objd_o
dependency id: pur.dependency.metadata.0577 Zdroj: pur.oracle.mc.mccarter_plan_mk.package_body	Ciel': mc.object.objd_l
dependency id: pur.dependency.metadata.0578 Zdroj: pur.oracle.mc.mccarter_plan_mk.package_body	Ciel': mc.object.objd_o
dependency id: pur.dependency.metadata.0579 Zdroj: pur.oracle.mc.mccarter_plan_ot.package_body	Ciel': pur.oracle.mc.c_obj_d_kombajn.package
dependency id: pur.dependency.metadata.0580 Zdroj: pur.oracle.mc.mccarter_plan_ot.package_body	Ciel': mc.object.objd_l

Identita a zdroj	Technické vlastnosti
dependency id: pur.dependency.metadata.0581 Zdroj: pur.oracle.mc.mccarter_plan_ot.package_body	Ciel': mc.object.objd_o
dependency id: pur.dependency.metadata.0582 Zdroj: pur.oracle.mc.mccarter_plan_ot.package_body	Ciel': mc.object.obj_d_navrh
dependency id: pur.dependency.metadata.0583 Zdroj: pur.oracle.mc.moshopper.package_body	Ciel': mc.object.objd_l
dependency id: pur.dependency.metadata.0584 Zdroj: mc.object.objd_l	Ciel': pur.oracle.sys.standard.package
dependency id: pur.dependency.metadata.0585 Zdroj: mc.object.objd_l	Ciel': pur.oracle.sys.xmltype.type
dependency id: pur.dependency.metadata.0586 Zdroj: pur.oracle.mc.objd_l_5020.synonym	Ciel': mc.object.objd_l
dependency id: pur.dependency.metadata.0587 Zdroj: mc.object.objd_o	Ciel': pur.oracle.sys.standard.package
dependency id: pur.dependency.metadata.0588 Zdroj: mc.object.objd_o	Ciel': pur.oracle.sys.xmltype.type
dependency id: pur.dependency.metadata.0589 Zdroj: pur.oracle.mc.obj_dod_l.view	Ciel': mc.object.objd_l
dependency id: pur.dependency.metadata.0590 Zdroj: pur.oracle.mc.obj_dod_o.view	Ciel': mc.object.objd_o
dependency id: pur.dependency.metadata.0591 Zdroj: mc.object.obj_d_navrh	Ciel': pur.oracle.sys.standard.package
dependency id: pur.dependency.metadata.0592 Zdroj: mc.object.obj_d_navrh	Ciel': pur.oracle.sys.xmltype.type
dependency id: pur.dependency.metadata.0593 Zdroj: mc.object.obj_d_rozd_blokacii	Ciel': pur.oracle.sys.standard.package
dependency id: pur.dependency.metadata.0594 Zdroj: mc.object.obj_d_rozd_blokacii	Ciel': pur.oracle.sys.xmltype.type
dependency id: pur.dependency.metadata.0595 Zdroj: pur.oracle.mc.odokladj.type_body	Ciel': pur.oracle.mc.d_objd_l.package
dependency id: pur.dependency.metadata.0596 Zdroj: pur.oracle.mc.odokladj.type_body	Ciel': pur.oracle.mc.d_objd_o.package
dependency id: pur.dependency.metadata.0597 Zdroj: pur.oracle.mc.pck_dreamer.package_body	Ciel': pur.oracle.mc.d_objd_l.package

Identita a zdroj	Technické vlastnosti
dependency id: pur.dependency.metadata.0598 Zdroj: pur.oracle.mc.pck_ispp_tools.package_body	Ciel': mc.object.objd_l
dependency id: pur.dependency.metadata.0599 Zdroj: pur.oracle.mc.pck_mc_ref.package_body	Ciel': pur.oracle.mc.d_objd_l.package
dependency id: pur.dependency.metadata.0600 Zdroj: pur.oracle.mc.pck_mc_ref.package_body	Ciel': pur.oracle.mc.d_objd_o.package
dependency id: pur.dependency.metadata.0601 Zdroj: pur.oracle.mc.pck_mc_ref.package_body	Ciel': mc.object.objd_l
dependency id: pur.dependency.metadata.0602 Zdroj: pur.oracle.mc.pck_mc_ref.package_body	Ciel': mc.object.objd_o
dependency id: pur.dependency.metadata.0603 Zdroj: pur.oracle.mc.pck_monet.package_body	Ciel': pur.oracle.mc.d_objd_l.package
dependency id: pur.dependency.metadata.0604 Zdroj: pur.oracle.mc.pck_monet.package_body	Ciel': mc.object.objd_o
dependency id: pur.dependency.metadata.0605 Zdroj: pur.oracle.mc.pck_refakturacia.package_body	Ciel': pur.oracle.mc.d_objd_l.package
dependency id: pur.dependency.metadata.0606 Zdroj: pur.oracle.mc.pck_refakturacia.package_body	Ciel': pur.oracle.mc.d_objd_o.package
dependency id: pur.dependency.metadata.0607 Zdroj: pur.oracle.mc.pck_refakturacia.package_body	Ciel': mc.object.objd_l
dependency id: pur.dependency.metadata.0608 Zdroj: pur.oracle.mc.pck_refakturacia.package_body	Ciel': mc.object.objd_o
dependency id: pur.dependency.metadata.0609 Zdroj: pur.oracle.mc.pck_refakturacia2.package_body	Ciel': pur.oracle.mc.d_objd_l.package
dependency id: pur.dependency.metadata.0610 Zdroj: pur.oracle.mc.pck_refakturacia2.package_body	Ciel': pur.oracle.mc.d_objd_o.package
dependency id: pur.dependency.metadata.0611 Zdroj: pur.oracle.mc.pck_refakturacia2.package_body	Ciel': mc.object.objd_l
dependency id: pur.dependency.metadata.0612 Zdroj: pur.oracle.mc.pck_refakturacia2.package_body	Ciel': mc.object.objd_o
dependency id: pur.dependency.metadata.0613 Zdroj: pur.oracle.mc.pck_xmit.package_body	Ciel': pur.oracle.mc.d_objd_l.package
dependency id: pur.dependency.metadata.0614 Zdroj: mc.oracle.mc.preklapania.package_body	Ciel': pur.oracle.mc.d_objd_l.package

Identita a zdroj	Technické vlastnosti
dependency id: pur.dependency.metadata.0615 Zdroj: mc.oracle.mc_preklapania.package_body	Ciel': pur.oracle.mc.d_objd_o.package
dependency id: pur.dependency.metadata.0616 Zdroj: mc.oracle.mc_preklapania.package_body	Ciel': mc.object.objd_l
dependency id: pur.dependency.metadata.0617 Zdroj: mc.oracle.mc_preklapania.package_body	Ciel': mc.object.objd_o
dependency id: pur.dependency.metadata.0618 Zdroj: mc.oracle.mc_preklapania2.package_body	Ciel': pur.oracle.mc.d_objd_l.package
dependency id: pur.dependency.metadata.0619 Zdroj: mc.oracle.mc_preklapania2.package_body	Ciel': pur.oracle.mc.d_objd_o.package
dependency id: pur.dependency.metadata.0620 Zdroj: mc.oracle.mc_preklapania2.package_body	Ciel': mc.object.objd_l
dependency id: pur.dependency.metadata.0621 Zdroj: mc.oracle.mc_preklapania2.package_body	Ciel': mc.object.objd_o
dependency id: pur.dependency.metadata.0622 Zdroj: pur.oracle.mc.stats.package_body	Ciel': mc.object.objd_l
dependency id: pur.dependency.metadata.0623 Zdroj: pur.oracle.mc.stats.package_body	Ciel': mc.object.objd_o
dependency id: pur.dependency.metadata.0624 Zdroj: pur.oracle.mc.t_hz_objd_l.trigger	Ciel': mc.object.objd_l
dependency id: pur.dependency.metadata.0625 Zdroj: pur.oracle.mc.t_hz_objd_o_14.trigger	Ciel': pur.oracle.mc.d_objd_o.package
dependency id: pur.dependency.metadata.0626 Zdroj: pur.oracle.mc.t_hz_objd_o_14.trigger	Ciel': mc.object.objd_o
dependency id: pur.dependency.metadata.0627 Zdroj: pur.oracle.mc.t_mc_mail_objd.trigger	Ciel': mc.object.objd_l
dependency id: pur.dependency.metadata.0628 Zdroj: pur.oracle.mc.t_mc_mail_objd.trigger	Ciel': mc.object.objd_o
dependency id: pur.dependency.metadata.0629 Zdroj: pur.oracle.mc.t_objd_l_log_zmien.trigger	Ciel': pur.oracle.mc.d_objd_o.package
dependency id: pur.dependency.metadata.0630 Zdroj: pur.oracle.mc.t_objd_l_log_zmien.trigger	Ciel': mc.object.objd_l
dependency id: pur.dependency.metadata.0631 Zdroj: pur.oracle.mc.t_objd_l_st_pump.trigger	Ciel': mc.object.objd_l

Identita a zdroj	Technické vlastnosti
dependency id: pur.dependency.metadata.0632 Zdroj: pur.oracle.mc.t_objd_o_blok_pl.trigger	Ciel': pur.oracle.mc.d_objd_l.package
dependency id: pur.dependency.metadata.0633 Zdroj: pur.oracle.mc.t_objd_o_blok_pl.trigger	Ciel': mc.object.objd_o
dependency id: pur.dependency.metadata.0634 Zdroj: pur.oracle.mc.t_objd_o_ct_kontrakt_obj.trigger	Ciel': mc.object.objd_o
dependency id: pur.dependency.metadata.0635 Zdroj: pur.oracle.mc.t_objd_o_delete.trigger	Ciel': mc.object.objd_o
dependency id: pur.dependency.metadata.0636 Zdroj: pur.oracle.mc.t_objd_o_dispo_zasoby.trigger	Ciel': pur.oracle.mc.d_objd_l.package
dependency id: pur.dependency.metadata.0637 Zdroj: pur.oracle.mc.t_objd_o_dispo_zasoby.trigger	Ciel': mc.object.objd_l
dependency id: pur.dependency.metadata.0638 Zdroj: pur.oracle.mc.t_objd_o_dispo_zasoby.trigger	Ciel': mc.object.objd_o
dependency id: pur.dependency.metadata.0639 Zdroj: pur.oracle.mc.t_objd_o_log_zmien.trigger	Ciel': pur.oracle.mc.d_objd_o.package
dependency id: pur.dependency.metadata.0640 Zdroj: pur.oracle.mc.t_objd_o_log_zmien.trigger	Ciel': mc.object.objd_o
dependency id: pur.dependency.metadata.0641 Zdroj: pur.oracle.mc.t_objd_o_modif_i.trigger	Ciel': mc.object.objd_o
dependency id: pur.dependency.metadata.0642 Zdroj: pur.oracle.mc.t_objd_o_pocet_navrh.trigger	Ciel': mc.object.objd_l
dependency id: pur.dependency.metadata.0643 Zdroj: pur.oracle.mc.t_objd_o_pocet_navrh.trigger	Ciel': mc.object.objd_o
dependency id: pur.dependency.metadata.0644 Zdroj: pur.oracle.mc.t_objd_o_p_obj_d.trigger	Ciel': pur.oracle.mc.d_objd_o.package
dependency id: pur.dependency.metadata.0645 Zdroj: pur.oracle.mc.t_objd_o_p_obj_d.trigger	Ciel': mc.object.objd_l
dependency id: pur.dependency.metadata.0646 Zdroj: pur.oracle.mc.t_objd_o_p_obj_d.trigger	Ciel': mc.object.objd_o
dependency id: pur.dependency.metadata.0647 Zdroj: pur.oracle.mc.t_objd_o_storno.trigger	Ciel': mc.object.objd_o
dependency id: pur.dependency.metadata.0648 Zdroj: pur.oracle.mc.t_objd_o_vaz_pol.trigger	Ciel': mc.object.objd_l

Identita a zdroj	Technické vlastnosti
dependency id: pur.dependency.metadata.0649 Zdroj: pur.oracle.mc.t_objd_o_vaz_pol.trigger	Ciel': mc.object.objd_o
dependency id: pur.dependency.metadata.0650 Zdroj: pur.oracle.mc.t_objd_o_zlavy.trigger	Ciel': mc.object.objd_o
dependency id: pur.dependency.metadata.0651 Zdroj: pur.oracle.mc.t_obj_dod_l_io.trigger	Ciel': pur.oracle.mc.d_objd_l.package
dependency id: pur.dependency.metadata.0652 Zdroj: pur.oracle.mc.t_obj_dod_l_io.trigger	Ciel': mc.object.objd_l
dependency id: pur.dependency.metadata.0653 Zdroj: pur.oracle.mc.t_obj_dod_o_io.trigger	Ciel': pur.oracle.mc.d_objd_l.package
dependency id: pur.dependency.metadata.0654 Zdroj: pur.oracle.mc.t_obj_dod_o_io.trigger	Ciel': mc.object.objd_l
dependency id: pur.dependency.metadata.0655 Zdroj: pur.oracle.mc.t_obj_dod_o_io.trigger	Ciel': mc.object.objd_o
dependency id: pur.dependency.metadata.0656 Zdroj: pur.oracle.mc.t_obj_d_navrh_log.trigger	Ciel': mc.object.obj_d_navrh
dependency id: pur.dependency.metadata.0657 Zdroj: pur.oracle.mc.t_obj_d_navrh_log.trigger	Ciel': mc.object.obj_d_navrh_log
dependency id: pur.dependency.metadata.0658 Zdroj: pur.oracle.mc.t_obj_d_navrh_vyr_log.trigger	Ciel': pur.oracle.mc.c_obj_d_kombajn.package
dependency id: pur.dependency.metadata.0659 Zdroj: pur.oracle.mc.t_obj_d_navrh_vyr_log.trigger	Ciel': mc.object.obj_d_navrh
dependency id: pur.dependency.metadata.0660 Zdroj: pur.oracle.mc.t_obj_d_navrh_vyr_log.trigger	Ciel': mc.object.obj_d_navrh_vyr
dependency id: pur.dependency.metadata.0661 Zdroj: pur.oracle.mc.t_r_objd_l.trigger	Ciel': mc.object.objd_l
dependency id: pur.dependency.metadata.0662 Zdroj: pur.oracle.mc.t_r_objd_o.trigger	Ciel': mc.object.objd_o
dependency id: pur.dependency.metadata.0663 Zdroj: pur.oracle.mc.t_sz_p_objd_o.trigger	Ciel': mc.object.objd_l
dependency id: pur.dependency.metadata.0664 Zdroj: pur.oracle.mc.t_sz_p_objd_o.trigger	Ciel': mc.object.objd_o
dependency id: pur.dependency.metadata.0665 Zdroj: pur.oracle.mc.t_sz_p_objd_o_ins.trigger	Ciel': mc.object.objd_l

Identita a zdroj	Technické vlastnosti
dependency id: pur.dependency.metadata.0666 Zdroj: pur.oracle.mc.t_sz_p_objd_o_ins.trigger	Ciel': mc.object.objd_o
dependency id: pur.dependency.metadata.0667 Zdroj: pur.oracle.mc.t_s_objd_l.trigger	Ciel': pur.oracle.mc.d_objd_l.package
dependency id: pur.dependency.metadata.0668 Zdroj: pur.oracle.mc.t_s_objd_l.trigger	Ciel': mc.object.objd_l
dependency id: pur.dependency.metadata.0669 Zdroj: pur.oracle.mc.t_s_objd_l.trigger	Ciel': mc.object.objd_o
dependency id: pur.dependency.metadata.0670 Zdroj: pur.oracle.mc.t_s_obj_d_navrh.trigger	Ciel': pur.oracle.mc.c_obj_d_kombajn.package
dependency id: pur.dependency.metadata.0671 Zdroj: pur.oracle.mc.t_s_obj_d_navrh.trigger	Ciel': mc.object.obj_d_navrh
dependency id: pur.dependency.metadata.0672 Zdroj: pur.oracle.mc.t_s_obj_d_navrh_ins.trigger	Ciel': pur.oracle.mc.c_obj_d_kombajn.package
dependency id: pur.dependency.metadata.0673 Zdroj: pur.oracle.mc.t_s_obj_d_navrh_ins.trigger	Ciel': mc.object.obj_d_navrh
dependency id: pur.dependency.metadata.0674 Zdroj: pur.oracle.mc.t_s_obj_d_navrh_vyr_ins.trigger	Ciel': mc.object.obj_d_navrh_vyr
dependency id: pur.dependency.metadata.0675 Zdroj: pur.oracle.mc.t_s_obj_d_rozd_blokacii.trigger	Ciel': mc.object.obj_d_rozd_blokacii
dependency id: pur.dependency.metadata.0676 Zdroj: pur.oracle.mc.t_s_obj_d_rozd_blokacii_ins.trigger	Ciel': mc.object.obj_d_rozd_blokacii
dependency id: pur.dependency.metadata.0677 Zdroj: pur.oracle.mc.t_s_prijemky_list.trigger	Ciel': mc.object.objd_o
dependency id: pur.dependency.metadata.0678 Zdroj: pur.oracle.mc.t_s_rez_obj_dod.trigger	Ciel': pur.oracle.mc.c_rez_obj_dod.package
dependency id: pur.dependency.metadata.0679 Zdroj: pur.oracle.mc.ventus.package_body	Ciel': pur.oracle.mc.d_objd_l.package
dependency id: pur.dependency.metadata.0680 Zdroj: pur.oracle.mc.ventus.package_body	Ciel': mc.object.objd_l
dependency id: pur.dependency.metadata.0681 Zdroj: pur.oracle.mc.ventus.package_body	Ciel': mc.object.objd_o
dependency id: pur.dependency.metadata.0682 Zdroj: pur.oracle.mc.vr_objd_l.view	Ciel': mc.object.objd_l

Identita a zdroj	Technické vlastnosti
dependency id: pur.dependency.metadata.0683 Zdroj: pur.oracle.mc.v_cashflow_doklady.view	Ciel': mc.object.objd_l
dependency id: pur.dependency.metadata.0684 Zdroj: pur.oracle.mc.v_dokl_l_rozvoz.view	Ciel': mc.object.objd_l
dependency id: pur.dependency.metadata.0685 Zdroj: pur.oracle.mc.v_dokl_objd_l.view	Ciel': mc.object.objd_l
dependency id: pur.dependency.metadata.0686 Zdroj: pur.oracle.mc.v_dokl_objd_l.view	Ciel': mc.object.obj_d_navrh
dependency id: pur.dependency.metadata.0687 Zdroj: pur.oracle.mc.v_dokl_objd_o.view	Ciel': mc.object.objd_l
dependency id: pur.dependency.metadata.0688 Zdroj: pur.oracle.mc.v_dokl_objd_o.view	Ciel': mc.object.objd_o
dependency id: pur.dependency.metadata.0689 Zdroj: pur.oracle.mc.v_dokl_objd_o.view	Ciel': mc.object.obj_d_navrh
dependency id: pur.dependency.metadata.0690 Zdroj: pur.oracle.mc.v_dokl_o_rozvoz.view	Ciel': mc.object.objd_o
dependency id: pur.dependency.metadata.0691 Zdroj: pur.oracle.mc.v_objdod_l.view	Ciel': mc.object.objd_l
dependency id: pur.dependency.metadata.0692 Zdroj: pur.oracle.mc.v_objdod_o.view	Ciel': mc.object.objd_o
dependency id: pur.dependency.metadata.0693 Zdroj: pur.oracle.mc.v_obj_dod_l.view	Ciel': mc.object.objd_l
dependency id: pur.dependency.metadata.0694 Zdroj: pur.oracle.mc.v_obj_dod_o.view	Ciel': mc.object.objd_o
dependency id: pur.dependency.metadata.0695 Zdroj: pur.oracle.mc.v_ocakavany_prijem.view	Ciel': mc.object.objd_l
dependency id: pur.dependency.metadata.0696 Zdroj: pur.oracle.mc.v_ocakavany_prijem.view	Ciel': mc.object.objd_o
dependency id: pur.dependency.metadata.0697 Zdroj: pur.oracle.mc.v_ser_z_hist_zmien.view	Ciel': mc.object.objd_l
dependency id: pur.dependency.metadata.0698 Zdroj: pur.oracle.mc.v_wms_doklady.view	Ciel': mc.object.objd_l
dependency id: pur.dependency.metadata.0699 Zdroj: pur.oracle.mc.v_wms_doklady.view	Ciel': mc.object.objd_o

Skupina 2

Spoločné vlastnosti všetkých záznamov nasledujúcej tabuľky

Zdroj: pur.oracle.mc_st.pck_sk_doc_info.package_body

direction: INBOUND

depth: 1

Rola: READER

discovery method: Source-confirmed SELECT; handoff section 20

source visible: true

runtime boundary: true

Status: POTVRDENÉ

Dôkazy: pur.evidence.mp06_b

pur.evidence.accepted

Obmedzenia: Číta MC objekty; nepreukazuje writer rolu ani autoritu iného environmentu.

Identita a zdroj	Technické vlastnosti
dependency id: pur.dependency.mc_st.objd_l	Cieľ: mc.object.objd_l
dependency id: pur.dependency.mc_st.objd_o	Cieľ: mc.object.objd_o

Priamy inbound closure

Canonical source: catalog/purchasing/inbound-closure.yaml

schema version: 1.0

kind: dependencies

id: pur.inbound_closure.001

Spoločné vlastnosti všetkých záznamov nasledujúcej tabuľky

direction: INBOUND

depth: 1

Rola: DEPENDENCY ONLY

discovery method: F4_A direct inbound closure; VIA_OBJECT

source visible: true

runtime boundary: false

Status: DEPENDENCY ONLY

Dôkazy: pur.evidence.f4_a

Identita a zdroj	Technické vlastnosti
dependency id: pur.closure.0001 Zdroj: pur.oracle.mc.bp_monet.package_body	Ciel': pur.oracle.mc.d_objd_l.package
dependency id: pur.closure.0002 Zdroj: pur.oracle.mc.c_cenotvorba_o.package_body	Ciel': pur.oracle.mc.d_objd_l.package
dependency id: pur.closure.0003 Zdroj: pur.oracle.mc.c_cenotvorba_o.package_body	Ciel': pur.oracle.mc.d_objd_o.package
dependency id: pur.closure.0004 Zdroj: pur.oracle.mc.c_cenotvorba_o.package_body	Ciel': mc.object.objd_l
dependency id: pur.closure.0005 Zdroj: pur.oracle.mc.c_cenotvorba_o.package_body	Ciel': mc.object.objd_o
dependency id: pur.closure.0006 Zdroj: mc.oracle.mc.c_cestovne_pr_trasa.package_body	Ciel': pur.oracle.mc.d_objd_l.package
dependency id: pur.closure.0007 Zdroj: pur.oracle.mc.c_ctp_l.package_body	Ciel': pur.oracle.mc.c_obj_d_kombajn.package
dependency id: pur.closure.0008 Zdroj: pur.oracle.mc.c_ctp_l.package_body	Ciel': pur.oracle.mc.d_objd_l.package
dependency id: pur.closure.0009 Zdroj: pur.oracle.mc.c_ctp_l.package_body	Ciel': pur.oracle.mc.d_objd_o.package
dependency id: pur.closure.0010 Zdroj: pur.oracle.mc.c_ctp_l.package_body	Ciel': mc.object.obj_d_navrh
dependency id: pur.closure.0011 Zdroj: pur.oracle.mc.c_dispo_zasoba.package_body	Ciel': pur.oracle.mc.d_objd_l.package
dependency id: pur.closure.0012 Zdroj: pur.oracle.mc.c_dispo_zasoba.package_body	Ciel': pur.oracle.mc.d_objd_o.package
dependency id: pur.closure.0013 Zdroj: pur.oracle.mc.c_dispo_zasoba.package_body	Ciel': mc.object.objd_l
dependency id: pur.closure.0014 Zdroj: pur.oracle.mc.c_dispo_zasoba.package_body	Ciel': mc.object.objd_o
dependency id: pur.closure.0015 Zdroj: pur.oracle.mc.c_dobd_l.package_body	Ciel': mc.object.objd_l

Identita a zdroj	Technické vlastnosti
dependency id: pur.closure.0016 Zdroj: pur.oracle.mc.c_dodf_l.package_body	Ciel': mc.object.objd_l
dependency id: pur.closure.0017 Zdroj: mc.oracle.mc.c_dokl_l.package_body	Ciel': pur.oracle.mc.d_objd_l.package
dependency id: pur.closure.0018 Zdroj: mc.oracle.mc.c_dokl_l.package_body	Ciel': pur.oracle.mc.d_objd_o.package
dependency id: pur.closure.0019 Zdroj: mc.oracle.mc.c_dokl_l.package_body	Ciel': mc.object.objd_l
dependency id: pur.closure.0020 Zdroj: mc.oracle.mc.c_dokl_l.package_body	Ciel': mc.object.objd_o
dependency id: pur.closure.0021 Zdroj: pur.oracle.mc.c_dokl_naklad.package_body	Ciel': pur.oracle.mc.d_objd_l.package
dependency id: pur.closure.0022 Zdroj: pur.oracle.mc.c_dokl_naklad.package_body	Ciel': mc.object.objd_o
dependency id: pur.closure.0023 Zdroj: pur.oracle.mc.c_dokl_o.package_body	Ciel': pur.oracle.mc.d_objd_l.package
dependency id: pur.closure.0024 Zdroj: pur.oracle.mc.c_dokl_o.package_body	Ciel': pur.oracle.mc.d_objd_o.package
dependency id: pur.closure.0025 Zdroj: pur.oracle.mc.c_dokl_prilohy_vytaz.package_body	Ciel': mc.object.objd_l
dependency id: pur.closure.0026 Zdroj: pur.oracle.mc.c_dokl_vazba.package_body	Ciel': mc.object.objd_l
dependency id: pur.closure.0027 Zdroj: pur.oracle.mc.c_dokl_vykryte.package_body	Ciel': pur.oracle.mc.c_obj_d_kombajn.package
dependency id: pur.closure.0028 Zdroj: pur.oracle.mc.c_dokl_vykryte.package_body	Ciel': pur.oracle.mc.d_objd_l.package
dependency id: pur.closure.0029 Zdroj: pur.oracle.mc.c_dokl_vykryte.package_body	Ciel': mc.object.objd_l
dependency id: pur.closure.0030 Zdroj: mc.oracle.mc.c_el_kom_out.package_body	Ciel': pur.oracle.mc.d_objd_l.package
dependency id: pur.closure.0031 Zdroj: mc.oracle.mc.c_el_kom_out.package_body	Ciel': mc.object.objd_l
dependency id: pur.closure.0032 Zdroj: mc.oracle.mc.c_elkomoutdef.package_body	Ciel': pur.oracle.mc.d_objd_l.package

Identita a zdroj	Technické vlastnosti
dependency id: pur.closure.0033 Zdroj: pur.oracle.mc.cenotvorba.package_body	Ciel': mc.object.objd_l
dependency id: pur.closure.0034 Zdroj: pur.oracle.mc.cenotvorba.package_body	Ciel': mc.object.objd_o
dependency id: pur.closure.0035 Zdroj: pur.oracle.mc.c_import_temp_l.package_body	Ciel': pur.oracle.mc.d_objd_l.package
dependency id: pur.closure.0036 Zdroj: pur.oracle.mc.c_import_temp_l.package_body	Ciel': pur.oracle.mc.d_objd_o.package
dependency id: pur.closure.0037 Zdroj: pur.oracle.mc.c_import_temp_l.package_body	Ciel': mc.object.objd_l
dependency id: pur.closure.0038 Zdroj: pur.oracle.mc.c_import_temp_l.package_body	Ciel': mc.object.objd_o
dependency id: pur.closure.0039 Zdroj: pur.oracle.mc.c_m_dod.package_body	Ciel': mc.object.objd_l
dependency id: pur.closure.0040 Zdroj: pur.oracle.mc.c_m_dod.package_body	Ciel': mc.object.objd_o
dependency id: pur.closure.0041 Zdroj: pur.oracle.mc.c_naklad_prijem.package_body	Ciel': pur.oracle.mc.d_objd_l.package
dependency id: pur.closure.0042 Zdroj: pur.oracle.mc.c_naklad_prijem.package_body	Ciel': mc.object.objd_l
dependency id: pur.closure.0043 Zdroj: pur.oracle.mc.c_obj_d_kombajn.package_body	Ciel': pur.oracle.mc.c_obj_d_kombajn.package
dependency id: pur.closure.0044 Zdroj: pur.oracle.mc.c_obj_d_kombajn.package_body	Ciel': pur.oracle.mc.d_objd_l.package
dependency id: pur.closure.0045 Zdroj: pur.oracle.mc.c_obj_d_kombajn.package_body	Ciel': pur.oracle.mc.d_objd_o.package
dependency id: pur.closure.0046 Zdroj: pur.oracle.mc.c_obj_d_kombajn.package_body	Ciel': mc.object.objd_l
dependency id: pur.closure.0047 Zdroj: pur.oracle.mc.c_obj_d_kombajn.package_body	Ciel': mc.object.obj_d_navrh
dependency id: pur.closure.0048 Zdroj: pur.oracle.mc.c_obj_d_kombajn.package_body	Ciel': mc.object.objd_o
dependency id: pur.closure.0049 Zdroj: pur.oracle.mc.c_obj_d_navrh.package_body	Ciel': mc.object.obj_d_navrh

Identita a zdroj	Technické vlastnosti
dependency id: pur.closure.0050 Zdroj: pur.oracle.mc.copy.package_body	Ciel': pur.oracle.mc.d_objd_l.package
dependency id: pur.closure.0051 Zdroj: pur.oracle.mc.copy.package_body	Ciel': pur.oracle.mc.d_objd_o.package
dependency id: pur.closure.0052 Zdroj: pur.oracle.mc.c_rezervacia.package_body	Ciel': pur.oracle.mc.c_obj_d_kombajn.package
dependency id: pur.closure.0053 Zdroj: pur.oracle.mc.c_rezervacia.package_body	Ciel': mc.object.obj_d_navrh
dependency id: pur.closure.0054 Zdroj: pur.oracle.mc.c_rezervacia.package_body	Ciel': mc.object.objd_o
dependency id: pur.closure.0055 Zdroj: pur.oracle.mc.c_rez_obj_dod.package_body	Ciel': pur.oracle.mc.c_rez_obj_dod.package
dependency id: pur.closure.0056 Zdroj: pur.oracle.mc.c_rez_obj_l.package_body	Ciel': pur.oracle.mc.c_obj_d_kombajn.package
dependency id: pur.closure.0057 Zdroj: pur.oracle.mc.c_rez_obj_l.package_body	Ciel': pur.oracle.mc.d_objd_l.package
dependency id: pur.closure.0058 Zdroj: pur.oracle.mc.c_rez_obj_l.package_body	Ciel': mc.object.obj_d_navrh
dependency id: pur.closure.0059 Zdroj: pur.oracle.mc.c_rez_obj_o.package_body	Ciel': pur.oracle.mc.c_obj_d_kombajn.package
dependency id: pur.closure.0060 Zdroj: pur.oracle.mc.c_rez_obj_o.package_body	Ciel': pur.oracle.mc.d_objd_l.package
dependency id: pur.closure.0061 Zdroj: pur.oracle.mc.c_rez_obj_o.package_body	Ciel': mc.object.obj_d_navrh
dependency id: pur.closure.0062 Zdroj: pur.oracle.mc.c_rez_obj_o.package_body	Ciel': mc.object.obj_d_navrh_log
dependency id: pur.closure.0063 Zdroj: pur.oracle.mc.c_rez_ziad_l.package_body	Ciel': pur.oracle.mc.c_obj_d_kombajn.package
dependency id: pur.closure.0064 Zdroj: pur.oracle.mc.c_rid.package_body	Ciel': pur.oracle.mc.d_objd_l.package
dependency id: pur.closure.0065 Zdroj: pur.oracle.mc.c_rid.package_body	Ciel': mc.object.objd_l
dependency id: pur.closure.0066 Zdroj: mc.oracle.mc_c_rozvoz_que.package_body	Ciel': pur.oracle.mc.d_objd_l.package

Identita a zdroj	Technické vlastnosti
dependency id: pur.closure.0067 Zdroj: mc.oracle.mc.c_rozvoz_que.package_body	Ciel': mc.object.objd_l
dependency id: pur.closure.0068 Zdroj: mc.oracle.mc.c_rozvoz_que.package_body	Ciel': mc.object.objd_o
dependency id: pur.closure.0069 Zdroj: pur.oracle.mc.c_rz_o.package_body	Ciel': pur.oracle.mc.c_obj_d_kombajn.package
dependency id: pur.closure.0070 Zdroj: pur.oracle.mc.c_rz_o.package_body	Ciel': pur.oracle.mc.d_objd_l.package
dependency id: pur.closure.0071 Zdroj: pur.oracle.mc.c_rz_o.package_body	Ciel': pur.oracle.mc.d_objd_o.package
dependency id: pur.closure.0072 Zdroj: pur.oracle.mc.c_rz_o.package_body	Ciel': mc.object.objd_l
dependency id: pur.closure.0073 Zdroj: pur.oracle.mc.c_rz_o.package_body	Ciel': mc.object.obj_d_navrh
dependency id: pur.closure.0074 Zdroj: pur.oracle.mc.c_rz_o.package_body	Ciel': mc.object.objd_o
dependency id: pur.closure.0075 Zdroj: pur.oracle.mc.c_sarza_token_def.package_body	Ciel': pur.oracle.mc.d_objd_l.package
dependency id: pur.closure.0076 Zdroj: pur.oracle.mc.c_ser_z_task.package_body	Ciel': pur.oracle.mc.d_objd_l.package
dependency id: pur.closure.0077 Zdroj: pur.oracle.mc.c_ser_z_task.package_body	Ciel': mc.object.obj_d_navrh
dependency id: pur.closure.0078 Zdroj: pur.oracle.mc.c_ser_z_task.package_body	Ciel': mc.object.objd_o
dependency id: pur.closure.0079 Zdroj: pur.oracle.mc.c_sklad_zasob_p.package_body	Ciel': pur.oracle.mc.d_objd_l.package
dependency id: pur.closure.0080 Zdroj: pur.oracle.mc.c_sk_sarza_token.package_body	Ciel': mc.object.objd_l
dependency id: pur.closure.0081 Zdroj: pur.oracle.mc.c_sk_sarza_token.package_body	Ciel': mc.object.objd_o
dependency id: pur.closure.0082 Zdroj: pur.oracle.mc.c_tlac_nastavenie.package_body	Ciel': mc.object.objd_l
dependency id: pur.closure.0083 Zdroj: pur.oracle.mc.c_typ_nakladu.package_body	Ciel': pur.oracle.mc.d_objd_l.package

Identita a zdroj	Technické vlastnosti
dependency id: pur.closure.0084 Zdroj: pur.oracle.mc.c_variant_rb_l.package_body	Ciel': pur.oracle.mc.c_obj_d_kombajn.package
dependency id: pur.closure.0085 Zdroj: pur.oracle.mc.c_variant_rb_l.package_body	Ciel': pur.oracle.mc.d_objd_l.package
dependency id: pur.closure.0086 Zdroj: pur.oracle.mc.c_vyd_o_prij.package_body	Ciel': mc.object.objd_o
dependency id: pur.closure.0087 Zdroj: pur.oracle.mc.c_vyr_plan_prepocet.package_body	Ciel': pur.oracle.mc.c_obj_d_kombajn.package
dependency id: pur.closure.0088 Zdroj: pur.oracle.mc.c_vyr_plan_prepocet.package_body	Ciel': mc.object.obj_d_navrh
dependency id: pur.closure.0089 Zdroj: pur.oracle.mc.c_vyr_plan_prepocet.package_body	Ciel': mc.object.objd_o
dependency id: pur.closure.0090 Zdroj: pur.oracle.mc.c_vyr_plan_prepocet2.package_body	Ciel': pur.oracle.mc.c_obj_d_kombajn.package
dependency id: pur.closure.0091 Zdroj: pur.oracle.mc.c_vyr_plan_prepocet2.package_body	Ciel': mc.object.obj_d_navrh
dependency id: pur.closure.0092 Zdroj: pur.oracle.mc.c_vyr_plan_prepocet2.package_body	Ciel': mc.object.objd_o
dependency id: pur.closure.0093 Zdroj: pur.oracle.mc.c_vyr_supis_l.package_body	Ciel': mc.object.objd_l
dependency id: pur.closure.0094 Zdroj: pur.oracle.mc.c_vyr_supis_l.package_body	Ciel': mc.object.objd_o
dependency id: pur.closure.0095 Zdroj: pur.oracle.mc.d_ml_l.package_body	Ciel': pur.oracle.mc.d_objd_l.package
dependency id: pur.closure.0096 Zdroj: pur.oracle.mc.d_ml_l.package_body	Ciel': mc.object.objd_l
dependency id: pur.closure.0097 Zdroj: pur.oracle.mc.d_ml_l.package_body	Ciel': mc.object.objd_o
dependency id: pur.closure.0098 Zdroj: pur.oracle.mc.d_ml_o.package_body	Ciel': pur.oracle.mc.c_obj_d_kombajn.package
dependency id: pur.closure.0099 Zdroj: pur.oracle.mc.d_ml_o.package_body	Ciel': pur.oracle.mc.d_objd_l.package
dependency id: pur.closure.0100 Zdroj: pur.oracle.mc.d_ml_o.package_body	Ciel': pur.oracle.mc.d_objd_o.package

Identita a zdroj	Technické vlastnosti
dependency id: pur.closure.0101 Zdroj: pur.oracle.mc.d_ml_o.package_body	Ciel': mc.object.objd_l
dependency id: pur.closure.0102 Zdroj: pur.oracle.mc.d_ml_o.package_body	Ciel': mc.object.obj_d_navrh
dependency id: pur.closure.0103 Zdroj: pur.oracle.mc.d_ml_o.package_body	Ciel': mc.object.objd_o
dependency id: pur.closure.0104 Zdroj: pur.oracle.mc.d_objd_l.package	Ciel': mc.object.objd_l
dependency id: pur.closure.0105 Zdroj: pur.oracle.mc.d_objd_l.package	Ciel': mc.object.objd_o
dependency id: pur.closure.0106 Zdroj: mc.oracle.mc.d_objd_l.package_body	Ciel': pur.oracle.mc.c_obj_d_kombajn.package
dependency id: pur.closure.0107 Zdroj: mc.oracle.mc.d_objd_l.package_body	Ciel': pur.oracle.mc.d_objd_l.package
dependency id: pur.closure.0108 Zdroj: mc.oracle.mc.d_objd_l.package_body	Ciel': pur.oracle.mc.d_objd_o.package
dependency id: pur.closure.0109 Zdroj: mc.oracle.mc.d_objd_l.package_body	Ciel': mc.object.objd_l
dependency id: pur.closure.0110 Zdroj: mc.oracle.mc.d_objd_l.package_body	Ciel': mc.object.obj_d_navrh
dependency id: pur.closure.0111 Zdroj: mc.oracle.mc.d_objd_l.package_body	Ciel': mc.object.objd_o
dependency id: pur.closure.0112 Zdroj: pur.oracle.mc.d_objd_o.package	Ciel': pur.oracle.mc.d_objd_l.package
dependency id: pur.closure.0113 Zdroj: pur.oracle.mc.d_objd_o.package	Ciel': mc.object.obj_d_navrh
dependency id: pur.closure.0114 Zdroj: pur.oracle.mc.d_objd_o.package	Ciel': mc.object.objd_o
dependency id: pur.closure.0115 Zdroj: pur.oracle.mc.d_objd_o.package_body	Ciel': pur.oracle.mc.c_obj_d_kombajn.package
dependency id: pur.closure.0116 Zdroj: pur.oracle.mc.d_objd_o.package_body	Ciel': pur.oracle.mc.d_objd_l.package
dependency id: pur.closure.0117 Zdroj: pur.oracle.mc.d_objd_o.package_body	Ciel': pur.oracle.mc.d_objd_o.package

Identita a zdroj	Technické vlastnosti
dependency id: pur.closure.0118 Zdroj: pur.oracle.mc.d_objd_o.package_body	Ciel': mc.object.objd_l
dependency id: pur.closure.0119 Zdroj: pur.oracle.mc.d_objd_o.package_body	Ciel': mc.object.obj_d_navrh
dependency id: pur.closure.0120 Zdroj: pur.oracle.mc.d_objd_o.package_body	Ciel': mc.object.obj_d_navrh_log
dependency id: pur.closure.0121 Zdroj: pur.oracle.mc.d_objd_o.package_body	Ciel': mc.object.objd_o
dependency id: pur.closure.0122 Zdroj: pur.oracle.mc.d_obj_dod_l.package_body	Ciel': pur.oracle.mc.d_objd_l.package
dependency id: pur.closure.0123 Zdroj: mc.oracle.mc.d_obj_odb_l.package_body	Ciel': pur.oracle.mc.c_obj_d_kombajn.package
dependency id: pur.closure.0124 Zdroj: mc.oracle.mc.d_obj_odb_l.package_body	Ciel': pur.oracle.mc.d_objd_l.package
dependency id: pur.closure.0125 Zdroj: mc.oracle.mc.d_obj_odb_l.package_body	Ciel': mc.object.objd_l
dependency id: pur.closure.0126 Zdroj: mc.oracle.mc.d_obj_odb_l.package_body	Ciel': mc.object.obj_d_navrh
dependency id: pur.closure.0127 Zdroj: mc.oracle.mc.d_obj_odb_l.package_body	Ciel': mc.object.objd_o
dependency id: pur.closure.0128 Zdroj: pur.oracle.mc.d_obj_odb_l_b.package_body	Ciel': mc.object.objd_o
dependency id: pur.closure.0129 Zdroj: pur.oracle.mc.d_obj_odb_l_f.package_body	Ciel': pur.oracle.mc.d_objd_l.package
dependency id: pur.closure.0130 Zdroj: pur.oracle.mc.d_obj_odb_l_f.package_body	Ciel': mc.object.objd_l
dependency id: pur.closure.0131 Zdroj: pur.oracle.mc.d_obj_odb_l_f.package_body	Ciel': mc.object.objd_o
dependency id: pur.closure.0132 Zdroj: pur.oracle.mc.d_obj_odb_o.package_body	Ciel': pur.oracle.mc.c_obj_d_kombajn.package
dependency id: pur.closure.0133 Zdroj: pur.oracle.mc.d_obj_odb_o.package_body	Ciel': pur.oracle.mc.d_objd_l.package
dependency id: pur.closure.0134 Zdroj: pur.oracle.mc.d_obj_odb_o.package_body	Ciel': pur.oracle.mc.d_objd_o.package

Identita a zdroj	Technické vlastnosti
dependency id: pur.closure.0135 Zdroj: pur.oracle.mc.d_obj_odb_o.package_body	Ciel': mc.object.objd_l
dependency id: pur.closure.0136 Zdroj: pur.oracle.mc.d_obj_odb_o.package_body	Ciel': mc.object.obj_d_navrh
dependency id: pur.closure.0137 Zdroj: pur.oracle.mc.d_obj_odb_o.package_body	Ciel': mc.object.objd_o
dependency id: pur.closure.0138 Zdroj: mc.oracle.mc.d_prijemka_l.package_body	Ciel': pur.oracle.mc.c_obj_d_kombajn.package
dependency id: pur.closure.0139 Zdroj: mc.oracle.mc.d_prijemka_l.package_body	Ciel': pur.oracle.mc.d_objd_l.package
dependency id: pur.closure.0140 Zdroj: mc.oracle.mc.d_prijemka_l.package_body	Ciel': pur.oracle.mc.d_objd_o.package
dependency id: pur.closure.0141 Zdroj: mc.oracle.mc.d_prijemka_l.package_body	Ciel': mc.object.objd_l
dependency id: pur.closure.0142 Zdroj: mc.oracle.mc.d_prijemka_l.package_body	Ciel': mc.object.obj_d_navrh_log
dependency id: pur.closure.0143 Zdroj: mc.oracle.mc.d_prijemka_l.package_body	Ciel': mc.object.objd_o
dependency id: pur.closure.0144 Zdroj: pur.oracle.mc.d_prijemka_o.package_body	Ciel': pur.oracle.mc.d_objd_l.package
dependency id: pur.closure.0145 Zdroj: pur.oracle.mc.d_prijemka_o.package_body	Ciel': pur.oracle.mc.d_objd_o.package
dependency id: pur.closure.0146 Zdroj: pur.oracle.mc.d_prijemka_o.package_body	Ciel': mc.object.objd_o
dependency id: pur.closure.0147 Zdroj: pur.oracle.mc.d_ser_zak_l.package_body	Ciel': pur.oracle.mc.d_objd_l.package
dependency id: pur.closure.0148 Zdroj: pur.oracle.mc.d_ser_zak_l.package_body	Ciel': pur.oracle.mc.d_objd_o.package
dependency id: pur.closure.0149 Zdroj: pur.oracle.mc.d_ser_zak_o.package_body	Ciel': pur.oracle.mc.d_objd_l.package
dependency id: pur.closure.0150 Zdroj: pur.oracle.mc.d_ser_zak_o.package_body	Ciel': mc.object.objd_l
dependency id: pur.closure.0151 Zdroj: pur.oracle.mc.d_ser_zak_o.package_body	Ciel': mc.object.objd_o

Identita a zdroj	Technické vlastnosti
dependency id: pur.closure.0152 Zdroj: pur.oracle.mc.d_ser_z_l.package_body	Ciel': pur.oracle.mc.c_obj_d_kombajn.package
dependency id: pur.closure.0153 Zdroj: pur.oracle.mc.d_ser_z_o.package_body	Ciel': pur.oracle.mc.c_obj_d_kombajn.package
dependency id: pur.closure.0154 Zdroj: pur.oracle.mc.d_ser_z_o.package_body	Ciel': pur.oracle.mc.d_objd_l.package
dependency id: pur.closure.0155 Zdroj: pur.oracle.mc.d_ser_z_o.package_body	Ciel': pur.oracle.mc.d_objd_o.package
dependency id: pur.closure.0156 Zdroj: pur.oracle.mc.d_ser_z_o.package_body	Ciel': mc.object.objd_l
dependency id: pur.closure.0157 Zdroj: pur.oracle.mc.d_ser_z_o.package_body	Ciel': mc.object.obj_d_navrh
dependency id: pur.closure.0158 Zdroj: pur.oracle.mc.d_ser_z_o.package_body	Ciel': mc.object.objd_o
dependency id: pur.closure.0159 Zdroj: mc.oracle.mc_d_t_dokl_l.package_body	Ciel': pur.oracle.mc.d_objd_l.package
dependency id: pur.closure.0160 Zdroj: mc.oracle.mc_d_t_dokl_l.package_body	Ciel': pur.oracle.mc.d_objd_o.package
dependency id: pur.closure.0161 Zdroj: mc.oracle.mc_d_t_dokl_l.package_body	Ciel': mc.object.objd_l
dependency id: pur.closure.0162 Zdroj: mc.oracle.mc_d_t_dokl_l.package_body	Ciel': mc.object.objd_o
dependency id: pur.closure.0163 Zdroj: pur.oracle.mc.d_t_dokl_o.package_body	Ciel': pur.oracle.mc.d_objd_l.package
dependency id: pur.closure.0164 Zdroj: pur.oracle.mc.d_t_dokl_o.package_body	Ciel': pur.oracle.mc.d_objd_o.package
dependency id: pur.closure.0165 Zdroj: pur.oracle.mc.d_t_dokl_o.package_body	Ciel': mc.object.objd_l
dependency id: pur.closure.0166 Zdroj: pur.oracle.mc.d_t_dokl_o.package_body	Ciel': mc.object.objd_o
dependency id: pur.closure.0167 Zdroj: mc.oracle.mc_d_vydaj_l.package_body	Ciel': pur.oracle.mc.d_objd_l.package
dependency id: pur.closure.0168 Zdroj: mc.oracle.mc_d_vydaj_l.package_body	Ciel': pur.oracle.mc.d_objd_o.package

Identita a zdroj	Technické vlastnosti
dependency id: pur.closure.0169 Zdroj: mc.oracle.mc_d_vydaj_l.package_body	Cieľ: mc.object.objd_l
dependency id: pur.closure.0170 Zdroj: mc.oracle.mc_d_vydaj_l.package_body	Cieľ: mc.object.objd_o
dependency id: pur.closure.0171 Zdroj: mc.oracle.mc_edi_komunikacia.package_body	Cieľ: mc.object.objd_l
dependency id: pur.closure.0172 Zdroj: mc.oracle.mc_edi_komunikacia.package_body	Cieľ: mc.object.objd_o
dependency id: pur.closure.0173 Zdroj: mc.oracle.mc_edi_komunikacia_cz.package_body	Cieľ: mc.object.objd_l
dependency id: pur.closure.0174 Zdroj: mc.oracle.mc_edi_komunikacia_cz.package_body	Cieľ: mc.object.objd_o
dependency id: pur.closure.0175 Zdroj: pur.oracle.mc_edi_komunikacia_kaso.package_body	Cieľ: mc.object.objd_l
dependency id: pur.closure.0176 Zdroj: pur.oracle.mc_edi_komunikacia_kaso.package_body	Cieľ: mc.object.objd_o
dependency id: pur.closure.0177 Zdroj: mc.oracle.mc_edi_komunikacia_kaso2.package_body	Cieľ: mc.object.objd_l
dependency id: pur.closure.0178 Zdroj: mc.oracle.mc_edi_komunikacia_kaso2.package_body	Cieľ: mc.object.objd_o
dependency id: pur.closure.0179 Zdroj: mc.oracle.mc_edi_komunikacia_kaso3.package_body	Cieľ: mc.object.objd_l
dependency id: pur.closure.0180 Zdroj: mc.oracle.mc_edi_komunikacia_kaso3.package_body	Cieľ: mc.object.objd_o
dependency id: pur.closure.0181 Zdroj: mc.oracle.mc_edi_komunikacia_pp.package_body	Cieľ: mc.object.objd_l
dependency id: pur.closure.0182 Zdroj: mc.oracle.mc_edi_komunikacia_pp.package_body	Cieľ: mc.object.objd_o
dependency id: pur.closure.0183 Zdroj: mc.oracle.mc_edi_komunikacia_stevo.package_body	Cieľ: mc.object.objd_l
dependency id: pur.closure.0184 Zdroj: mc.oracle.mc_edi_komunikacia_stevo.package_body	Cieľ: mc.object.objd_o
dependency id: pur.closure.0185 Zdroj: mc.oracle.mc_edi_komunikacia_zaloha_11_9.package_body	Cieľ: mc.object.objd_l

Identita a zdroj	Technické vlastnosti
dependency id: pur.closure.0186 Zdroj: mc.oracle.mc_edu_komunikacia_zaloha_11_9.package_body	Ciel': mc.object.objd_o
dependency id: pur.closure.0187 Zdroj: mc.oracle.mc_edu_komunikacia2.package_body	Ciel': mc.object.objd_l
dependency id: pur.closure.0188 Zdroj: mc.oracle.mc_edu_komunikacia2.package_body	Ciel': mc.object.objd_o
dependency id: pur.closure.0189 Zdroj: mc.oracle.mc_edu_komunikacia_201770124.package_body	Ciel': mc.object.objd_l
dependency id: pur.closure.0190 Zdroj: mc.oracle.mc_edu_komunikacia_201770124.package_body	Ciel': mc.object.objd_o
dependency id: pur.closure.0191 Zdroj: mc.oracle.mc_edu_komunikacia3.package_body	Ciel': mc.object.objd_l
dependency id: pur.closure.0192 Zdroj: mc.oracle.mc_edu_komunikacia3.package_body	Ciel': mc.object.objd_o
dependency id: pur.closure.0193 Zdroj: pur.oracle.mc.getobjdod_mc.function	Ciel': pur.oracle.mc.d_objd_l.package
dependency id: pur.closure.0194 Zdroj: pur.oracle.mc.getobjdod_mc.function	Ciel': mc.object.objd_l
dependency id: pur.closure.0195 Zdroj: pur.oracle.mc.getobjdod_mc.function	Ciel': mc.object.objd_o
dependency id: pur.closure.0196 Zdroj: pur.oracle.mc.hamilton.package_body	Ciel': mc.object.objd_l
dependency id: pur.closure.0197 Zdroj: pur.oracle.mc.hamilton.package_body	Ciel': mc.object.objd_o
dependency id: pur.closure.0198 Zdroj: mc.oracle.mc_handygo.package_body	Ciel': pur.oracle.mc.d_objd_l.package
dependency id: pur.closure.0199 Zdroj: mc.oracle.mc_handygo.package_body	Ciel': pur.oracle.mc.d_objd_o.package
dependency id: pur.closure.0200 Zdroj: mc.oracle.mc_handygo.package_body	Ciel': mc.object.objd_l
dependency id: pur.closure.0201 Zdroj: mc.oracle.mc_handygo.package_body	Ciel': mc.object.objd_o
dependency id: pur.closure.0202 Zdroj: pur.oracle.mc.idoklad.package_body	Ciel': mc.object.objd_l

Identita a zdroj	Technické vlastnosti
dependency id: pur.closure.0203 Zdroj: pur.oracle.mc.idoklad.package_body	Ciel': mc.object.objd_o
dependency id: pur.closure.0204 Zdroj: pur.oracle.mc.mccarter_plan.package_body	Ciel': mc.object.objd_l
dependency id: pur.closure.0205 Zdroj: pur.oracle.mc.mccarter_plan.package_body	Ciel': mc.object.objd_o
dependency id: pur.closure.0206 Zdroj: pur.oracle.mc.mccarter_plan_mk.package_body	Ciel': mc.object.objd_l
dependency id: pur.closure.0207 Zdroj: pur.oracle.mc.mccarter_plan_mk.package_body	Ciel': mc.object.objd_o
dependency id: pur.closure.0208 Zdroj: pur.oracle.mc.mccarter_plan_ot.package_body	Ciel': pur.oracle.mc.c_obj_d_kombajn.package
dependency id: pur.closure.0209 Zdroj: pur.oracle.mc.mccarter_plan_ot.package_body	Ciel': mc.object.objd_l
dependency id: pur.closure.0210 Zdroj: pur.oracle.mc.mccarter_plan_ot.package_body	Ciel': mc.object.obj_d_navrh
dependency id: pur.closure.0211 Zdroj: pur.oracle.mc.mccarter_plan_ot.package_body	Ciel': mc.object.objd_o
dependency id: pur.closure.0212 Zdroj: pur.oracle.mc.moshopper.package_body	Ciel': mc.object.objd_l
dependency id: pur.closure.0213 Zdroj: pur.oracle.mc.objd_l_5020.synonym	Ciel': mc.object.objd_l
dependency id: pur.closure.0214 Zdroj: pur.oracle.mc.obj_dod_l.view	Ciel': mc.object.objd_l
dependency id: pur.closure.0215 Zdroj: pur.oracle.mc.obj_dod_o.view	Ciel': mc.object.objd_o
dependency id: pur.closure.0216 Zdroj: pur.oracle.mc.odokladj.type_body	Ciel': pur.oracle.mc.d_objd_l.package
dependency id: pur.closure.0217 Zdroj: pur.oracle.mc.odokladj.type_body	Ciel': pur.oracle.mc.d_objd_o.package
dependency id: pur.closure.0218 Zdroj: pur.oracle.mc.pck_dreamer.package_body	Ciel': pur.oracle.mc.d_objd_l.package
dependency id: pur.closure.0219 Zdroj: pur.oracle.mc.pck_ispp_tools.package_body	Ciel': mc.object.objd_l

Identita a zdroj	Technické vlastnosti
dependency id: pur.closure.0220 Zdroj: pur.oracle.mc.pck_mc_ref.package_body	Ciel': pur.oracle.mc.d_objd_l.package
dependency id: pur.closure.0221 Zdroj: pur.oracle.mc.pck_mc_ref.package_body	Ciel': pur.oracle.mc.d_objd_o.package
dependency id: pur.closure.0222 Zdroj: pur.oracle.mc.pck_mc_ref.package_body	Ciel': mc.object.objd_l
dependency id: pur.closure.0223 Zdroj: pur.oracle.mc.pck_mc_ref.package_body	Ciel': mc.object.objd_o
dependency id: pur.closure.0224 Zdroj: pur.oracle.mc.pck_monet.package_body	Ciel': pur.oracle.mc.d_objd_l.package
dependency id: pur.closure.0225 Zdroj: pur.oracle.mc.pck_monet.package_body	Ciel': mc.object.objd_o
dependency id: pur.closure.0226 Zdroj: pur.oracle.mc.pck_refakturacia.package_body	Ciel': pur.oracle.mc.d_objd_l.package
dependency id: pur.closure.0227 Zdroj: pur.oracle.mc.pck_refakturacia.package_body	Ciel': pur.oracle.mc.d_objd_o.package
dependency id: pur.closure.0228 Zdroj: pur.oracle.mc.pck_refakturacia.package_body	Ciel': mc.object.objd_l
dependency id: pur.closure.0229 Zdroj: pur.oracle.mc.pck_refakturacia.package_body	Ciel': mc.object.objd_o
dependency id: pur.closure.0230 Zdroj: pur.oracle.mc.pck_refakturacia2.package_body	Ciel': pur.oracle.mc.d_objd_l.package
dependency id: pur.closure.0231 Zdroj: pur.oracle.mc.pck_refakturacia2.package_body	Ciel': pur.oracle.mc.d_objd_o.package
dependency id: pur.closure.0232 Zdroj: pur.oracle.mc.pck_refakturacia2.package_body	Ciel': mc.object.objd_l
dependency id: pur.closure.0233 Zdroj: pur.oracle.mc.pck_refakturacia2.package_body	Ciel': mc.object.objd_o
dependency id: pur.closure.0234 Zdroj: pur.oracle.mc.pck_xmit.package_body	Ciel': pur.oracle.mc.d_objd_l.package
dependency id: pur.closure.0235 Zdroj: mc.oracle.mc.preklapania.package_body	Ciel': pur.oracle.mc.d_objd_l.package
dependency id: pur.closure.0236 Zdroj: mc.oracle.mc.preklapania.package_body	Ciel': pur.oracle.mc.d_objd_o.package

Identita a zdroj	Technické vlastnosti
dependency id: pur.closure.0237 Zdroj: mc.oracle.mc_preklapania.package_body	Ciel': mc.object.objd_l
dependency id: pur.closure.0238 Zdroj: mc.oracle.mc_preklapania.package_body	Ciel': mc.object.objd_o
dependency id: pur.closure.0239 Zdroj: mc.oracle.mc_preklapania2.package_body	Ciel': pur.oracle.mc.d_objd_l.package
dependency id: pur.closure.0240 Zdroj: mc.oracle.mc_preklapania2.package_body	Ciel': pur.oracle.mc.d_objd_o.package
dependency id: pur.closure.0241 Zdroj: mc.oracle.mc_preklapania2.package_body	Ciel': mc.object.objd_l
dependency id: pur.closure.0242 Zdroj: mc.oracle.mc_preklapania2.package_body	Ciel': mc.object.objd_o
dependency id: pur.closure.0243 Zdroj: pur.oracle.mc.stats.package_body	Ciel': mc.object.objd_l
dependency id: pur.closure.0244 Zdroj: pur.oracle.mc.stats.package_body	Ciel': mc.object.objd_o
dependency id: pur.closure.0245 Zdroj: pur.oracle.mc.t_hz_objd_l.trigger	Ciel': mc.object.objd_l
dependency id: pur.closure.0246 Zdroj: pur.oracle.mc.t_hz_objd_o_14.trigger	Ciel': pur.oracle.mc.d_objd_o.package
dependency id: pur.closure.0247 Zdroj: pur.oracle.mc.t_hz_objd_o_14.trigger	Ciel': mc.object.objd_o
dependency id: pur.closure.0248 Zdroj: pur.oracle.mc.t_mc_mail_objd.trigger	Ciel': mc.object.objd_l
dependency id: pur.closure.0249 Zdroj: pur.oracle.mc.t_mc_mail_objd.trigger	Ciel': mc.object.objd_o
dependency id: pur.closure.0250 Zdroj: pur.oracle.mc.t_objd_l_log_zmien.trigger	Ciel': pur.oracle.mc.d_objd_o.package
dependency id: pur.closure.0251 Zdroj: pur.oracle.mc.t_objd_l_log_zmien.trigger	Ciel': mc.object.objd_l
dependency id: pur.closure.0252 Zdroj: pur.oracle.mc.t_objd_l_st_pump.trigger	Ciel': mc.object.objd_l
dependency id: pur.closure.0253 Zdroj: pur.oracle.mc.t_obj_d_navrh_log.trigger	Ciel': mc.object.obj_d_navrh

Identita a zdroj	Technické vlastnosti
dependency id: pur.closure.0254 Zdroj: pur.oracle.mc.t_obj_d_navrh_log.trigger	Ciel': mc.object.obj_d_navrh_log
dependency id: pur.closure.0255 Zdroj: pur.oracle.mc.t_obj_d_navrh_vyr_log.trigger	Ciel': pur.oracle.mc.c_obj_d_kombajn.package
dependency id: pur.closure.0256 Zdroj: pur.oracle.mc.t_obj_d_navrh_vyr_log.trigger	Ciel': mc.object.obj_d_navrh
dependency id: pur.closure.0257 Zdroj: pur.oracle.mc.t_objd_o_blok_pl.trigger	Ciel': pur.oracle.mc.d_objd_l.package
dependency id: pur.closure.0258 Zdroj: pur.oracle.mc.t_objd_o_blok_pl.trigger	Ciel': mc.object.objd_o
dependency id: pur.closure.0259 Zdroj: pur.oracle.mc.t_objd_o_ct_kontrakt_obj.trigger	Ciel': mc.object.objd_o
dependency id: pur.closure.0260 Zdroj: pur.oracle.mc.t_objd_o_delete.trigger	Ciel': mc.object.objd_o
dependency id: pur.closure.0261 Zdroj: pur.oracle.mc.t_objd_o_dispo_zasoby.trigger	Ciel': pur.oracle.mc.d_objd_l.package
dependency id: pur.closure.0262 Zdroj: pur.oracle.mc.t_objd_o_dispo_zasoby.trigger	Ciel': mc.object.objd_l
dependency id: pur.closure.0263 Zdroj: pur.oracle.mc.t_objd_o_dispo_zasoby.trigger	Ciel': mc.object.objd_o
dependency id: pur.closure.0264 Zdroj: pur.oracle.mc.t_obj_dod_l_io.trigger	Ciel': pur.oracle.mc.d_objd_l.package
dependency id: pur.closure.0265 Zdroj: pur.oracle.mc.t_obj_dod_l_io.trigger	Ciel': mc.object.objd_l
dependency id: pur.closure.0266 Zdroj: pur.oracle.mc.t_obj_dod_o_io.trigger	Ciel': pur.oracle.mc.d_objd_l.package
dependency id: pur.closure.0267 Zdroj: pur.oracle.mc.t_obj_dod_o_io.trigger	Ciel': mc.object.objd_l
dependency id: pur.closure.0268 Zdroj: pur.oracle.mc.t_obj_dod_o_io.trigger	Ciel': mc.object.objd_o
dependency id: pur.closure.0269 Zdroj: pur.oracle.mc.t_objd_o_log_zmien.trigger	Ciel': pur.oracle.mc.d_objd_o.package
dependency id: pur.closure.0270 Zdroj: pur.oracle.mc.t_objd_o_log_zmien.trigger	Ciel': mc.object.objd_o

Identita a zdroj	Technické vlastnosti
dependency id: pur.closure.0271 Zdroj: pur.oracle.mc.t_objd_o_modif_i.trigger	Ciel': mc.object.objd_o
dependency id: pur.closure.0272 Zdroj: pur.oracle.mc.t_objd_o_p_obj_d.trigger	Ciel': pur.oracle.mc.d_objd_o.package
dependency id: pur.closure.0273 Zdroj: pur.oracle.mc.t_objd_o_p_obj_d.trigger	Ciel': mc.object.objd_l
dependency id: pur.closure.0274 Zdroj: pur.oracle.mc.t_objd_o_p_obj_d.trigger	Ciel': mc.object.objd_o
dependency id: pur.closure.0275 Zdroj: pur.oracle.mc.t_objd_o_pocet_navrh.trigger	Ciel': mc.object.objd_l
dependency id: pur.closure.0276 Zdroj: pur.oracle.mc.t_objd_o_pocet_navrh.trigger	Ciel': mc.object.objd_o
dependency id: pur.closure.0277 Zdroj: pur.oracle.mc.t_objd_o_storno.trigger	Ciel': mc.object.objd_o
dependency id: pur.closure.0278 Zdroj: pur.oracle.mc.t_objd_o_vaz_pol.trigger	Ciel': mc.object.objd_l
dependency id: pur.closure.0279 Zdroj: pur.oracle.mc.t_objd_o_vaz_pol.trigger	Ciel': mc.object.objd_o
dependency id: pur.closure.0280 Zdroj: pur.oracle.mc.t_objd_o_zlavy.trigger	Ciel': mc.object.objd_o
dependency id: pur.closure.0281 Zdroj: pur.oracle.mc.t_r_objd_l.trigger	Ciel': mc.object.objd_l
dependency id: pur.closure.0282 Zdroj: pur.oracle.mc.t_r_objd_o.trigger	Ciel': mc.object.objd_o
dependency id: pur.closure.0283 Zdroj: pur.oracle.mc.t_s_objd_l.trigger	Ciel': pur.oracle.mc.d_objd_l.package
dependency id: pur.closure.0284 Zdroj: pur.oracle.mc.t_s_objd_l.trigger	Ciel': mc.object.objd_l
dependency id: pur.closure.0285 Zdroj: pur.oracle.mc.t_s_objd_l.trigger	Ciel': mc.object.objd_o
dependency id: pur.closure.0286 Zdroj: pur.oracle.mc.t_s_obj_d_navrh.trigger	Ciel': pur.oracle.mc.c_obj_d_kombajn.package
dependency id: pur.closure.0287 Zdroj: pur.oracle.mc.t_s_obj_d_navrh.trigger	Ciel': mc.object.obj_d_navrh

Identita a zdroj	Technické vlastnosti
dependency id: pur.closure.0288 Zdroj: pur.oracle.mc.t_s_obj_d_navrh_ins.trigger	Ciel': pur.oracle.mc.c_obj_d_kombajn.package
dependency id: pur.closure.0289 Zdroj: pur.oracle.mc.t_s_obj_d_navrh_ins.trigger	Ciel': mc.object.obj_d_navrh
dependency id: pur.closure.0290 Zdroj: pur.oracle.mc.t_s_prijemky_list.trigger	Ciel': mc.object.objd_o
dependency id: pur.closure.0291 Zdroj: pur.oracle.mc.t_s_rez_obj_dod.trigger	Ciel': pur.oracle.mc.c_rez_obj_dod.package
dependency id: pur.closure.0292 Zdroj: pur.oracle.mc.t_sz_p_objd_o.trigger	Ciel': mc.object.objd_l
dependency id: pur.closure.0293 Zdroj: pur.oracle.mc.t_sz_p_objd_o.trigger	Ciel': mc.object.objd_o
dependency id: pur.closure.0294 Zdroj: pur.oracle.mc.t_sz_p_objd_o_ins.trigger	Ciel': mc.object.objd_l
dependency id: pur.closure.0295 Zdroj: pur.oracle.mc.t_sz_p_objd_o_ins.trigger	Ciel': mc.object.objd_o
dependency id: pur.closure.0296 Zdroj: pur.oracle.mc.v_cashflow_doklady.view	Ciel': mc.object.objd_l
dependency id: pur.closure.0297 Zdroj: pur.oracle.mc.v_dokl_l_rozvoz.view	Ciel': mc.object.objd_l
dependency id: pur.closure.0298 Zdroj: pur.oracle.mc.v_dokl_objd_l.view	Ciel': mc.object.objd_l
dependency id: pur.closure.0299 Zdroj: pur.oracle.mc.v_dokl_objd_l.view	Ciel': mc.object.obj_d_navrh
dependency id: pur.closure.0300 Zdroj: pur.oracle.mc.v_dokl_objd_o.view	Ciel': mc.object.objd_l
dependency id: pur.closure.0301 Zdroj: pur.oracle.mc.v_dokl_objd_o.view	Ciel': mc.object.obj_d_navrh
dependency id: pur.closure.0302 Zdroj: pur.oracle.mc.v_dokl_objd_o.view	Ciel': mc.object.objd_o
dependency id: pur.closure.0303 Zdroj: pur.oracle.mc.v_dokl_o_rozvoz.view	Ciel': mc.object.objd_o
dependency id: pur.closure.0304 Zdroj: pur.oracle.mc.ventus.package_body	Ciel': pur.oracle.mc.d_objd_l.package

Identita a zdroj	Technické vlastnosti
dependency id: pur.closure.0305 Zdroj: pur.oracle.mc.ventus.package_body	Cieľ: mc.object.objd_l
dependency id: pur.closure.0306 Zdroj: pur.oracle.mc.ventus.package_body	Cieľ: mc.object.objd_o
dependency id: pur.closure.0307 Zdroj: pur.oracle.mc.v_obj_dod_l.view	Cieľ: mc.object.objd_l
dependency id: pur.closure.0308 Zdroj: pur.oracle.mc.v_objdod_l.view	Cieľ: mc.object.objd_l
dependency id: pur.closure.0309 Zdroj: pur.oracle.mc.v_obj_dod_o.view	Cieľ: mc.object.objd_o
dependency id: pur.closure.0310 Zdroj: pur.oracle.mc.v_objdod_o.view	Cieľ: mc.object.objd_o
dependency id: pur.closure.0311 Zdroj: pur.oracle.mc.v_ocakavany_prijem.view	Cieľ: mc.object.objd_l
dependency id: pur.closure.0312 Zdroj: pur.oracle.mc.v_ocakavany_prijem.view	Cieľ: mc.object.objd_o
dependency id: pur.closure.0313 Zdroj: pur.oracle.mc.vr_objd_l.view	Cieľ: mc.object.objd_l
dependency id: pur.closure.0314 Zdroj: pur.oracle.mc.v_ser_z_hist_zmien.view	Cieľ: mc.object.objd_l
dependency id: pur.closure.0315 Zdroj: pur.oracle.mc.v_wms_doklady.view	Cieľ: mc.object.objd_l
dependency id: pur.closure.0316 Zdroj: pur.oracle.mc.v_wms_doklady.view	Cieľ: mc.object.objd_o

Cross schema hranice

Canonical source: catalog/purchasing/cross-schema.yaml

schema version: 1.0

kind: dependencies

id: pur.cross_schema.001

Spoločné vlastnosti všetkých záznamov nasledujúcej tabuľky

direction: OUTBOUND

depth: 1

Rola: DEPENDENCY ONLY

discovery method: ALL_DEPENDENCIES cross-schema audit

source visible: true

runtime boundary: true

Status: DEPENDENCY ONLY

Dôkazy: pur.evidence.f4_c

Obmedzenia: Oracle/public infrastructure dependency; nie cross-environment business autorita.

Identita a zdroj	Technické vlastnosti
dependency id: pur.cross_schema.entry.001 Zdroj: pur.oracle.mc.c_obj_d_kombajn.package_body	Ciel': pur.oracle.public.dbms_output.synonym
dependency id: pur.cross_schema.entry.002 Zdroj: pur.oracle.mc.c_obj_d_kombajn.package_body	Ciel': pur.oracle.public.dual.synonym
dependency id: pur.cross_schema.entry.003 Zdroj: pur.oracle.mc.c_obj_d_kombajn.package_body	Ciel': pur.oracle.public.plitblm.synonym
dependency id: pur.cross_schema.entry.004 Zdroj: pur.oracle.mc.c_obj_d_kombajn.package_body	Ciel': pur.oracle.public.xmltype.synonym
dependency id: pur.cross_schema.entry.005 Zdroj: pur.oracle.mc.c_obj_d_kombajn.package_body	Ciel': pur.oracle.public.xqsequence.synonym
dependency id: pur.cross_schema.entry.006 Zdroj: pur.oracle.mc.c_obj_d_kombajn.package_body	Ciel': pur.oracle.sys.standard.package
dependency id: pur.cross_schema.entry.007 Zdroj: pur.oracle.mc.c_obj_d_kombajn.package	Ciel': pur.oracle.sys.standard.package
dependency id: pur.cross_schema.entry.008 Zdroj: pur.oracle.mc.c_obj_d_kombajn.package_body	Ciel': pur.oracle.sys.xmltype.type
dependency id: pur.cross_schema.entry.009 Zdroj: pur.oracle.mc.c_obj_d_kombajn.package_body	Ciel': pur.oracle.sys.xqsequence.operator
dependency id: pur.cross_schema.entry.010 Zdroj: pur.oracle.mc.c_rez_obj_dod.package_body	Ciel': pur.oracle.public.utl_file.synonym
dependency id: pur.cross_schema.entry.011 Zdroj: pur.oracle.mc.c_rez_obj_dod.package	Ciel': pur.oracle.public.utl_file.synonym
dependency id: pur.cross_schema.entry.012 Zdroj: pur.oracle.mc.c_rez_obj_dod.package	Ciel': pur.oracle.sys.standard.package

Identita a zdroj	Technické vlastnosti
dependency id: pur.cross_schema.entry.013 Zdroj: pur.oracle.mc.c_rez_obj_dod.package_body	Ciel': pur.oracle.sys.standard.package
dependency id: pur.cross_schema.entry.014 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': pur.oracle.public.dbms_lob.synonym
dependency id: pur.cross_schema.entry.015 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': pur.oracle.public.dbms_output.synonym
dependency id: pur.cross_schema.entry.016 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': pur.oracle.public.dual.synonym
dependency id: pur.cross_schema.entry.017 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': pur.oracle.public.plitblm.synonym
dependency id: pur.cross_schema.entry.018 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': pur.oracle.public.utl_file.synonym
dependency id: pur.cross_schema.entry.019 Zdroj: pur.oracle.mc.d_objd_l.package	Ciel': pur.oracle.public.utl_file.synonym
dependency id: pur.cross_schema.entry.020 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': pur.oracle.public.xmltype.synonym
dependency id: pur.cross_schema.entry.021 Zdroj: pur.oracle.mc.d_objd_l.package	Ciel': pur.oracle.sys.standard.package
dependency id: pur.cross_schema.entry.022 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': pur.oracle.sys.standard.package
dependency id: pur.cross_schema.entry.023 Zdroj: mc.oracle.mc_d_objd_l.package_body	Ciel': pur.oracle.sys.xmltype.type
dependency id: pur.cross_schema.entry.024 Zdroj: pur.oracle.mc.d_objd_l.package	Ciel': pur.oracle.sys.xmltype.type
dependency id: pur.cross_schema.entry.025 Zdroj: pur.oracle.mc.d_objd_o.package_body	Ciel': pur.oracle.public.dbms_lob.synonym
dependency id: pur.cross_schema.entry.026 Zdroj: pur.oracle.mc.d_objd_o.package_body	Ciel': pur.oracle.public.dbms_output.synonym
dependency id: pur.cross_schema.entry.027 Zdroj: pur.oracle.mc.d_objd_o.package_body	Ciel': pur.oracle.public.plitblm.synonym
dependency id: pur.cross_schema.entry.028 Zdroj: pur.oracle.mc.d_objd_o.package	Ciel': pur.oracle.public.utl_file.synonym
dependency id: pur.cross_schema.entry.029 Zdroj: pur.oracle.mc.d_objd_o.package_body	Ciel': pur.oracle.public.utl_file.synonym

Identita a zdroj	Technické vlastnosti
dependency id: pur.cross_schema.entry.030 Zdroj: pur.oracle.mc.d_objd_o.package	Cieľ: pur.oracle.public.xmltype.synonym
dependency id: pur.cross_schema.entry.031 Zdroj: pur.oracle.mc.d_objd_o.package_body	Cieľ: pur.oracle.public.xmltype.synonym
dependency id: pur.cross_schema.entry.032 Zdroj: pur.oracle.mc.d_objd_o.package_body	Cieľ: pur.oracle.sys.standard.package
dependency id: pur.cross_schema.entry.033 Zdroj: pur.oracle.mc.d_objd_o.package	Cieľ: pur.oracle.sys.standard.package
dependency id: pur.cross_schema.entry.034 Zdroj: pur.oracle.mc.d_objd_o.package	Cieľ: pur.oracle.sys.xmltype.type
dependency id: pur.cross_schema.entry.035 Zdroj: pur.oracle.mc.d_objd_o.package_body	Cieľ: pur.oracle.sys.xmltype.type

Prístupové oprávnenia a synonymá

Canonical source: catalog/purchasing/access-capabilities.yaml

schema version: 1.0

kind: do-not-assume

id: pur.access_capabilities.001

Spoločné vlastnosti všetkých záznamov nasledujúcej tabuľky

Dôsledok: Grant/synonym nepreukazuje runtime flow; MCCZ_WWW nie je MC business autorita.

Dôkazy: pur.evidence.f4_b

pur.evidence.accepted

Identita a zdroj	Technické vlastnosti	Význam status a dôkazy
rule id: pur.access.001		Scope: pur.oracle.mc.c_obj_d_kombajn.package Pravidlo: ACCESS CAPABILITY ONLY: {"RECORD_TYPE": "GRANT", "SOURCE_OWNER": "MC", "SOURCE_NAME": "C_OBJ_D_KOMBAJN", "TARGET_OWNER": "MC", "TARGET_NAME": "C_OBJ_D_KOMBAJN", "GRANTEE": "MCCZ_WWW", "PRIVILEGE_NAME": "EXECUTE", "DETAIL": "NO"}
rule id: pur.access.002		Scope: pur.oracle.mc.c_obj_d_kombajn.package Pravidlo: ACCESS CAPABILITY ONLY: {"RECORD_TYPE": "GRANT", "SOURCE_OWNER": "MC", "SOURCE_NAME": "C_OBJ_D_KOMBAJN", "TARGET_OWNER": "MC", "TARGET_NAME": "C_OBJ_D_KOMBAJN", "GRANTEE": "MC_WWW", "PRIVILEGE_NAME": "EXECUTE", "DETAIL": "NO"}

Identita a zdroj	Technické vlastnosti	Význam status a důkazy
rule id: pur.access.003		Scope: pur.oracle.mc.c_rez_obj_dod.package Pravidlo: ACCESS CAPABILITY ONLY: {"RECORD_TYPE": "GRANT", "SOURCE_OWNER": "MC", "SOURCE_NAME": "C_REZ_OBJ_DOD", "TARGET_OWNER": "MC", "TARGET_NAME": "C_REZ_OBJ_DOD", "GRANTEE": "MCCZ_WWW", "PRIVILEGE_NAME": "EXECUTE", "DETAIL": "NO"}
rule id: pur.access.004		Scope: pur.oracle.mc.c_rez_obj_dod.package Pravidlo: ACCESS CAPABILITY ONLY: {"RECORD_TYPE": "GRANT", "SOURCE_OWNER": "MC", "SOURCE_NAME": "C_REZ_OBJ_DOD", "TARGET_OWNER": "MC", "TARGET_NAME": "C_REZ_OBJ_DOD", "GRANTEE": "MC_WWW", "PRIVILEGE_NAME": "EXECUTE", "DETAIL": "NO"}
rule id: pur.access.005		Scope: pur.oracle.mc.d_objd_l.package Pravidlo: ACCESS CAPABILITY ONLY: {"RECORD_TYPE": "GRANT", "SOURCE_OWNER": "MC", "SOURCE_NAME": "D_OBJD_L", "TARGET_OWNER": "MC", "TARGET_NAME": "D_OBJD_L", "GRANTEE": "MCCZ_WWW", "PRIVILEGE_NAME": "EXECUTE", "DETAIL": "NO"}
rule id: pur.access.006		Scope: pur.oracle.mc.d_objd_l.package Pravidlo: ACCESS CAPABILITY ONLY: {"RECORD_TYPE": "GRANT", "SOURCE_OWNER": "MC", "SOURCE_NAME": "D_OBJD_L", "TARGET_OWNER": "MC", "TARGET_NAME": "D_OBJD_L", "GRANTEE": "MC_WWW", "PRIVILEGE_NAME": "EXECUTE", "DETAIL": "NO"}
rule id: pur.access.007		Scope: pur.oracle.mc.d_objd_o.package Pravidlo: ACCESS CAPABILITY ONLY: {"RECORD_TYPE": "GRANT", "SOURCE_OWNER": "MC", "SOURCE_NAME": "D_OBJD_O", "TARGET_OWNER": "MC", "TARGET_NAME": "D_OBJD_O", "GRANTEE": "MCCZ_WWW", "PRIVILEGE_NAME": "EXECUTE", "DETAIL": "NO"}
rule id: pur.access.008		Scope: pur.oracle.mc.d_objd_o.package Pravidlo: ACCESS CAPABILITY ONLY: {"RECORD_TYPE": "GRANT", "SOURCE_OWNER": "MC", "SOURCE_NAME": "D_OBJD_O", "TARGET_OWNER": "MC", "TARGET_NAME": "D_OBJD_O", "GRANTEE": "MC_WWW", "PRIVILEGE_NAME": "EXECUTE", "DETAIL": "NO"}
rule id: pur.access.009		Scope: mc.object.objd_l Pravidlo: ACCESS CAPABILITY ONLY: {"RECORD_TYPE": "GRANT", "SOURCE_OWNER": "MC", "SOURCE_NAME": "OBJD_L", "TARGET_OWNER": "MC", "TARGET_NAME": "OBJD_L", "GRANTEE": "MCCZ_WWW", "PRIVILEGE_NAME": "SELECT", "DETAIL": "NO"}
rule id: pur.access.010		Scope: mc.object.objd_l Pravidlo: ACCESS CAPABILITY ONLY: {"RECORD_TYPE": "GRANT", "SOURCE_OWNER": "MC", "SOURCE_NAME": "OBJD_L", "TARGET_OWNER": "MC", "TARGET_NAME": "OBJD_L", "GRANTEE": "MC_ST", "PRIVILEGE_NAME": "ALTER", "DETAIL": "NO"}
rule id: pur.access.011		Scope: mc.object.objd_l Pravidlo: ACCESS CAPABILITY ONLY: {"RECORD_TYPE": "GRANT", "SOURCE_OWNER": "MC", "SOURCE_NAME": "OBJD_L", "TARGET_OWNER": "MC", "TARGET_NAME": "OBJD_L", "GRANTEE": "MC_ST", "PRIVILEGE_NAME": "DEBUG", "DETAIL": "NO"}

Identita a zdroj	Technické vlastnosti	Význam status a důkazy
rule id: pur.access.012		Scope: mc.object.objd_l Pravidlo: ACCESS CAPABILITY ONLY: {"RECORD_TYPE": "GRANT", "SOURCE_OWNER": "MC", "SOURCE_NAME": "OBJD_L", "TARGET_OWNER": "MC", "TARGET_NAME": "OBJD_L", "GRANTEE": "MC_ST", "PRIVILEGE_NAME": "DELETE", "DETAIL": "NO"}
rule id: pur.access.013		Scope: mc.object.objd_l Pravidlo: ACCESS CAPABILITY ONLY: {"RECORD_TYPE": "GRANT", "SOURCE_OWNER": "MC", "SOURCE_NAME": "OBJD_L", "TARGET_OWNER": "MC", "TARGET_NAME": "OBJD_L", "GRANTEE": "MC_ST", "PRIVILEGE_NAME": "FLASHBACK", "DETAIL": "NO"}
rule id: pur.access.014		Scope: mc.object.objd_l Pravidlo: ACCESS CAPABILITY ONLY: {"RECORD_TYPE": "GRANT", "SOURCE_OWNER": "MC", "SOURCE_NAME": "OBJD_L", "TARGET_OWNER": "MC", "TARGET_NAME": "OBJD_L", "GRANTEE": "MC_ST", "PRIVILEGE_NAME": "INDEX", "DETAIL": "NO"}
rule id: pur.access.015		Scope: mc.object.objd_l Pravidlo: ACCESS CAPABILITY ONLY: {"RECORD_TYPE": "GRANT", "SOURCE_OWNER": "MC", "SOURCE_NAME": "OBJD_L", "TARGET_OWNER": "MC", "TARGET_NAME": "OBJD_L", "GRANTEE": "MC_ST", "PRIVILEGE_NAME": "INSERT", "DETAIL": "NO"}
rule id: pur.access.016		Scope: mc.object.objd_l Pravidlo: ACCESS CAPABILITY ONLY: {"RECORD_TYPE": "GRANT", "SOURCE_OWNER": "MC", "SOURCE_NAME": "OBJD_L", "TARGET_OWNER": "MC", "TARGET_NAME": "OBJD_L", "GRANTEE": "MC_ST", "PRIVILEGE_NAME": "ON COMMIT REFRESH", "DETAIL": "NO"}
rule id: pur.access.017		Scope: mc.object.objd_l Pravidlo: ACCESS CAPABILITY ONLY: {"RECORD_TYPE": "GRANT", "SOURCE_OWNER": "MC", "SOURCE_NAME": "OBJD_L", "TARGET_OWNER": "MC", "TARGET_NAME": "OBJD_L", "GRANTEE": "MC_ST", "PRIVILEGE_NAME": "QUERY REWRITE", "DETAIL": "NO"}
rule id: pur.access.018		Scope: mc.object.objd_l Pravidlo: ACCESS CAPABILITY ONLY: {"RECORD_TYPE": "GRANT", "SOURCE_OWNER": "MC", "SOURCE_NAME": "OBJD_L", "TARGET_OWNER": "MC", "TARGET_NAME": "OBJD_L", "GRANTEE": "MC_ST", "PRIVILEGE_NAME": "REFERENCES", "DETAIL": "NO"}
rule id: pur.access.019		Scope: mc.object.objd_l Pravidlo: ACCESS CAPABILITY ONLY: {"RECORD_TYPE": "GRANT", "SOURCE_OWNER": "MC", "SOURCE_NAME": "OBJD_L", "TARGET_OWNER": "MC", "TARGET_NAME": "OBJD_L", "GRANTEE": "MC_ST", "PRIVILEGE_NAME": "SELECT", "DETAIL": "NO"}
rule id: pur.access.020		Scope: mc.object.objd_l Pravidlo: ACCESS CAPABILITY ONLY: {"RECORD_TYPE": "GRANT", "SOURCE_OWNER": "MC", "SOURCE_NAME": "OBJD_L", "TARGET_OWNER": "MC", "TARGET_NAME": "OBJD_L", "GRANTEE": "MC_ST", "PRIVILEGE_NAME": "UPDATE", "DETAIL": "NO"}

Identita a zdroj	Technické vlastnosti	Význam status a důkazy
rule id: pur.access.021		Scope: mc.object.objd_l Pravidlo: ACCESS CAPABILITY ONLY: {"RECORD_TYPE": "GRANT", "SOURCE_OWNER": "MC", "SOURCE_NAME": "OBJD_L", "TARGET_OWNER": "MC", "TARGET_NAME": "OBJD_L", "GRANTEE": "MC_WWW", "PRIVILEGE_NAME": "SELECT", "DETAIL": "NO"}
rule id: pur.access.022		Scope: mc.object.obj_d_navrh Pravidlo: ACCESS CAPABILITY ONLY: {"RECORD_TYPE": "GRANT", "SOURCE_OWNER": "MC", "SOURCE_NAME": "OBJ_D_NAVRH", "TARGET_OWNER": "MC", "TARGET_NAME": "OBJ_D_NAVRH", "GRANTEE": "MCCZ_WWW", "PRIVILEGE_NAME": "ALTER", "DETAIL": "NO"}
rule id: pur.access.023		Scope: mc.object.obj_d_navrh Pravidlo: ACCESS CAPABILITY ONLY: {"RECORD_TYPE": "GRANT", "SOURCE_OWNER": "MC", "SOURCE_NAME": "OBJ_D_NAVRH", "TARGET_OWNER": "MC", "TARGET_NAME": "OBJ_D_NAVRH", "GRANTEE": "MCCZ_WWW", "PRIVILEGE_NAME": "DEBUG", "DETAIL": "NO"}
rule id: pur.access.024		Scope: mc.object.obj_d_navrh Pravidlo: ACCESS CAPABILITY ONLY: {"RECORD_TYPE": "GRANT", "SOURCE_OWNER": "MC", "SOURCE_NAME": "OBJ_D_NAVRH", "TARGET_OWNER": "MC", "TARGET_NAME": "OBJ_D_NAVRH", "GRANTEE": "MCCZ_WWW", "PRIVILEGE_NAME": "DELETE", "DETAIL": "NO"}
rule id: pur.access.025		Scope: mc.object.obj_d_navrh Pravidlo: ACCESS CAPABILITY ONLY: {"RECORD_TYPE": "GRANT", "SOURCE_OWNER": "MC", "SOURCE_NAME": "OBJ_D_NAVRH", "TARGET_OWNER": "MC", "TARGET_NAME": "OBJ_D_NAVRH", "GRANTEE": "MCCZ_WWW", "PRIVILEGE_NAME": "FLASHBACK", "DETAIL": "NO"}
rule id: pur.access.026		Scope: mc.object.obj_d_navrh Pravidlo: ACCESS CAPABILITY ONLY: {"RECORD_TYPE": "GRANT", "SOURCE_OWNER": "MC", "SOURCE_NAME": "OBJ_D_NAVRH", "TARGET_OWNER": "MC", "TARGET_NAME": "OBJ_D_NAVRH", "GRANTEE": "MCCZ_WWW", "PRIVILEGE_NAME": "INDEX", "DETAIL": "NO"}
rule id: pur.access.027		Scope: mc.object.obj_d_navrh Pravidlo: ACCESS CAPABILITY ONLY: {"RECORD_TYPE": "GRANT", "SOURCE_OWNER": "MC", "SOURCE_NAME": "OBJ_D_NAVRH", "TARGET_OWNER": "MC", "TARGET_NAME": "OBJ_D_NAVRH", "GRANTEE": "MCCZ_WWW", "PRIVILEGE_NAME": "INSERT", "DETAIL": "NO"}
rule id: pur.access.028		Scope: mc.object.obj_d_navrh Pravidlo: ACCESS CAPABILITY ONLY: {"RECORD_TYPE": "GRANT", "SOURCE_OWNER": "MC", "SOURCE_NAME": "OBJ_D_NAVRH", "TARGET_OWNER": "MC", "TARGET_NAME": "OBJ_D_NAVRH", "GRANTEE": "MCCZ_WWW", "PRIVILEGE_NAME": "ON COMMIT REFRESH", "DETAIL": "NO"}

Identita a zdroj	Technické vlastnosti	Význam status a důkazy
rule id: pur.access.029		Scope: mc.object.obj_d_navrh Pravidlo: ACCESS CAPABILITY ONLY: {"RECORD_TYPE": "GRANT", "SOURCE_OWNER": "MC", "SOURCE_NAME": "OBJ_D_NAVRH", "TARGET_OWNER": "MC", "TARGET_NAME": "OBJ_D_NAVRH", "GRANTEE": "MCCZ_WWW", "PRIVILEGE_NAME": "QUERY REWRITE", "DETAIL": "NO"}
rule id: pur.access.030		Scope: mc.object.obj_d_navrh Pravidlo: ACCESS CAPABILITY ONLY: {"RECORD_TYPE": "GRANT", "SOURCE_OWNER": "MC", "SOURCE_NAME": "OBJ_D_NAVRH", "TARGET_OWNER": "MC", "TARGET_NAME": "OBJ_D_NAVRH", "GRANTEE": "MCCZ_WWW", "PRIVILEGE_NAME": "REFERENCES", "DETAIL": "NO"}
rule id: pur.access.031		Scope: mc.object.obj_d_navrh Pravidlo: ACCESS CAPABILITY ONLY: {"RECORD_TYPE": "GRANT", "SOURCE_OWNER": "MC", "SOURCE_NAME": "OBJ_D_NAVRH", "TARGET_OWNER": "MC", "TARGET_NAME": "OBJ_D_NAVRH", "GRANTEE": "MCCZ_WWW", "PRIVILEGE_NAME": "SELECT", "DETAIL": "NO"}
rule id: pur.access.032		Scope: mc.object.obj_d_navrh Pravidlo: ACCESS CAPABILITY ONLY: {"RECORD_TYPE": "GRANT", "SOURCE_OWNER": "MC", "SOURCE_NAME": "OBJ_D_NAVRH", "TARGET_OWNER": "MC", "TARGET_NAME": "OBJ_D_NAVRH", "GRANTEE": "MCCZ_WWW", "PRIVILEGE_NAME": "UPDATE", "DETAIL": "NO"}
rule id: pur.access.033		Scope: mc.object.obj_d_navrh Pravidlo: ACCESS CAPABILITY ONLY: {"RECORD_TYPE": "GRANT", "SOURCE_OWNER": "MC", "SOURCE_NAME": "OBJ_D_NAVRH", "TARGET_OWNER": "MC", "TARGET_NAME": "OBJ_D_NAVRH", "GRANTEE": "MC_WWW", "PRIVILEGE_NAME": "ALTER", "DETAIL": "NO"}
rule id: pur.access.034		Scope: mc.object.obj_d_navrh Pravidlo: ACCESS CAPABILITY ONLY: {"RECORD_TYPE": "GRANT", "SOURCE_OWNER": "MC", "SOURCE_NAME": "OBJ_D_NAVRH", "TARGET_OWNER": "MC", "TARGET_NAME": "OBJ_D_NAVRH", "GRANTEE": "MC_WWW", "PRIVILEGE_NAME": "DEBUG", "DETAIL": "NO"}
rule id: pur.access.035		Scope: mc.object.obj_d_navrh Pravidlo: ACCESS CAPABILITY ONLY: {"RECORD_TYPE": "GRANT", "SOURCE_OWNER": "MC", "SOURCE_NAME": "OBJ_D_NAVRH", "TARGET_OWNER": "MC", "TARGET_NAME": "OBJ_D_NAVRH", "GRANTEE": "MC_WWW", "PRIVILEGE_NAME": "DELETE", "DETAIL": "NO"}
rule id: pur.access.036		Scope: mc.object.obj_d_navrh Pravidlo: ACCESS CAPABILITY ONLY: {"RECORD_TYPE": "GRANT", "SOURCE_OWNER": "MC", "SOURCE_NAME": "OBJ_D_NAVRH", "TARGET_OWNER": "MC", "TARGET_NAME": "OBJ_D_NAVRH", "GRANTEE": "MC_WWW", "PRIVILEGE_NAME": "FLASHBACK", "DETAIL": "NO"}

Identita a zdroj	Technické vlastnosti	Význam status a důkazy
rule id: pur.access.037		Scope: mc.object.obj_d_navrh Pravidlo: ACCESS CAPABILITY ONLY: {"RECORD_TYPE": "GRANT", "SOURCE_OWNER": "MC", "SOURCE_NAME": "OBJ_D_NAVRH", "TARGET_OWNER": "MC", "TARGET_NAME": "OBJ_D_NAVRH", "GRANTEE": "MC_WWW", "PRIVILEGE_NAME": "INDEX", "DETAIL": "NO"}
rule id: pur.access.038		Scope: mc.object.obj_d_navrh Pravidlo: ACCESS CAPABILITY ONLY: {"RECORD_TYPE": "GRANT", "SOURCE_OWNER": "MC", "SOURCE_NAME": "OBJ_D_NAVRH", "TARGET_OWNER": "MC", "TARGET_NAME": "OBJ_D_NAVRH", "GRANTEE": "MC_WWW", "PRIVILEGE_NAME": "INSERT", "DETAIL": "NO"}
rule id: pur.access.039		Scope: mc.object.obj_d_navrh Pravidlo: ACCESS CAPABILITY ONLY: {"RECORD_TYPE": "GRANT", "SOURCE_OWNER": "MC", "SOURCE_NAME": "OBJ_D_NAVRH", "TARGET_OWNER": "MC", "TARGET_NAME": "OBJ_D_NAVRH", "GRANTEE": "MC_WWW", "PRIVILEGE_NAME": "ON COMMIT REFRESH", "DETAIL": "NO"}
rule id: pur.access.040		Scope: mc.object.obj_d_navrh Pravidlo: ACCESS CAPABILITY ONLY: {"RECORD_TYPE": "GRANT", "SOURCE_OWNER": "MC", "SOURCE_NAME": "OBJ_D_NAVRH", "TARGET_OWNER": "MC", "TARGET_NAME": "OBJ_D_NAVRH", "GRANTEE": "MC_WWW", "PRIVILEGE_NAME": "QUERY REWRITE", "DETAIL": "NO"}
rule id: pur.access.041		Scope: mc.object.obj_d_navrh Pravidlo: ACCESS CAPABILITY ONLY: {"RECORD_TYPE": "GRANT", "SOURCE_OWNER": "MC", "SOURCE_NAME": "OBJ_D_NAVRH", "TARGET_OWNER": "MC", "TARGET_NAME": "OBJ_D_NAVRH", "GRANTEE": "MC_WWW", "PRIVILEGE_NAME": "REFERENCES", "DETAIL": "NO"}
rule id: pur.access.042		Scope: mc.object.obj_d_navrh Pravidlo: ACCESS CAPABILITY ONLY: {"RECORD_TYPE": "GRANT", "SOURCE_OWNER": "MC", "SOURCE_NAME": "OBJ_D_NAVRH", "TARGET_OWNER": "MC", "TARGET_NAME": "OBJ_D_NAVRH", "GRANTEE": "MC_WWW", "PRIVILEGE_NAME": "SELECT", "DETAIL": "NO"}
rule id: pur.access.043		Scope: mc.object.obj_d_navrh Pravidlo: ACCESS CAPABILITY ONLY: {"RECORD_TYPE": "GRANT", "SOURCE_OWNER": "MC", "SOURCE_NAME": "OBJ_D_NAVRH", "TARGET_OWNER": "MC", "TARGET_NAME": "OBJ_D_NAVRH", "GRANTEE": "MC_WWW", "PRIVILEGE_NAME": "UPDATE", "DETAIL": "NO"}
rule id: pur.access.044		Scope: mc.object.obj_d_navrh_log Pravidlo: ACCESS CAPABILITY ONLY: {"RECORD_TYPE": "GRANT", "SOURCE_OWNER": "MC", "SOURCE_NAME": "OBJ_D_NAVRH_LOG", "TARGET_OWNER": "MC", "TARGET_NAME": "OBJ_D_NAVRH_LOG", "GRANTEE": "MCCZ_WWW", "PRIVILEGE_NAME": "SELECT", "DETAIL": "NO"}

Identita a zdroj	Technické vlastnosti	Význam status a důkazy
rule id: pur.access.045		Scope: mc.object.obj_d_navrh_log Pravidlo: ACCESS CAPABILITY ONLY: {"RECORD_TYPE": "GRANT", "SOURCE_OWNER": "MC", "SOURCE_NAME": "OBJ_D_NAVRH_LOG", "TARGET_OWNER": "MC", "TARGET_NAME": "OBJ_D_NAVRH_LOG", "GRANTEE": "MC_WWW", "PRIVILEGE_NAME": "SELECT", "DETAIL": "NO"}
rule id: pur.access.046		Scope: mc.object.objd_o Pravidlo: ACCESS CAPABILITY ONLY: {"RECORD_TYPE": "GRANT", "SOURCE_OWNER": "MC", "SOURCE_NAME": "OBJD_O", "TARGET_OWNER": "MC", "TARGET_NAME": "OBJD_O", "GRANTEE": "MCCZ_WWW", "PRIVILEGE_NAME": "SELECT", "DETAIL": "NO"}
rule id: pur.access.047		Scope: mc.object.objd_o Pravidlo: ACCESS CAPABILITY ONLY: {"RECORD_TYPE": "GRANT", "SOURCE_OWNER": "MC", "SOURCE_NAME": "OBJD_O", "TARGET_OWNER": "MC", "TARGET_NAME": "OBJD_O", "GRANTEE": "MC_ST", "PRIVILEGE_NAME": "ALTER", "DETAIL": "NO"}
rule id: pur.access.048		Scope: mc.object.objd_o Pravidlo: ACCESS CAPABILITY ONLY: {"RECORD_TYPE": "GRANT", "SOURCE_OWNER": "MC", "SOURCE_NAME": "OBJD_O", "TARGET_OWNER": "MC", "TARGET_NAME": "OBJD_O", "GRANTEE": "MC_ST", "PRIVILEGE_NAME": "DEBUG", "DETAIL": "NO"}
rule id: pur.access.049		Scope: mc.object.objd_o Pravidlo: ACCESS CAPABILITY ONLY: {"RECORD_TYPE": "GRANT", "SOURCE_OWNER": "MC", "SOURCE_NAME": "OBJD_O", "TARGET_OWNER": "MC", "TARGET_NAME": "OBJD_O", "GRANTEE": "MC_ST", "PRIVILEGE_NAME": "DELETE", "DETAIL": "NO"}
rule id: pur.access.050		Scope: mc.object.objd_o Pravidlo: ACCESS CAPABILITY ONLY: {"RECORD_TYPE": "GRANT", "SOURCE_OWNER": "MC", "SOURCE_NAME": "OBJD_O", "TARGET_OWNER": "MC", "TARGET_NAME": "OBJD_O", "GRANTEE": "MC_ST", "PRIVILEGE_NAME": "FLASHBACK", "DETAIL": "NO"}
rule id: pur.access.051		Scope: mc.object.objd_o Pravidlo: ACCESS CAPABILITY ONLY: {"RECORD_TYPE": "GRANT", "SOURCE_OWNER": "MC", "SOURCE_NAME": "OBJD_O", "TARGET_OWNER": "MC", "TARGET_NAME": "OBJD_O", "GRANTEE": "MC_ST", "PRIVILEGE_NAME": "INDEX", "DETAIL": "NO"}
rule id: pur.access.052		Scope: mc.object.objd_o Pravidlo: ACCESS CAPABILITY ONLY: {"RECORD_TYPE": "GRANT", "SOURCE_OWNER": "MC", "SOURCE_NAME": "OBJD_O", "TARGET_OWNER": "MC", "TARGET_NAME": "OBJD_O", "GRANTEE": "MC_ST", "PRIVILEGE_NAME": "INSERT", "DETAIL": "NO"}
rule id: pur.access.053		Scope: mc.object.objd_o Pravidlo: ACCESS CAPABILITY ONLY: {"RECORD_TYPE": "GRANT", "SOURCE_OWNER": "MC", "SOURCE_NAME": "OBJD_O", "TARGET_OWNER": "MC", "TARGET_NAME": "OBJD_O", "GRANTEE": "MC_ST", "PRIVILEGE_NAME": "ON COMMIT REFRESH", "DETAIL": "NO"}

Identita a zdroj	Technické vlastnosti	Význam status a důkazy
rule id: pur.access.054		Scope: mc.object.objd_o Pravidlo: ACCESS CAPABILITY ONLY: {"RECORD_TYPE": "GRANT", "SOURCE_OWNER": "MC", "SOURCE_NAME": "OBJD_O", "TARGET_OWNER": "MC", "TARGET_NAME": "OBJD_O", "GRANTEE": "MC_ST", "PRIVILEGE_NAME": "QUERY REWRITE", "DETAIL": "NO"}
rule id: pur.access.055		Scope: mc.object.objd_o Pravidlo: ACCESS CAPABILITY ONLY: {"RECORD_TYPE": "GRANT", "SOURCE_OWNER": "MC", "SOURCE_NAME": "OBJD_O", "TARGET_OWNER": "MC", "TARGET_NAME": "OBJD_O", "GRANTEE": "MC_ST", "PRIVILEGE_NAME": "REFERENCES", "DETAIL": "NO"}
rule id: pur.access.056		Scope: mc.object.objd_o Pravidlo: ACCESS CAPABILITY ONLY: {"RECORD_TYPE": "GRANT", "SOURCE_OWNER": "MC", "SOURCE_NAME": "OBJD_O", "TARGET_OWNER": "MC", "TARGET_NAME": "OBJD_O", "GRANTEE": "MC_ST", "PRIVILEGE_NAME": "SELECT", "DETAIL": "NO"}
rule id: pur.access.057		Scope: mc.object.objd_o Pravidlo: ACCESS CAPABILITY ONLY: {"RECORD_TYPE": "GRANT", "SOURCE_OWNER": "MC", "SOURCE_NAME": "OBJD_O", "TARGET_OWNER": "MC", "TARGET_NAME": "OBJD_O", "GRANTEE": "MC_ST", "PRIVILEGE_NAME": "UPDATE", "DETAIL": "NO"}
rule id: pur.access.058		Scope: mc.object.objd_o Pravidlo: ACCESS CAPABILITY ONLY: {"RECORD_TYPE": "GRANT", "SOURCE_OWNER": "MC", "SOURCE_NAME": "OBJD_O", "TARGET_OWNER": "MC", "TARGET_NAME": "OBJD_O", "GRANTEE": "MC_WWW", "PRIVILEGE_NAME": "SELECT", "DETAIL": "NO"}
rule id: pur.access.059		Scope: mc.object.objd_l Pravidlo: ACCESS CAPABILITY ONLY: {"RECORD_TYPE": "SYNONYM", "SOURCE_OWNER": "MC", "SOURCE_NAME": "OBJD_L_5020", "TARGET_OWNER": "MC", "TARGET_NAME": "OBJD_L", "GRANTEE": null, "PRIVILEGE_NAME": null, "DETAIL": null}
rule id: pur.access.060		Scope: mc.object.objd_l Pravidlo: ACCESS CAPABILITY ONLY: {"RECORD_TYPE": "SYNONYM", "SOURCE_OWNER": "MC_ST", "SOURCE_NAME": "OBJD_L", "TARGET_OWNER": "MC", "TARGET_NAME": "OBJD_L", "GRANTEE": null, "PRIVILEGE_NAME": null, "DETAIL": null}
rule id: pur.access.061		Scope: mc.object.objd_o Pravidlo: ACCESS CAPABILITY ONLY: {"RECORD_TYPE": "SYNONYM", "SOURCE_OWNER": "MC_ST", "SOURCE_NAME": "OBJD_O", "TARGET_OWNER": "MC", "TARGET_NAME": "OBJD_O", "GRANTEE": null, "PRIVILEGE_NAME": null, "DETAIL": null}
rule id: pur.access.062		Scope: pur.oracle.mc.c_obj_d_kombajn.package Pravidlo: ACCESS CAPABILITY ONLY: {"RECORD_TYPE": "SYNONYM", "SOURCE_OWNER": "MC_WWW", "SOURCE_NAME": "C_OBJ_D_KOMBAJN", "TARGET_OWNER": "MC", "TARGET_NAME": "C_OBJ_D_KOMBAJN", "GRANTEE": null, "PRIVILEGE_NAME": null, "DETAIL": null}

Identita a zdroj	Technické vlastnosti	Význam status a důkazy
rule id: pur.access.063		Scope: pur.oracle.mc.c_rez_obj_dod.package Pravidlo: ACCESS CAPABILITY ONLY: {"RECORD_TYPE": "SYNONYM", "SOURCE_OWNER": "MC_WWW", "SOURCE_NAME": "C_REZ_OBJ_DOD", "TARGET_OWNER": "MC", "TARGET_NAME": "C_REZ_OBJ_DOD", "GRANTEE": null, "PRIVILEGE_NAME": null, "DETAIL": null}
rule id: pur.access.064		Scope: pur.oracle.mc.d_objd_l.package Pravidlo: ACCESS CAPABILITY ONLY: {"RECORD_TYPE": "SYNONYM", "SOURCE_OWNER": "MC_WWW", "SOURCE_NAME": "D_OBJD_L", "TARGET_OWNER": "MC", "TARGET_NAME": "D_OBJD_L", "GRANTEE": null, "PRIVILEGE_NAME": null, "DETAIL": null}
rule id: pur.access.065		Scope: pur.oracle.mc.d_objd_o.package Pravidlo: ACCESS CAPABILITY ONLY: {"RECORD_TYPE": "SYNONYM", "SOURCE_OWNER": "MC_WWW", "SOURCE_NAME": "D_OBJD_O", "TARGET_OWNER": "MC", "TARGET_NAME": "D_OBJD_O", "GRANTEE": null, "PRIVILEGE_NAME": null, "DETAIL": null}
rule id: pur.access.066		Scope: mc.object.objd_l Pravidlo: ACCESS CAPABILITY ONLY: {"RECORD_TYPE": "SYNONYM", "SOURCE_OWNER": "MC_WWW", "SOURCE_NAME": "OBJD_L", "TARGET_OWNER": "MC", "TARGET_NAME": "OBJD_L", "GRANTEE": null, "PRIVILEGE_NAME": null, "DETAIL": null}
rule id: pur.access.067		Scope: mc.object.obj_d_navrh Pravidlo: ACCESS CAPABILITY ONLY: {"RECORD_TYPE": "SYNONYM", "SOURCE_OWNER": "MC_WWW", "SOURCE_NAME": "OBJ_D_NAVRH", "TARGET_OWNER": "MC", "TARGET_NAME": "OBJ_D_NAVRH", "GRANTEE": null, "PRIVILEGE_NAME": null, "DETAIL": null}
rule id: pur.access.068		Scope: mc.object.obj_d_navrh_log Pravidlo: ACCESS CAPABILITY ONLY: {"RECORD_TYPE": "SYNONYM", "SOURCE_OWNER": "MC_WWW", "SOURCE_NAME": "OBJ_D_NAVRH_LOG", "TARGET_OWNER": "MC", "TARGET_NAME": "OBJ_D_NAVRH_LOG", "GRANTEE": null, "PRIVILEGE_NAME": null, "DETAIL": null}
rule id: pur.access.069		Scope: mc.object.objd_o Pravidlo: ACCESS CAPABILITY ONLY: {"RECORD_TYPE": "SYNONYM", "SOURCE_OWNER": "MC_WWW", "SOURCE_NAME": "OBJD_O", "TARGET_OWNER": "MC", "TARGET_NAME": "OBJD_O", "GRANTEE": null, "PRIVILEGE_NAME": null, "DETAIL": null}

Oracle entity a receiving boundary

Canonical source: catalog/purchasing/oracle-entities.yaml

schema version: 1.0

kind: oracle-entities

id: pur.oracle_entities.001

Skupina 1

Spoločné vlastnosti všetkých záznamov nasledujúcej tabuľky

environment: MC

oracle owner: MC

oracle object type: TABLE

source visible: true

boundary only: true

Status: TECHNICKY ZNÁME

Dôkazy: pur.evidence.mp01_c

Obmedzenia: Technický objekt v dostupnom dôkaze; názov ani dependency samy neurčujú business alebo writer rolu.

Identita a zdroj	Technické vlastnosti	Význam status a dôkazy
oracle entity id: pur.oracle.mc.meny.table oracle name: MENY		fields: oracle field id: pur.boundary_field.mc.meny.id oracle name: ID Datatype: null Status: TECHNICKY ZNÁME Dôkazy: pur.evidence.mp01_c
oracle entity id: pur.oracle.mc.sposob_kontaktu.table oracle name: SPOSOB_KONTAKTU		fields: oracle field id: pur.boundary_field.mc.sposob_kontaktu.rid oracle name: RID Datatype: null Status: TECHNICKY ZNÁME Dôkazy: pur.evidence.mp01_c
oracle entity id: pur.oracle.mc.sposob_objednania.table oracle name: SPOSOB_OBJEDNANIA		fields: oracle field id: pur.boundary_field.mc.sposob_objednania.rid oracle name: RID Datatype: null Status: TECHNICKY ZNÁME Dôkazy: pur.evidence.mp01_c
oracle entity id: pur.oracle.mc.typy_cis.table oracle name: TYPY_CIS		fields: oracle field id: pur.boundary_field.mc.typy_cis.id oracle name: ID Datatype: null Status: TECHNICKY ZNÁME Dôkazy: pur.evidence.mp01_c

Identita a zdroj	Technické vlastnosti	Význam status a důkazy
oracle entity id: pur.oracle.mc.ucty.table oracle name: UCTY		fields: oracle field id: pur.boundary_field.mc.ucty.id oracle name: ID Datatype: null Status: TECHNICKY ZNÁME Důkazy: pur.evidence.mp01_c
oracle entity id: pur.oracle.mc.uct_str.table oracle name: UCT_STR		fields: oracle field id: pur.boundary_field.mc.uct_str.id oracle name: ID Datatype: null Status: TECHNICKY ZNÁME Důkazy: pur.evidence.mp01_c
oracle entity id: pur.oracle.mc.zakazky.table oracle name: ZAKAZKY		fields: oracle field id: pur.boundary_field.mc.zakazky.id oracle name: ID Datatype: null Status: TECHNICKY ZNÁME Důkazy: pur.evidence.mp01_c
oracle entity id: pur.oracle.mc.dovody_blok_tovarov.table oracle name: DOVODY_BLOK_TOVAROV		fields: oracle field id: pur.boundary_field.mc.dovody_blok_tovarov.id oracle name: ID Datatype: null Status: TECHNICKY ZNÁME Důkazy: pur.evidence.mp01_c
oracle entity id: pur.oracle.mc.sklad_zasob.table oracle name: SKLAD_ZASOB		fields: oracle field id: pur.boundary_field.mc.sklad_zasob.id oracle name: ID Datatype: null Status: TECHNICKY ZNÁME Důkazy: pur.evidence.mp01_c
oracle entity id: pur.oracle.mc.sklad_karta.table oracle name: SKLAD_KARTA		fields: oracle field id: pur.boundary_field.mc.sklad_karta.id oracle name: ID Datatype: null Status: TECHNICKY ZNÁME Důkazy: pur.evidence.mp01_c
oracle entity id: pur.oracle.mc.b_kod_u.table oracle name: B_KOD_U		fields: oracle field id: pur.boundary_field.mc.b_kod_u.rid oracle name: RID Datatype: null Status: TECHNICKY ZNÁME Důkazy: pur.evidence.mp01_c
oracle entity id: pur.oracle.mc.ct_o.table oracle name: CT_O		fields: oracle field id: pur.boundary_field.mc.ct_o.rid_obj oracle name: RID_OBJ Datatype: null Status: TECHNICKY ZNÁME Důkazy: pur.evidence.mp01_c

Identita a zdroj	Technické vlastnosti	Význam status a dôkazy
oracle entity id: pur.oracle.mc.sklad_karta_lb.table oracle name: SKLAD_KARTA_LB		fields: oracle field id: pur.boundary_field.mc.sklad_karta_lb.rid oracle name: RID Datatype: null Status: TECHNICKY ZNÁME Dôkazy: pur.evidence.mp01_c
oracle entity id: pur.oracle.mc.ucty_sk.table oracle name: UCTY_SK		fields: oracle field id: pur.boundary_field.mc.ucty_sk.id oracle name: ID Datatype: null Status: TECHNICKY ZNÁME Dôkazy: pur.evidence.mp01_c
oracle entity id: pur.oracle.mc.akt_programy.table oracle name: AKT_PROGRAMY		fields: oracle field id: pur.boundary_field.mc.akt_programy.id oracle name: ID Datatype: null Status: TECHNICKY ZNÁME Dôkazy: pur.evidence.mp01_c

Skupina 2

Spoločné vlastnosti všetkých záznamov nasledujúcej tabuľky

environment: MC

oracle owner: MC

source visible: true

boundary only: true

Status: TECHNICKY ZNÁME

Dôkazy: pur.evidence.mp01_a

Obmedzenia: Technický objekt v dostupnom dôkaze; názov ani dependency samy neurčujú business alebo writer rolu.

Identita a zdroj	Technické vlastnosti	Význam status a dôkazy
oracle entity id: pur.oracle.mc.c_obj_d_kombajn.package oracle name: C_OBJ_D_KOMBAJN		oracle object type: PACKAGE
oracle entity id: pur.oracle.mc.c_rez_obj_dod.package oracle name: C_REZ_OBJ_DOD		oracle object type: PACKAGE
oracle entity id: pur.oracle.mc.d_objd_l.package oracle name: D_OBJD_L		oracle object type: PACKAGE

Identita a zdroj	Technické vlastnosti	Význam status a dôkazy
oracle entity id: pur.oracle.mc.d_objd_o.package oracle name: D_OBJD_O		oracle object type: PACKAGE
oracle entity id: pur.oracle.mc.c_obj_d_komb ajn.package_body oracle name: C_OBJD_D_KOMBAJN		oracle object type: PACKAGE BODY
oracle entity id: pur.oracle.mc.c_rez_obj_dod.package_body oracle name: C_REZ_OBJ_DOD		oracle object type: PACKAGE BODY
oracle entity id: pur.oracle.mc.d_objd_o.package_body oracle name: D_OBJD_O		oracle object type: PACKAGE BODY

Skupina 3

Spoločné vlastnosti všetkých záznamov nasledujúcej tabuľky

environment: MC

source visible: true

boundary only: true

Status: TECHNICKY ZNÁME

Dôkazy: pur.evidence.mp01_e

Obmedzenia: Technický objekt v dostupnom dôkaze; názov ani dependency samy neurčujú business alebo writer rolu.

Identita a zdroj	Technické vlastnosti	Význam status a dôkazy
oracle entity id: pur.oracle.mc.bp_monet.package_body oracle name: BP_MONET		oracle owner: MC oracle object type: PACKAGE BODY
oracle entity id: pur.oracle.mc.cenotvorba.package_body oracle name: CENOTVORBA		oracle owner: MC oracle object type: PACKAGE BODY
oracle entity id: pur.oracle.mc.copy.package_body oracle name: COPY		oracle owner: MC oracle object type: PACKAGE BODY
oracle entity id: pur.oracle.mc.c_cenotvorba_o.package_body oracle name: C_CENOTVORBA_O		oracle owner: MC oracle object type: PACKAGE BODY

Identita a zdroj	Technické vlastnosti	Význam status a důkazy
oracle entity id: pur.oracle.mc.c_ctp_l.package_body oracle name: C_CTP_L		oracle owner: MC oracle object type: PACKAGE BODY
oracle entity id: pur.oracle.mc.c_dispo_zasob a.package_body oracle name: C_DISPO_ZASOBA		oracle owner: MC oracle object type: PACKAGE BODY
oracle entity id: pur.oracle.mc.c_dobd_l.package_body oracle name: C_DOBDO_L		oracle owner: MC oracle object type: PACKAGE BODY
oracle entity id: pur.oracle.mc.c_dodf_l.package_body oracle name: C_DODFO_L		oracle owner: MC oracle object type: PACKAGE BODY
oracle entity id: pur.oracle.mc.c_dokl_naklad.package_body oracle name: C_DOKL_NAKLAD		oracle owner: MC oracle object type: PACKAGE BODY
oracle entity id: pur.oracle.mc.c_dokl_o.package_body oracle name: C_DOKLO_O		oracle owner: MC oracle object type: PACKAGE BODY
oracle entity id: pur.oracle.mc.c_dokl_prilohy _vytaz.package_body oracle name: C_DOKL_PRILOHY_VYTAZ		oracle owner: MC oracle object type: PACKAGE BODY
oracle entity id: pur.oracle.mc.c_dokl_vazba.package_body oracle name: C_DOKL_VAZBA		oracle owner: MC oracle object type: PACKAGE BODY
oracle entity id: pur.oracle.mc.c_dokl_vykryte.package_body oracle name: C_DOKL_VYKRYTE		oracle owner: MC oracle object type: PACKAGE BODY
oracle entity id: pur.oracle.mc.c_import_temp _l.package_body oracle name: C_IMPORT_TEMP_L		oracle owner: MC oracle object type: PACKAGE BODY
oracle entity id: pur.oracle.mc.c_m_dod.package_body oracle name: C_M_DOD		oracle owner: MC oracle object type: PACKAGE BODY
oracle entity id: pur.oracle.mc.c_naklad_prije m.package_body oracle name: C_NAKLAD_PRIJEM		oracle owner: MC oracle object type: PACKAGE BODY

Identita a zdroj	Technické vlastnosti	Význam status a důkazy
oracle entity id: pur.oracle.mc.apd_setup.table oracle name: APD_SETUP		oracle owner: MC oracle object type: TABLE
oracle entity id: pur.oracle.mc.baris_ciselnik.package oracle name: BARIS_CISELNIK		oracle owner: MC oracle object type: PACKAGE
oracle entity id: pur.oracle.mc.cenotvorba.package oracle name: CENOTVORBA		oracle owner: MC oracle object type: PACKAGE
oracle entity id: pur.oracle.mc.cis_def.table oracle name: CIS_DEF		oracle owner: MC oracle object type: TABLE
oracle entity id: pur.oracle.mc.clipboard.table oracle name: CLIPBOARD		oracle owner: MC oracle object type: TABLE
oracle entity id: pur.oracle.mc.c_cennik_popis.package oracle name: C_CENNIK_POPIS		oracle owner: MC oracle object type: PACKAGE
oracle entity id: pur.oracle.mc.c_cis.package oracle name: C_CIS		oracle owner: MC oracle object type: PACKAGE
oracle entity id: pur.oracle.mc.c_cis_def.package oracle name: C_CIS_DEF		oracle owner: MC oracle object type: PACKAGE
oracle entity id: pur.oracle.mc.c_cis_nastavenia.package oracle name: C_CIS_NASTAVENIA		oracle owner: MC oracle object type: PACKAGE
oracle entity id: pur.oracle.mc.c_cmd.package oracle name: C_CMD		oracle owner: MC oracle object type: PACKAGE
oracle entity id: pur.oracle.mc.c_const.package oracle name: C_CONST		oracle owner: MC oracle object type: PACKAGE
oracle entity id: pur.oracle.mc.c_dokl_l.package oracle name: C_DOKL_L		oracle owner: MC oracle object type: PACKAGE
oracle entity id: pur.oracle.mc.c_exc.package oracle name: C_EXC		oracle owner: MC oracle object type: PACKAGE

Identita a zdroj	Technické vlastnosti	Význam status a důkazy
oracle entity id: pur.oracle.mc.c_flags.package oracle name: C_FLAGS		oracle owner: MC oracle object type: PACKAGE
oracle entity id: pur.oracle.mc.c_flags_b_def.package oracle name: C_FLAGS_B_DEF		oracle owner: MC oracle object type: PACKAGE
oracle entity id: pur.oracle.mc.c_flags_def.package oracle name: C_FLAGS_DEF		oracle owner: MC oracle object type: PACKAGE
oracle entity id: pur.oracle.mc.c_ini.package oracle name: C_INI		oracle owner: MC oracle object type: PACKAGE
oracle entity id: pur.oracle.mc.c_makro.package oracle name: C_MAKRO		oracle owner: MC oracle object type: PACKAGE
oracle entity id: pur.oracle.mc.c_m_dod.package oracle name: C_M_DOD		oracle owner: MC oracle object type: PACKAGE
oracle entity id: pur.oracle.mc.c_obj_d_navrh.package oracle name: C_OBJ_D_NAVRH		oracle owner: MC oracle object type: PACKAGE
oracle entity id: pur.oracle.mc.c_obj_d_navrh_vyr.package oracle name: C_OBJ_D_NAVRH_VYR		oracle owner: MC oracle object type: PACKAGE
oracle entity id: pur.oracle.mc.c_partner.package oracle name: C_PARTNER		oracle owner: MC oracle object type: PACKAGE
oracle entity id: pur.oracle.mc.c_rez_obj_l.package oracle name: C_REZ_OBJ_L		oracle owner: MC oracle object type: PACKAGE
oracle entity id: pur.oracle.mc.c_rid.package oracle name: C_RID		oracle owner: MC oracle object type: PACKAGE
oracle entity id: pur.oracle.mc.c_session.package oracle name: C_SESSION		oracle owner: MC oracle object type: PACKAGE
oracle entity id: pur.oracle.mc.c_sklad.package oracle name: C_SKLAD		oracle owner: MC oracle object type: PACKAGE

Identita a zdroj	Technické vlastnosti	Význam status a důkazy
oracle entity id: pur.oracle.mc.c_sklad_karta.package oracle name: C_SKLAD_KARTA		oracle owner: MC oracle object type: PACKAGE
oracle entity id: pur.oracle.mc.c_sklad_minmax_l.package oracle name: C_SKLAD_MINMAX_L		oracle owner: MC oracle object type: PACKAGE
oracle entity id: pur.oracle.mc.c_stamp.package oracle name: C_STAMP		oracle owner: MC oracle object type: PACKAGE
oracle entity id: pur.oracle.mc.c_sz.package oracle name: C_SZ		oracle owner: MC oracle object type: PACKAGE
oracle entity id: pur.oracle.mc.c_typy_cis.package oracle name: C_TYPY_CIS		oracle owner: MC oracle object type: PACKAGE
oracle entity id: pur.oracle.mc.c_var.package oracle name: C_VAR		oracle owner: MC oracle object type: PACKAGE
oracle entity id: pur.oracle.mc.c_vyr_plan_l.package oracle name: C_VYR_PLAN_L		oracle owner: MC oracle object type: PACKAGE
oracle entity id: pur.oracle.mc.c_xml_tags.package oracle name: C_XML_TAGS		oracle owner: MC oracle object type: PACKAGE
oracle entity id: pur.oracle.mc.debugpck.procedure oracle name: DEBUGPCK		oracle owner: MC oracle object type: PROCEDURE
oracle entity id: pur.oracle.mc.d_ml_l.package oracle name: D_ML_L		oracle owner: MC oracle object type: PACKAGE
oracle entity id: pur.oracle.mc.d_obj_odb_l.package oracle name: D_OBJ_ODB_L		oracle owner: MC oracle object type: PACKAGE
oracle entity id: pur.oracle.mc.d_obj_odb_l_b.package oracle name: D_OBJ_ODB_L_B		oracle owner: MC oracle object type: PACKAGE
oracle entity id: pur.oracle.mc.d_obj_odb_o.package oracle name: D_OBJ_ODB_O		oracle owner: MC oracle object type: PACKAGE

Identita a zdroj	Technické vlastnosti	Význam status a důkazy
oracle entity id: pur.oracle.mc.d_ser_z_l.package oracle name: D_SER_Z_L		oracle owner: MC oracle object type: PACKAGE
oracle entity id: pur.oracle.mc.d_ser_z_o.package oracle name: D_SER_Z_O		oracle owner: MC oracle object type: PACKAGE
oracle entity id: pur.oracle.mc.d_t_dokl_l.package oracle name: D_T_DOKL_L		oracle owner: MC oracle object type: PACKAGE
oracle entity id: pur.oracle.mc.d_t_dokl_o.package oracle name: D_T_DOKL_O		oracle owner: MC oracle object type: PACKAGE
oracle entity id: pur.oracle.mc.listagg_clob.function oracle name: LISTAGG_CLOB		oracle owner: MC oracle object type: FUNCTION
oracle entity id: pur.oracle.mc.ml_l.table oracle name: ML_L		oracle owner: MC oracle object type: TABLE
oracle entity id: pur.oracle.mc.ml_o.table oracle name: ML_O		oracle owner: MC oracle object type: TABLE
oracle entity id: pur.oracle.mc.obch_plany_o.table oracle name: OBCH_PLANY_O		oracle owner: MC oracle object type: TABLE
oracle entity id: pur.oracle.mc.obj_odb_l.table oracle name: OBJ_ODB_L		oracle owner: MC oracle object type: TABLE
oracle entity id: pur.oracle.mc.obj_odb_o.table oracle name: OBJ_ODB_O		oracle owner: MC oracle object type: TABLE
oracle entity id: pur.oracle.mc.pck_st_stats.synonym oracle name: PCK_ST_STATS		oracle owner: MC oracle object type: SYNONYM
oracle entity id: pur.oracle.mc.pck_tools.package oracle name: PCK_TOOLS		oracle owner: MC oracle object type: PACKAGE
oracle entity id: pur.oracle.mc.ppf.package oracle name: PPF		oracle owner: MC oracle object type: PACKAGE

Identita a zdroj	Technické vlastnosti	Význam status a důkazy
oracle entity id: pur.oracle.mc.ser_z_l.table oracle name: SER_Z_L		oracle owner: MC oracle object type: TABLE
oracle entity id: pur.oracle.mc.ser_z_o.table oracle name: SER_Z_O		oracle owner: MC oracle object type: TABLE
oracle entity id: pur.oracle.mc.ser_z_tasks.table oracle name: SER_Z_TASKS		oracle owner: MC oracle object type: TABLE
oracle entity id: pur.oracle.mc.sklad_zasob_stat.synonym oracle name: SKLAD_ZASOB_STAT		oracle owner: MC oracle object type: SYNONYM
oracle entity id: pur.oracle.mc.sk_tpy_makier.table oracle name: SK_TPY_MAKIER		oracle owner: MC oracle object type: TABLE
oracle entity id: pur.oracle.mc.sq_obj_d_kom bajn_id.sequence oracle name: SQ_OBJ_D_KOMBAJN_ID		oracle owner: MC oracle object type: SEQUENCE
oracle entity id: pur.oracle.mc.sq_obj_d_navrh_l.sequence oracle name: SQ_OBJ_D_NAVRH_L		oracle owner: MC oracle object type: SEQUENCE
oracle entity id: pur.oracle.mc.sq_obj_d_podk lad_id.sequence oracle name: SQ_OBJ_D_PODKLAD_ID		oracle owner: MC oracle object type: SEQUENCE
oracle entity id: pur.oracle.mc.str_pole.type oracle name: STR_POLE		oracle owner: MC oracle object type: TYPE
oracle entity id: pur.oracle.mc.todate.function oracle name: TODATE		oracle owner: MC oracle object type: FUNCTION
oracle entity id: pur.oracle.mc.tonumber.function oracle name: TONUMBER		oracle owner: MC oracle object type: FUNCTION
oracle entity id: pur.oracle.mc.t_dokl_l.table oracle name: T_DOKL_L		oracle owner: MC oracle object type: TABLE
oracle entity id: pur.oracle.mc.t_dokl_o.table oracle name: T_DOKL_O		oracle owner: MC oracle object type: TABLE
oracle entity id: pur.oracle.mc.t_tmp_navrh.table oracle name: T_TMP_NAVRH		oracle owner: MC oracle object type: TABLE

Identita a zdroj	Technické vlastnosti	Význam status a důkazy
oracle entity id: pur.oracle.mc.vyd_o.table oracle name: VYD_O		oracle owner: MC oracle object type: TABLE
oracle entity id: pur.oracle.public.dbms_output.synonym oracle name: DBMS_OUTPUT		oracle owner: PUBLIC oracle object type: SYNONYM
oracle entity id: pur.oracle.public.dual.synonym oracle name: DUAL		oracle owner: PUBLIC oracle object type: SYNONYM
oracle entity id: pur.oracle.public.plitblm.synonym oracle name: PLITBLM		oracle owner: PUBLIC oracle object type: SYNONYM
oracle entity id: pur.oracle.public.xmltype.synonym oracle name: XMLTYPE		oracle owner: PUBLIC oracle object type: SYNONYM
oracle entity id: pur.oracle.public.xqsequence.synonym oracle name: XQSEQUENCE		oracle owner: PUBLIC oracle object type: SYNONYM
oracle entity id: pur.oracle.sys.standard.package oracle name: STANDARD		oracle owner: SYS oracle object type: PACKAGE
oracle entity id: pur.oracle.sys.xmltype.type oracle name: XMLTYPE		oracle owner: SYS oracle object type: TYPE
oracle entity id: pur.oracle.sys.xqsequence.operator oracle name: XQSEQUENCE		oracle owner: SYS oracle object type: OPERATOR
oracle entity id: pur.oracle.mc.c_obj_d_navrh.package_body oracle name: C_OBJ_D_NAVRH		oracle owner: MC oracle object type: PACKAGE BODY
oracle entity id: pur.oracle.mc.c_obj_d_navrh_vyr.package_body oracle name: C_OBJ_D_NAVRH_VYR		oracle owner: MC oracle object type: PACKAGE BODY
oracle entity id: pur.oracle.mc.c_obj_d_rozd_blokacii.package_body oracle name: C_OBJ_D_ROZD_BLOKACII		oracle owner: MC oracle object type: PACKAGE BODY
oracle entity id: pur.oracle.mc.c_obj_d_rozd_blokacii.package oracle name: C_OBJ_D_ROZD_BLOKACII		oracle owner: MC oracle object type: PACKAGE

Identita a zdroj	Technické vlastnosti	Význam status a důkazy
oracle entity id: pur.oracle.mc.c_rezervacia.package_body oracle name: C_REZERVACIA		oracle owner: MC oracle object type: PACKAGE BODY
oracle entity id: pur.oracle.mc.c_cis_id.package oracle name: C_CIS_ID		oracle owner: MC oracle object type: PACKAGE
oracle entity id: pur.oracle.mc.obj_dod_o.view oracle name: OBJ_DOD_O		oracle owner: MC oracle object type: VIEW
oracle entity id: pur.oracle.mc.rez_obj_dod.table oracle name: REZ_OBJ_DOD		oracle owner: MC oracle object type: TABLE
oracle entity id: pur.oracle.public.utl_file.synonym oracle name: UTL_FILE		oracle owner: PUBLIC oracle object type: SYNONYM
oracle entity id: pur.oracle.mc.c_rez_obj_l.package_body oracle name: C_REZ_OBJ_L		oracle owner: MC oracle object type: PACKAGE BODY
oracle entity id: pur.oracle.mc.c_rez_obj_o.package_body oracle name: C_REZ_OBJ_O		oracle owner: MC oracle object type: PACKAGE BODY
oracle entity id: pur.oracle.mc.c_rez_ziad_l.package_body oracle name: C_REZ_ZIAD_L		oracle owner: MC oracle object type: PACKAGE BODY
oracle entity id: pur.oracle.mc.c_rid.package_body oracle name: C_RID		oracle owner: MC oracle object type: PACKAGE BODY
oracle entity id: pur.oracle.mc.c_rz_o.package_body oracle name: C_RZ_O		oracle owner: MC oracle object type: PACKAGE BODY
oracle entity id: pur.oracle.mc.c_sarza_token_def.package_body oracle name: C_SARZA_TOKEN_DEF		oracle owner: MC oracle object type: PACKAGE BODY
oracle entity id: pur.oracle.mc.c_ser_z_task.package_body oracle name: C_SER_Z_TASK		oracle owner: MC oracle object type: PACKAGE BODY

Identita a zdroj	Technické vlastnosti	Význam status a důkazy
oracle entity id: pur.oracle.mc.c_sklad_zasob_p.package_body oracle name: C_SKLAD_ZASOB_P		oracle owner: MC oracle object type: PACKAGE BODY
oracle entity id: pur.oracle.mc.c_sk_sarza_to_ken.package_body oracle name: C_SK_SARZA_TOKEN		oracle owner: MC oracle object type: PACKAGE BODY
oracle entity id: pur.oracle.mc.c_tlac_nastavenie.package_body oracle name: C_TLAC_NASTAVENIE		oracle owner: MC oracle object type: PACKAGE BODY
oracle entity id: pur.oracle.mc.c_typ_nakladu.package_body oracle name: C_TYP_NAKLADU		oracle owner: MC oracle object type: PACKAGE BODY
oracle entity id: pur.oracle.mc.c_variant_rb_l.package_body oracle name: C_VARIANT_RB_L		oracle owner: MC oracle object type: PACKAGE BODY
oracle entity id: pur.oracle.mc.c_vyd_o_p_prij.package_body oracle name: C_VYD_O_P_PRIJ		oracle owner: MC oracle object type: PACKAGE BODY
oracle entity id: pur.oracle.mc.c_vyr_plan_pre_pocet.package_body oracle name: C_VYR_PLAN_PREPOCET		oracle owner: MC oracle object type: PACKAGE BODY
oracle entity id: pur.oracle.mc.c_vyr_plan_pre_pocet2.package_body oracle name: C_VYR_PLAN_PREPOCET2		oracle owner: MC oracle object type: PACKAGE BODY
oracle entity id: pur.oracle.mc.c_vyr_supis_l.package_body oracle name: C_VYR_SUPIS_L		oracle owner: MC oracle object type: PACKAGE BODY
oracle entity id: pur.oracle.mc.d_ml_l.package_body oracle name: D_ML_L		oracle owner: MC oracle object type: PACKAGE BODY
oracle entity id: pur.oracle.mc.d_ml_o.package_body oracle name: D_ML_O		oracle owner: MC oracle object type: PACKAGE BODY
oracle entity id: pur.oracle.mc.ceny_o.table oracle name: CENY_O		oracle owner: MC oracle object type: TABLE

Identita a zdroj	Technické vlastnosti	Význam status a důkazy
oracle entity id: pur.oracle.mc.cestovne_pr_l.table oracle name: CESTOVNE_PR_L		oracle owner: MC oracle object type: TABLE
oracle entity id: pur.oracle.mc.cis_stavy_hist.table oracle name: CIS_STAVY_HIST		oracle owner: MC oracle object type: TABLE
oracle entity id: pur.oracle.mc.cis_vazby.table oracle name: CIS_VAZBY		oracle owner: MC oracle object type: TABLE
oracle entity id: pur.oracle.mc.cis_x.table oracle name: CIS_X		oracle owner: MC oracle object type: TABLE
oracle entity id: pur.oracle.mc.col_sadzobnik.table oracle name: COL_SADZOBNIK		oracle owner: MC oracle object type: TABLE
oracle entity id: pur.oracle.mc.ct_l.table oracle name: CT_L		oracle owner: MC oracle object type: TABLE
oracle entity id: pur.oracle.mc.c_barcode.package oracle name: C_BARCODE		oracle owner: MC oracle object type: PACKAGE
oracle entity id: pur.oracle.mc.c_b_kod_u.package oracle name: C_B_KOD_U		oracle owner: MC oracle object type: PACKAGE
oracle entity id: pur.oracle.mc.c_cenotvorba_l.package oracle name: C_CENOTVORBA_L		oracle owner: MC oracle object type: PACKAGE
oracle entity id: pur.oracle.mc.c_cenotvorba_o.package oracle name: C_CENOTVORBA_O		oracle owner: MC oracle object type: PACKAGE
oracle entity id: pur.oracle.mc.c_cis_poznamka.package oracle name: C_CIS_POZNAMKA		oracle owner: MC oracle object type: PACKAGE
oracle entity id: pur.oracle.mc.c_cis_rada.package oracle name: C_CIS_RADA		oracle owner: MC oracle object type: PACKAGE
oracle entity id: pur.oracle.mc.c_cis_stav_hist.package oracle name: C_CIS_STAV_HIST		oracle owner: MC oracle object type: PACKAGE

Identita a zdroj	Technické vlastnosti	Význam status a dôkazy
oracle entity id: pur.oracle.mc.c_cis_tree.package oracle name: C_CIS_TREE		oracle owner: MC oracle object type: PACKAGE
oracle entity id: pur.oracle.mc.c_delenie_dokl.package oracle name: C_DELENIE_DOKL		oracle owner: MC oracle object type: PACKAGE
oracle entity id: pur.oracle.mc.c_dispo_zasoba.package oracle name: C_DISPO_ZASOBA		oracle owner: MC oracle object type: PACKAGE
oracle entity id: pur.oracle.mc.c_dokl_naklad.package oracle name: C_DOKL_NAKLAD		oracle owner: MC oracle object type: PACKAGE
oracle entity id: pur.oracle.mc.c_dokl_o.package oracle name: C_DOKL_O		oracle owner: MC oracle object type: PACKAGE
oracle entity id: pur.oracle.mc.c_dokl_o_us.package oracle name: C_DOKL_O_US		oracle owner: MC oracle object type: PACKAGE
oracle entity id: pur.oracle.mc.c_du.package oracle name: C_DU		oracle owner: MC oracle object type: PACKAGE
oracle entity id: pur.oracle.mc.c_import_file.package oracle name: C_IMPORT_FILE		oracle owner: MC oracle object type: PACKAGE
oracle entity id: pur.oracle.mc.c_import_pravi dla_par_sk.package oracle name: C_IMPORT_PRAVIDLA_PAR_SK		oracle owner: MC oracle object type: PACKAGE
oracle entity id: pur.oracle.mc.c_import_temp_l.package oracle name: C_IMPORT_TEMP_L		oracle owner: MC oracle object type: PACKAGE
oracle entity id: pur.oracle.mc.c_komis_predaj.package oracle name: C_KOMIS_PREDAJ		oracle owner: MC oracle object type: PACKAGE
oracle entity id: pur.oracle.mc.c_krajina.package oracle name: C_KRAJINA		oracle owner: MC oracle object type: PACKAGE

Identita a zdroj	Technické vlastnosti	Význam status a důkazy
oracle entity id: pur.oracle.mc.c_mena.package oracle name: C_MENA		oracle owner: MC oracle object type: PACKAGE
oracle entity id: pur.oracle.mc.c_prava_na_sklady.package oracle name: C_PRAVA_NA_SKLADY		oracle owner: MC oracle object type: PACKAGE
oracle entity id: pur.oracle.mc.c_program.package oracle name: C_PROGRAM		oracle owner: MC oracle object type: PACKAGE
oracle entity id: pur.oracle.mc.c_rezervacia.package oracle name: C_REZERVACIA		oracle owner: MC oracle object type: PACKAGE
oracle entity id: pur.oracle.mc.c_sklad_dokladu.package oracle name: C_SKLAD_DOKLADU		oracle owner: MC oracle object type: PACKAGE
oracle entity id: pur.oracle.mc.c_sklad_dopyt.package oracle name: C_SKLAD_DOPYT		oracle owner: MC oracle object type: PACKAGE
oracle entity id: pur.oracle.mc.c_sk_nakl_pol.package oracle name: C_SK_NAKL_POL		oracle owner: MC oracle object type: PACKAGE
oracle entity id: pur.oracle.mc.c_sk_sarza_token.package oracle name: C_SK_SARZA_TOKEN		oracle owner: MC oracle object type: PACKAGE
oracle entity id: pur.oracle.mc.c_sk_typ_makra.package oracle name: C_SK_TYP_MAKRA		oracle owner: MC oracle object type: PACKAGE
oracle entity id: pur.oracle.mc.c_tlac.package oracle name: C_TLAC		oracle owner: MC oracle object type: PACKAGE
oracle entity id: pur.oracle.mc.c_typ_nakladu.package oracle name: C_TYP_NAKLADU		oracle owner: MC oracle object type: PACKAGE
oracle entity id: pur.oracle.mc.c_ucet.package oracle name: C_UCET		oracle owner: MC oracle object type: PACKAGE

Identita a zdroj	Technické vlastnosti	Význam status a důkazy
oracle entity id: pur.oracle.mc.c_vratnik_udalost.package oracle name: C_VRATNIK_UDALOST		oracle owner: MC oracle object type: PACKAGE
oracle entity id: pur.oracle.mc.debugpckerror.procedure oracle name: DEBUGPCKERROR		oracle owner: MC oracle object type: PROCEDURE
oracle entity id: pur.oracle.mc.delenia_dokl.table oracle name: DELENIA_DOKL		oracle owner: MC oracle object type: TABLE
oracle entity id: pur.oracle.mc.dispo_zasoby.table oracle name: DISPO_ZASOBY		oracle owner: MC oracle object type: TABLE
oracle entity id: pur.oracle.mc.documents.table oracle name: DOCUMENTS		oracle owner: MC oracle object type: TABLE
oracle entity id: pur.oracle.mc.dokl_naklady.table oracle name: DOKL_NAKLADY		oracle owner: MC oracle object type: TABLE
oracle entity id: pur.oracle.mc.dt.function oracle name: DT		oracle owner: MC oracle object type: FUNCTION
oracle entity id: pur.oracle.mc.d_ml_o.package oracle name: D_ML_O		oracle owner: MC oracle object type: PACKAGE
oracle entity id: pur.oracle.mc.d_prijemka_l.package oracle name: D_PRIJEMKA_L		oracle owner: MC oracle object type: PACKAGE
oracle entity id: pur.oracle.mc.d_prijemka_o.package oracle name: D_PRIJEMKA_O		oracle owner: MC oracle object type: PACKAGE
oracle entity id: pur.oracle.mc.d_rek_dod_l.package oracle name: D_REK_DOD_L		oracle owner: MC oracle object type: PACKAGE
oracle entity id: pur.oracle.mc.getres2.function oracle name: GETRES2		oracle owner: MC oracle object type: FUNCTION

Identita a zdroj	Technické vlastnosti	Význam status a důkazy
oracle entity id: pur.oracle.mc.getrespar.function oracle name: GETRESPAR		oracle owner: MC oracle object type: FUNCTION
oracle entity id: pur.oracle.mc.getrespar2.function oracle name: GETRESPAR2		oracle owner: MC oracle object type: FUNCTION
oracle entity id: pur.oracle.mc.import_files.table oracle name: IMPORT_FILES		oracle owner: MC oracle object type: TABLE
oracle entity id: pur.oracle.mc.isrid.function oracle name: ISRID		oracle owner: MC oracle object type: FUNCTION
oracle entity id: pur.oracle.mc.kody_baleni.table oracle name: KODY_BALENI		oracle owner: MC oracle object type: TABLE
oracle entity id: pur.oracle.mc.kody_operacii.view oracle name: KODY_OPERACII		oracle owner: MC oracle object type: VIEW
oracle entity id: pur.oracle.mc.krajiny.table oracle name: KRAJINY		oracle owner: MC oracle object type: TABLE
oracle entity id: pur.oracle.mc.num_pole.type oracle name: NUM_POLE		oracle owner: MC oracle object type: TYPE
oracle entity id: pur.oracle.mc.ocreatedoklad_params.type oracle name: OCREATEDOKLAD_PARAMS		oracle owner: MC oracle object type: TYPE
oracle entity id: pur.oracle.mc.opridajpolozku_params.type oracle name: OPRIDAJPOLOZKU_PARAMS		oracle owner: MC oracle object type: TYPE
oracle entity id: pur.oracle.mc.pck_multilang.package oracle name: PCK_MULTILANG		oracle owner: MC oracle object type: PACKAGE
oracle entity id: pur.oracle.mc.potreba_obj_dod.table oracle name: POTREBA_OBJ_DOD		oracle owner: MC oracle object type: TABLE
oracle entity id: pur.oracle.mc.potreba_obj_dod_log.table oracle name: POTREBA_OBJ_DOD_LOG		oracle owner: MC oracle object type: TABLE

Identita a zdroj	Technické vlastnosti	Význam status a důkazy
oracle entity id: pur.oracle.mc.preklapania.package oracle name: PREKLAPANIA		oracle owner: MC oracle object type: PACKAGE
oracle entity id: pur.oracle.mc.prijemky_obsah.table oracle name: PRIJEMKY_OBSAH		oracle owner: MC oracle object type: TABLE fields: oracle field id: pur.boundary_field.mc.prijemky_obsah.rid_v oracle name: RID_V Datatype: null Status: TECHNICKY ZNÁME Důkazy: pur.evidence.accepted
oracle entity id: pur.oracle.mc.rez_obj_l.table oracle name: REZ_OBJ_L		oracle owner: MC oracle object type: TABLE
oracle entity id: pur.oracle.mc.rez_obj_o.table oracle name: REZ_OBJ_O		oracle owner: MC oracle object type: TABLE
oracle entity id: pur.oracle.mc.rez_prij_o.table oracle name: REZ_PRIJ_O		oracle owner: MC oracle object type: TABLE
oracle entity id: pur.oracle.mc.ser_cisla.table oracle name: SER_CISLA		oracle owner: MC oracle object type: TABLE
oracle entity id: pur.oracle.mc.ser_zak_o.table oracle name: SER_ZAK_O		oracle owner: MC oracle object type: TABLE
oracle entity id: pur.oracle.mc.sklad_dodavatel.table oracle name: SKLAD_DODAVATEL		oracle owner: MC oracle object type: TABLE
oracle entity id: pur.oracle.mc.sklad_minmax_l.table oracle name: SKLAD_MINMAX_L		oracle owner: MC oracle object type: TABLE
oracle entity id: pur.oracle.mc.sklad_minmax_o.table oracle name: SKLAD_MINMAX_O		oracle owner: MC oracle object type: TABLE
oracle entity id: pur.oracle.mc.sk_log_udaje.table oracle name: SK_LOG_UDAJE		oracle owner: MC oracle object type: TABLE
oracle entity id: pur.oracle.mc.stavy_sk.table oracle name: STAVY_SK		oracle owner: MC oracle object type: TABLE

Identita a zdroj	Technické vlastnosti	Význam status a důkazy
oracle entity id: pur.oracle.mc.t_dokl_l_del.table oracle name: T_DOKL_L_DEL		oracle owner: MC oracle object type: TABLE
oracle entity id: pur.oracle.mc.t_tmp_imp_dl.table oracle name: T_TMP_IMP_DL		oracle owner: MC oracle object type: TABLE
oracle entity id: pur.oracle.mc.vratnik_udalosti.table oracle name: VRATNIK_UDALOSTI		oracle owner: MC oracle object type: TABLE
oracle entity id: pur.oracle.public.dbms_lob.synonym oracle name: DBMS_LOB		oracle owner: PUBLIC oracle object type: SYNONYM
oracle entity id: pur.oracle.mc.cenniky_popis.table oracle name: CENNIKY_POPIS		oracle owner: MC oracle object type: TABLE
oracle entity id: pur.oracle.mc.cen_ponuky_o.table oracle name: CEN_PONUKY_O		oracle owner: MC oracle object type: TABLE
oracle entity id: pur.oracle.mc.c_cas_cennik_l.package oracle name: C_CAS_CENNIK_L		oracle owner: MC oracle object type: PACKAGE
oracle entity id: pur.oracle.mc.c_cis_field_for mats_val.package oracle name: C_CIS_FIELD_FORMATS_VAL		oracle owner: MC oracle object type: PACKAGE
oracle entity id: pur.oracle.mc.c_def_hist_zmena.package oracle name: C_DEF_HIST_ZMENA		oracle owner: MC oracle object type: PACKAGE
oracle entity id: pur.oracle.mc.c_dokl_vykryte.package oracle name: C_DOKL_VYKRYTE		oracle owner: MC oracle object type: PACKAGE
oracle entity id: pur.oracle.mc.c_manager_hist.package oracle name: C_MANAGER_HIST		oracle owner: MC oracle object type: PACKAGE
oracle entity id: pur.oracle.mc.c_rez_ziad_l.package oracle name: C_REZ_ZIAD_L		oracle owner: MC oracle object type: PACKAGE

Identita a zdroj	Technické vlastnosti	Význam status a důkazy
oracle entity id: pur.oracle.mc.c_rz_l.package oracle name: C_RZ_L		oracle owner: MC oracle object type: PACKAGE
oracle entity id: pur.oracle.mc.c_rz_o.package oracle name: C_RZ_O		oracle owner: MC oracle object type: PACKAGE
oracle entity id: pur.oracle.mc.c_termin_obj_d.package oracle name: C_TERMIN_OBJ_D		oracle owner: MC oracle object type: PACKAGE
oracle entity id: pur.oracle.mc.d_cen_ponuka_l.package oracle name: D_CEN_PONUKA_L		oracle owner: MC oracle object type: PACKAGE
oracle entity id: pur.oracle.mc.d_ser_zak_o.package oracle name: D_SER_ZAK_O		oracle owner: MC oracle object type: PACKAGE
oracle entity id: pur.oracle.mc.makro_obsah.table oracle name: MAKRO_OBSAH		oracle owner: MC oracle object type: TABLE
oracle entity id: pur.oracle.mc.rez_ziad_o.table oracle name: REZ_ZIAD_O		oracle owner: MC oracle object type: TABLE
oracle entity id: pur.oracle.mc.rz_o.table oracle name: RZ_O		oracle owner: MC oracle object type: TABLE
oracle entity id: pur.oracle.mc.d_obj_dod_l.package_body oracle name: D_OBJ_DOD_L		oracle owner: MC oracle object type: PACKAGE BODY
oracle entity id: pur.oracle.mc.d_obj_odb_l_b.package_body oracle name: D_OBJ_ODB_L_B		oracle owner: MC oracle object type: PACKAGE BODY
oracle entity id: pur.oracle.mc.d_obj_odb_l_f.package_body oracle name: D_OBJ_ODB_L_F		oracle owner: MC oracle object type: PACKAGE BODY
oracle entity id: pur.oracle.mc.d_obj_odb_o.package_body oracle name: D_OBJ_ODB_O		oracle owner: MC oracle object type: PACKAGE BODY
oracle entity id: pur.oracle.mc.d_prijemka_o.package_body oracle name: D_PRIJEMKA_O		oracle owner: MC oracle object type: PACKAGE BODY

Identita a zdroj	Technické vlastnosti	Význam status a důkazy
oracle entity id: pur.oracle.mc.d_ser_zak_l.package_body oracle name: D_SER_ZAK_L		oracle owner: MC oracle object type: PACKAGE BODY
oracle entity id: pur.oracle.mc.d_ser_zak_o.package_body oracle name: D_SER_ZAK_O		oracle owner: MC oracle object type: PACKAGE BODY
oracle entity id: pur.oracle.mc.d_ser_z_l.package_body oracle name: D_SER_Z_L		oracle owner: MC oracle object type: PACKAGE BODY
oracle entity id: pur.oracle.mc.d_ser_z_o.package_body oracle name: D_SER_Z_O		oracle owner: MC oracle object type: PACKAGE BODY
oracle entity id: pur.oracle.mc.d_t_dokl_o.package_body oracle name: D_T_DOKL_O		oracle owner: MC oracle object type: PACKAGE BODY
oracle entity id: pur.oracle.mc.edi_komunikaci_a_kaso.package_body oracle name: EDI_KOMUNIKACIA_KASO		oracle owner: MC oracle object type: PACKAGE BODY
oracle entity id: pur.oracle.mc.getobjdod_mc.function oracle name: GETOBJDOD_MC		oracle owner: MC oracle object type: FUNCTION
oracle entity id: pur.oracle.mc.hamilton.package_body oracle name: HAMILTON		oracle owner: MC oracle object type: PACKAGE BODY
oracle entity id: pur.oracle.mc.idoklad.package_body oracle name: IDOKLAD		oracle owner: MC oracle object type: PACKAGE BODY
oracle entity id: pur.oracle.mc.mccarter_plan.package_body oracle name: MCCARTER_PLAN		oracle owner: MC oracle object type: PACKAGE BODY
oracle entity id: pur.oracle.mc.mccarter_plan_mk.package_body oracle name: MCCARTER_PLAN_MK		oracle owner: MC oracle object type: PACKAGE BODY
oracle entity id: pur.oracle.mc.mccarter_plan_ot.package_body oracle name: MCCARTER_PLAN_OT		oracle owner: MC oracle object type: PACKAGE BODY

Identita a zdroj	Technické vlastnosti	Význam status a důkazy
oracle entity id: pur.oracle.mc.moshopper.package_body oracle name: MOSHOPPER		oracle owner: MC oracle object type: PACKAGE BODY
oracle entity id: pur.oracle.mc.objd_l_5020.synonym oracle name: OBJD_L_5020		oracle owner: MC oracle object type: SYNONYM
oracle entity id: pur.oracle.mc.obj_dod_l.view oracle name: OBJ_DOD_L		oracle owner: MC oracle object type: VIEW
oracle entity id: pur.oracle.mc.odokladj.type_body oracle name: ODOKLADJ		oracle owner: MC oracle object type: TYPE BODY
oracle entity id: pur.oracle.mc.pck_dreamer.package_body oracle name: PCK_DREAMER		oracle owner: MC oracle object type: PACKAGE BODY
oracle entity id: pur.oracle.mc.pck_ispp_tools.package_body oracle name: PCK_ISPP_TOOLS		oracle owner: MC oracle object type: PACKAGE BODY
oracle entity id: pur.oracle.mc.pck_mc_ref.package_body oracle name: PCK_MC_REF		oracle owner: MC oracle object type: PACKAGE BODY
oracle entity id: pur.oracle.mc.pck_monet.package_body oracle name: PCK_MONET		oracle owner: MC oracle object type: PACKAGE BODY
oracle entity id: pur.oracle.mc.pck_refakturaci a.package_body oracle name: PCK_REFAKTURACIA		oracle owner: MC oracle object type: PACKAGE BODY
oracle entity id: pur.oracle.mc.pck_refakturaci a2.package_body oracle name: PCK_REFAKTURACIA2		oracle owner: MC oracle object type: PACKAGE BODY
oracle entity id: pur.oracle.mc.pck_xmit.package_body oracle name: PCK_XMIT		oracle owner: MC oracle object type: PACKAGE BODY
oracle entity id: pur.oracle.mc.stats.package_body oracle name: STATS		oracle owner: MC oracle object type: PACKAGE BODY

Identita a zdroj	Technické vlastnosti	Význam status a důkazy
oracle entity id: pur.oracle.mc.t_hz_objd_l.trigger oracle name: T_HZ_OBJD_L		oracle owner: MC oracle object type: TRIGGER
oracle entity id: pur.oracle.mc.t_hz_objd_o_14.trigger oracle name: T_HZ_OBJD_O_14		oracle owner: MC oracle object type: TRIGGER
oracle entity id: pur.oracle.mc.t_mc_mail_objd.trigger oracle name: T_MC_MAIL_OBJD		oracle owner: MC oracle object type: TRIGGER
oracle entity id: pur.oracle.mc.t_objd_l_log_zmien.trigger oracle name: T_OBJD_L_LOG_ZMIEN		oracle owner: MC oracle object type: TRIGGER
oracle entity id: pur.oracle.mc.t_objd_l_st_pump.trigger oracle name: T_OBJD_L_ST_PUMP		oracle owner: MC oracle object type: TRIGGER
oracle entity id: pur.oracle.mc.t_objd_o_blok_pl.trigger oracle name: T_OBJD_O_BLOK_PL		oracle owner: MC oracle object type: TRIGGER
oracle entity id: pur.oracle.mc.t_objd_o_ct_ko ntrakt_obj.trigger oracle name: T_OBJD_O_CT_KONTRAKT_OBJ		oracle owner: MC oracle object type: TRIGGER
oracle entity id: pur.oracle.mc.t_objd_o_delete.trigger oracle name: T_OBJD_O_DELETE		oracle owner: MC oracle object type: TRIGGER
oracle entity id: pur.oracle.mc.t_objd_o_dispo_zasoby.trigger oracle name: T_OBJD_O_DISPO_ZASOBY		oracle owner: MC oracle object type: TRIGGER
oracle entity id: pur.oracle.mc.t_objd_o_log_zmien.trigger oracle name: T_OBJD_O_LOG_ZMIEN		oracle owner: MC oracle object type: TRIGGER
oracle entity id: pur.oracle.mc.t_objd_o_modif_i.trigger oracle name: T_OBJD_O_MODIF_I		oracle owner: MC oracle object type: TRIGGER
oracle entity id: pur.oracle.mc.t_objd_o_pocet_navrh.trigger oracle name: T_OBJD_O_POCET_NAVRH		oracle owner: MC oracle object type: TRIGGER

Identita a zdroj	Technické vlastnosti	Význam status a důkazy
oracle entity id: pur.oracle.mc.t_objd_o_p_obj_d.trigger oracle name: T_OBJD_O_P_OBJ_D		oracle owner: MC oracle object type: TRIGGER
oracle entity id: pur.oracle.mc.t_objd_o_storno.trigger oracle name: T_OBJD_O_STORNO		oracle owner: MC oracle object type: TRIGGER
oracle entity id: pur.oracle.mc.t_objd_o_vaz_pol.trigger oracle name: T_OBJD_O_VAZ_POL		oracle owner: MC oracle object type: TRIGGER
oracle entity id: pur.oracle.mc.t_objd_o_zlavy.trigger oracle name: T_OBJD_O_ZLAVY		oracle owner: MC oracle object type: TRIGGER
oracle entity id: pur.oracle.mc.t_obj_dod_l_io.trigger oracle name: T_OBJ_DOD_L_IO		oracle owner: MC oracle object type: TRIGGER
oracle entity id: pur.oracle.mc.t_obj_dod_o_io.trigger oracle name: T_OBJ_DOD_O_IO		oracle owner: MC oracle object type: TRIGGER
oracle entity id: pur.oracle.mc.t_obj_d_navrh_log.trigger oracle name: T_OBJ_D_NAVRH_LOG		oracle owner: MC oracle object type: TRIGGER
oracle entity id: pur.oracle.mc.t_obj_d_navrh_vyr_log.trigger oracle name: T_OBJ_D_NAVRH_VYR_LOG		oracle owner: MC oracle object type: TRIGGER
oracle entity id: pur.oracle.mc.t_r_objd_l.trigger oracle name: T_R_OBJD_L		oracle owner: MC oracle object type: TRIGGER
oracle entity id: pur.oracle.mc.t_r_objd_o.trigger oracle name: T_R_OBJD_O		oracle owner: MC oracle object type: TRIGGER
oracle entity id: pur.oracle.mc.t_sz_p_objd_o.trigger oracle name: T_SZ_P_OBJD_O		oracle owner: MC oracle object type: TRIGGER
oracle entity id: pur.oracle.mc.t_sz_p_objd_o_ins.trigger oracle name: T_SZ_P_OBJD_O_INS		oracle owner: MC oracle object type: TRIGGER

Identita a zdroj	Technické vlastnosti	Význam status a důkazy
oracle entity id: pur.oracle.mc.t_s_objd_l.trigger oracle name: T_S_OBJD_L		oracle owner: MC oracle object type: TRIGGER
oracle entity id: pur.oracle.mc.t_s_obj_d_navrh.trigger oracle name: T_S_OBJ_D_NAVRH		oracle owner: MC oracle object type: TRIGGER
oracle entity id: pur.oracle.mc.t_s_obj_d_navrh_ins.trigger oracle name: T_S_OBJ_D_NAVRH_INS		oracle owner: MC oracle object type: TRIGGER
oracle entity id: pur.oracle.mc.t_s_obj_d_navrh_vyr_ins.trigger oracle name: T_S_OBJ_D_NAVRH_VYR_INS		oracle owner: MC oracle object type: TRIGGER
oracle entity id: pur.oracle.mc.t_s_obj_d_rozd_blokacii.trigger oracle name: T_S_OBJ_D_ROZD_BLOKACII		oracle owner: MC oracle object type: TRIGGER
oracle entity id: pur.oracle.mc.t_s_obj_d_rozd_blokacii_ins.trigger oracle name: T_S_OBJ_D_ROZD_BLOKACII_INS		oracle owner: MC oracle object type: TRIGGER
oracle entity id: pur.oracle.mc.t_s_prijemky_list.trigger oracle name: T_S_PRIJEMKY_LIST		oracle owner: MC oracle object type: TRIGGER
oracle entity id: pur.oracle.mc.t_s_rez_obj_dod.trigger oracle name: T_S_REZ_OBJ_DOD		oracle owner: MC oracle object type: TRIGGER
oracle entity id: pur.oracle.mc.ventus.package_body oracle name: VENTUS		oracle owner: MC oracle object type: PACKAGE BODY
oracle entity id: pur.oracle.mc.vr_objd_l.view oracle name: VR_OBJD_L		oracle owner: MC oracle object type: VIEW
oracle entity id: pur.oracle.mc.v_cashflow_doklady.view oracle name: V_CASHFLOW_DOKLADY		oracle owner: MC oracle object type: VIEW
oracle entity id: pur.oracle.mc.v_dokl_l_rozvoz.view oracle name: V_DOKL_L_ROZVOZ		oracle owner: MC oracle object type: VIEW

Identita a zdroj	Technické vlastnosti	Význam status a důkazy
oracle entity id: pur.oracle.mc.v_dokl_objd_l.view oracle name: V_DOKL_OBJD_L		oracle owner: MC oracle object type: VIEW
oracle entity id: pur.oracle.mc.v_dokl_objd_o.view oracle name: V_DOKL_OBJD_O		oracle owner: MC oracle object type: VIEW
oracle entity id: pur.oracle.mc.v_dokl_o_rozvoz.view oracle name: V_DOKL_O_ROZVOZ		oracle owner: MC oracle object type: VIEW
oracle entity id: pur.oracle.mc.v_objdod_l.view oracle name: V_OBJDOD_L		oracle owner: MC oracle object type: VIEW
oracle entity id: pur.oracle.mc.v_objdod_o.view oracle name: V_OBJDOD_O		oracle owner: MC oracle object type: VIEW
oracle entity id: pur.oracle.mc.v_obj_dod_l.view oracle name: V_OBJ_DOD_L		oracle owner: MC oracle object type: VIEW
oracle entity id: pur.oracle.mc.v_obj_dod_o.view oracle name: V_OBJ_DOD_O		oracle owner: MC oracle object type: VIEW
oracle entity id: pur.oracle.mc.v_ocakavany_prijem.view oracle name: V_OCAKAVANY_PRIJEM		oracle owner: MC oracle object type: VIEW
oracle entity id: pur.oracle.mc.v_ser_z_hist_zmien.view oracle name: V_SER_Z_HIST_ZMIEN		oracle owner: MC oracle object type: VIEW
oracle entity id: pur.oracle.mc.v_wms_doklady.view oracle name: V_WMS_DOKLADY		oracle owner: MC oracle object type: VIEW
oracle entity id: pur.oracle.mc.t_s_terminy_obj_d_ins.trigger oracle name: T_S_TERMINY_OBJ_D_INS		oracle owner: MC oracle object type: TRIGGER
oracle entity id: pur.oracle.mc.t_terminy_obj_d_generuj.trigger oracle name: T_TERMINY_OBJ_D_GENERUJ		oracle owner: MC oracle object type: TRIGGER

Skupina 4

Identita a zdroj	Technické vlastnosti	Význam status a dôkazy
oracle entity id: pur.oracle.mc_st.pck_sk_doc_info.package_body oracle name: PCK_SK_DOC_INFO		environment: MC oracle owner: MC_ST oracle object type: PACKAGE BODY source visible: true boundary only: true Status: TECHNICKY ZNÁME Dôkazy: pur.evidence.mp06_b Obmedzenia: Technický objekt v dostupnom dôkaze; názov ani dependency samy neurčujú business alebo writer rolu.

20 Register kanonických vstupov

catalog/purchasing/access-capabilities.yaml

catalog/purchasing/api-references.yaml

catalog/purchasing/backlog.yaml

catalog/purchasing/constraints.yaml

catalog/purchasing/contract.yaml

catalog/purchasing/cross-schema.yaml

catalog/purchasing/data-quality.yaml

catalog/purchasing/dependencies.yaml

catalog/purchasing/do-not-assume.yaml

catalog/purchasing/fields-obj_d_kombajn.yaml

catalog/purchasing/fields-obj_d_navrh.yaml

catalog/purchasing/fields-obj_d_navrh_dokl.yaml

catalog/purchasing/fields-obj_d_navrh_l.yaml

catalog/purchasing/fields-obj_d_navrh_log.yaml

catalog/purchasing/fields-obj_d_navrh_vyr.yaml

catalog/purchasing/fields-obj_d_podklad.yaml

catalog/purchasing/fields-obj_d_rozd_blokacii.yaml

catalog/purchasing/fields-objd_l.yaml

catalog/purchasing/fields-objd_o.yaml

catalog/purchasing/flows.yaml

catalog/purchasing/inbound-closure.yaml

catalog/purchasing/indexes.yaml

catalog/purchasing/mutations.yaml

catalog/purchasing/object-obj_d_kombajn.yaml

catalog/purchasing/object-obj_d_navrh.yaml

catalog/purchasing/object-obj_d_navrh_dokl.yaml

catalog/purchasing/object-obj_d_navrh_l.yaml

catalog/purchasing/object-obj_d_navrh_log.yaml

catalog/purchasing/object-obj_d_navrh_vyr.yaml

catalog/purchasing/object-obj_d_podklad.yaml
catalog/purchasing/object-obj_d_rozd_blokacii.yaml
catalog/purchasing/object-objd_l.yaml
catalog/purchasing/object-objd_o.yaml
catalog/purchasing/oracle-entities.yaml
catalog/purchasing/playbooks.yaml
catalog/purchasing/relationships.yaml
catalog/purchasing/revisions.yaml
catalog/purchasing/source-mutations.yaml
catalog/purchasing/sql-registry.yaml
catalog/purchasing/temporal.yaml
catalog/purchasing/value-domains.yaml
sql/diagnostic/purchasing/header_lines.sql
sql/diagnostic/purchasing/open_pl.sql
sql/diagnostic/purchasing/overdue.sql
sql/diagnostic/purchasing/p_prij_lineage.sql
sql/diagnostic/purchasing/pl_receipt.sql
sql/diagnostic/purchasing/po_pl.sql
sql/diagnostic/purchasing/proposal_po.sql
sql/diagnostic/purchasing/quantity.sql
sql/diagnostic/purchasing/reverse_proposal.sql
sql/diagnostic/purchasing/source_trace.sql
evidence/manifests/pur/accepted.yaml
evidence/manifests/pur/f4_a.yaml
evidence/manifests/pur/f4_b.yaml
evidence/manifests/pur/f4_c.yaml
evidence/manifests/pur/mp01_a.yaml
evidence/manifests/pur/mp01_b.yaml
evidence/manifests/pur/mp01_c.yaml
evidence/manifests/pur/mp01_d.yaml
evidence/manifests/pur/mp01_e.yaml

evidence/manifests/pur/mp01_f.yaml
evidence/manifests/pur/mp02_a.yaml
evidence/manifests/pur/mp02_b.yaml
evidence/manifests/pur/mp02_c.yaml
evidence/manifests/pur/mp02_d.yaml
evidence/manifests/pur/mp02_e.yaml
evidence/manifests/pur/mp02_f.yaml
evidence/manifests/pur/mp03_a.yaml
evidence/manifests/pur/mp03_b.yaml
evidence/manifests/pur/mp03_c.yaml
evidence/manifests/pur/mp04_a.yaml
evidence/manifests/pur/mp04_b.yaml
evidence/manifests/pur/mp04_c.yaml
evidence/manifests/pur/mp05_a.yaml
evidence/manifests/pur/mp05_b.yaml
evidence/manifests/pur/mp05_c.yaml
evidence/manifests/pur/mp06_b.yaml
evidence/manifests/pur/mp06_c.yaml
evidence/manifests/pur/schema_approval.yaml