

Read each question carefully. Write complete sentences with precise answers and proper vocabulary. Enjoy!

- (5 pts) 1. How does a heterozygote advantage affect genetic variation (e.g., number of alleles at a gene locus) in a population? Explain briefly.
- (5 pts) 2. How does migration among small populations affect genetic drift in those populations?. Explain briefly.
- (5 pts) 3. Why did Darwin's concept of natural selection became widely accepted only after the Evolutionary Synthesis.
- (3 pts) 4. What is the probability that a new, neutral mutation will drift to fixation in a population? Express this answer as a fraction. You need write nothing but the fraction.

- (10 pts) 5. Fill in the following table with the correct genotype and allele frequencies based on this survey of 725 plants. 251 individuals had red flowers, 351 individuals had pink flowers (heterozygotes), and 123 individuals had white flowers. The population is in HWE. *Show your work! Round to three digits after the decimal.*

The final values may sum to 0.999, 1.000 or 1.001 due to rounding error. (2 points each.)

Frequency	
p	_____
q	_____
p^2	_____
$2pq$	_____
q^2	_____

- (10 pts) 6. Kumar and Subramanian estimated a mutation rate of 2.2×10^{-9} per base pair (bp) per year in the mammalian protein-coding genome. In contrast, Jaillon et al. estimated a mutation rate of 5.7×10^{-9} per bp per year in the mammalian non-coding genome. Explain the apparent discrepancy between these two rates when both are estimated from mammalian genomes.

(1 pt extra credit) What is one other valid term used to describe heterozygote advantage?

- (10 pts) 7. You discover a particular allele is fixed in a population of mice. You suspect the allele became fixed due to positive selection but you must consider the possibility that negative (purifying) selection removed a detrimental allele. Explain how you can use dN and dS to determine whether the first allele became fixed by positive selection or by negative (purifying) selection. Explain *why* the comparison works as a test for selection at the genetic level.
- (10 pts) 8. Calculate whether genetic drift or natural selection is more likely to be the *primary* cause of allele frequency change in a population of $N_e = 2000$, if the fitness of the three genotypes is $A_1A_1 = 0.999$, $A_1A_2 = 0.999$, and $A_2A_2 = 1.0$. Show your math and explain your reasoning.
- (5 pts) 9. Name the mode of selection that describes how the phenotype would change if the fitness for the three genotypes is $B_1B_1 = 0.96$, $B_1B_2 = 0.98$, and $B_2B_2 = 1$. Tell how you know.

- (12 pts) 10. The table at right (Sharp et al. 2005) shows how *E. coli* uses 32 codons from 40 highly expressed genes. The tabled numbers are the ratio of actual use to expected use if all codons were used equally. A ratio of 1 means the codon is used exactly as often as expected (e.g., Met, in bold). Explain whether the data in the table provide evidence for natural selection at the genetic level and, if so, how. If not, explain why not. Use 1–2 specific codons from the table to support your answer.

Codon use in <i>E. coli</i> .					
Phe	UUU	0.45	Ser	UCU	2.54
Phe	UUC	1.55	Ser	UCC	1.52
Leu	UUA	0.14	Ser	UCA	0.19
Leu	UUG	0.25	Ser	UCG	0.06
Leu	CUU	0.30	Pro	CCU	0.59
Leu	CUC	0.23	Pro	CCC	0.05
Leu	CUA	0.01	Pro	CCA	0.52
Leu	CUG	5.07	Pro	CCG	2.85
Ile	AUU	0.72	Thr	ACU	1.89
Ile	AUC	2.27	Thr	ACC	1.75
Ile	AUA	0.01	Thr	ACA	0.19
Met	AUG	1.00	Thr	ACG	0.17
Val	GUU	2.07	Ala	GCU	1.83
Val	GUC	0.30	Ala	GCC	0.32
Val	GUA	1.14	Ala	GCA	1.09
Val	GUG	0.48	Ala	GCG	0.76