Brand Guidelines




Trace images into vector shapes that fit together.


Inlay turns logos, illustrations, line art and pixel art into SVG. Every edge between two colours is traced once and shared by both shapes, so they fit together exactly, like inlaid wood: no gaps, no overlaps, no slivers.


It runs in the browser, keeps images on the device, and is free and open source, as an app and as the inlaytrace package.


LOGO 01












Use the full logo wherever there is room, and the mark alone where space is small or square. On dark grounds use the dark version; where only one ink is available, use the one-colour logo in black or white.


LOGO RULES 02

Construction



A square with a quarter-disc set into its corner: the disc's radius is 9/16 of the side and its centre is the square's corner, so the two pieces share one true arc. The dashed line is the clear space: 25 % of the mark's height on every side, kept free of text and other graphics.

Minimum size



mark
16 px · 0.17 in

horizontal
120 px · 1.25 in


stacked
64 px · 0.67 in

Below its minimum width, step down to the mark; below 32 px use the favicon.

One colour



Misuse



Don't stretch or squash it

Don't rotate it

Don't recolour it

Don't add effects

App and web icons



App icon

Android (masked)

Favicon

Files in `icons/`. Platforms round or mask the corners themselves; supply the square art as it is.

TYPOGRAPHY 03

Aa

Archivo DISPLAY AND TEXT · 700


ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789 !@#$%&*()+-/?

Bold 700 Regular 400

Trace images into vector shapes that fit together.

Headings are set in Archivo at 700 with slightly tight spacing; body copy in Archivo at 400, 16–18 px on screen and 10–12 pt in print, with a line height around 1.5. Keep lines to 60–75 characters. It is a free Google Font: load it from fonts.google.com or self-host the files.

COLOUR 04



Ink PRIMARY
HEX #16201C
RGB 22 32 28
CMYK 31 0 12 87
16.7:1 on white
Text and the wordmark.

Mat MAT
HEX #23443A
RGB 35 68 58
CMYK 49 0 15 73
10.7:1 on white
The mark, dark panels and the app icon.

Mark ACCENT
HEX #F2C230
RGB 242 194 48
CMYK 0 20 80 5
1.7:1 on white
The inlaid piece and small highlights only; never for text on white.

Paper PAPER
HEX #F5F6F2
RGB 245 246 242
CMYK 0 0 2 4
1.1:1 on white
Backgrounds, and the mark on dark grounds.

Green LINK
HEX #23614C
RGB 35 97 76
CMYK 64 0 22 62
7.3:1 on white
Links and secondary accents.

Night DARK
HEX #131E1A
RGB 19 30 26
CMYK 37 0 13 88
17.1:1 on white
Dark-mode backgrounds.

The bar shows roughly how much of each colour to use. Text needs 4.5:1 against its background (3:1 for large type and graphics). CMYK values are a starting point for print; ask for a proof.