















ITEM NO.	PART NUMBER	Rev.	Description	Flame Rating	Color	ML-47F*15/QTY.	1
1	ML-47BF*15	-	BASE W/BRASS INSERTS	UL94V-0	LIGHT GRAY (RAL 7035)	1	1
2	ML-47CG*15	-	COVER WITH GASKET	UL94V-0	LIGHT GRAY (RAL 7035)	1	-
3	ML-47CG*08	-	COVER WITH GASKET	UL94V-0	CLEAR	-	1
4	SCREWS-SS6-4	-	4-PACK: 6-32 X 1.25 PHMS			1	1







NOTES:
 1. COLOR: LIGHT GRAY (RAL 7035)
 2. MATERIAL SPEC: /PC/XXX/GY
 3. REFER TO SOLID MODEL FOR COMPLETE PART DEFINITION.

DIMENSION RANGE	0	.039	.118	.236	.394	.591	.866	1.181	1.575	2.087	2.756	3.543	4.724	6.299	7.874	9.843
TOOL DEPENDENT	.039	.118	.236	.394	.591	.866	1.181	1.575	2.087	2.756	3.543	4.724	6.299	7.874	9.843	12.402
NON-TOOL DEPENDENT	.007	.007	.008	.008	.009	.010	.011	.012	.013	.015	.017	.020	.024	.028	.035	.043

TOLERANCE CHART

UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN: INCHES/mm TOLERANCES: ANGULAR: $\pm 2^\circ$ TWO PLACE DECIMAL: $\pm .00$ THREE PLACE DECIMAL: $\pm .000$ PRINTED GRAPHICS: $\pm .000$		
PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE EXCLUSIVE PROPERTY OF POLYCASE. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF POLYCASE IS PROHIBITED.		
PART NO. ML-47BFN*15		
MATERIAL POLYCARBONATE		
FLAME RATING UL94V-0		
SIZE C	NAME D.M.F.	DATE 11/10/2011
REV -	BASE W/FLANGES & PCB BOSSES	
CAD FILE: ML-47BFN		
DRAWN D.M.F. 11/10/2011		
CHECKED B.M.B. 11/30/2011		
SCALE: 1:1		
SHEET 1 OF 1		




polycase

130 CHESTER RD, FAIRWAY AVON, OHIO 44011-1080 U.S.A.
PH: 1-800-233-4233, FAX: 1-844-FAF-9454



8 7 6 5 4 3 2 1

BOM Table										
ITEM NO.	PART NUMBER	Rev.	Description	Material	Flame Rating	Color	ML-47CG*15/QTY.	ML-47CG*08/QTY.		
1	ML-47C*15	-	COVER	POLYCARBONATE	UL94V-0	LIGHT GRAY (RAL 7035)	1	-		
2	ML-47C*08	-	COVER	POLYCARBONATE	UL94V-0	CLEAR	-	1		
3	GASKET-3	-.01	GASKET	SILICONE		CLEAR	1	1		

D



SECTION A-A



UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN: INCHES[mm] TOLERANCES: ANGULAR: $\pm 2^\circ$ TWO PLACE DECIMAL: $\pm .010$ THREE PLACE DECIMAL: $\pm .005$ PRINTED GRAPHICS: $\pm .010$	PART NO. SEE BOM	MATERIAL SEE BOM	FLAME RATING SEE BOM	SIZE B	COVER WITH GASKET	REV -
PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF POLYCASE. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF POLYCASE IS PROHIBITED.	NAME	DATE				
CAD FILE: ML-47CG	DRAWN CHECKED	D.M.F. B.M.B.	11/10/2011 11/30/2011		SCALE: 1:1	
						SHEET 1 OF 1

polycase
1305 CHESTER IND. PARKWAY AVON, OHIO 44011-1083 U.S.A.
PH: 1-800-248-1233, 440-934-0444 FAX# 440-934-0088

