

PBHLTH 245 Final Project Proposal

Mira Terdiman & Angela Dimaano

11/11/25

Introduction

Our project aims to understand what specific risk factors are associated with four health outcomes: hypertension, diabetes, obesity, and asthma, among a synthetic population of individuals aged 10-89. Specifically, we are curious to explore how both clinical factors (i.e. BMI, Blood Pressure) as well as lifestyle choices (alcohol consumption, diet) impact health. Additionally, we want to better understand whether or not various clinical & lifestyle predictors contribute to underlying health groupings, and whether or not these groupings are related to the four health outcomes listed above.

Research Question

Can we group individuals into underlying health categories based on continuous clinical & lifestyle risk factors? Do these health categories differ in composition based on the health outcomes of hypertension, diabetes, obesity, and asthma?

Data

For this project, we are using a dataset pulled from Kaggle titled “Healthcare Risk Factors Dataset” published by Abdalluh Ahmed. This dataset contains 30,000 entries with 20 variables relating to individuals’ health conditions, including blood pressure, cholesterol, smoking status, BMI, and stress levels. The dataset was intentionally generated with missing values and noise to allow users to clean and pre-process the data before modeling. We believe this dataset is appropriate for this project given its complexity, as well as its connection to public health. A list of available variables is shown below:

##	[1]	"Age"	"Gender"	"Medical Condition"
##	[4]	"Glucose"	"Blood Pressure"	"BMI"
##	[7]	"Oxygen Saturation"	"LengthOfStay"	"Cholesterol"
##	[10]	"Triglycerides"	"HbA1c"	"Smoking"
##	[13]	"Alcohol"	"Physical Activity"	"Diet Score"
##	[16]	"Family History"	"Stress Level"	"Sleep Hours"
##	[19]	"random_notes"	"noise_col"	

Since this dataset provides numerous predictors, we want to see whether or not we can group individuals into underlying clusters based on similarities across risk factors.

Analysis Plan

k-means clustering, or combination of k-means and k-modes clustering to account for both continuous (numeric) and categorical variables. Data will need to be preprocessed beforehand (i.e. standardized, so certain variables do not overpower others in the distance metric). ill add more later wooo.