


Lab 7: Introduction to PowerShell

Matthew Cox - COMP 325

Introduction:

This lab provides a fundamental introduction to PowerShell, Microsoft's powerful, cross-platform command-line shell and scripting language, with a focus on its applications in cybersecurity. By completing this lab, I will learn to install and configure PowerShell on Linux, execute its basic commands, understand cmdlet syntax, and utilize it for system administration and security tasks. I will apply these skills to Windows security assessment, incident response, and be able to create simple PowerShell scripts relevant to cybersecurity operations, which is essential given the prevalence of Windows systems in enterprise environments.

Body:



```
PS> kali@kali:/home/kali/cybersec-labs/powershell-lab
Session Actions Edit View Help
libbluray2      libsigsegv2           python3-kismetcapturebtgeiger
libbson-1.0-0t64 libsoup-2.4-1       python3-kismetcapturefreaklabszigbee
libgdal36        libsoup2.4-common    python3-kismetcapturertl433
libgdata-common   libstd-rust-1.85     python3-kismetcapturertladsb
libgdata22        libtheora0          python3-kismetcapturertlamr
libgeos3.13.1    libtheoradec1      python3-nfsclient
libgit2-1.8       libtheoraenc1      python3-packaging-whl
libhdf4-0-alt     libudfread0         python3-poetry-dynamic-versioning
libjs-jquery-ui   libutempter0        python3-protobuf
libmongoc-1.0-0t64 libvpx9            python3-pyview
libmongocrypt0    libx264-164         python3-tomlkit
libogdi4.1        linux-image-6.11.2-amd64 python3-wheel-whl
libplacebo349    python3-aioconsole    python3-zombie-imp
libportmidi0      python3-bluepy       samba-ad-dc
libqt5ct-common1.8 python3-click-plugins samba-ad-provision
librav1e0.7       python3-dunamai      samba-dsdb-modules
Use 'sudo apt autoremove' to remove them.

Summary:
Upgrading: 0, Installing: 0, Removing: 0, Not Upgrading: 115


[(kali㉿kali)-~/cybersec-labs/powershell-lab]
$ pwsh --version
PowerShell 7.5.2

[(kali㉿kali)-~/cybersec-labs/powershell-lab]
$ pwsh
PowerShell 7.5.2

[(kali㉿kali)-/home/kali/cybersec-labs/powershell-lab]
PS>
```

While I was setting up this environment, I ran into a few issues. At first I wasn't using pfSense when using my Kali Linux. Obviously, for this lab needing a connection for update and upgrade, not having a connection was going to leave me at a dead end. But, I seemed to run into the same issue even when I booted up pfSense. I then ran my machine on a NAT Network. It works, but I am still unsure why. Now, when I use Kali Linux, it does bug out and/or crash the first time.

loading it up. After that first misfire, everything seems to run smoothly. In the image above, you can see I made it through the update and upgrade and was able to use powershell.



The screenshot shows a terminal window titled "PS> kali@kali:/home/kali/cybersec-labs/powershell-lab". The window contains the following PowerShell session:

```
PS> $PSVersionTable
Name          Value
----          -----
PSVersion     7.5.2
PSEdition    Core
GitCommitId   7.5.2
OS           Kali GNU/Linux Rolling
Platform      Unix
PSCompatibleVersions {1.0, 2.0, 3.0, 4.0...}
PSRemotingProtocolVersion 2.3
SerializationVersion 1.1.0.1
WSManStackVersion 3.0

PS> Get-Host
Name        : ConsoleHost
Version     : 7.5.2
InstanceId  : c6d0c21e-c19d-4637-99a4-0db154cc5a57
UI          : System.Management.Automation.Internal.Host.InternalHost`1[[UserInterface
CurrentCulture : en-US
CurrentUICulture : en-US
PrivateData   : Microsoft.PowerShell.ConsoleHost+ConsoleColorProxy
DebuggerEnabled : True
IsRunspacePushed : False
Runspace     : System.Management.Automation.Runspaces.LocalRunspace
```

In this image, I am just using some basic Powershell commands to get familiar with the environment.

```
PS> kali@kali: /home/kali/cybersec-labs/powershell-lab
Session Actions Edit View Help

└─(kali㉿kali)-[~/cybersec-labs/powershell-lab]
└─PS> ps
    PID TTY          TIME CMD
 1702 pts/0    00:00:01 zsh
 1983 pts/0    00:00:05 pwsh
 2072 pts/0    00:00:00 ps


└─(kali㉿kali)-[~/cybersec-labs/powershell-lab]
└─PS> kill
Usage:
  kill [options] <pid> [ ... ]

Options:
  <pid> [ ... ]           send signal to every <pid> listed
  -<signal>, -s, --signal <signal>
                          specify the <signal> to be sent
  -q, --queue <value>     integer value to be sent with the signal
  -l, --list=[<signal>]   list all signal names, or convert one to a name
  -L, --table             list all signal names in a nice table
  -h, --help              display this help and exit
  -V, --version           output version information and exit

For more details see kill(1).


└─(kali㉿kali)-[~/cybersec-labs/powershell-lab]
└─PS> cat
```

Here, I am using a list of shortcuts provided in Powershell. Again, just getting familiar with the environment.



```
PS> Get-Content system_recon.json
{
    "PowerShell Version": {
        "Major": 7,
        "Minor": 5,
        "Patch": 2,
        "PreReleaseLabel": null,
        "BuildLabel": null
    },
    "Current User": "kali",
    "Process Count": 166,
    "Timestamp": "2025-10-14T20:17:16.1174265-04:00",
    "Hostname": null,
    "Top 5 CPU Processes": [
        {
            "Name": "Xorg",
            "CPU": 34.04
        },
        {
            "Name": "VBoxClient",
            "CPU": 15.83
        },
        {
            "Name": "xfwm4",
            "CPU": 9.68
        },
        {
            "Name": "wrapper-2.0",
            "CPU": 9.21
        }
    ]
}
```

In this image, I was able to successfully create a system reconnaissance script.



A screenshot of a terminal window titled "PS> kali@kali: /home/kali/SecurityAnalysis". The window shows a series of PowerShell commands being run. The user attempts to search for specific log entries but encounters errors due to PowerShell's syntax. They then proceed to manually calculate statistics from the log file content.

```
Session Actions Edit View Help
└─(kali㉿kali)-[/home/kali/SecurityAnalysis]
└─PS> Select-String -Path "security.log" -Pattern "failed|error|critical" -
Select-String: A positional parameter cannot be found that accepts argument '-'.

└─(kali㉿kali)-[/home/kali/SecurityAnalysis]
└─PS> Select-String -Path "security.log" -Pattern "failed|error|critical" -ALLMatches

└─(kali㉿kali)-[/home/kali/SecurityAnalysis]
└─PS> $LogStats = Get-Content "security.log" | Measure-Object -Line -Word -

└─(kali㉿kali)-[/home/kali/SecurityAnalysis]
└─PS> $LogStats = Get-Content "security.log" | Measure-Object -Line -Word -Character

└─(kali㉿kali)-[/home/kali/SecurityAnalysis]
└─PS> Write-Host "Log file statistics:"
Log file statistics:

└─(kali㉿kali)-[/home/kali/SecurityAnalysis]
└─PS> Write-Host "Lines: $($LogStats.Lines)"
Lines: 1

└─(kali㉿kali)-[/home/kali/SecurityAnalysis]
└─PS> Write-Host "Words: $($LogStats.Words)"
Words: 6

└─(kali㉿kali)-[/home/kali/SecurityAnalysis]
└─PS> Write-Host "Characters: $($LogStats.Characters)"
Characters: 27

└─(kali㉿kali)-[/home/kali/SecurityAnalysis]
└─PS>
```

In this image, I was doing some file searching and filtering. Above the file searching and filtering, you can see I ran into my fair share of obstacles. Powershell is definitely a work in progress. I can't say I'm a huge fan, but it is challenging and I'm learning along the way.

The screenshot shows a terminal window titled "PS> kali@kali: /home/kali/SecurityAnalysis". The window contains the following text:


```
>> 'File' = $FilePath
>> 'Size' = (Get-Item $FilePath).Length
>> 'Lines' = $Content.Count
>> 'Created' = (Get-Item $FilePath).CreationTime
>> 'Modified' = (Get-Item $FilePath).LastWriteTime
>> 'Critical Events' = ($Content | Select-String "CRITICAL").Count
>> 'Error Events' = ($Content | Select-String "ERROR").Count
>> 'Warning Events' = ($Content | Select-String "WARNING").Count
>> }
>>
>> return [PSCustomObject]$Analysis
>> }

[<(kali㉿kali)-[/home/kali/SecurityAnalysis]>
[<PS> $Analysis = Analyze-SecurityFile -FilePath "security.log"
[<(kali㉿kali)-[/home/kali/SecurityAnalysis]>
[<PS> $Analysis | Format-List

Size          : 28
Warning Events : 0
Modified       : 10/14/2025 8:21:51 PM
Critical Events : 0
Error Events   : 0
Created        : 10/14/2025 8:21:51 PM
File           : security.log
Lines          : 1

[<(kali㉿kali)-[/home/kali/SecurityAnalysis]>
[<PS> ]
```

In this image, I committed some advanced file operations. No issues here.



The screenshot shows a terminal window titled "PS> kali@kali: /home/kali/SecurityAnalysis". The window contains a PowerShell script for port scanning. The script defines an array of common ports and then loops through them, checking if each port is open or closed. The output shows that ports 22, 3389, and 5985 are closed, while ports 80 and 443 are open.

```
Session Actions Edit View Help

==== Port Scanning Simulation ====


PS> $CommonPorts = @ (22, 80, 443, 3389, 5985)

PS> for ($i = 0; $i -lt $CommonPorts.Count; $i++) {
>> $Port = $CommonPorts[$i]
>> Write-Host "Scanning port $Port ... "
>> $isOpen = ($Port -eq 80 -or $Port -eq 443)
>> if ($isOpen) {
>>     Write-Host " [+] Port $Port is OPEN"
>> } else {
>>     Write-Host " [-] Port $Port is CLOSED"
>> }
>> }

Scanning port 22 ...
[-] Port 22 is CLOSED
Scanning port 80 ...
[+] Port 80 is OPEN
Scanning port 443 ...
[+] Port 443 is OPEN
Scanning port 3389 ...
[-] Port 3389 is CLOSED
Scanning port 5985 ...
[-] Port 5985 is CLOSED

PS>
```

In this exercise, it was a focus on Powershell scripting fundamentals. Which included conditional statements and loops for automation.



The screenshot shows a terminal window on a Kali Linux desktop environment. The title bar indicates the session is running on a virtual machine named 'genmon' with ID 'XXX'. The terminal window has tabs labeled 1, 2, 3, and 4, with tab 1 active. The command prompt is PS> kali@kali: /home/kali. The user has run a PowerShell script to perform a port scan on the local host (127.0.0.1) and save the results to a CSV file.

```
>>
>> return $Results
>> }

[<(kali㉿kali)-[/home/kali]> PS> $ScanResults = Invoke-PortScan -Target "127.0.0.1"
[<Port Scanner =>
Target: 127.0.0.1
Ports: 22, 23, 25, 53, 80, 110, 443, 993, 995, 3389

Port 22 (SSH): FILTERED
Port 23 (Telnet): FILTERED
Port 25 (SMTP): FILTERED
Port 53 (DNS): FILTERED
Port 80 (HTTP): FILTERED
Port 110 (POP3): FILTERED
Port 443 (HTTPS): FILTERED
Port 993 (IMAPS): FILTERED
Port 995 (POP3S): FILTERED
Port 3389 (RDP): FILTERED

[<(kali㉿kali)-[/home/kali]> PS> $ScanResults | Export-Csv -Path "port_scan_results.csv" -NoTypeInformation
[<(kali㉿kali)-[/home/kali]> PS> Write-Host "`nScan results saved to port_scan_results.csv"
Scan results saved to port_scan_results.csv

[<(kali㉿kali)-[/home/kali]> PS> ]
```

In this image you can see I developed a hash calculation utility. Specifically, a hash calculator for forensics

Knowledge Assessment:

Question 1: True or False: PowerShell uses a Verb-Noun syntax for its cmdlets (e.g., Get-Process, SetLocation).

True

Question 2: Which PowerShell cmdlet would you use to get detailed information about running processes?

b) Get-Process

Question 3: True or False: PowerShell treats everything as objects rather than plain text.

True

Question 4: What does the PowerShell pipeline operator | accomplish?

b) Passes objects from one cmdlet to another

Question 5: Which command would filter PowerShell output to show only processes using more than 100MB of memory?

a) **Get-Process | Where-Object {\$_._WorkingSet -gt 100MB}**

Conclusion:

PowerShell isn't just a Windows system administration tool, it is an essential, cross-platform skill for any modern cybersecurity professional. Whether you are performing Windows Security Assessments, executing Incident Response procedures, managing Active Directory Security, or developing Automation scripts, proficiency in PowerShell is non-negotiable. Furthermore, its pervasive use in Post-Exploitation scenarios means defenders must master it to effectively detect and counteract advanced threats. Having completed this lab, I can now execute commands and understand cmdlet syntax, use the tool for system information gathering and analysis, and apply my scripting skills to complex security and Compliance Auditing scenarios.