alquileres.localhost





alquileres.localhost



#### Databases 1

ikigai

## Properties

Name	Value
Product	MariaDB
Version	10.1.40-MariaDB
Version Comment	mariadb.org binary distribution
Version Compile Machine	x64
Version Compile Os	Win64
Collation	latin1_swedish_ci
Hostname	localhost
Port	3306
Base Directory	C:/xampp/mysql



Databases 1

ikigai



## **Properties**

Name	Value
Collation	latin1_swedish_ci

## Object Types 1





## Objects Objects

Name	Description
emociones	
entradas	
objetivos	
pensamientos	
registroemociones	
registropensamientos	
registrosensaciones	
sensaciones	
tiposemociones	

## **m**emociones

## Description

## **Properties**

Value
InnoDB
31
546
latin1
latin1_swedish_ci
Compact
0
0
False
DEFAULT
0
DEFAULT
DEFAULT
0
08/11/2023 23:13:52
01/01/0001 0:00:00

#### **Columns**

Key	Name	Data Type	Length	Precision	Scale	Not Null	Auto Increment	Default	Virtual	Unsigned	Zerofill	Binary	Description
<u>P</u>	codemo	INT		11		True	True		False	False	False	False	
	intensidad	ENUM				False	False	NULL	False	False	False	False	
	agradable	TINYINT		1		False	False	NULL	False	False	False	False	

Key	Name	Columns	Unique	Туре	Key Lengths
٤	PRIMARY	codemo	True	BTREE	

```
CREATE TABLE emociones (
   codemo INT(11) NOT NULL AUTO_INCREMENT,
   intensidad ENUM('Muy Baja','Baja','Moderada','Alta','Muy Alta') DEFAULT NULL,
   agradable TINYINT(1) DEFAULT NULL,
   PRIMARY KEY (codemo)
)
ENGINE = INNODB,
CHARACTER SET latin1,
COLLATE latin1_swedish_ci,
ROW_FORMAT = Compact,
TRANSACTIONAL = 0;
```

### Depends On

No items found

## Used By 2

registroemociones tiposemociones



## Description

## **Properties**

NameValueEngineInnoDBAuto Increment31Average Row Length546Charsetlatin1Collationlatin1_swedish_ciRow FormatCompactMin Rows0ChecksumFalsePage ChecksumFalsePack KeysFalseDelay Key WriteFalseIs PartitionedFalseEncryptionDEFAULTEncryption Key Id0Persistent StatisticsDEFAULTAuto Recalculate StatisticsDEFAULTSample Pages0Created08/11/2023 23:13:52	Toperties	
Auto Increment 31  Average Row Length 546  Charset Iatin1  Collation Iatin1_swedish_ci  Row Format Compact  Min Rows 0  Max Rows 0  Checksum False  Page Checksum False  Pack Keys False  Delay Key Write False  Is Partitioned False  Encryption DEFAULT  Encryption Key Id 0  Persistent Statistics DEFAULT  Auto Recalculate Statistics DEFAULT  Sample Pages 0  Created 08/11/2023 23:13:52	Name	Value
Average Row Length 546  Charset latin1  Collation latin1_swedish_ci  Row Format Compact  Min Rows 0  Max Rows 0  Checksum False  Page Checksum False  Pack Keys False  Delay Key Write False  Is Partitioned False  Encryption DEFAULT  Encryption Key Id 0  Persistent Statistics DEFAULT  Auto Recalculate Statistics DEFAULT  Sample Pages 0  Created 08/11/2023 23:13:52	Engine	InnoDB
Charset Iatin1  Collation Iatin1_swedish_ci  Row Format Compact  Min Rows 0  Max Rows 0  Checksum False  Page Checksum False  Pack Keys False  Delay Key Write False  Is Partitioned False  Encryption DEFAULT  Encryption Key Id 0  Persistent Statistics DEFAULT  Auto Recalculate Statistics DEFAULT  Sample Pages 0  Created 08/11/2023 23:13:52	Auto Increment	31
Collation latin1_swedish_ci  Row Format Compact  Min Rows 0  Max Rows 0  Checksum False  Page Checksum False  Pack Keys False  Delay Key Write False  Is Partitioned False  Encryption DEFAULT  Encryption Key Id 0  Persistent Statistics DEFAULT  Auto Recalculate Statistics DEFAULT  Sample Pages 0  Created 08/11/2023 23:13:52	Average Row Length	546
Row Format Compact  Min Rows 0  Max Rows 0  Checksum False  Page Checksum False  Pack Keys False  Delay Key Write False  Is Partitioned False  Encryption DEFAULT  Encryption Key Id 0  Persistent Statistics DEFAULT  Auto Recalculate Statistics DEFAULT  Sample Pages 0  Created 08/11/2023 23:13:52	Charset	latin1
Min Rows 0  Max Rows 0  Checksum False  Page Checksum False  Pack Keys False  Delay Key Write False  Is Partitioned False  Encryption DEFAULT  Encryption Key Id 0  Persistent Statistics DEFAULT  Auto Recalculate Statistics DEFAULT  Sample Pages 0  Created 08/11/2023 23:13:52	Collation	latin1_swedish_ci
Max Rows 0 Checksum False Page Checksum False Pack Keys False Delay Key Write False Is Partitioned False Encryption DEFAULT Encryption Key Id 0 Persistent Statistics DEFAULT Auto Recalculate Statistics DEFAULT Sample Pages 0 Created 08/11/2023 23:13:52	Row Format	Compact
Checksum False  Page Checksum False  Pack Keys False  Delay Key Write False  Is Partitioned False  Encryption DEFAULT  Encryption Key Id 0  Persistent Statistics DEFAULT  Auto Recalculate Statistics DEFAULT  Sample Pages 0  Created 08/11/2023 23:13:52	Min Rows	0
Page Checksum False  Pack Keys False  Delay Key Write False  Is Partitioned False  Encryption DEFAULT  Encryption Key Id 0 Persistent Statistics DEFAULT  Auto Recalculate Statistics DEFAULT  Sample Pages 0 Created 08/11/2023 23:13:52	Max Rows	0
Pack Keys  False  Delay Key Write  False  Is Partitioned  False  Encryption  DEFAULT  Encryption Key Id  O  Persistent Statistics  DEFAULT  Auto Recalculate Statistics  DEFAULT  Sample Pages  O  Created  08/11/2023 23:13:52	Checksum	False
Delay Key Write  Is Partitioned  False  Encryption  DEFAULT  Encryption Key Id  0  Persistent Statistics  DEFAULT  Auto Recalculate Statistics  DEFAULT  Sample Pages  0  Created  08/11/2023 23:13:52	Page Checksum	False
Is Partitioned  False  Encryption  DEFAULT  Encryption Key Id  0  Persistent Statistics  DEFAULT  Auto Recalculate Statistics  DEFAULT  Sample Pages  0  Created  08/11/2023 23:13:52	Pack Keys	False
Encryption DEFAULT  Encryption Key Id 0  Persistent Statistics DEFAULT  Auto Recalculate Statistics DEFAULT  Sample Pages 0  Created 08/11/2023 23:13:52	Delay Key Write	False
Encryption Key Id 0  Persistent Statistics DEFAULT  Auto Recalculate Statistics DEFAULT  Sample Pages 0  Created 08/11/2023 23:13:52	Is Partitioned	False
Persistent Statistics DEFAULT  Auto Recalculate Statistics DEFAULT  Sample Pages 0  Created 08/11/2023 23:13:52	Encryption	DEFAULT
Auto Recalculate Statistics DEFAULT  Sample Pages 0  Created 08/11/2023 23:13:52	Encryption Key Id	0
Sample Pages 0  Created 08/11/2023 23:13:52	Persistent Statistics	DEFAULT
Created 08/11/2023 23:13:52	Auto Recalculate Statistics	DEFAULT
	Sample Pages	0
	Created	08/11/2023 23:13:52
Last Modified 01/01/0001 0:00:00	Last Modified	01/01/0001 0:00:00

#### **Columns**

Key	Name	Data Type	Length	Precision	Scale	Not Null	Auto Increment	Default	Virtual	Unsigned	Zerofill	Binary	Description
<u>}</u>	identrada	INT		11		True	True		False	False	False	False	
	titulo	VARCHAR	100			False	False	NULL	False	False	False	False	
	descripcion	VARCHAR	100			False	False	NULL	False	False	False	False	
	fechaentrada	DATE			7	False	False	NULL	False	False	False	False	

Key	Name	Columns	Unique	Туре	Key Lengths
-			·		· · ·

٩	PRIMARY	identrada	True	BTREE	

```
CREATE TABLE entradas (
   identrada INT(11) NOT NULL AUTO_INCREMENT,
   titulo VARCHAR(100) DEFAULT NULL,
   descripcion VARCHAR(100) DEFAULT NULL,
   fechaentrada DATE DEFAULT NULL,
   PRIMARY KEY (identrada)
)
ENGINE = INNODB,
CHARACTER SET latin1,
COLLATE latin1_swedish_ci,
ROW_FORMAT = Compact,
TRANSACTIONAL = 0;
```

#### Depends On

No items found

## Used By 3

registroemociones registropensamientos registrosensaciones

# **■** objetivos

## Description

## **Properties**

Toperties	
Name	Value
Engine	InnoDB
Auto Increment	31
Average Row Length	546
Charset	latin1
Collation	latin1_swedish_ci
Row Format	Compact
Min Rows	0
Max Rows	0
Checksum	False
Page Checksum	False
Pack Keys	False
Delay Key Write	False
Is Partitioned	False
Encryption	DEFAULT
Encryption Key Id	0
Persistent Statistics	DEFAULT
Auto Recalculate Statistics	DEFAULT
Sample Pages	0
Created	08/11/2023 23:13:52
Last Modified	01/01/0001 0:00:00
Last Modified	01/01/0001 0:00:00

#### **Columns**

Key	Name	Data Type	Length	Precision	Scale	Not Null	Auto Increment	Default	Virtual	Unsigned	Zerofill	Binary	Description
<b>P</b>	codobj	INT		11		True	True		False	False	False	False	
	denominacion	VARCHAR	100			False	False	NULL	False	False	False	False	
	fechalimite	DATE			7	False	False	NULL	False	False	False	False	
	descripcion	VARCHAR	100			False	False	NULL	False	False	False	False	

	Key	Name	Columns	Unique	Туре	Key Lengths
- 1	-			·	• •	

<b>P</b>	PRIMARY	codobj	True	BTREE	
----------	---------	--------	------	-------	--

```
CREATE TABLE objetivos (
    codobj INT(11) NOT NULL AUTO_INCREMENT,
    denominacion VARCHAR(100) DEFAULT NULL,
    fechalimite DATE DEFAULT NULL,
    descripcion VARCHAR(100) DEFAULT NULL,
    PRIMARY KEY (codobj)
)
ENGINE = INNODB,
CHARACTER SET latin1,
COLLATE latin1_swedish_ci,
ROW_FORMAT = Compact,
TRANSACTIONAL = 0;
```

#### Depends On

No items found

#### **Used By**

# $\blacksquare$ pensamientos

## Description

## **Properties**

Name	Value
Engine	InnoDB
Auto Increment	31
Average Row Length	546
Charset	latin1
Collation	latin1_swedish_ci
Row Format	Compact
Min Rows	0
Max Rows	0
Checksum	False
Page Checksum	False
Pack Keys	False
Delay Key Write	False
Is Partitioned	False
Encryption	DEFAULT
Encryption Key Id	0
Persistent Statistics	DEFAULT
Auto Recalculate Statistics	DEFAULT
Sample Pages	0
Created	08/11/2023 23:13:52
Last Modified	01/01/0001 0:00:00

#### **Columns**

Key	Name	Data Type	Length	Precision	Scale	Not Null	Auto Increment	Default	Virtual	Unsigned	Zerofill	Binary	Description
<u>}</u>	codpen	INT		11		True	True		False	False	False	False	
	intrusivo	TINYINT		1		False	False	NULL	False	False	False	False	
	recurrente	TINYINT		1		False	False	NULL	False	False	False	False	
	positivo	TINYINT		1		False	False	NULL	False	False	False	False	

Key	Name	Columns	Unique	Туре	Key Lengths
-			·		· · ·

P.	PRIMARY	codpen	True	BTREE	

```
CREATE TABLE pensamientos (
    codpen INT(11) NOT NULL AUTO_INCREMENT,
    intrusivo TINYINT(1) DEFAULT NULL,
    recurrente TINYINT(1) DEFAULT NULL,
    positivo TINYINT(1) DEFAULT NULL,
    PRIMARY KEY (codpen)
)
ENGINE = INNODB,
CHARACTER SET latin1,
COLLATE latin1_swedish_ci,
ROW_FORMAT = Compact,
TRANSACTIONAL = 0;
```

#### Depends On

No items found

## Used By 1

registropensamientos

# $\blacksquare$ registroemociones

## Description

## **Properties**

Value
InnoDB
31
546
latin1
latin1_swedish_ci
Compact
0
0
False
DEFAULT
0
DEFAULT
DEFAULT
0
08/11/2023 23:42:17
01/01/0001 0:00:00

#### Columns

Key	Name	Data Type	Length	Precision	Scale	Not Null	Auto Increment	Default	Virtual	Unsigned	Zerofill	Binary	Description
<b>₽</b>	regemo	INT		11		True	True		False	False	False	False	
	identrada	INT		10		False	False	NULL	False	False	False	False	
© <sup>∞</sup>	codemo	INT		10		False	False	NULL	False	False	False	False	

Key	Name	Columns	Unique	Туре	Key Lengths
	fk_registroemociones_emociones	codemo	False	BTREE	
P <sub>2</sub>	PRIMARY	regemo	True	BTREE	
	uk_entradas_emociones	identrada, codemo	True	BTREE	

## Foreign Keys

Name	Columns	Delete Rule	Update Rule	
fk_registroemociones_emociones	codemo	RESTRICT	RESTRICT	
fk_registroemociones_entradas	identrada	RESTRICT	RESTRICT	

### **SQL Script**

```
CREATE TABLE registroemociones (
 regemo INT(11) NOT NULL AUTO_INCREMENT,
  identrada INT(10) DEFAULT NULL,
 codemo INT(10) DEFAULT NULL,
 PRIMARY KEY (regemo)
ENGINE = INNODB,
CHARACTER SET latin1,
COLLATE latin1_swedish_ci,
ROW_FORMAT = Compact,
TRANSACTIONAL = 0;
ALTER TABLE registroemociones
 ADD UNIQUE INDEX uk_entradas_emociones(identrada, codemo);
ALTER TABLE registroemociones
 ADD CONSTRAINT fk_registroemociones_emociones FOREIGN KEY (codemo)
   REFERENCES emociones(codemo);
ALTER TABLE registroemociones
  ADD CONSTRAINT fk_registroemociones_entradas FOREIGN KEY (identrada)
    REFERENCES entradas(identrada);
```

## Depends On 2

emociones entradas

#### **Used By**

# ${\color{red}{\overline{\boxplus}}} \ registropensamientos$

## Description

## **Properties**

Value
InnoDB
31
546
latin1
latin1_swedish_ci
Compact
0
0
False
DEFAULT
0
DEFAULT
DEFAULT
0
08/11/2023 23:42:17
01/01/0001 0:00:00

#### Columns

Key	Name	Data Type	Length	Precision	Scale	Not Null	Auto Increment	Default	Virtual	Unsigned	Zerofill	Binary	Description
<b>£</b>	regpen	INT		11		True	True		False	False	False	False	
	identrada	INT		10		False	False	NULL	False	False	False	False	
©™ #£2	codpen	INT		10		False	False	NULL	False	False	False	False	

Key	Name	Columns	Unique	Туре	Key Lengths
	fk_registropensamientos_pensamientos	codpen	False	BTREE	
٩	PRIMARY	regpen	True	BTREE	
	uk_entradas_pensamientos	identrada, codpen	True	BTREE	

## Foreign Keys

Name	Columns	Delete Rule	Update Rule
fk_registropensamientos_entradas	identrada	RESTRICT	RESTRICT
fk_registropensamientos_pensamientos	codpen	RESTRICT	RESTRICT

### **SQL Script**

```
CREATE TABLE registropensamientos (
 regpen INT(11) NOT NULL AUTO_INCREMENT,
  identrada INT(10) DEFAULT NULL,
 codpen INT(10) DEFAULT NULL,
 PRIMARY KEY (regpen)
ENGINE = INNODB,
CHARACTER SET latin1,
COLLATE latin1_swedish_ci,
ROW_FORMAT = Compact,
TRANSACTIONAL = 0;
ALTER TABLE registropensamientos
 ADD UNIQUE INDEX uk_entradas_pensamientos(identrada, codpen);
ALTER TABLE registropensamientos
  ADD CONSTRAINT fk_registropensamientos_entradas FOREIGN KEY (identrada)
   REFERENCES entradas(identrada);
ALTER TABLE registropensamientos
  ADD CONSTRAINT fk_registropensamientos_pensamientos FOREIGN KEY (codpen)
    REFERENCES pensamientos(codpen);
```

### Depends On 2

entradas pensamientos

#### **Used By**

# $\blacksquare$ registrosensaciones

## Description

## **Properties**

Value
InnoDB
31
546
latin1
latin1_swedish_ci
Compact
0
0
False
DEFAULT
0
DEFAULT
DEFAULT
0
08/11/2023 23:42:17
01/01/0001 0:00:00

#### Columns

Key	Name	Data Type	Length	Precision	Scale	Not Null	Auto Increment	Default	Virtual	Unsigned	Zerofill	Binary	Description
<b>F</b>	regsensa	INT		11		True	True		False	False	False	False	
	identrada	INT		10		False	False	NULL	False	False	False	False	
©™ # <sub>2</sub>	codsensa	INT		10		False	False	NULL	False	False	False	False	

Key	Name	Columns	Unique	Туре	Key Lengths
	fk_registrosensaciones_sensaciones	codsensa	False	BTREE	
٤	PRIMARY	regsensa	True	BTREE	
	uk_entrada_sensaciones	identrada, codsensa	True	BTREE	

#### Foreign Keys

Name	Columns	Delete Rule	Update Rule
fk_registrosensaciones_entradas	identrada	RESTRICT	RESTRICT
fk_registrosensaciones_sensaciones	codsensa	RESTRICT	RESTRICT

### **SQL Script**

```
CREATE TABLE registrosensaciones (
 regsensa INT(11) NOT NULL AUTO_INCREMENT,
  identrada INT(10) DEFAULT NULL,
 codsensa INT(10) DEFAULT NULL,
 PRIMARY KEY (regsensa)
ENGINE = INNODB,
CHARACTER SET latin1,
COLLATE latin1_swedish_ci,
ROW_FORMAT = Compact,
TRANSACTIONAL = 0;
ALTER TABLE registrosensaciones
 ADD UNIQUE INDEX uk_entrada_sensaciones(identrada, codsensa);
ALTER TABLE registrosensaciones
  ADD CONSTRAINT fk_registrosensaciones_entradas FOREIGN KEY (identrada)
   REFERENCES entradas(identrada);
ALTER TABLE registrosensaciones
  ADD CONSTRAINT fk_registrosensaciones_sensaciones FOREIGN KEY (codsensa)
   REFERENCES sensaciones(codsensa);
```

## Depends On 2

entradas sensaciones

#### **Used By**

## **m** sensaciones

## Description

## **Properties**

Value
InnoDB
31
546
latin1
latin1_swedish_ci
Compact
0
0
False
DEFAULT
0
DEFAULT
DEFAULT
0
08/11/2023 23:13:52
01/01/0001 0:00:00

#### **Columns**

Key	Name	Data Type	Length	Precision	Scale	Not Null	Auto Increment	Default	Virtual	Unsigned	Zerofill	Binary	Description
<u>Е</u>	codsensa	INT		11		True	True		False	False	False	False	
	descripcion	VARCHAR	100			False	False	NULL	False	False	False	False	
	denominacion	VARCHAR	100			False	False	NULL	False	False	False	False	
	localizacioncorporal	ENUM				False	False	NULL	False	False	False	False	

Key	Name	Columns	Unique	Туре	Key Lengths
-			·		· · ·

<b>P</b>	PRIMARY	codsensa	True	BTREE	

```
CREATE TABLE sensaciones (
    codsensa INT(11) NOT NULL AUTO_INCREMENT,
    descripcion VARCHAR(100) DEFAULT NULL,
    denominacion VARCHAR(100) DEFAULT NULL,
    localizacioncorporal ENUM('Cabeza','Cuello','Pecho','Estomago','Espalda','Manos','Pies','Otro') DEFAULT NULL,
    PRIMARY KEY (codsensa)
)
ENGINE = INNODB,
CHARACTER SET latin1,
COLLATE latin1_swedish_ci,
ROW_FORMAT = Compact,
TRANSACTIONAL = 0;
```

#### Depends On

No items found

## Used By 1

registrosensaciones

# $\blacksquare$ tiposemociones

## Description

## **Properties**

NameValueEngineInnoDBAuto Increment51Average Row Length327CharsetIatin1CollationIatin1_swedish_ciRow FormatCompactMin Rows0Max Rows0ChecksumFalsePage ChecksumFalsePack KeysFalseDelay Key WriteFalseIs PartitionedFalseEncryptionDEFAULTEncryption Key Id0Persistent StatisticsDEFAULTAuto Recalculate StatisticsDEFAULTSample Pages0Created08/11/2023 23:42:17Last Modified01/01/0001 0:00:00	Торегиез	
Auto Increment 51  Average Row Length 327  Charset Iatin1  Collation Iatin1_swedish_ci  Row Format Compact  Min Rows 0  Max Rows 0  Checksum False  Page Checksum False  Pack Keys False  Delay Key Write False  Is Partitioned False  Encryption DEFAULT  Encryption Key Id 0  Persistent Statistics DEFAULT  Auto Recalculate Statistics DEFAULT  Sample Pages 0  Created 08/11/2023 23:42:17	Name	Value
Average Row Length 327  Charset latin1  Collation latin1_swedish_ci  Row Format Compact  Min Rows 0  Max Rows 0  Checksum False  Page Checksum False  Pack Keys False  Delay Key Write False  Is Partitioned False  Encryption DEFAULT  Encryption Key Id 0  Persistent Statistics DEFAULT  Auto Recalculate Statistics DEFAULT  Sample Pages 0  Created 08/11/2023 23:42:17	Engine	InnoDB
Charset latin1  Collation latin1_swedish_ci  Row Format Compact  Min Rows 0  Max Rows 0  Checksum False  Page Checksum False  Pack Keys False  Delay Key Write False  Is Partitioned False  Encryption DEFAULT  Encryption Key Id 0  Persistent Statistics DEFAULT  Auto Recalculate Statistics DEFAULT  Sample Pages 0  Created 08/11/2023 23:42:17	Auto Increment	51
Collation latin1_swedish_ci  Row Format Compact  Min Rows 0  Max Rows 0  Checksum False  Page Checksum False  Pack Keys False  Delay Key Write False  Is Partitioned False  Encryption DEFAULT  Encryption Key Id 0  Persistent Statistics DEFAULT  Auto Recalculate Statistics DEFAULT  Sample Pages 0  Created 08/11/2023 23:42:17	Average Row Length	327
Row Format Compact  Min Rows 0  Max Rows 0  Checksum False  Page Checksum False  Pack Keys False  Delay Key Write False  Is Partitioned False  Encryption DEFAULT  Encryption Key Id 0  Persistent Statistics DEFAULT  Auto Recalculate Statistics DEFAULT  Sample Pages 0  Created 08/11/2023 23:42:17	Charset	latin1
Min Rows 0  Max Rows 0  Checksum False  Page Checksum False  Pack Keys False  Delay Key Write False  Is Partitioned False  Encryption DEFAULT  Encryption Key Id 0  Persistent Statistics DEFAULT  Auto Recalculate Statistics DEFAULT  Sample Pages 0  Created 08/11/2023 23:42:17	Collation	latin1_swedish_ci
Max Rows 0 Checksum False Page Checksum False Pack Keys False Delay Key Write False Is Partitioned False Encryption DEFAULT Encryption Key Id 0 Persistent Statistics DEFAULT Auto Recalculate Statistics DEFAULT Sample Pages 0 Created 08/11/2023 23:42:17	Row Format	Compact
Checksum False  Page Checksum False  Pack Keys False  Delay Key Write False  Is Partitioned False  Encryption DEFAULT  Encryption Key Id 0  Persistent Statistics DEFAULT  Auto Recalculate Statistics DEFAULT  Sample Pages 0  Created 08/11/2023 23:42:17	Min Rows	0
Page Checksum False Pack Keys False Delay Key Write False Is Partitioned False Encryption DEFAULT Encryption Key Id O Persistent Statistics DEFAULT Auto Recalculate Statistics DEFAULT Sample Pages O Created 08/11/2023 23:42:17	Max Rows	0
Pack Keys  False  Delay Key Write  False  Is Partitioned  False  Encryption  DEFAULT  Encryption Key Id  O  Persistent Statistics  DEFAULT  Auto Recalculate Statistics  DEFAULT  Sample Pages  O  Created  08/11/2023 23:42:17	Checksum	False
Delay Key Write  Is Partitioned  False  Encryption  DEFAULT  Encryption Key Id  0  Persistent Statistics  DEFAULT  Auto Recalculate Statistics  DEFAULT  Sample Pages  0  Created  08/11/2023 23:42:17	Page Checksum	False
Is Partitioned  False  Encryption  DEFAULT  Encryption Key Id  0  Persistent Statistics  DEFAULT  Auto Recalculate Statistics  DEFAULT  Sample Pages  0  Created  08/11/2023 23:42:17	Pack Keys	False
Encryption DEFAULT  Encryption Key Id 0  Persistent Statistics DEFAULT  Auto Recalculate Statistics DEFAULT  Sample Pages 0  Created 08/11/2023 23:42:17	Delay Key Write	False
Encryption Key Id 0  Persistent Statistics DEFAULT  Auto Recalculate Statistics DEFAULT  Sample Pages 0  Created 08/11/2023 23:42:17	Is Partitioned	False
Persistent Statistics DEFAULT  Auto Recalculate Statistics DEFAULT  Sample Pages 0  Created 08/11/2023 23:42:17	Encryption	DEFAULT
Auto Recalculate Statistics DEFAULT  Sample Pages 0  Created 08/11/2023 23:42:17	Encryption Key Id	0
Sample Pages 0  Created 08/11/2023 23:42:17	Persistent Statistics	DEFAULT
Created 08/11/2023 23:42:17	Auto Recalculate Statistics	DEFAULT
	Sample Pages	0
Last Modified 01/01/0001 0:00:00	Created	08/11/2023 23:42:17
	Last Modified	01/01/0001 0:00:00

#### **Columns**

Key	Name	Data Type	Length	Precision	Scale	Not Null	Auto Increment	Default	Virtual	Unsigned	Zerofill	Binary	Description
<b>P</b>	idtipos	INT		11		True	True		False	False	False	False	
<i>∞</i>	codemo	INT		10		False	False	NULL	False	False	False	False	
品	tipos	VARCHAR	100			False	False	NULL	False	False	False	False	

Name	Columns	Unique	Туре	Key Lengths
------	---------	--------	------	-------------

<b>P</b>	PRIMARY	idtipos	True	BTREE	
	uk_tiposemociones_emociones	codemo, tipos	True	BTREE	

## Foreign Keys

Name	Columns	Delete Rule	Update Rule	
fk_tiposemociones_emociones	codemo	RESTRICT	RESTRICT	

#### **SQL Script**

```
CREATE TABLE tiposemociones (
   idtipos INT(11) NOT NULL AUTO_INCREMENT,
   codemo INT(10) DEFAULT NULL,
   tipos VARCHAR(100) DEFAULT NULL,
   PRIMARY KEY (idtipos)
)
ENGINE = INNODB,
CHARACTER SET latin1,
COLLATE latin1_swedish_ci,
ROW_FORMAT = Compact,
TRANSACTIONAL = 0;
ALTER TABLE tiposemociones
ADD UNIQUE INDEX uk_tiposemociones_emociones(codemo, tipos);
ALTER TABLE tiposemociones
ADD CONSTRAINT fk_tiposemociones_emociones FOREIGN KEY (codemo)
   REFERENCES emociones(codemo);
```

#### Depends On 1

emociones

#### **Used By**